



GEAR EP Series

High Performance Automotive Gear Oils

DESCRIPTION

GEAR EP SERIES oils are formulated from high quality mineral oils and an advanced additive system to provide exceptional thermal stability at elevated temperatures. Recommended for initial fill, topping-up and refill of enclosed automotive gears for manual transmissions, gear cases of semiautomatic transmissions where gear oils are recommended, drive axles and final drives of passenger cars, trucks, construction and farming equipment.

BENEFITS

- Minimal deposits and sludge due to exceptional thermal stability and resistance to high temperature oxidation.
- Protection against rust and corrosion.
- Effective lubrication at low temperatures.
- High oxidation stability

PERFORMANCE

- API: GL-5/MT-1
- US MIL: MIL-PRF-2105 D/E
- SAE: J2360
- MB: 235.0
- Mack: GO-J
- ZF: TE- ML- O5A / 08 / 12 E / 16C - D / 19B
- MAN: M 3343 -Type M
- Volvo: 97310

TYPICAL PROPERTIES

SAE Vis Grade	75W-90	EP 90
Viscosity at 40 °C, cSt	105,5	192
Viscosity at 100 °C, cSt	14,5	18,8
Viscosity Index	142	100
Density at 15 °C, g/cm ³	0,884	0,897
Flash Point, min. °C	200	230
Pour Point, max. °C	-30	-20

ARI OIL

