

Datasheet

syngo.via

Server Based Workstation/Workplace HW





Server Based Workstation/Workplace HW

Server:	HPE ProLiant ML110 Gen10, Floorstand	
Processor type:	CPU Intel Xeon Gold 5215 10 core, 2.5 GHz	
Memory:	96 GB RAM	
Graphical processing unit:	NVIDIA Quadro RTX 4000 with 3x Displayport	
RAID configuration:	System and Database:	SATA 2.5" SSD 2 x 480 GB (RAID 1)
	Images, Backup and Service:	SAS 2.5" HDD 5 x 600 GB (RAID 5)
	RAID controller P408i-p SR Gen 10 with 2 GB cache	
Networking:	2 x Gigabit Ethernet LAN on-board (second port disabled)	
Monitoring:	iLO Board: 1x Gigabit Ethernet LAN; for maintenance only	
CD / DVD:	DVD R / W	
Operating system:	Windows Server 2019 Standard Edition en-US	
Accessories:	USB Optical Scroll Mouse	
	USB Standard international Keyboard	

Image Storage

Storage:	Approximately 1.8 TB
-----------------	----------------------

Siemens Healthcare GmbH, syngo.via Server Based Workstation/Workplace HW. Technical details are subject to change without notice. The hardware described herein is off-the-shelf hardware. Siemens Healthcare GmbH is not Legal Manufacturer of the hardware.

Dimension and weight

Rack form factor:	Tower, Floorstand
Chassis dimensions:	44 × 19.5 × 48.05 cm (17.32 × 7.68 × 18.92 in) (H × W × D)
Dimensions packed:	56.50 × 31.50 × 58.50 cm (22.24 × 12.40 × 23.03 in)
Weight packed:	23 kg (51 LBS)
Power consumption:	Idle: 90 W, Max: 315 W
Heat emission:	Up to 2204 BTU/hr (at 100 VAC) Up to 2113 BTU/hr (at 200 VAC)
Acoustic noise:	Up to 40 dBA

Recommended environment requirements

Network:	1 Gbit/s network environment is needed for optimal performance
Workstation-Based Server:	16 Mbit/s (recommended) for broad-band connection is required (10 Mbit/s minimum)

Siemens Healthineers Headquarters

Siemens Healthcare GmbH
Henkestr. 127
91052 Erlangen, Germany
Phone: +49 9131 84-0
siemens-healthineers.com

Legal Manufacturer

Hewlett Packard Deutschland GmbH
Herrenberger Str. 140
71034 Böblingen
Sitz der Gesellschaft: Böblingen
Amtsgericht Stuttgart HRB 244081
WEEE-Reg.-Nr. DE 30409072