Pos No.	Item Code	Description / Comment	Qty.
	1 PL408R	ADTEC Needle Holder, TC, complete instrument, curved to left, $\emptyset$ 5 mm, work. length: 310 mm, single-action, axial handle, with ratchet	15
		Customer Reference: 8	
:	2 PL407R	ADTEC Needle Holder, TC, complete instrument, straight, Ø 5 mm, work. length: 310 mm, single-action, axial handle, with ratchet	11
		Customer Reference: 9	
:	3 BM078R	HEGAR DUROGRIP® Needle Holder, TC, straight, heavy pattern, 240 mm (9 1/2"), jaw: with 0.5 mm pitch of serration, for suture up to 3/0	6
		Customer Reference: 21	
	4 BM067R	MAYO-HEGAR DUROGRIP® Needle Holder, TC, straight, 205 mm (8"), jaw: with 0.5 mm pitch of serration, for suture up to 3/0	10
		Customer Reference: 24	
	5 BC945R	METZENBAUM SUPERCUT Dissecting Scissors, curved, wave cut, blunt/blunt, 230 mm (9")	6
		Customer Reference: 70	

Pos No.	Item Code	Description / Comment	Qty.
6	FM568R	Dia Dust® Micro Needle Holder, straight, 230 mm (9"), jaw: tungsten carbide coated, round handle, with ratchet, for suture up to 5/0	6
		Customer Reference: 71	
7	FM552R	Dia Dust® Micro Needle Holder, straight, 230 mm (9"), jaw: tungsten carbide coated, flat handle, with ratchet, for suture up to 5/0	6
		The state of the s	
	-		
8	BV530R	COLLIN Abdominal Retr.self-retaining, complete retractor, 200 mm (7 7/8"), cons. of BV551R, BV520R, Set	6
		135 min, 5 s/r Tran, 1 s/r Tran, 1 s/r Tran, 2 s/r Tra	
		Customer Reference: 73	
9	FM539R	Dia Dust® Micro Needle Holder, straight, heavy pattern, 230 mm (9"), jaw: tungsten carbide coated, round handle, with ratchet, for suture up to 2/0	3
		CONTRACTOR	
		Customer Reference: 78	

Pos No.	Item Code	Description / Comment	Qty.
10	FM534R	Dia Dust® Micro Needle Holder, straight, heavy pattern, 250 mm (9 3/4"), jaw: tungsten carbide coated, round handle, with ratchet, for suture up to 2/0	3
		Consideration business and the contract of the	
		Customer Reference: 79	
11	AN909R	Tubing Clamp, straight, 165 mm (6 1/2"), heavy pattern, smooth, box lock	20
		Customer Reference: 81	
		Customer Reference. 01	
12	FF717R	KERRISON Bone Punch, non-detachable, straight, 130 °, upwards cutting, 180 mm (7"), width: 2 mm, open. width: 9 mm, rec. storage: JF120R	1
		Customer Reference: 96	

Pos No.	Item Code	Description / Comment	Qty.	
13	FF720R	KERRISON Bone Punch, non-detachable, straight, 130 °, upwards cutting, 180 mm (7"), width: 3 mm, open. width: 10 mm, Rec. Storage: JF120R	3	3
		Customer Reference: 97		
14	BV250R	ANDERSON-ADSON Retractor (self-retaining), 190 mm (7 1/2"), 4 x 4 prongs, jaw depth: 21 mm, jaw width 20 mm, sharp, with ratchet	2	2
		Customer Reference: 101		_
15	FF708R	HESS Nerve Root Retractor, angled, 90 $^{\circ},$ 175 mm (6 7/8"), jaw depth: 3.30 mm, jaw width 5 mm, blunt	1	1
		Customer Reference: 106		

Pos No.	Item Code	Description / Comment	Qty.
16	FM566R	Dia Dust® Micro Needle Holder, straight, 210 mm (8 1/4"), jaw: tungsten carbide coated, round handle, with ratchet, for suture up to 5/0	3
		Customer Reference: 112	
17	FM599R	Dia Dust® Micro Plateau Forceps, straight, 210 mm (8 1/4"), platform tip, with weight, jaw width: 0.60 mm, tungsten carbide coated,round handle	2
		Customer Reference: 114	
18	AN912R	Tubing Clamp, straight, 180 mm (7"), serrated	8
	-	Customer Reference: 116	
19	BM078R	HEGAR DUROGRIP® Needle Holder, TC, straight, heavy pattern, 240 mm (9 1/2"), jaw: with 0.5 mm pitch of serration, for suture up to 3/0	4
		Customer Reference: 117	
	-		·

Pos No.	Item Code	Description / Comment	Qty.
20	BM035R	DE BAKEY DUROGRIP® Needle Holder, TC, straight, 180 mm (7"), jaw: with 0.4 mm pitch of serration, for suture 4/0 - 6/0	4
		AD .	
		Customer Reference: 118	
21	OK526R	TAKAHASHI Rongeur (Ethmoid Forceps), upwards cutting, 125 °, 185 mm (7 1/4"), work. length: 120 mm, jaw width: 3 mm	2
		120 mm, 4 h*	
		Customer Reference: 119	
22	BC242R	MAYO DUROTIP® Dissecting Scissors, straight, TC, rounded blades, blunt/blunt, 170 mm (6 3/4")	6
		Customer Reference: 120	
23	BC243R	MAYO DUROTIP® Dissecting Scissors, curved, TC, heavy pattern, rounded blades, blunt/blunt, 170 mm (6 3/4")	6
		Customer Reference: 121	
	-		

Pos No.	Item Code	Description / Comment	Qty.
24	BC287R	METZENBAUM DUROTIP® Dissecting Scissors, curved, TC, heavy pattern, blunt/blunt, 230 mm (9")	4
		Customer Reference: 122	
25	BC273R	TOENNIS-ADSON DUROTIP® Dissecting Scissors, curved, TC, delicate pattern, blunt/blunt, 175 mm (6 7/8")	4
		Customer Reference: 123	
26	FB866R	COLLEY-STRUCK Atrium Retractor, 265 mm (10 1/2"), serrated, jaw depth: 45 mm, jaw width 35 mm	2
		Customer Reference: 125	
27	BD257R	Dressing Forceps (Tweezers), angled, 200 mm (7 7/8"), jaw width: 1.50 mm, serrated	4
		Customer Reference: 126	

Pos No.	Item Code	Description / Comment	Qty.
28	BV207R	WEITLANER Retractor (self-retaining), 240 mm (9 1/2"), 3 x 4 prongs, jaw depth: 27 mm, jaw width 21 mm, blunt	2
		Customer Reference: 137	
29	FB150R	Vascular Spatula, curved, 185 mm (7 1/4"), single ended, tip: blunt, jaw width 3 mm	3
		Customer Reference: 139	
30	OK081R	KILLIAN Nasal Specula, 135 mm (5 1/4"), work. length: 36 mm, jaw width 7 mm, Fig. 1	4
		THE THE PARTY OF T	
		Customer Reference: 141	
31	BD880R	JANSEN Dressing Forceps (Tweezers), straight, bayonet-shaped, 160 mm (6 1/4"), work. length: 65 mm, jaw width 1.80 mm, serrated	4
		Customer Reference: 142	

Pos No.	Item Code	Description / Comment	Qty.
32	OK613R	GRUENWALD-HENKE Conchotome, straight, 180 mm (7"), work. length: 110 mm, jaw width 4 mm, through cutting	3
		Customer Reference: 145	
33	OK602R	MACKAY-GRUENWALD Antrum Punch, straight, with tubular shaft, work. length: 130 mm, jaw width: 3 mm, through cutting	2
		Customer Reference: 152	
34	OK583R	Antrum Punch, angled, right, forward cutting, 105 mm (4 1/8"), width: 3 mm	1
		Customer Reference: 153	
35	OK584R	Antrum Punch, angled, left, forward cutting, 100 mm (4"), width: 3 mm	1
		Customer Reference: 154	

Pos No.	Item Code	Description / Comment	Qty.
36	OK680R	Rongeur, curved downwards, 120 $^{\circ},$ 90 $^{\circ},$ with tubular shaft, work. length: 100 mm, jaw width: 3.50 mm	2
		Customer Reference: 156	
37	OK682R	Rongeur, curved to right, 120 °, 90 °, with tubular shaft, work. length: 100 mm, jaw width: 3.50 mm	2
		Customer Reference: 157	
38	OK683R	Rongeur, curved to left, 90 °, 120 °, with tubular shaft, work. length: 100 mm, jaw width: 3.50 mm	2
		Customer Reference: 158	