

Dianfang ABRASIVES



ISO 13485
CE 0197

点锋研磨

第6版/Vol.6

Rotary things



dentistry

About Us, 关于我们

Dian Fong specialize in Rotary things of dental and Jewelry, who provide innovative and professional products and service.

Our products include DIAMOND bur and disc, TUNGSTEN CARBIDE bur or cutter, FLEXIBLE RUBBER bur and wheel, Polishing Brush, Mounted Stone, ZIRCONIA grinder and polish etc.

We make sure of the best quality and have certificates of ISO 13485 and CE0197. Whoever you are dentist or technician, we always make you relaxing, safe and efficient. We are your best friend in dentistry!

Content 目录6.1

Dentistry, Dentist's Use. 临床类


Diamond bur. 金刚石车针	3
Zekrya Bur, Endo Z, Scaling Burs, Oral Surgical Burs 拔牙车针, 手术车针	7
Tungsten Carbide Bur. 钨钢车针	8
Diamond Polisher, Arkansas Stone, Green Stone, Diamond Stones 橡胶金刚石磨头, 车石, 陶瓷金刚石磨头	10
Silicon Polisher for Ceramic, Amalgam 硅胶磨头(用于烤瓷, 银汞抛光)	11
Polishing brush and Cup 抛光刷, 抛光杯	11
Mandrels, Blocks for Sterilizing 夹针, 消毒盒	12
Samples Collection 样品册	6, 12
Clinic Kit 套装	13, 14

一首小诗

我磨一根针，
足以穿风尘。
海内结知己，
笑淡了风云。

A Little Poem

A small bur which I made,
is sharp to teeth-grind;
Anywhere, we make friends,
and smile as sky fade.



ISO 13485



CE 0197




Established in 2007

Diamond Bur

金剛砂車針

Advantages

1. Strictly comply with ISO Standard ;
2. Sharper and More Efficient ;
3. Durable and Valuable ;
4. Full Range of shapes and grits.
5. Fastly develop new items.
6. Individual Design and OEM Service





Grit

- Black / Super Coarse
- Green / Coarse
- Blue / Medium
- Red / Fine
- Yellow / Extra Fine


001-008M Item No.


Diamond @ Round - Preparation & Polish

Most Frequently used for crown preparation , to cut depth guides, Occlusal rest preparation, endodontic access and cavity preparation.

 Round 圓球	 001/008 0.8/19.0 BR-49	 001/010 1.0/19.0 BR-45	 001/012 1.2/19.0 BR-46	 001/014 1.4/19.0 BR-41	 001/016 1.6/19.0 BR-40	 001/018 1.8/19.0 BR-31	 001/021 2.0/19.0 BR-28	 001/023 2.3/19.0 BR-26	 001/025 2.5/19.0 BR-25	 001/029 2.9/19.0 BR-23	 002/012 2.3/19.0 BC-43	 002/014 2.3/19.0 BC-42
	001-008M	001-010M	001-012M	001-014M	001-016M	001-018M	001-021M	001-023M	001-025M	001-029M	002-012M	002-014M
	Medium grit										Round with Collar /BC	
 002/016 3.5/19.0 BC-32	 002/018 2.3/19.0 BC-31	 005/018 7.5/21.0 EX-28	 001/014 1.4/19.0 BR-41S	 001/016 1.6/19.0 BR-40S	 001/018 1.8/19.0 BR-31S	 001/021 2.0/19.0 BR-28S	 001/023 2.3/19.0 BR-26S	 001/025 2.5/19.0 BR-25S	 001/029 2.9/19.0 BR-23S	 001/014 1.4/19.0 BR-41C	 001/016 1.6/19.0 BR-40C	 001/018 1.8/19.0 BR-31C
002-016M	002-018M	005-018M	001-014S	001-016S	001-018S	001-021S	001-023S	001-025S	001-029S	001-014C	001-016C	001-018C
Super Coarse										Coarse		
 001/021 2.0/19.0 BR-28C	 001/023 2.3/19.0 BR-26C	 001/025 2.5/19.0 BR-25C	 001/029 2.9/19.0 BR-23C	 001/012 1.2/19.0 BR-46F	 001/014 1.4/19.0 BR-41F	 001/016 1.6/19.0 BR-40F	 001/018 1.8/19.0 BR-31F	 001/021 2.0/19.0 BR-28F	 001/023 2.3/19.0 BR-26F			
001-021C	001-023C	001-025C	001-029C	001-012F	001-014F	001-016F	001-018F	001-021F	001-023F			
Fine grit												
 001/012 1.2/19.0 BR-46EF	 001/014 1.4/19.0 BR-41EF	 001/016 1.6/19.0 BR-40EF	 001/018 1.8/19.0 BR-31EF	 001/021 2.0/19.0 BR-28EF	 001/023 2.3/19.0 BR-26EF							
001-012EF	001-014EF	001-016EF	001-018EF	001-021EF	001-023EF							
Extra Fine												
 001/010 1.0/25.0 BR-X45	 001/012 1.2/25.0 BR-X46	 001/014 1.4/25.0 BR-X41	 001/016 1.6/25.0 BR-X40	 001/018 1.8/25.0 BR-X31	 001/016 1.6/25.0 BR-X40S	 001/018 1.8/25.0 BR-X31S	 001/014 1.4/25.0 BR-X41C	 001/016 1.6/25.0 BR-X40C	 001/018 1.8/25.0 BR-X31C			
001-X010M	001-X012M	001-X014M	001-X016M	001-X018M	001-X016S	001-X018S	001-X014C	001-X016C	001-X018C			
Medium										Super Coarse		
										Coarse		
 001/012 1.2/22.0 BR-R46	 001/014 1.4/22.0 BR-R41	 001/016 1.6/22.0 BR-R40	 001/018 1.8/22.0 BR-R31	 001/023 2.3/22.0 BR-R26	 001/016 1.6/22.0 BR-R40F	 001/018 1.8/22.0 BR-R31F	 001/023 2.3/22.0 BR-R26F	 001/016 1.6/22.0 BR-R40EF	 001/018 1.8/22.0 BR-R31EF	 001/023 2.3/22.0 BR-R26EF		
001-R012M	001-R014M	001-R016M	001-R018M	001-R023M	001-R016F	001-R018F	001-R023F	001-R016EF	001-R018EF	001-R023EF		
Medium										Fine		
										Extra Fine		



 010/010 1.0/19.0 SI-45	 010/012 1.2/19.0 SI-46	 010/014 1.6/19.0 SI-47	 010/016 1.8/19.0 SI-48	 019/010 2.3/19.0 DI-41	 019/014 3.2/19.0 DI-42	 038/032 5.0/19.0 EX-11	 039/035 7.0/20.0 EX-12	 041/025 0.5/19.0 WF-30	 055/045 2.0/19.0 WR-44	 068/042 1.8/19.0 WR-13	 109/010 4.0/19.0 SF-41	 109/012 4.0/19.0 SF-31
010-010M	010-012M	010-014M	010-016M	019-010M	019-014M	038-032M	039-035M	041-025M	055-045M	068-042M	109-010M	109-012M
Inverted Cone /SI			Inverted Cone with Collar /DI			Barrel / EX		Wheel / WF		Flat End Cylinder /SF		
 109/014 4.0/19.0 SF-42	 110/014 6.0/21.0 SF-21	 110/016 6.0/21.0 SF-15	 111/012 8.0/22.0 SF-11	 111/014 8.0/22.0 SF-12	 111/016 8.0/22.0 SF-13	 138/010 4.0/19.0 SR-41	 138/012 4.0/19.0 SR-31	 138/014 4.0/19.0 SR-42	 140/014 6.0/21.0 SR-21	 141/012 8.0/22.0 SR-11	 141/014 8.0/22.0 SR-12	 141/016 8.0/22.0 SR-13
109-014M	110-014M	110-016M	111-012M	111-014M	111-016M	138-010M	138-012M	138-014M	140-014M	141-012M	141-014M	141-016M
Round End Cylinder /SR												
 150/012 10.0/21.0 EX-18	 164/012 6.0/21.0 TC-26	 165/014 8.0/22.0 TC-21	 166/010 10.0/23.0 TC-27	 166/012 10.0/23.0 TC-28	 166/014 10.0/22.0 TC-10	 166/016 10.0/22.0 TC-11	 166/018 10.0/23.0 TC-16	 169/010 3.5/19.0 TF-41	 170/012 4.0/19.0 TF-42	 170/014 4.0/19.0 TF-43	 170/016 4.0/19.0 TF-31	 170/018 5.0/20.0 TF-23
150-012M	164-012M	165-014M	166-010M	166-012M	166-014M	166-016M	166-018M	169-010M	170-012M	170-014M	170-016M	170-018M
End Cut /EX		Needle /TC		Flat Cone /TF								
 170/021 5.0/20.0 TF-22	 171/014 6.5/21.0 TF-20	 171/016 6.5/21.0 TF-21	 172/010 8.0/22.0 TF-07	 172/012 8.0/22.0 TF-08	 172/014 8.0/22.0 TF-09	 172/016 8.0/22.0 TF-10	 172/018 8.0/22.0 TF-56	 172/023 9.0/22.0 TF-14	 173/014 10.0/24.0 TF-11	 173/016 10.0/22.5 TF-12	 173/018 10.0/22.5 TF-13	 196/010 4.0/19.0 CR-41
170-021M	171-014M	171-016M	172-010M	172-012M	172-014M	172-016M	172-018M	172-023M	173-014M	173-016M	173-018M	196-010M
 196/012 4.0/19.0 CR-31	 196/014 4.0/19.0 CR-42	 196/016 4.0/19.0 CR-12	 196/020 5.0/19.0 CR-11	 197/014 6.5/21.0 TR-20	 197/016 6.5/21.0 TR-21	 197/018 6.5/21.0 TR-62	 197/020 6.5/21.0 TR-63	 198/014 8.0/22.0 TR-25	 198/016 8.0/22.0 TR-24	 198/018 8.0/22.0 TR-23	 199/014 10.0/22.0 TR-11	 199/016 10.0/22.0 TR-12
196-012M	196-014M	196-016M	196-020M	197-014M	197-016M	197-018M	197-020M	198-014M	198-016M	198-018M	199-014M	199-016M
Round End Cone /CR, TR												
 199/018 9.0/22.0 TR-13	 199/022 9.0/22.0 TR-14	 200/022 11.0/24.0 TR-15	 200/024 11.0/24.0 TR-19	 233/010 2.8/19.0 EX-41	 234/014 4.0/19.0 EX-31	 237/018 5.0/19.0 EX-20	 237/021 5.0/19.0 EX-21	 237/032 5.0/19.0 EX-26	 248/012 6.0/21.0 FO-41	 248/014 6.0/21.0 FO-20	 249/014 8.0/22.0 FO-21	 249/016 8.0/22.0 FO-22
199-018M	199-022M	200-022M	200-024M	233-010M	234-014M	237-018M	237-021M	237-032M	248-012M	248-014M	249-014M	249-016M
Pearl /EX					Flame /FO							
 250/012 10.0/24.0 FO-11	 250/014 10.0/24.0 FO-12	 250/016 10.0/24.0 FO-13	 257/018 3.6/19.0 FO-32	 257/023 5.0/19.0 FO-34	 257/028 5.0/19.0 FO-25	 257/029 5.0/19.0 FO-22	 277/030 5.0/19.0 TR-28	 288/012 6.0/21.0 SO-20	 289/014 8.0/22.0 SO-21	 298/016 8.0/22.0 878K16	 298/018 8.0/22.0 878K18	 299/016 10.0/24.0 879K16
250-012M	250-014M	250-016M	257-018M	257-023M	257-028M	257-029M	277-030M	288-012M	289-014M	298-016M	298-018M	299-016M
					Football /TR			Torpedo /SO				
 515/014 8.0/22.0 BC-11	 519/016 8.0/22.0 BC-12	 552/016 6.0/21.0 VP-20	 552/018 6.0/21.0 VP-21	 552/021 6.0/21.0 VP-22	 546/016 8.0/22.0 847KR16	 553/018 10.0/24.0 848KR18						
515-014M	519-016M	552-016M	552-018M	552-021M	546-016M	553-018M						
Gross Reduction /BC		Depth Marking			Taper Round edge							

Super Coarse 特粗砂	 010/016 1.8/19.0 SI-48S	 038/032 5.0/19.0 EX-11S	 039/035 7.0/20.0 EX-12S	 109/012 4.0/19.0 SF-31S	 109/014 4.0/19.0 SF-42S	 111/012 8.0/22.0 SF-11S	 111/014 8.0/22.0 SF-12S	 111/016 8.0/22.0 SF-13S	 166/016 10.0/22.0 TC-11S	 166/018 10.0/23.0 TC-16S	 171/016 6.5/21.0 TF-21S	 173/014 10.0/24.0 TF-11S
	Spec. FG-	010-016S	038-032S	039-035S	109-012S	109-014S	111-012S	111-014S	111-016S	166-016S	166-018S	171-016S
	 173/016 10.0/22.0 TF-12S	 173/018 10.0/22.0 TF-13S	 197/016 6.5/21.0 TR-21S	 199/014 10.0/22.0 TR-11S	 199/016 10.0/22.0 TR-12S	 199/018 9.0/22.0 TR-13S	 237/018 5.0/19.0 EX-20S	 277/020 3.9/19.0 TR-22S				
	173-016S	173-018S	197-016S	199-014S	199-016S	199-018S	237-018S	277-020S				
Coarse 粗砂	 010/014 1.6/19.0 SI-47C	 068/042 1.8/19.0 WR-13C	 111/014 8.0/22.0 SF-12C	 165/014 8.0/22.0 TC-21C	 173/018 10.0/22.0 TF-13C	 190/018 9.5/21.0 FO-54C	 197/018 6.5/21.0 TR-62C	 199/018 9.0/22.0 TR-13C	 257/018 3.6/19.0 FO-32C			
	Spec. FG-	010-014C	068-042C	111-014C	165-014C	173-018C	190-018C	197-018C	199-018C	257-018C		
Fine 细砂	 110/014 6.0/21.0 SF-21F	 150/012 10.0/21.0 EX-18F	 165/014 8.0/22.0 TC-21F	 166/016 10.0/22.0 TC-11F	 171/016 6.5/21.0 TF-21F	 173/014 10.0/24.0 TF-11F	 173/016 10.0/22.0 TF-12F	 173/018 10.0/22.0 TF-13F	 196/016 4.0/19.0 CR-12F	 196/020 5.0/19.0 CR-11F	 197/014 6.5/21.0 TR-20F	
	Spec. FG-	110-014F	150-012F	165-014F	166-016F	171-016F	173-014F	173-016F	173-018F	196-016F	196-020F	197-014F
	 197/016 6.5/21.0 TR-21F	 197/018 6.5/21.0 TR-62F	 199/014 10.0/22.0 TR-11F	 199/016 10.0/22.0 TR-12F	 199/018 9.0/22.0 TR-13F	 234/014 4.0/19.0 EX-31F	 237/021 5.0/19.0 EX-21F	 249/014 8.0/22.0 FO-21F	 249/016 8.0/22.0 FO-22F	 254/016 3.2/19.0 FO-30F	 289/014 8.0/22.0 SO-21F	
	197-016F	197-018F	199-014F	199-016F	199-018F	234-014F	237-021F	249-014F	249-016F	254-016F	289-014F	
Extra Fine 特细砂	 165/014 8.0/22.0 TC-21EF	 166/010 10.0/23.0 TC-27EF	 166/012 10.0/23.0 TC-28EF	 166/016 10.0/22.0 TC-11EF	 171/016 6.5/21.0 TF-21EF	 173/014 10.0/24.0 TF-11EF	 173/016 10.0/22.0 TF-12EF	 173/018 10.0/22.0 TF-13EF	 196/016 4.0/19.0 CR-12EF	 196/020 5.0/19.0 CR-11EF	 197/016 6.5/21.0 TR-21EF	 197/018 6.5/21.0 TR-62EF
	Spec. FG-	165-014EF	166-010EF	166-012EF	166-016EF	171-016EF	173-014EF	173-016EF	173-018EF	196-016EF	196-020EF	197-016EF
	 198/016 8.0/22.0 TR-24EF	 199/014 10.0/22.0 TR-11EF	 199/016 10.0/22.0 TR-12EF	 199/018 9.0/22.0 TR-13EF	 237/021 5.0/19.0 EX-21EF	 243/010 4.3/23.5 FO-40EF	 248/012 6.0/21.0 FO-41EF	 248/014 6.0/21.0 FO-20EF	 249/014 8.0/22.0 FO-21EF	 249/016 8.0/22.0 FO-22EF	 254/016 3.2/19.0 FO-30EF	 257/023 5.0/19.0 FO-34EF
	198-016EF	199-014EF	199-016EF	199-018EF	237-021EF	243-010EF	248-012EF	248-014EF	249-014EF	249-016EF	254-016EF	257-023EF
FG Short 短柄	 001/010 1.0/16.0 BR-S45	 001/014 1.4/16.0 BR-S41	 010/012 1.2/16.0 SI-S46	 010/016 1.8/16.0 SI-S48	 165/014 8.0/19.0 TC-S21	 169/010 3.5/16.0 TF-S41	 170/016 4.0/16.0 TF-S31	 170/018 5.0/18.0 TF-S23	 171/014 6.5/18.0 TF-S20	 171/016 6.5/18.0 TF-S21	 197/016 6.5/17.0 TR-S21	 249/014 8.0/19.0 FO-S21
	Spec. FG-	001-S010M	001-S014M	010-S012M	010-S016M	165-S014M	169-S010M	170-S016M	170-S018M	171-S014M	171-S016M	197-S016M
	Medium Grit /Blue											

 FG XL Surgical												
	010/012 1.2/25.0 SI-X46	111/012 8.0/28.0 SF-X11	111/014 8.0/28.0 SF-X12	111/016 8.0/28.0 SF-X13	166/016 10.0/29.0 TC-X11	173/014 10.0/29.0 TF-X11	173/016 10.0/29.0 TF-X12	173/018 10.0/29.0 TF-X13	199/016 10.0/29.0 TR-X12	200/022 11.5/29.0 TR-X15	249/014 8.0/28.0 FO-X21	249/016 8.0/28.0 FO-X22
加长柄	010-X012M	111-X012M	111-X014M	111-X016M	166-X016M	173-X014M	173-X016M	173-X018M	199-X016M	200-X022M	249-X014M	249-X016M
 RA/CA Shank												
	010/010 1.0/22.0 SI-R45	010/012 1.2/22.0 SI-R46	010/014 1.6/22.0 SI-R47	010/016 1.8/22.0 SI-R48	109/010 4.0/22.0 SF-R41	109/012 4.0/22.0 SF-R31	109/014 4.0/22.0 SF-R42	111/010 8.0/24.0 SF-R10	111/012 8.0/24.0 SF-R11	111/014 8.0/24.0 SF-R12	141/012 8.0/24.0 SR-R11	141/014 8.0/24.0 SR-R12
弯机柄	010-R010M	010-R012M	010-R014M	010-R016M	109-R010M	109-R012M	109-R014M	111-R010M	111-R012M	111-R014M	141-R012M	141-R014M
												
165-R014M	166-R016M	169-R010M	170-R012M	198-R018M	199-R016M	257-R018M	165-R014F	257-R018F				
TC-R21	TC-R11	TF-R41	TF-R42	TR-R23	TR-R12	FO-R32	TC-R21F	FO-R32F				

Samples Collection For Clinic Items

样品册

Flip-Cart Plastic Pages ;
Smart, Easily fill all burs ;
Economic and Recyclable ;
Nice-looking for showing to Customers ;
Convenient to take to anywhere .



No. 170B5
 Empty Collection Wallet
 样品本(不带车针)



4 Colors Available ,
 100 holes per page ,
 5 pages per set ,
 Smart to FG or RA Burs

No. 1701D
 Diamond Burs Collection Wallet
 金刚石车针样品本



More than 300 specification ,
 Diamond burs ,
 FG, FG XL, FG 2XL,
 FG Short, RA, RA Long

Four Colors Available

Brown

Black

Blue


Yellow



Sharp Burs for Cut teeth(Extraction) 拔牙车针

Applications: Sectioning an impacted wisdom tooth prior to its extraction / Separating roots
 Removing a broken root stump Cutting a tooth horizontally at neck level /
 Reworking temporary teeth of acrylic material / Preparing a shoulder on the vestibular side of the tooth






  					 							
		11.0 23.0				11.0 25.0			11.0 28.0			
	151		X151			XL151			7.0 25.0			7.0 28.0
								EC25		EC28		

Endo Z 安全端车针

Fast enter root Canal. the end is round and No-cut so it is safe and easily confirm the position.
 顶端圆钝无齿纹, 可以快速建立根管口通道, 避免髓壁穿孔, 安全可靠。











Scaling Bur 去结石车针

Remove Tartar, big scales when cleaning teeth
 洗牙的时候用来除去大块的牙结石, 牙垢

 Endo Z 											
	9.0 21.0		9.0 23.0		9.0 25.0			3.0 21.0		5.5 21.0	
	FG 152		FG X152		FG XL152			ET3		ET5	
	016		016		016			009		012	

Oral Surgical Burs of Tungsten Carbide 手术用车针

Please select the following length of FG X Long shank of High speed or RA Long shank of Low speed .

												
	0.8 25.0	1.0 25.0	1.2 25.0	1.4 25.0	1.6 25.0	1.8 25.0	2.3 25.0	4.0 25.0	4.0 25.0	4.0 25.0	4.0 25.0	4.0 25.0
	FG X1	FG X2	FG X3	FG X4	FG X5	FG X6	FG X8	FG X57	FG X58	FG X170	FG X171	FG X557
	001/008	001/010	001/012	001/014	001/016	001/018	001/023	107/010	107/012	168/010	168/012	107/010
												
	4.0 25.0	4.0 25.0	4.0 25.0	4.0 25.0	4.0 25.0	4.0 25.0	4.0 25.0					
	FG X558	FG X559	FG X700	FG X701	FG X702	FG X1557	FG X1558					
	107/012	107/014	168/010	168/012	168/016	137/010	137/012					
												
	1.0 26.0	1.2 26.0	1.4 26.0	1.6 26.0	1.8 26.0	2.1 26.0	2.3 26.0	4.0 26.0	4.0 26.0			
	RA X2	RA X3	RA X4	RA X5	RA X6	RA X7	RA X8	RA X557	RA X701			
	001/010	001/012	001/014	001/016	001/018	001/021	001/023	107/010	168/012			

Tungsten Carbide Bur

钨钢车针

Advantages

1. Strictly comply with ISO Standard
2. Sharper and More Efficient
3. Durable and Valuable
4. FG, FG Short, FG Long, RA, RA Long etc

Sharp Edge

High Quality TC from Europe


Precise Welding Technology

Hardened Stainless Shank

Prepare Cavities 备洞





								
Ball	FG 1/4	FG 1/2	FG 1	FG 2	FG 3	FG 4	FG 5	FG 6
Plain Cut	001/005	001/006	001/008	001/010	001/012	001/014	001/016	001/018

			
FG 7	FG 8	FG 9	
001/021	001/023	001/025	

							
Invert Cone	FG 34	FG 35	FG 36	FG 37	FG 38	FG 39	FG 41
Plain Cut	010/008	010/010	010/012	010/014	010/016	010/018	010/023




											
	Cylinder	FG 56	FG 57	FG 58	FG 59	FG 60	Cylinder	FG 556	FG 557	FG 558	FG 559
	Plain Cut	107/009	107/010	107/012	107/014	107/016	Cross Cut	107/009	107/010	107/012	107/014

											
FG 560	FG 556L	FG 557L	FG 558L	FG 559L		Taper	FG 168	FG 169	FG 170	FG 171	FG 172
107/016	110/009	110/010	110/012	110/014		Plain Cut	168/008	168/009	168/010	168/012	168/016

												
FG 169L	FG 170L	FG 171L	Taper	FG 698	FG 699	FG 700	FG 701	FG 702	FG 699L	FG 700L	FG 701L	FG 702L
171/009	171/010	171/012	Cross Cut	168/008	168/009	168/010	168/012	168/016	171/009	171/010	171/012	171/016

Cutting of Crown 破冠



							
Round Cyl.	FG 1556	FG 1557	FG 1558	FG 1559	Crown Prep.	FG 1931	FG 1932
Cross Cut	137/009	137/010	137/012	137/014	Fine, Cross	237/010	237/012

					
Crown Prep.	FG 1957	FG 1958	Crown Prep.	FG 2057	FG 2058
Fine, Cross	137/010	137/012	Fine, Cross	107/010	107/012

Preparation or Removal of Amalgam, metal 去金属



								
Pear	FG 245	FG 246	Egg	FG 329	FG 330	FG 331	FG 332	FG 331 L
Plain Cut	233/009	233/012	Plain Cut	232/006	232/008	232/010	232/012	232/010


Removal of Composite, Orthodontics 去树脂 / 正畸												
		Round Cyl. Plain Cut	4.0 19.0 FG 1155 137/008	4.0 19.0 FG 1156 137/009	4.0 19.0 FG 1157 137/010	4.0 19.0 FG 1158 137/012	4.0 19.0 FG 1159 137/014	4.0 19.0 FG 1160 137/016	4.0 19.0 Round Taper Plain Cut 194/009	4.0 19.0 FG 1169 194/010	4.0 19.0 FG 1170 194/010	4.0 19.0 FG 1171 194/012
				Shoulder Preparation 备肩台					Carving of tooth pattern (Morphology) 雕牙花			
4.0 19.0 FG 1172 194/016	Round Taper Cross Cut 194/016	4.0 19.0 FG 1701 194/012	4.0 19.0 FG 1702 194/016			End Cut 150/010	4.0 19.0 FG 957 150/010	4.0 19.0 FG 958 150/012			3 Sided 468/014	4.0 19.0 FG 468 468/014

 16.5mm / 0.63 inch FG Short Shank												
短柄		0.8 16.5 FG S1 001/008	1.0 16.5 FG S2 001/010	1.2 16.5 FG S3 001/012	1.4 16.5 FG S4 001/014	1.6 16.5 FG S5 001/016	2.5 16.5 FG S245 233/009	1.8 16.5 FG S330 232/008	2.0 16.5 FG S331 232/010	4.0 16.5 FG S556 107/009	4.0 16.5 FG S557 107/010	4.0 16.5 FG S1157 137/010

 22mm / 0.83 inch RA CA Shank													
弯机柄		0.6 22.0 RA 1/2 001/006	0.8 22.0 RA 1 001/008	1.0 22.0 RA 2 001/010	1.2 22.0 RA 3 001/012	1.4 22.0 RA 4 001/014	1.6 22.0 RA 5 001/016	1.8 22.0 RA 6 001/018	2.1 22.0 RA 7 001/021	2.3 22.0 RA 8 001/023	0.8 22.0 RA 34 010/008	1.0 22.0 RA 35 010/010	1.2 22.0 RA 36 010/012

												
1.4 22.0 RA 37 010/014	1.6 22.0 RA 38 010/016	1.8 22.0 RA 39 010/018	2.1 22.0 RA 40 010/021	2.3 22.0 RA 41 010/023	2.5 22.0 RA 245 233/009	4.0 22.0 RA 556 107/009	4.0 22.0 RA 557 107/010	4.0 22.0 RA 558 107/012	4.0 22.0 RA 559 107/014	4.0 22.0 RA 560 107/016	4.0 22.0 RA 561 107/018	4.0 22.0 RA 562 107/021

												
4.0 22.0 RA 563 107/023	4.0 22.0 RA 699 168/009	4.0 22.0 RA 700 168/010	4.0 22.0 RA 701 168/012	4.0 22.0 RA 702 168/016	4.0 22.0 RA 703 168/021	4.0 22.0 RA 704 168/023						

Trimming & Finishing Gold TC bur 8-12 Blades 金色钨钢精修车针 (8-12刃)											
		Round ISO 071	1.4 19.0 7004 001/014	1.6 19.0 7005 001/016	1.8 19.0 7006 001/018	Taper Cone ISO 072	9.0 23.0 7204 184/014	9.0 23.0 7205 184/016	Taper Pointed ISO 072	4.2 19.0 7611 159/010	6.0 21.0 7612 164/014
											
Egg ISO 072	3.3 19.0 7404 277/014	3.5 19.0 7406 277/018	Taper T ISO 072	3.5 19.0 7114 168/009	5.5 19.0 7214 170/009	9.0 19.0 7714 172/009	Sharp Flame ISO 071	3.6 19.0 7901 496/009	3.6 19.0 7902 496/010	3.6 19.0 7903 496/012	9.0 23.0 7903L 250/012



Diamond Polisher
旋风轮
树脂抛光利器，
也可以抛烤瓷，
氧化锆和玻璃陶瓷。



Coarse 粗

Sr204C



Medium 中

Sr204M



Fine 细

Sr204F







KIT CP 6001 套装



Arkansas Stone 白车石 Finish, Polish Filling Composite 去树脂, 填充物及抛光。														
	2.8 6.8	2.8 7.2	2.5 6.2	2.5 6.2	3.0 3.0	3.4 2.0		2.8 6.8	2.8 7.2	2.5 6.2	2.5 6.2	3.0 3.0	3.4 2.0	
	FG小杆							RA弯头杆						


Green Stone 绿车石 Grind Ceramics, Precious Metal 研磨烤瓷, 贵金属等。														
	2.8 6.8	2.8 7.2	2.5 6.2	2.5 6.2	3.0 3.0			2.8 6.8	2.8 7.2	2.5 6.2	2.5 6.2	3.0 3.0		
	FG小杆							RA弯头杆						

 Diamond Stone 陶瓷金刚石磨头 Grind, Finish All-Ceramic, Zirconia 全瓷, 氧化锆研磨														
	3.0 7.0	4.0 7.0	3.5 11.0					3.0 7.0	4.0 7.0	3.5 11.0	2.5 6.0	8.0 1.0		
	DCF101	DCF102	DCF122					DCR101	DCR102	DCR122	DCR104	DCR105		
	FG小杆							RA弯头杆						

 Diamond Polisher . Polish All-Ceramic, Zirconia 橡胶金刚石磨头 (全瓷牙, 氧化锆牙抛光)															
															
3.0 7.0	5.0 0.0	10.0 2.0	6.0 10.0	3.0 7.0	5.0 10.0	10.0 2.0	6.0 10.0	3.0 7.0	5.0 10.0	10.0 2.0	6.0 10.0	3.0 7.0	5.0 10.0	10.0 2.0	6.0 10.0
Sr101M	Sr103M	Sr105M	Sr106M	Sr101F	Sr103F	Sr105F	Sr106F	Sr101EF	Sr103EF	Sr105EF	Sr106EF	Sr101UF	Sr103UF	Sr105UF	Sr106UF
Blue, Medium Grit / 蓝色, 标准粒度				Light Grey, Fine Grit / 浅灰色, 较细				Yellow, Extra Fine / 黄色, 特细				Light Pink, Ultra Fine / 浅粉色, 超细, 高亮			


Silicon Polisher For Ceramic 硅胶磨头(烤瓷牙抛光)







 3.0 7.0	 5.0 10.0	 10.0 1.0	 10.0 2.0	 7.0 11.0	 11.0 9.0	 3.0 7.0	 5.0 10.0
Cr101C	Cr103C	Cr104C	Cr105C	Cr106C	Cr108C	Cf101C	Cf103C
White, Coarse / 白色, 粗糙						FG高速机用	
 3.0 7.0	 5.0 10.0	 10.0 1.0	 10.0 2.0	 7.0 11.0	 11.0 9.0	 3.0 7.0	 5.0 10.0
Cr101M	Cr103M	Cr104M	Cr105M	Cr106M	Cr108M	Cf101M	Cf103M
Pink, Medium / 粉色, 中粗						FG高速机用	
 3.0 7.0	 5.0 10.0	 10.0 1.0	 10.0 2.0	 7.0 11.0	 11.0 9.0	 3.0 7.0	 5.0 10.0
Cr101F	Cr103F	Cr104F	Cr105F	Cr106F	Cr108F	Cf101F	Cf103F
Blue, Fine / 蓝色, 较细						FG高速机用	

Silicon Polisher For Amalgam/Metal 硅胶磨头(银汞, 金属抛光)







 3.0 7.0	 5.0 10.0	 10.0 1.0	 10.0 2.0	 7.0 11.0	 11.0 9.0	 3.0 7.0	 5.0 10.0
Ar101C	Ar103C	Ar104C	Ar105C	Ar106C	Ar108C	Af101C	Af103C
Black, Coarse / 黑色, 粗糙						FG高速机用	
 3.0 7.0	 5.0 10.0	 10.0 1.0	 10.0 2.0	 7.0 11.0	 11.0 9.0	 3.0 7.0	 5.0 10.0
Ar101M	Ar103M	Ar104M	Ar105M	Ar106M	Ar108M	Af101M	Af103M
Brown, Medium / 棕色, 中粗						FG高速机用	
 3.0 7.0	 5.0 10.0	 10.0 1.0	 10.0 2.0	 7.0 11.0	 11.0 9.0	 3.0 7.0	 5.0 10.0
Ar101F	Ar103F	Ar104F	Ar105F	Ar106F	Ar108F	Af101F	Af103F
Light Green, Fine / 浅绿, 较细						FG高速机用	

Polishing Brush. RA 抛光刷

 Shape of Cup 杯型 White Hard 硬	 White, 白	 Clear, 透明	 Blue, 蓝	 Pink, 粉	 Purple, 紫	 Yellow, 黄	 White, Soft 软	 Shape of Pen 笔型 White Hard 硬	 White, 白	 Clear, 透明		
R4Dw	R4Cw	R4Cc	R4Cb	R4Cr	R4Cp	R4Cy	R4G	R5Dw	R5Cw	R5Cc		
Bristle猪鬃	Colorful Nylon 缤纷尼龙			Goat Hair 羊毛			Bristle猪鬃	Colorful Nylon 缤纷尼龙				
 Blue, 蓝	 Pink, 粉	 Purple, 紫	 Yellow, 黄	 White, Soft 软	 Pointed Head 尖头 White, Hard 硬	 Clear, 透明	 White, Soft 软	 Flat 平轮	 Leather 毛皮	 White, Soft 软	 Thread 棉线	 Nylon 尼龙
R5Cb	R5Cr	R5Cp	R5Cy	R5G	R7Dw	R7Cc	R7G	R1Ns	R1Ry	R1G	R1T	R9Cw
Goat Hair 羊毛			Bristle猪鬃	Nylon 尼龙	Goat Hair 羊毛	Felt 毛毡	Leather 毛皮	Goat Hair 羊毛	Thread 棉线	Nylon 尼龙		
 With Al. Oxide 氧化铝				 With Silicon Carbide 碳化硅				Prophy Cup 抛光杯				
R4AI	R5AI	R7AI	R1AI	R4SiC	R5SiC	R7SiC	R1SiC					
Abrasive Fiber 磨料丝								 white, 白	 Blue, 蓝	 white, 白	 Blue, 蓝	
								4 Angles, Soft 软		6 Angles, Hard 硬		


Mandrels 夹针		
26RS		Adapter FG into RA
35RS		Snap
53RS		Pop-on
31RS		Head 3.0mm
31RSL		30 mm Long
52RS		Head 5 mm
51R		Head 5 mm Steel
55HS		Adapter FG into HP
32HS		HP, Head 3mm

Bur Blocks for Sterilizing 消毒盒		
		
No. 201	No. 211	No. 221
3 x 5 = 15 FG burs hole	10 FG + 5 RA	5 FG + 10 RA
		
No. 241	No. 202	No. 212
2 x 6 = 12 RA burs hole	3 x 6 = 18 Root canal files	18 HP Burs

RF Stainless Burs All Ball 碳钢车针,球形 ISO 330					
RA XL 30.0mm Implant use 种植用球钻 快速处理软组织	Ball				
	RA XL D10		1.0	HP XL 70.0mm Bone Surgical 骨科用球钻	
	RA XL D20		2.0		
	RA XL D30		3.0		
	RA XL D40		4.0		
	RA XL D50		5.0		
	Ball				
	HP XL D10		1.0		
	HP XL D20		2.0		
	HP XL D30		3.0		
	HP XL D40		4.0		
	HP XL D50		5.0		

No. 1702T

Tungsten Carbide Collection Wallet
钨钢车针样品本




Nearly 200 specification,
TC burs
FG, FG XL, FG Short, RA, RA Long
T & F Gold, Endo z etc.



No. 1703P

Polishing burs Collection Wallet
抛光器械样品本



Nearly 150 specifications,
Silicon Rubber burs,
Diamond Abrasives & polishers,
Polishing brushes etc









Sharpening Stones
磨刀石



Check the instruments for contamination and clean, if required. Clean diamond instruments by Cleaning stones .

			
1W	1G	2W	2G
75 x 25 x 8 mm		100 x 15 x 15 mm	

 KIT	Diamond burs of Ball shape Assorted in FG shank 圆球状金刚石车针混装(高速)	Diamond burs of Ball shape Assorted in FG LONG 圆球状金刚石车针混装(高速加长)	Diamond burs of Ball shape Assorted in RA shank 圆球状金刚石车针混装(低速)
	 BR1901 BR-49, BR-45, BR-46, BR-41, BR-40, BR-31, BR-28, BR-26, BR-25, BR-23	 BR1902 BR-X45, BR-X46, BR-X41, BR-X40, BR-X31, BR-X40S, BR-X31S, BR-X41C, BR-X40C, BR-X31C	 BR1903 BR-R46, BR-R41, BR-R40, BR-R31, BR-R26, BR-R40F, BR-R31F, BR-R26F, BR-R40EF, BR-R26EF
Diamond burs of Inverted Cone Assorted in FG shank 常用倒锥金刚石车针混装(高速)	Regular Diamond burs of Taper Assorted in FG shank 常用锥形金刚石车针混装 (高速)	Interproximal Enamel Reduction (IPR) for Ortho 邻面去釉套装	Safe End Diamond Preparation 前后牙预备(安全端金剛車針)
 1804IV SI-45 x 2; SI-46 x 3, SI-47 x 3, SI-48 x 2	 1805TA TR-11 x 2, TR-12 x 2, TF-11 x 2; TF-12 x 1, TC-10 x 1, TC-27 x 1, TC-28 x 1	 1806 TC-11EF, 820-016EF, 820-031F, 820-016F, TC-10F	 4100 508T-014S, BR-41, 198-016S, 508T-016S, 508T-016F; 508T-014S, BR-540, 198-021S, 508T-021S, 508T-021F
Crown & Bridge Preparation for Anterior 前牙桥体/冠体预备	Crown & Bridge Preparation for Posterior 后牙桥体/冠体预备	Cavity Preparation, Restoratives 备洞	Inlay & Onlay Preparation 嵌体/高嵌体预备
 4101 TF-21, TF-10, TF-12, TC-10, WR-13 SR-11, TR-11, EX-18, TR-12F, TC-11F	 4102 EX-20S, SR-21, FO-34, TR-62C, TR-21 TR-24, SO-21, EX-18, TR-21F, EX-21F	 4103 BR-45, BR-40, BC-32, EX-31 TF-20, SF-41, SF-21, SI-48	 4104 SI-48, DI-42, TF-31, TF-22, SF-21 EX-18, TF-21F, SF-21F, FO-22EF, EX-21EF
Micro Invasive Surgery 微创备牙	Porcelain Veneers' Preparation 瓷贴面备牙套装	Children's Teeth Preparation 儿童牙预备	Ceramics / Composite Polishing 烤瓷牙/复合树脂抛光
 4105 BR-49, SF-41, SR-41, TC-26, CR-41 EX-41, FO-40EF / FG1/4, FG1/2, FG1	 6000 BR-45, VP-20, VP-21, VP-22, SR-41, TR-25, SO-20, TR-13F, Cf101F	 6002 CD-50F, CD-51F, CD-52F, CD-53F, CD-54F CD-55F, CD-56F, CD-57F, CD-58F, CD-59F	 4106 BR-40EF, TC-11EF, TF-11EF, TF-12EF, TR-11EF, EX-21EF, FO-40EF, FO-21EF, FO-22EF, FO-30EF
Student or Beginner's Diamond FG 0.8mm 新手入门金刚石车针,高速	Student or Beginner's Diamond FG 0.9mm 新手入门金刚石车针,高速	Student or Beginner's Diamond RA 0.8mm 新手入门金刚石车针,慢速	Student or Beginner's Diamond RA 0.9mm 新手入门金刚石车针,慢速
 FG008D BR-49, BR-49, SI-49, SF-49, TF-49	 FG009D 001-009M, 001-009M, 010-009M, 109-009M, 170-009M	 RA008D BR-R49, BR-R49, SI-R49, SF-R49, TF-R49	 RA009D 001-R009M, 001-R009M, 010-R009M, 109-R009M, 170-R009M

TC Trimming & Finishing burs, FG 钨钢精修车针,FG	Tungsten carbide burs of Ball shape Assorted in FG shank 圆球状钨钢车针混装(高速)	Tungsten Carbide of FG shank 0.8mm for Students 初学者用的钨钢车针 (头径0.8mm,高速)	Tungsten Carbide of RA shank 0.8mm for Students 初学者用的钨钢车针 (头径0.8mm,低速)
			
TF7100	1900 T	FG008T	RA008T
7004, 7404, 7214, 7714, 7903L	FG 1, FG 2, FG 3, FG 4, FG 5	FG 1, FG 1, FG 34, FG555, FG698	RA 1, RA 1, RA 34, RA 555, RA 698
FG White Stone Burs, to Finish Composite 白车石,高速	RA White Stone Burs, to Finish Composite 白车石,低速	FG Green Stone burs, Finish Ceramics 绿车石,高速	RA Green Stone burs, Finish Ceramics 绿车石,低速
			
7109FW	7109RW	7109FG	7109RG
FL2-Fw, CN1-Fw, RD1-Fw, RD2-Fw, TC1-Fw,	FL2-Rw, CN1-Rw, RD1-Rw, RD2-Rw, TC1-Rw,	FL2-Fg, CN1-Fg, RD1-Fg, RD2-Fg, TC1-Fg,	FL2-Rg, CN1-Rg, RD1-Rg, RD2-Rg, TC1-Rg,
Extraction Burs 拔阻生齿车针	Oral Surgery burs FG Long 手术车针(高速加长)	Porcelain / Natural Teeth Polishing RA 烤瓷牙,自然牙抛光,弯机柄	Amalgam / Metal Polishing RA 银汞合金,金属抛光,弯机柄
			
1904	1905	4112	4114
X151, XL151, EC25, EC28, FG X6, EX-28, BR-X31, TR-X12, TR-X15, TF-X13	FG X2, FG X4, FG X6, FG X558, FG X701, BR-X41, BR-X40, BR-X31, TF-X12, TR-X12	Coarse : Cr101C, Cr103C, Cr104C, Cr106C Medium : Cr101M, Cr103M, Cr104M, Cr106M Fine : Cr101F, Cr103F, Cr104F, Cr106F	Coarse : Ar101C, Ar103C, Ar104C, Ar106C Medium : Ar101M, Ar103M, Ar104M, Ar106M Fine : Ar101F, Ar103F, Ar104F, Ar106F
Composite, Ceramic, Zirconia Polishers . RA 树脂、烤瓷、氧化锆抛光	Composite, Ceramic, Zirconia Polishers . RA 树脂、烤瓷、氧化锆抛光	Diamond stones & polishers for grind & polish Zirconia / Lithium Disilicate 氧化锆,玻璃陶瓷研磨抛光	Diamond Polishers for Zirconia /Lithium Disilicate 氧化锆,玻璃陶瓷抛光
			
CP 6011	CP 6001	7115	4115
Medium : Sr 204 M x 3 Fine : Sr 204 F x 3	Coarse : Sr 204 C x 2 Medium : Sr 204 M x 2 Fine : Sr 204 F x 2	Sr101UF, Sr103UF, Sr105UF, Sr10UEF Sr101F, Sr103F, Sr105F, Sr106F DCR101, DCR102, DCR122, DCR105	Medium : Sr103M, Sr105M, Sr106M Fine : Sr103F, Sr105F, Sr106F Extra Fine : Sr101EF, Sr103EF, Sr105EF, Sr106EF, Ultra Fine : Sr101UF, Sr103UF
Composite Finish and Polish RA 树脂成型和抛光,弯机柄	Composite Finish and Polish RA 树脂成型和抛光,弯机柄	Composite Finish and Polish RA 树脂成型和抛光,弯机柄	
			
4110V	1906	1907	
RA Stone Rw01, Rw02 x 2 RA Silicon Ruber Cr101M, Cr103M, Cr104M, Cr106M, Cr101F, Cr103F, Cr104F, Cr106F Cr10106M	Cr103C, Cr104C, Cr106C, Cr103M, Cr106M, R4AL, R5AL, R1Ry, R1G, R1T	Cr103C x 2, Cr103M, Cr104C, Cr106C R4AL, R5AL, R4Cb, R5Cb, R4Cr, R5Cr.	

Dianfong ABRASIVES



ISO 13485 / CE 0197 / Certified



阿里官网
Website on Alibaba



微信公众
WeChat Public

深圳点锋研磨材料有限公司
Shenzhen Dian Fong Abrasives Co.,Ltd

地址: 广东省深圳市龙岗区平湖天华路5号2栋4楼
Address : 4th Floor, Blk 2, No. 5, TianHua Rd, PingHu, LongGang Distr.,
Shenzhen, Guangdong Province, China 邮编 : Post code : 518 111
网站(Web): www.dianfong.com ; 邮箱(Email): dianfong@foxmail.com
电话(Tel.): 0755-2885 6248 ; 2834 4545 ; 传真(Fax): 0755- 2885 6246
QQ: 27212989 ; Skype:welson881 ; WhatsApp/Wechat:0086-13528829441