

**DS-MDT202
Handheld Terminal**

- Android 14 operating system, supports Google GMS server.
- Laser aiming projects a crosshair pattern for easy targeting of objects.
- Self-developed high-performance barcode recognition technology can efficiently read barcodes of various formats.
- Compact appearance design for convenient integration.
- Can quickly identify blurry, distorted, and dirty barcodes.
- Output modes include focus, coverage, broadcast, and clipboard.
- Supports continuous and single scanning modes.
- Scanning interval: 10-2000ms.
- Image Sensor: Front camera: 5 MP; Rear camera: 13 MP.

▪ Specification

Model		DS-MDT202
Camera	Image Sensor	Front camera: 5 MP; Fix-focus Rear camera: 13 MP; Auto-focus
	Flashing Light	Supported
Screen	Screen Size	5.5 "
	Screen Type	IPS; Capacitive touch panel; multi-touch
	Resolution	720 * 1440 pixel
Storage	CPU	8cores,2.0GHz
	RAM	4 GB
	ROM	64 GB
	Extended Storage	1 TF card (Max. 512 GB)
Wireless Network	Cellular Network	GSM: 900/1800 WCDMA: B1/8 FDD-LTE: B1/3/7/8/20/28 TDD-LTE: B34/B38/B40
	Wi-Fi Protocol	802.11 a/b/g/n/ac
	Wi-Fi Frequency Band	5.15-5.25 GHz;5.25-5.35 GHz;5.725-5.875 GHz;5.47-5.725 GHz;2.4GHz
	Bluetooth	BT 5.0
	Positioning Mode	GPS, BeiDou, Glonass
	NFC	Supported
Interface	Button	Side Keys Volume+, Volume-, Left Scan Key, Right Scan Key, Power Button, 1 Reserved Buttons
	SIM Card	Only available for models with /GLE /5G: 2 (Nano-SIM)
	Charging Interface	Waterproof Type C USB interface, supports USB High-speed, supports OTG, supports fast charging
General	Operating System	Android 14.0
	Power	Input: AC 100~240V, 50~60Hz Output: DC 5V, 2A
	Client	MDM
	Vibration Motor	Supported
	G-sensor	Supported
	Distance Sensor	Supported
	Light Sensor	Supported
	Drop Specifications	1.5 m
	Sealing	IP 68
Operating	Operating Temp: -20 °C to 50 °C	

	Condition	Humidity: 95% or less (non-condensing)
	Storage Condition	-40 °C to 70 °C (-40 °F to 158 °F). Humidity 95% or less (non-condensing)
Battery	Battery Type	Lithium-ion battery, replaceable
	Capacity	5000 mAh

▪ Available Model

DS-MDT202/4&64/GLE

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.



Hikvision



HikvisionHQ



HikvisionHQ



Hikvision_Global



Hikvision
Corporate Channel



hikvisionhq