



Angiography Catheter

POINT ⚡ CURVE™



POINT CURVE™



Pebax and Stainless-Steel braiding

Provides outstanding pushability and crossability.

Double braiding with 32 strands

Designed to achieve 1:1 torque and for excellent support.

Soft tip

Reduces potential for vessel trauma.

Large inner lumen and ultra-thin wall

Ensures high flow rate of contrast medical.

Reinforced shaft

Can resist up to 1200psi pressure and maintain flexibility.

Inner Lumen Sizes

4F 0.042" (1.07mm)

5F 0.046" (1.17mm)


6F 0.054" (1.37mm)

7F 0.064" (1.62mm)

Color hub for easy identification



Maximum guidewire size: 0.038"/0.97mm

Maximum pressure: 1200psi/83bar



CARDIOLOGY CATHETERS

Catalog Number	French Size	Inner Diameter inch/mm	Length cm	Model
JUDKINS LEFT(JL)				
ACJL354F1100	4	0.042"/1.07mm	100cm	JL3.5*4F
ACJL404F1100	4	0.042"/1.07mm	100cm	JL4.0*4F
ACJL504F1100	4	0.042"/1.07mm	100cm	JL5.0*4F
ACJL604F1100	4	0.042"/1.07mm	100cm	JL6.0*4F
ACJL355F1100	5	0.046"/1.17mm	100cm	JL3.5*5F
ACJL355F1125	5	0.046"/1.17mm	125cm	JL3.5*5F
ACJL405F1100	5	0.046"/1.17mm	100cm	JL4.0*5F
ACJL405F1125	5	0.046"/1.17mm	125cm	JL4.0*5F
ACJL405F1130	5	0.046"/1.17mm	130cm	JL4.0*5F
ACJL455F1100	5	0.046"/1.17mm	100cm	JL4.5*5F
ACJL505F1100	5	0.046"/1.17mm	100cm	JL5.0*5F
ACJL505F1125	5	0.046"/1.17mm	125cm	JL5.0*5F
ACJL605F1100	5	0.046"/1.17mm	100cm	JL6.0*5F
ACJL605F1125	5	0.046"/1.17mm	125cm	JL6.0*5F
ACJL356F1100	6	0.054"/1.37mm	100cm	JL3.5*6F
ACJL356F1125	6	0.054"/1.37mm	125cm	JL3.5*6F
ACJL406F1100	6	0.054"/1.37mm	100cm	JL4.0*6F
ACJL406F1125	6	0.054"/1.37mm	125cm	JL4.0*6F
ACJL456F1100	6	0.054"/1.37mm	100cm	JL4.5*6F
ACJL506F1100	6	0.054"/1.37mm	100cm	JL5.0*6F
ACJL506F1125	6	0.054"/1.37mm	125cm	JL5.0*6F
ACJL606F1100	6	0.054"/1.37mm	100cm	JL6.0*6F
ACJL606F1125	6	0.054"/1.37mm	125cm	JL6.0*6F
ACJL357F1100	7	0.064"/1.62mm	100cm	JL3.5*7F
ACJL407F1100	7	0.064"/1.62mm	100cm	JL4.0*7F
ACJL457F1100	7	0.064"/1.62mm	100cm	JL4.5*7F
ACJL507F1100	7	0.064"/1.62mm	100cm	JL5.0*7F
ACJL607F1100	7	0.064"/1.62mm	100cm	JL6.0*7F




Recommended guide wire is 0.038" (0.97mm)

Catalog Number	French Size	Inner Diameter inch/mm	Length cm	Model
----------------	-------------	------------------------	-----------	-------

JUDKINS RIGHT(JR)

ACJR354F1100	4	0.042"/1.07mm	100cm	JR3.5*4F
ACJR404F1100	4	0.042"/1.07mm	100cm	JR4.0*4F
ACJR504F1100	4	0.042"/1.07mm	100cm	JR5.0*4F
ACJR604F1100	4	0.042"/1.07mm	100cm	JR6.0*4F
ACJR355F1100	5	0.046"/1.17mm	100cm	JR3.5*5F
ACJR355F1125	5	0.046"/1.17mm	125cm	JR3.5*5F
ACJR405F1100	5	0.046"/1.17mm	100cm	JR4.0*5F
ACJR405F1125	5	0.046"/1.17mm	125cm	JR4.0*5F
ACJR405F1130	5	0.046"/1.17mm	130cm	JR4.0*5F
ACJR505F1100	5	0.046"/1.17mm	100cm	JR5.0*5F
ACJR505F1125	5	0.046"/1.17mm	125cm	JR5.0*5F
ACJR605F1100	5	0.046"/1.17mm	100cm	JR6.0*5F
ACJR605F1125	5	0.046"/1.17mm	125cm	JR6.0*5F
ACJR356F1100	6	0.054"/1.37mm	100cm	JR3.5*6F
ACJR356F1125	6	0.054"/1.37mm	125cm	JR3.5*6F
ACJR406F1100	6	0.054"/1.37mm	100cm	JR4.0*6F
ACJR406F1125	6	0.054"/1.37mm	125cm	JR4.0*6F
ACJR506F1100	6	0.054"/1.37mm	100cm	JR5.0*6F
ACJR506F1125	6	0.054"/1.37mm	125cm	JR5.0*6F
ACJR606F1100	6	0.054"/1.37mm	100cm	JR6.0*6F
ACJR606F1125	6	0.054"/1.37mm	125cm	JR6.0*6F
ACJR357F1100	7	0.064"/1.62mm	100cm	JR3.5*7F
ACJR407F1100	7	0.064"/1.62mm	100cm	JR4.0*7F
ACJR507F1100	7	0.064"/1.62mm	100cm	JR5.0*7F
ACJR607F1100	7	0.064"/1.62mm	100cm	JR6.0*7F



CORONARY BYPASS RIGHT(CBR)

ACCB4F1100	4	0.042"/1.07mm	100cm	CBR*4F
ACCB5F1100	5	0.046"/1.17mm	100cm	CBR*5F
ACCB6F1100	6	0.054"/1.37mm	100cm	CBR*6F
ACCB7F1100	7	0.064"/1.62mm	100cm	CBR*7F



CORONARY BYPASS LEFT(CBL)

ACCBL 4F1100	4	0.042"/1.07mm	100cm	CBL *4F
ACCBL 5F1100	5	0.046"/1.17mm	100cm	CBL *5F
ACCBL 6F1100	6	0.054"/1.37mm	100cm	CBL *6F
ACCBL 7F1100	7	0.064"/1.62mm	100cm	CBL *7F




Recommended guide wire is 0.038" (0.97mm)


Catalog Number	French Size	Inner Diameter inch/mm	Length cm	Model
----------------	-------------	------------------------	-----------	-------

AMPLATZ LEFT(AL)


ACAL14F1100	4	0.042"/1.07mm	100cm	AL1*4F
ACAL24F1100	4	0.042"/1.07mm	100cm	AL2*4F
ACAL34F1100	4	0.042"/1.07mm	100cm	AL3*4F
ACAL44F1100	4	0.042"/1.07mm	100cm	AL4*4F
ACAL15F1100	5	0.046"/1.17mm	100cm	AL1*5F
ACAL25F1100	5	0.046"/1.17mm	100cm	AL2*5F
ACAL35F1100	5	0.046"/1.17mm	100cm	AL3*5F
ACAL45F1100	5	0.046"/1.17mm	100cm	AL4*5F
ACAL16F1100	6	0.054"/1.37mm	100cm	AL1*6F
ACAL26F1100	6	0.054"/1.37mm	100cm	AL2*6F
ACAL36F1100	6	0.054"/1.37mm	100cm	AL3*6F
ACAL46F1100	6	0.054"/1.37mm	100cm	AL4*6F
ACAL17F1100	7	0.064"/1.62mm	100cm	AL1*7F
ACAL27F1100	7	0.064"/1.62mm	100cm	AL2*7F
ACAL37F1100	7	0.064"/1.62mm	100cm	AL3*7F
ACAL47F1100	7	0.064"/1.62mm	100cm	AL4*7F



AL1



AL2



AL3




AL4

AMPLATZ RIGHT(AR)


ACAR14F1100	4	0.042"/1.07mm	100cm	AR1*4F
ACAR24F1100	4	0.042"/1.07mm	100cm	AR2*4F
ACAR34F1100	4	0.042"/1.07mm	100cm	AR3*4F
ACAR15F1100	5	0.046"/1.17mm	100cm	AR1*5F
ACAR25F1100	5	0.046"/1.17mm	100cm	AR2*5F
ACAR35F1100	5	0.046"/1.17mm	100cm	AR3*5F
ACAR16F1100	6	0.054"/1.37mm	100cm	AR1*6F
ACAR26F1100	6	0.054"/1.37mm	100cm	AR2*6F
ACAR36F1100	6	0.054"/1.37mm	100cm	AR3*6F
ACAR17F1100	7	0.064"/1.62mm	100cm	AR1*7F
ACAR27F1100	7	0.064"/1.62mm	100cm	AR2*7F
ACAR37F1100	7	0.064"/1.62mm	100cm	AR3*7F



AR1



AR2



AR3

INTERNAL MARMARY(IM)

ACIM4F1100	4	0.042"/1.07mm	100cm	IM*4F
ACIM5F1100	5	0.046"/1.17mm	100cm	IM*5F
ACIM6F1100	6	0.054"/1.37mm	100cm	IM*6F
ACIM7F1100	7	0.064"/1.62mm	100cm	IM*7F



IM

Recommended guide wire is 0.038" (0.97mm)

Catalog Number	French Size	Inner Diameter inch/mm	Length cm	Model	Side Holes
----------------	-------------	------------------------	-----------	-------	------------

PIGTAIL(PIG)

ACPIGS4F1080	4	0.042"/1.07mm	80cm	PIG*4F	6
ACPIGS4F1110	4	0.042"/1.07mm	110cm	PIG*4F	6
ACPIGS4F1125	4	0.042"/1.07mm	125cm	PIG*4F	6
ACPIGS4F1130	4	0.042"/1.07mm	130cm	PIG*4F	6
ACPIGS5F1065	5	0.046"/1.17mm	65cm	PIG*5F	6
ACPIGS5F1110	5	0.046"/1.17mm	110cm	PIG*5F	6
ACPIGS5F1125	5	0.046"/1.17mm	125cm	PIG*5F	6
ACPIGS5F1130	5	0.046"/1.17mm	130cm	PIG*5F	6
ACPIGS6F1080	6	0.054"/1.37mm	80cm	PIG*6F	5
ACPIGS6F1110	6	0.054"/1.37mm	110cm	PIG*6F	5
ACPIGS6F1125	6	0.054"/1.37mm	125cm	PIG*6F	5
ACPIGS7F1080	7	0.064"/1.62mm	80cm	PIG*7F	5
ACPIGS7F1110	7	0.064"/1.62mm	110cm	PIG*7F	5
ACPIGS7F1125	7	0.064"/1.62mm	125cm	PIG*7F	5




PIG

PIGTAIL 145°(PIG)

ACPIGA5F1110	5	0.046"/1.17mm	110cm	PIG*5F	6
ACPIGA6F1110	6	0.054"/1.37mm	110cm	PIG*6F	6

PIGTAIL 155°(PIG)


ACPIGB5F1110	5	0.046"/1.17mm	110cm	PIG*5F	5
ACPIGB6F1110	6	0.054"/1.37mm	110cm	PIG*6F	5



PIG 145°

ULTIMATERADIAL(TIG)

ACTIG4F1100	4	0.042"/1.07mm	100cm	TIG*4F	1
ACTIG5F1100	5	0.046"/1.17mm	100cm	TIG*5F	1
ACTIG6F1100	6	0.054"/1.37mm	100cm	TIG*6F	1
ACTIG7F1100	7	0.064"/1.62mm	100cm	TIG*7F	1



TIG

Recommended guide wire is 0.038" (0.97mm)

Catalog Number	French Size	Inner Diameter inch/mm	Length cm	Model	Side Holes
----------------	-------------	------------------------	-----------	-------	------------

MULTIPURPOSE(MPA)

ACMPA14F1100	4	0.042"/1.07mm	100cm	MultipurposeA1*4F	0
ACMPA24F1100	4	0.042"/1.07mm	100cm	MultipurposeA2*4F	2
ACMPA15F1100	5	0.046"/1.17mm	100cm	MultipurposeA1*5F	0
ACMPA25F1100	5	0.046"/1.17mm	100cm	MultipurposeA2*5F	2
ACMPA16F1100	6	0.054"/1.37mm	100cm	MultipurposeA1*6F	0
ACMPA26F1100	6	0.054"/1.37mm	100cm	MultipurposeA2*6F	2
ACMPA17F1100	7	0.064"/1.62mm	100cm	MultipurposeA1*7F	0
ACMPA27F1100	7	0.064"/1.62mm	100cm	MultipurposeA2*7F	2



MPA1



MPA2

MULTIPURPOSE(MPB)

ACMPB14F1100	4	0.042"/1.07mm	100cm	MultipurposeB1*4F	0
ACMPB24F1100	4	0.042"/1.07mm	100cm	MultipurposeB2*4F	2
ACMPB15F1100	5	0.046"/1.17mm	100cm	MultipurposeB1*5F	0
ACMPB25F1100	5	0.046"/1.17mm	100cm	MultipurposeB2*5F	2
ACMPB16F1100	6	0.054"/1.37mm	100cm	MultipurposeB1*6F	0
ACMPB26F1100	6	0.054"/1.37mm	100cm	MultipurposeB2*6F	2
ACMPB17F1100	7	0.064"/1.62mm	100cm	MultipurposeB1*7F	0
ACMPB27F1100	7	0.064"/1.62mm	100cm	MultipurposeB2*7F	2




MPB1



MPB2

3DRC

AC3DRC4F1100	4	0.042"/1.07mm	100cm	3DRC*4F
AC3DRC5F1100	5	0.046"/1.17mm	100cm	3DRC*5F
AC3DRC6F1100	6	0.054"/1.37mm	100cm	3DRC*6F
AC3DRC7F1100	7	0.064"/1.62mm	100cm	3DRC*7F



3DRC

Recommended guide wire is 0.038" (0.97mm)

PERIPHERAL CATHETERS

Catalog Number	French Size	Inner Diameter inch/mm	Length cm	Model
----------------	-------------	------------------------	-----------	-------

HEADHUNTER(H)

ACH14F0100	4	0.042"/1.07mm	100cm	Headhunter1*4F
ACH34F0100	4	0.042"/1.07mm	100cm	Headhunter3*4F
ACH15F0100	5	0.046"/1.17mm	100cm	Headhunter1*5F
ACH35F0100	5	0.046"/1.17mm	100cm	Headhunter3*5F
ACH16F0100	6	0.054"/1.37mm	100cm	Headhunter1*6F
ACH36F0100	6	0.054"/1.37mm	100cm	Headhunter3*6F
ACH17F0100	7	0.064"/1.62mm	100cm	Headhunter1*7F
ACH37F0100	7	0.064"/1.62mm	100cm	Headhunter3*7F



Headhunter1



Headhunter3

COBRA(COB)

ACCOBRA14F1100	4	0.042"/1.07mm	100cm	COBRA1*4F
ACCOBRA24F1100	4	0.042"/1.07mm	100cm	COBRA2*4F
ACCOBRA15F1100	5	0.046"/1.17mm	100cm	COBRA1*5F
ACCOBRA25F1100	5	0.046"/1.17mm	100cm	COBRA2*5F
ACCOBRA16F1100	6	0.054"/1.37mm	100cm	COBRA1*6F
ACCOBRA26F1100	6	0.054"/1.37mm	100cm	COBRA2*6F
ACCOBRA17F1100	7	0.064"/1.62mm	100cm	COBRA1*7F
ACCOBRA27F1100	7	0.064"/1.62mm	100cm	COBRA2*7F




COBRA1



COBRA2

Recommended guide wire is 0.038" (0.97mm)

Catalog Number	French Size	Inner Diameter inch/mm	Length cm	Model
BENTSON(SON)				
ACSONI4F1100	4	0.042"/1.07mm	100cm	SON I*4F
ACSONIW4F1100	4	0.042"/1.07mm	100cm	SON IW*4F
ACSONII4F1100	4	0.042"/1.07mm	100cm	SON II*4F
ACSONIIW4F1100	4	0.042"/1.07mm	100cm	SON IIW*4F
ACSONIII4F1100	4	0.042"/1.07mm	100cm	SON III*4F
ACSONIIIW4F1100	4	0.042"/1.07mm	100cm	SON IIIW*4F
ACSONI5F1100	5	0.046"/1.17mm	100cm	SON I*5F
ACSONIW5F1100	5	0.046"/1.17mm	100cm	SON IW*5F
ACSONII5F1100	5	0.046"/1.17mm	100cm	SON II*5F
ACSONIIW5F1100	5	0.046"/1.17mm	100cm	SON IIW*5F
ACSONIII5F1100	5	0.046"/1.17mm	100cm	SON III*5F
ACSONIIIW5F1100	5	0.046"/1.17mm	100cm	SON IIIW*5F
ACSONI6F1100	6	0.054"/1.37mm	100cm	SON I*6F
ACSONIW6F1100	6	0.054"/1.37mm	100cm	SON IW*6F
ACSONII6F1100	6	0.054"/1.37mm	100cm	SON II*6F
ACSONIIW6F1100	6	0.054"/1.37mm	100cm	SON IIW*6F
ACSONIII6F1100	6	0.054"/1.37mm	100cm	SON III*6F
ACSONIIIW6F1100	6	0.054"/1.37mm	100cm	SON IIIW*6F
ACSONI7F1100	7	0.064"/1.62mm	100cm	SON I*7F
ACSONIW7F1100	7	0.064"/1.62mm	100cm	SON IW*7F
ACSONII7F1100	7	0.064"/1.62mm	100cm	SON II*7F
ACSONIIW7F1100	7	0.064"/1.62mm	100cm	SON IIW*7F
ACSONIII7F1100	7	0.064"/1.62mm	100cm	SON III*7F
ACSONIIIW7F1100	7	0.064"/1.62mm	100cm	SON IIIW*7F



MIKAELSSON(MP)

ACMP4F1080	4	0.042"/1.07mm	80cm	MP*4F
ACMP5F1080	5	0.046"/1.17mm	80cm	MP*5F
ACMP6F1080	6	0.054"/1.37mm	80cm	MP*6F
ACMP7F1080	7	0.064"/1.62mm	80cm	MP*7F



Recommended guide wire is 0.038" (0.97mm)

Catalog Number	French Size	Inner Diameter inch/mm	Length cm	Model
----------------	-------------	------------------------	-----------	-------

SIMMONS(SIM)

ACSIM14F1100	4	0.042"/1.07mm	100cm	Simmons1*4F
ACSIM24F1100	4	0.042"/1.07mm	100cm	Simmons2*4F
ACSIM34F1100	4	0.042"/1.07mm	100cm	Simmons3*4F


ACSIM15F1100	5	0.046"/1.17mm	100cm	Simmons1*5F
ACSIM25F1100	5	0.046"/1.17mm	100cm	Simmons2*5F
ACSIM25F1125	5	0.046"/1.17mm	125cm	Simmons2*5F
ACSIM35F1100	5	0.046"/1.17mm	100cm	Simmons3*5F
ACSIM35F1125	5	0.046"/1.17mm	125cm	Simmons3*5F

ACSIM16F1100	6	0.054"/1.37mm	100cm	Simmons1*6F
ACSIM26F1100	6	0.054"/1.37mm	100cm	Simmons2*6F
ACSIM36F1100	6	0.054"/1.37mm	100cm	Simmons3*6F


ACSIM17F1100	7	0.064"/1.62mm	100cm	Simmons1*7F
ACSIM27F1100	7	0.064"/1.62mm	100cm	Simmons2*7F
ACSIM37F1100	7	0.064"/1.62mm	100cm	Simmons3*7F



SIM1



SIM2



SIM3

DAVIS

ACDAVIS4F1100	4	0.042"/1.07mm	100cm	DAVIS*4F
ACDAVIS5F1100	5	0.046"/1.17mm	100cm	DAVIS*5F
ACDAVIS6F1100	6	0.054"/1.37mm	100cm	DAVIS*6F
ACDAVIS7F1100	7	0.064"/1.62mm	100cm	DAVIS*7F



DAVIS

RENAL

ACRENAL4F1100	4	0.042"/1.07mm	100cm	RENAL*4F
ACRENAL5F1100	5	0.046"/1.17mm	100cm	RENAL*5F
ACRENAL6F1100	6	0.054"/1.37mm	100cm	RENAL*6F
ACRENAL7F1100	7	0.064"/1.62mm	100cm	RENAL*7F



RENAL

Recommended guide wire is 0.038" (0.97mm)

Catalog Number	French Size	Inner Diameter inch/mm	Length cm	Model
----------------	-------------	------------------------	-----------	-------


HINCK

ACHINCK4F1100	4	0.042"/1.07mm	100cm	HINCK*4F
ACHINCK5F1100	5	0.046"/1.17mm	100cm	HINCK*5F
ACHINCK6F1100	6	0.054"/1.37mm	100cm	HINCK*6F
ACHINCK7F1100	7	0.064"/1.62mm	100cm	HINCK*7F




HEPATICDUCTR(RH)

ACRH4F1100	4	0.042"/1.07mm	100cm	RH*4F
ACRH5F1100	5	0.046"/1.17mm	100cm	RH*5F
ACRH6F1100	6	0.054"/1.37mm	100cm	RH*6F
ACRH7F1100	7	0.064"/1.62mm	100cm	RH*7F



YASHIRO

ACYASHIRO4F1100	4	0.042"/1.07mm	100cm	Yashiro*4F
ACYASHIRO5F1100	5	0.046"/1.17mm	100cm	Yashiro*5F
ACYASHIRO6F1100	6	0.054"/1.37mm	100cm	Yashiro*6F
ACYASHIRO7F1100	7	0.064"/1.62mm	100cm	Yashiro*7F



MANI

ACMANI4F1100	4	0.042"/1.07mm	100cm	MANI*4F
ACMANI5F1100	5	0.046"/1.17mm	100cm	MANI*5F
ACMANI6F1100	6	0.054"/1.37mm	100cm	MANI*6F



Recommended guide wire is 0.038" (0.97mm)

Catalog Number	French Size	Inner Diameter inch/mm	Length cm	Model	Side Holes
----------------	-------------	------------------------	-----------	-------	------------

N.I.H.

ACNIH4F1100	4	0.042"/1.07mm	100cm	NIH*4F	4
ACNIH5F1100	5	0.046"/1.17mm	100cm	NIH*5F	4
ACNIH6F1100	6	0.054"/1.37mm	100cm	NIH*6F	4



Catalog Number	French Size	Inner Diameter inch/mm	Length cm	Model	Side Holes	Radiopaque Marker
----------------	-------------	------------------------	-----------	-------	------------	-------------------

MULTIPURPOSE(MPA)

ACPIG14F52M65	4	0.042"/1.07mm	65cm	PIG*4F	5	2*(2cm apart)
ACPIG14F52M100	4	0.042"/1.07mm	100cm	PIG*4F	5	2*(2cm apart)
ACPIG4F520M65	4	0.042"/1.07mm	65cm	PIG*4F	5	20*(1cm apart)
ACPIG4F520M100	4	0.042"/1.07mm	100cm	PIG*4F	5	20*(1cm apart)
ACPIG15F102M65	5	0.046"/1.17mm	65cm	PIG*5F	10	2*(2cm apart)
ACPIG15F102M100	5	0.046"/1.17mm	100cm	PIG*5F	10	2*(2cm apart)
ACPIG5F520M65	5	0.046"/1.17mm	65cm	PIG*5F	5	20*(1cm apart)
ACPIG5F520M100	5	0.046"/1.17mm	100cm	PIG*5F	5	20*(1cm apart)
ACPIG5F1020M65	5	0.046"/1.17mm	65cm	PIG*5F	10	20*(1cm apart)
ACPIG5F1020M100	5	0.046"/1.17mm	100cm	PIG*5F	10	20*(1cm apart)



Recommended guide wire is 0.038" (0.97mm)



Add

No.925 Jinyuan Rd.1,
Shanghai China



TEL

021-59140056



FAX

021-69000013



P.C.

201803



WEB

www.kdl-int.com



Shanghai Kindly Medical Instruments Co., Ltd.