

 <p><b>Pictures</b></p>		
<b>Model No.</b>	<a href="#">A33.1502</a>	
<b>Function</b>	BF	
<b>New Product Year</b>	2008	
<b>Optical System</b>	Achromatic	
<b>Standard Magnification</b>	40x-1000x	
<b>Optional Magnification</b>	40x-2000x	
<b>Head Type</b>	Seidentopf Trinocular	
<b>Head Inclination</b>	30°	
<b>Head Rotation</b>	Head Rotate 360°	
<b>Head Interpupillary</b>	48~75mm	
<b>Head Light Path</b>	Fixed E50:P50	
<b>Eyepiece Features</b>	Wide Field Plan High Eyepoint Diopter Adjustable	
<b>Eyepiece Diameter</b>	30.0mm	
<b>Eyepiece</b>	WF10x/20mm Dia.30mm, 2 pcs	
<b>Nosepiece Holes</b>	4 Holes	
<b>Nosepiece Features</b>	Backward	
<b>Objective Type</b>	Achromatic	
<b>Objective</b>	High Contrast Chromatic-free 4x,10x,40x, 100x	

<b>Working Stage Type</b>	Double Layers Mechanical	
<b>Working Stage Feature</b>	Double Slide Holder	
<b>Working Stage Size</b>	143x132mm	
<b>Working Stage Moving</b>	75x50mm	
<b>Focusing Features</b>	Safety Stop Screw Tension Adjustable	
<b>Focusing Type</b>	Coaxial Coarse & Fine	
<b>Focusing Range</b>	24mm	
<b>Focusing Scale</b>	0.002mm	
<b>Condenser Type</b>	Abbe + Iris Diaphragm	
<b>Condenser N.A.</b>	1.25	
<b>Condenser Features</b>	Rack & Pinion Up/Down With Filter Holder Center Adjustable	
<b>Light Source Feature</b>	Brightness Adjustable Kohler Illumination LED 3W	
<b>Light Source Type</b>	LED	
<b>Transmit Light</b>	3W LED	
<b>Power Supply Type</b>	AC 110V-240V Wide Voltage Power Cord Detachable	
<b>Video Adapter</b>	Digital Eyepice 23.2mm C-Mount 1.0x	
<b>Camera Type</b>	Android Pad + Camera	
<b>Camera Features</b>	HDMI Mouse Measuring	
<b>Camera Pixel</b>	5.0MP	
<b>Camera Sensor Size</b>	1/2.5"	
<b>Camera Screen Size</b>	9.7"	
<b>Camera Mounting</b>	C-Mount	
<b>Camera Output</b>	HDMI	
<b>System Support</b>	Android	
<b>Function Upgradeable</b>	Dark Field Polarizing	

