EcoTank L805



An A4 6-colour photo printer with integrated ink tank, delivering ultra-low-cost photos with wireless connectivity.

Photo printer with Wi-Fi, delivering low-cost and Epson-quality 6-colour photo printing with the convenience of an integrated ultra-high-capacity ink tank. Able to print from phones and tablets, the L805 allows photographers to easily connect and print their photos.

Say goodbye to cartridges

An integrated ink tank system delivers cost-effective photo prints. The ultra-highcapacity ink tank, utilising 70ml ink bottles, can print up to 1,900 quality 10x15cm photos for an ultra-low cost per page¹. Refilling using individual ink bottles is quick and easy thanks to fast ink top-up technology, clearly labelled bottles and drip-free nozzles.

Easy to use and reliable

Primarily aimed at photographers, photolabs, advertising agencies, educational organisations and other users after an ultra-low cost per print solution for wireless photo printing, and printing onto CDs or DVDs. It's easy to increase productivity and reduce downtime with hassle-free set-up and reliable printing. Print a 10 x 15cm photo in as little as 12 seconds², while the genuine integrated ink tank system with one year or 3,000 pages manufacturer warranty provides peace of mind.

Boost productivity

Wi-Fi connectivity and Epson Connect make printing from smartphones and tablets easy, while its compact, space-saving design makes it a great fit for most spaces. Expect quick-drying, smudge-free and consistent quality results from Epson's Micro Piezo technology and Epson genuine ink, which deliver prints with unrivalled durability, quality and reliability.

DATASHEET / BROCHURE



KEY FEATURES

- Ultra-low-cost photos Included inks can print up to 1,900 quality 10x15cm photos¹
- Epson-quality, reliable results Micro Piezo technology and Epson genuine ink
- Boost productivity Print a 10x15cm photo in as little as 12 seconds²
- User friendly Hassle-free with simple set-up and maintenance
- Flexible

Wi-Fi connectivity and easy mobile printing



PRODUCT SPECIFICATIONS

TECHNOLOGY				
Printing Method Epson Micro Piezo™ print head				
Minimum Droplet Size	1.5 pl, With Variable-Sized Droplet Technology			
Ink Technology	Dye Ink			
Printing Resolution	5,760 x 1,440 DPI			
Nozzle Configuration	90 Nozzles Black, 90 Nozzles per Color			
Category	Home, Photo			
PRINT				
Printing Speed ISO/IEC 2473	34 5.1 pages/min Monochrome, 5 pages/min Colour			
Maximum Printing Speed	37 pages/min Monochrome (plain paper 75 g/m²), 38 pages/min Colour (plain paper 75 g/m²),			
	12 Seconds per 10 x 15 cm photo (Epson Premium Glossy Photo Paper)			
Colours	Black, Cyan, Light Cyan, Yellow, Magenta, Light Magenta			
For detailed information on p	printing speeds please visit http://www.epson.eu/testing.			
PAPER / MEDIA HANDLING				
Number of paper trays	1			
Paper Formats	16:9, 13 x 18 cm, 10 x 15 cm, 9 x 13 cm, Legal, Letter, No. 10 (Envelope), DL (Envelope), C6			
	(Envelope), B5 (17.6x25.7 cm), A6 (10.5x14.8 cm), A5 (14.8x21.0 cm), A4 (21.0x29.7 cm)			
Duplex	Manual			
Paper Tray Capacity	120 Sheets Standard, 120 Sheets Maximum, 20 Photo Sheets			
Media Handling	Auto Sheet Feeder, Borderless print, CD / DVD			
Output Tray Capacity	50 Sheets			
GENERAL				
Energy Use	3.3 Watt (Ready), 0.3 Watt (Power off), 1.2 Watt (sleep mode), 13 Watt (Printing)			
Product dimensions	547 x 289 x 187 mm (Width x Depth x Height)			
Product weight	6 kg			
Noise Level	5.1 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 36 dB (A) with Epson			
	Premium Glossy Photo Paper / Photo RPM mode			
Compatible Operating	Mac OS X 10.6.8 or later, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP,			
Systems	XP Professional x64 Edition			
Included Software	Epson Easy Photo Print, Epson Print CD			
Mobile and Cloud printing	Epson Connect (iPrint, Email Print)			
services				
Supply Voltage	AC 100 V - 240 V			
Interfaces	USB, WiFi			
Power supply	100V, 110V, 220V, 240V			

EcoTank L805

WHAT'S IN THE BOX

- Setup guide
- Power cable

• 6 x 70ml individual ink bottles (Bk,C,Y,M,Lc,LM)

- Driver and utilities (CD)
- Main unit



LOGISTICS INFORMATION

ѕки	C11CE86401
EAN code	8715946603506
Country of Origin	Philippines
Layer	3 Units

EcoTank L805

INK BOTTLE COMPATIBILITY

٦	6732	E
٦	6735	Ę
٦	6733	
٦	6736	
٦	6734	



* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

taly 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zl/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711)

465-9621 Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min)

Switzerland 022 592 7923 Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. 1. Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 29103 with replacement sets of ink. Quoted yields are NOT based on ISO/IEC 29102. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature. During the initial printer setup, a certain amount of ink is used to fill the print head's nozzles, therefore the yield of the initial bundled set can be lower. 2.

3. For test conditions, please visit www.epson.eu/testing

