## **© BD** Declaration of Conformity

Manufacturer:	Becton, Dickinson and Company
	BD Biosciences
	2350 Qume Drive
	San Jose, CA 95131 USA
Authorized	Benex Limited
Representative:	Pottery Road, Dun Laoghaire
	Co. Dublin, Ireland
	Tel:+353.1.202.5222/Fax: +353.1.202.5388
Conformity Assessment Procedure:	IVD Directive 98/79/EC, Annex III
Product(s) Conforming to IVD Directive:	347214 - CD138 FITC (MI15) 347215 - CD138 PE (MI15) 347216 - CD138 APC (MI15)
	341107 - CD138 PerCP-Cy5.5 (MI15)
	. 4

This Declaration of Conformity is issued under the sole responsibility of Becton, Dickinson and Company, BD Biosciences.

We hereby declare that the above mentioned product(s) complies with the above referenced Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Name and Authority in San Jose:	Shereic Daselee Drz Quality
<b>QA Authority Signature</b>	Date
$\sim h \cdot \Omega$	of aux 2019

Document Number: 10000353513, Ver. B



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

**Product:** 347400 - Anti-HLA-DR (L243) FITC

347403 - Anti-HLA-DR (L243) APC

335831 - Anti-HLA-DR (L243) APC-Cy (TM) 7 641411 - Anti-HLA-DR (L243) APC-H7 347402 - Anti-HLA-DR (L243) PerCP

339216 - Anti-HLA-DR (L243) PerCP-Cy (TM) 5.5

347401 - Anti-HLA-DR (L243) PE

335830 - Anti-HLA-DR (L243) PE-Cy (TM) 7

655874 - Anti-HLA-DR (L243) V450

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose: 2017/10/01

Name and Authority: Paul Arrendell, WW VP Quality Management

Signature: Paul Amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

Product: 333140 - Anti-TCR-a/b (WT31) FITC

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

**Product:** 333141 - Anti-TCR- g/d (11F2) PE

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

**Product:** 332789 - Anti-TdT (E17-1519) FITC

332791 - Anti-TdT (E17-1519) APC 332790 - Anti-TdT (E17-1519) PE

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

**Product:** 656046 - BD FACSDiva CS&T IVD Beads

656047 - BD FACSDiva CS&T IVD Beads

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

**Product:** 349202 - BD FACS (TM) Lysing Solution

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland Tel: +353.1.202.5222 Fax: +353.1.202.5388

**Conformity** Annex III of the IVD Directive 98/79/EC. assessment

**Product:** 641778 - BD IntraSure Kit

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell

Technical File Number:

procedure:



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity Annex III of the IVD Directive 98/79/EC. assessment procedure:

**Product:** 331356 - BD Oncomark (TM) Lambda/Kappa/CD20

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

**Authorized** Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

**Product:** 349217 - BD Simultest IMK Plus

\_

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity Annex III of the IVD Directive 98/79/EC. assessment procedure:

333167 - CD1a (SK9) PE

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell

Technical File Number:

**Product:** 

## **©** BD Declaration of Conformity

Manufacturer:	Becton, Dickinson and Company
	BD Biosciences
	2350 Qume Drive
	San Jose, CA 95131 USA
Authorized	Benex Limited
Representative:	Pottery Road, Dun Laoghaire
	Co. Dublin, Ireland
	Tel:+353.1.202.5222/Fax: +353.1.202.5388
Conformity Assessment Procedure:	IVD Directive 98/79/EC, Annex III
Product(s) Conforming	347404 - CD2 (S5.2) FITC
to IVD Directive:	347405 - CD2 (S5.2) PE
	341024 - CD2 (L303.1) APC 335821 - CD2 (L303.1) PE-Cy7

This Declaration of Conformity is issued under the sole responsibility of Becton, Dickinson and Company, BD Biosciences.

We hereby declare that the above mentioned product(s) complies with the above referenced Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Name and Authority in San Jose:	Sherrie Daseler, WW Vice President, Quality Management
<b>QA Authority Signature</b>	Date
Shernie Dasele	~    25 Mar 2021

Document Number: 10000353627, Ver. B

Document: 10000353627 Valid From: 25-Mar-2021 To: 31-Dec-9999 Print Date: 07-Apr-2021 11:40:25 GMT Daylight Time Doc Type: ZRF Status: Relo Doc Part: EN Revision: N Usage: PRODUCTION USAGErsion: B

Status: Released EFFECTIVE
Revision: N/A Change #: N/A

Change #: N/A Classification: CONFIDENTIAL

Rev. 02 See Watermark

Decl of Conf - CD2

**NOTE:** Print all pages prior to this page if providing it as a hard copy.

Version History			
Version	Description of Changes	Date of Completion	
A	Initial release	01OCT2017	
В	Updated to correct the clone for APC and PE-Cy7 from S5.2 to L303.1. This change is supported by a memo (10000524574, Ver. B) for correction of the clone.	See watermark	

Doc Type: ZRF Status: Released EFFECTIVE
Doc Part: EN Revision: N/A Change #: N/A
Usage: PRODUCTION USAGErsion: B Classification: CONFIDENTIAL



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

**Product:** 345763 - CD3 (SK7) FITC 345767 - CD3 (SK7) APC

341110 - CD3 (SK7) APC-Cy7 641415 - CD3 (SK7) APC-H7 345764 - CD3 (SK7) FITC 345766 - CD3 (SK7) PerCP 332771 - CD3 (SK7) PerCP-Cy5.5

345765 - CD3 (SK7) PE 341111 - CD3 (SK7) PE-Cy7 652896 - CD3 (SK7) V500-C

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose: 2017/10/01

Name and Authority: Paul Arrendell, WW VP Quality Management

Signature: Paul Amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

**Product:** 345768 - CD4 (SK3) FITC 345771 - CD4 (SK3) APC

341115 - CD4 (SK3) APC-Cy (TM) 7

345770 - CD4 (SK3) PerCP

332772 - CD4 (SK3) PerCP-Cy (TM) 5.5

345769 - CD4 (SK3) PE

348809 - CD4 (SK3) PE-Cy (TM) 7

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose: 2017/10/01

Name and Authority: Paul Arrendell, WW VP Quality Management

Signature: Paul Amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

**Product:** 345781 - CD5 (L17F12) FITC

345783 - CD5 (L17F12) APC

341109 - CD5 (L17F12) PerCP-Cy (TM) 5.5

345782 - CD5 (L17F12) PE

348810 - CD5 (L17F12) PE-Cy (TM) 7

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose: 2017/10/01

Name and Authority: Paul Arrendell, WW VP Quality Management

Signature: Paul Amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

**Product:** 345772 - CD8 (SK1) FITC

345775 - CD8 (SK1) APC 348813 - CD8 (SK1) APC-Cy (TM) 7

345774 - CD8 (SK1) PerCP

341050 - CD8 (SK1) PerCP-Cy (TM) 5.5

345773 - CD8 (SK1) PE

335822 - CD8 (SK1) PE-Cy (TM) 7

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose: 2017/10/01

Name and Authority: Paul Arrendell, WW VP Quality Management

Signature: Paul Amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

**Product:** 332775 - CD10 FITC (HI10a)

332777 - CD10 APC (HI10a) 341112 - CD10 PE-Cy7 (HI10a) 332776 - CD10 PE (HI10a)

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity Annex II assessment procedure:

Annex III of the IVD Directive 98/79/EC.

**Product:** 333142 - CD11b (D12) PE

333143 - CD11b (D12) APC

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose: 2017/10/01

Name and Authority: Paul Arrendell, WW VP Quality Management

Signature: Paul Amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

**Product:** 333149 - CD11c (S-HCL-3) PE

333144 - CD11c (S-HCL-3) APC

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose:	2017/10/01
Name and Authority:	Paul Arrendell, WW VP Quality Management
Signature:	Paul amendell



BD Biosciences 2350 Qume Drive

San Jose, CA 95131, USA

Tel: 877.232.8995 / Fax: 408.954.2347

Authorized Benex Limited

Representative: Pottery Road, Dun Laoghaire

Co. Dublin, Ireland

Tel: +353.1.202.5222 / Fax: +353.1.202.5388

Conformity assessment procedure:

Annex III of the IVD Directive 98/79/EC.

**Product:** 347406 - CD13 (L138) PE

338439 - CD13 (L138) PE-Cy7

We hereby declare that the above mentioned product(s) manufactured after 2017/10/01 complies with the above listed Directive(s) and its relevant transposition into national laws of the member states into which we place the devices.

Signed In San Jose: 2017/10/01

Name and Authority: Paul Arrendell, WW VP Quality Management

Signature: Paul Amendell