

Category	Description	Footnotes
Operating system 1, 2 and soft	Windows 11 Pro 64-bit (Acer recommends Windows 11 Pro for business.) Windows 11 Home 64-bit. UEFI Shell	
CPU and chipset 1	CPU	
•	• Intel [®] Core [™] i9 14th gen processors, Intel [®] UHD Graphics 770	
	• Intel [®] Core [™] i7 14th gen processors, Intel [®] UHD Graphics 770	
	1	
	• Intel [®] Core [™] i5 14th gen processors, Intel [®] UHD Graphics 770 / 730	
	• Intel [®] Core [™] i3 14th gen processors, Intel [®] UHD Graphics 730	
	Chipset	
Managara	• Intel® B760 Chipset	
Memory 1, 3, 4	· ·	
Storage 1, 5	Hard disk drive	
	2048 GB M.2 2280 PCI-e Gen4 Performance SSD	
	1024 GB M.2 2280 PCI-e Gen4 Performance SSD	
	512 GB M.2 2280 PCI-e Gen4 Performance SSD 1024 GB M.2 2280 PCI-e Gen4 SSD	
	512 GB M.2 2280 PCI-e Gen4 SSD	
	256 GB M.2 2280 PCI-e Gen4 SSD	
Display	Touch support: N	
Display	• Size (Inches): 23.8	
	• Display max resolution: 1920*1080	
	Backlight: LED	
	Brightness (cd/m2): 250nits	
	Aspect ratio: 16:9	
Audio	Built-in stereo speakers	
Webcam	Video conferencing	
	Integrated 5.0 MP webcam with 2 stereo microphones	
Communication	WLAN	
	802.11ax/ac/a/b/g/n, Wi-Fi 6E and Bluetooth [®] 5.3	
Input and output	Front/Side I/O connectors	
	Card reader: N	
	Audio jack(s): 1	
	• 2x USB 3.2 Gen1 5Gbps Type A port(s); 1x USB 3.2 Gen2x2 20Gbps	
	Type C port(s) + 1x Type-C through adapter USB-A to USB-C 3.2	
	Rear I/O connectors	
	HDMI port(s)	
	Port 1	
	HDMI-in	1

Veriton Z2724G (Win11) Specifications (v1-0-1)		
-	DisplayPort (DP) ports: 1	
	• LAN port(s): 1	
	USB 2.0 Type A port(s): 1	
	USB 3.2 Gen2 10Gbps Type A port(s): 2	
Expansion slot(s)	M.2 slot (for SSD): 2	
	M.2 slot (for WLAN): 1	
Commercial	TPM v2.0 (Trusted Platform Module)	
features	One-button recovery (OBR)	
	Kensington lock slot	
	100% solid capacitors	
	Hard drive password protection (via BIOS)	
	WOL (Wake On Lan)	
Dimensions	540.4 (W) x 48.41 (D) x 341.8 (H) mm (21.28 x 1.91 x 13.46 inches)	
Hinge	Panel tiltable from -5° to 35°, Swivel: +/- 30°, Pivot:90°, Height	
	Adjustment:155mm	
Power supply	Adapter	
and adapter	3-pin 120 W AC adapter	
	3-pin 135 W AC adapter	·
System	RoHS	
compliance	DMI	
	GS	
	ENERGY STAR®	
	PC2001	
Certification	EPEAT Silver	
	BSMI	
	ccc	
	CE	
	FCC	
	СВ	

- 1. Specifications vary depending on model.
- 2. 64-bit software is required to enjoy the advantages of 64-bit processing.
- 3. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
- 4. Memory speed may vary, depending on the CPU, chipset or memory fitted.
- 5. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.

Arc, Arria, Celeron, Cyclone, eASIC, Intel Ethernet, Intel, the Intel logo, Intel Agilex, Intel Atom, Intel Core, Intel Evo, Intel Inside, the Intel Inside logo, Intel Optane, Intel vPro, Iris, Killer, MAX, Movidius, Pentium, Intel RealSense, Intel Select Solutions, Intel Si Photonics, Stratix, the Stratix logo, Tofino, Ultrabook, Xeon are trademarks of Intel Corporation or its subsidiaries.

© 2024. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

Veriton Z2724G (Win11) Specifications (v1-0-1)

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.













