





We feel proud to introduce ourselves as a foremost manufacturer and exporter in orthopedic implants and instruments. We offer a wide & growing range of the highest quality range of the highest quality orthopedic implants & instrumentation along with other associated products at reasonable cost.

We have got a sound and firm position in the orthopedic industry by having a sturdy **network of distributors domestically & around the globe**. We are having the most modern technologies and are one of the leading manufacturers (since 1992) with pinnacle superiority of Ortho - Implants and instrumentations. We offer a wide range of **Orthopedic Products** made up of **Stainless Steel (ISO 5832-1)** and **Titanium (ISO 5832-3)**. We have employed Quality management System which confirms to **ISO 9001 & ISO 13485** standards.

Our all products are CE marked as per European Council Directive. 93/42/EEC and are licensed by **Indian FDA** for manufacturing. Based on the principles of Quality Excellency, our product satisfies the expectations of our customers. We are associated with major medical Institutions of India for supplying the products. We continually participate in almost all major exhibitions of Orthopedics around the world to promote our products.

Our motto is to provide the **Best Quality Products** and to continue as a leading manufacturer and supplier of these products in the global market. We are growing rapidly in terms of world-wide sales because of our extensive product range, its quality & services by orthopedic surgeons.



Mono Axial - Pedicle Screw

LENGTH	CAT. NO. TITANIUM							
	4,0 MM	4,5 MM	5,0 MM	5,5 MM	6,0 MM	6,5 MM	7,0 MM	7,5 MM
20,0 MM	SP05,IT09724	SP05,IT09737	SP05,IT09750	SP05,IT09763	SP05,IT09775	SP05,IT09789	SP05,IT09802	SP05,IT09814
25,0 MM	SP05,IT08055	SP05,IT08070	SP05,IT08085	SP05,IT08100	SP05,IT08116	SP05,IT08130	SP05,IT08145	SP05,IT08160
30,0 MM	SP05,IT08056	SP05,IT08071	SP05,IT08086	SP05,IT08101	SP05,IT08117	SP05,IT08131	SP05,IT08146	SP05,IT08161
35,0 MM	SP05,IT08057	SP05,IT08072	SP05,IT08087	SP05,IT08102	SP05,IT08118	SP05,IT08132	SP05,IT08147	SP05,IT08162
40,0 MM	SP05,IT08058	SP05,IT08073	SP05,IT08088	SP05,IT08103	SP05,IT08119	SP05,IT08133	SP05,IT08148	SP05,IT08163
45,0 MM	SP05,IT08059	SP05,IT08074	SP05,IT08089	SP05,IT08104	SP05,IT08120	SP05,IT08134	SP05,IT08149	SP05,IT08164
50,0 MM	SP05,IT08060	SP05,IT08075	SP05,IT08090	SP05,IT08105	SP05,IT08121	SP05,IT08135	SP05,IT08150	SP05,IT08165
55,0 MM	SP05,IT09725	SP05,IT09738	SP05,IT09751	SP05,IT09764	SP05,IT09777	SP05,IT09791	SP05,IT09804	SP05,IT09817
60,0 MM	SP05,IT09726	SP05,IT09739	SP05,IT09752	SP05,IT09765	SP05,IT09778	SP05,IT09792	SP05,IT09805	SP05,IT09818

Poly Axial - Pedicle Screw

LENGTH	CAT. NO. TITANIUM							
	4,0 MM	4,5 MM	5,0 MM	5,5 MM	6,0 MM	6,5 MM	7,0 MM	7,5 MM
20,0 MM	SP05,IT08181	SP05,IT08195	SP05,IT08209	SP05,IT08223	SP05,IT08237	SP05,IT08251	SP05,IT08265	SP05,IT08279
25,0 MM	SP05,IT08182	SP05,IT08196	SP05,IT08210	SP05,IT08224	SP05,IT08238	SP05,IT08252	SP05,IT08266	SP05,IT08280
30,0 MM	SP05,IT08183	SP05,IT08197	SP05,IT08211	SP05,IT08225	SP05,IT08239	SP05,IT08253	SP05,IT08267	SP05,IT08281
35,0 MM	SP05,IT08184	SP05,IT08198	SP05,IT08212	SP05,IT08226	SP05,IT08240	SP05,IT08254	SP05,IT08268	SP05,IT08282
40,0 MM	SP05,IT08185	SP05,IT08199	SP05,IT08213	SP05,IT08227	SP05,IT08241	SP05,IT08255	SP05,IT08269	SP05,IT08283
45,0 MM	SP05,IT08186	SP05,IT08200	SP05,IT08214	SP05,IT08228	SP05,IT08242	SP05,IT08256	SP05,IT08270	SP05,IT08284
50,0 MM	SP05,IT08187	SP05,IT08201	SP05,IT08215	SP05,IT08229	SP05,IT08243	SP05,IT08257	SP05,IT08271	SP05,IT08285
55,0 MM	SP05,IT08188	SP05,IT08202	SP05,IT08216	SP05,IT08230	SP05,IT08244	SP05,IT08258	SP05,IT08272	SP05,IT08286
60,0 MM	SP05,IT08189	SP05,IT08203	SP05,IT08217	SP05,IT08231	SP05,IT08245	SP05,IT08259	SP05,IT08273	SP05,IT08287




Mono Spondylolisthesis - Reduction Screw

LENGTH	CAT. NO. TITANIUM							
	4,0 MM	4,5 MM	5,0 MM	5,5 MM	6,0 MM	6,5 MM	7,0 MM	7,5 MM
20,0 MM	SP05,IT09896	SP05,IT09904	SP05,IT09912	SP05,IT09920	SP05,IT09928	SP05,IT09936	SP05,IT09944	SP05,IT09952
25,0 MM	SP05,IT08310	SP05,IT08325	SP05,IT08340	SP05,IT08355	SP05,IT08370	SP05,IT08385	SP05,IT08400	SP05,IT08415
30,0 MM	SP05,IT08311	SP05,IT08326	SP05,IT08341	SP05,IT08356	SP05,IT08371	SP05,IT08386	SP05,IT08401	SP05,IT08416
35,0 MM	SP05,IT08312	SP05,IT08327	SP05,IT08342	SP05,IT08357	SP05,IT08372	SP05,IT08387	SP05,IT08402	SP05,IT08417
40,0 MM	SP05,IT08313	SP05,IT08328	SP05,IT08343	SP05,IT08358	SP05,IT08373	SP05,IT08388	SP05,IT08403	SP05,IT08418
45,0 MM	SP05,IT08314	SP05,IT08329	SP05,IT08344	SP05,IT08359	SP05,IT08374	SP05,IT08389	SP05,IT08404	SP05,IT08419
50,0 MM	SP05,IT08315	SP05,IT08330	SP05,IT08345	SP05,IT08360	SP05,IT08375	SP05,IT08390	SP05,IT08405	SP05,IT08420
55,0 MM	SP05,IT09897	SP05,IT09905	SP05,IT09913	SP05,IT09921	SP05,IT09929	SP05,IT09937	SP05,IT09945	SP05,IT09953
60,0 MM	SP05,IT09898	SP05,IT09906	SP05,IT09914	SP05,IT09922	SP05,IT09930	SP05,IT09938	SP05,IT09946	SP05,IT09954

Poly Spondylolisthesis - Reduction Screw

LENGTH	CAT. NO. TITANIUM							
	4.0 MM	4.5 MM	5.0 MM	5.5 MM	6.0 MM	6.5 MM	7.0 MM	7.5 MM
20.0 MM	SP05,TT108431	SP05,TT108446	SP05,TT109972	SP05,TT109980	SP05,TT109987	SP05,TT109993	SP05,TT109999	SP05,TT110005
25.0 MM	SP05,TT108432	SP05,TT108447	SP05,TT108461	SP05,TT108476	SP05,TT108492	SP05,TT108510	SP05,TT108527	SP05,TT108544
30.0 MM	SP05,TT108433	SP05,TT108448	SP05,TT108462	SP05,TT108477	SP05,TT108493	SP05,TT108511	SP05,TT108528	SP05,TT108545
35.0 MM	SP05,TT108434	SP05,TT108449	SP05,TT108463	SP05,TT108478	SP05,TT108494	SP05,TT108512	SP05,TT108529	SP05,TT108546
40.0 MM	SP05,TT108435	SP05,TT108450	SP05,TT108464	SP05,TT108479	SP05,TT108495	SP05,TT108513	SP05,TT108530	SP05,TT108547
45.0 MM	SP05,TT108436	SP05,TT108451	SP05,TT108465	SP05,TT108480	SP05,TT108496	SP05,TT108514	SP05,TT108531	SP05,TT108548
50.0 MM	SP05,TT109956	SP05,TT109964	SP05,TT108466	SP05,TT108481	SP05,TT108497	SP05,TT108515	SP05,TT108532	SP05,TT108549
55.0 MM	SP05,TT109957	SP05,TT109965	SP05,TT109973	SP05,TT108482	SP05,TT108498	SP05,TT108516	SP05,TT108533	SP05,TT108550
60.0 MM	SP05,TT109958	SP05,TT109966	SP05,TT109974	SP05,TT109981	SP05,TT108499	SP05,TT108517	SP05,TT108534	SP05,TT108551



Pedicle Screw - Mono Axial [Double Threaded]

LENGTH	CAT. NO. TITANIUM							
	4.0 MM	4.5 MM	5.0 MM	5.5 MM	6.0 MM	6.5 MM	7.0 MM	7.5 MM
20.0 MM	SP05,TT110011	SP05,TT110016	SP05,TT110022	SP05,TT110028	SP05,TT110034	SP05,TT110040	SP05,TT110046	SP05,TT110052
25.0 MM	SP05,TT109365	SP05,TT109383	SP05,TT109401	SP05,TT109419	SP05,TT109437	SP05,TT109455	SP05,TT109473	SP05,TT109491
30.0 MM	SP05,TT109366	SP05,TT109384	SP05,TT109402	SP05,TT109420	SP05,TT109438	SP05,TT109456	SP05,TT109474	SP05,TT109492
35.0 MM	SP05,TT109367	SP05,TT109385	SP05,TT109403	SP05,TT109421	SP05,TT109439	SP05,TT109457	SP05,TT109475	SP05,TT109493
40.0 MM	SP05,TT109368	SP05,TT109386	SP05,TT109404	SP05,TT109422	SP05,TT109440	SP05,TT109458	SP05,TT109476	SP05,TT109494
45.0 MM	SP05,TT109369	SP05,TT109387	SP05,TT109405	SP05,TT109423	SP05,TT109441	SP05,TT109459	SP05,TT109477	SP05,TT109495
50.0 MM	SP05,TT109370	SP05,TT109388	SP05,TT109406	SP05,TT109424	SP05,TT109442	SP05,TT109460	SP05,TT109478	SP05,TT109496
55.0 MM	SP05,TT109371	SP05,TT109389	SP05,TT109407	SP05,TT109425	SP05,TT109443	SP05,TT109461	SP05,TT109479	SP05,TT109497
60.0 MM	SP05,TT109372	SP05,TT109390	SP05,TT109408	SP05,TT109426	SP05,TT109444	SP05,TT109462	SP05,TT109480	SP05,TT109498

Pedicle Screw - Poly Axial [Double Threaded]

LENGTH	CAT. NO. TITANIUM							
	4.0 MM	4.5 MM	5.0 MM	5.5 MM	6.0 MM	6.5 MM	7.0 MM	7.5 MM
20.0 MM	SP05,TT110058	SP05,TT110064	SP05,TT110070	SP05,TT110076	SP05,TT110082	SP05,TT110088	SP05,TT110094	SP05,TT110100
25.0 MM	SP05,TT109509	SP05,TT109527	SP05,TT109545	SP05,TT109563	SP05,TT109581	SP05,TT109599	SP05,TT109617	SP05,TT109635
30.0 MM	SP05,TT109510	SP05,TT109528	SP05,TT109546	SP05,TT109564	SP05,TT109582	SP05,TT109600	SP05,TT109618	SP05,TT109636
35.0 MM	SP05,TT109511	SP05,TT109529	SP05,TT109547	SP05,TT109565	SP05,TT109583	SP05,TT109601	SP05,TT109619	SP05,TT109637
40.0 MM	SP05,TT109512	SP05,TT109530	SP05,TT109548	SP05,TT109566	SP05,TT109584	SP05,TT109602	SP05,TT109620	SP05,TT109638
45.0 MM	SP05,TT109513	SP05,TT109531	SP05,TT109549	SP05,TT109567	SP05,TT109585	SP05,TT109603	SP05,TT109621	SP05,TT109639
50.0 MM	SP05,TT109514	SP05,TT109532	SP05,TT109550	SP05,TT109568	SP05,TT109586	SP05,TT109604	SP05,TT109622	SP05,TT109640
55.0 MM	SP05,TT109515	SP05,TT109533	SP05,TT109551	SP05,TT109569	SP05,TT109587	SP05,TT109605	SP05,TT109623	SP05,TT109641
60.0 MM	SP05,TT109516	SP05,TT109534	SP05,TT109552	SP05,TT109570	SP05,TT109588	SP05,TT109606	SP05,TT109624	SP05,TT109642



Transverse Connecting Rod 3,0mm (Round)



LENGTH	CAT. NO. TITANIUM
50,0 MM	SP05,TTT08600
55,0 MM	SP05,TTT08601
60,0 MM	SP05,TTT08602
65,0 MM	SP05,TTT08603
70,0 MM	SP05,TTT08604
75,0 MM	SP05,TTT08605
80,0 MM	SP05,TTT08606
85,0 MM	SP05,TTT08607
90,0 MM	SP05,TTT08608

Transverse Connecting Rod 4,0mm (Flat)



LENGTH	CAT. NO. TITANIUM
40,0 MM	SP05,TTT08580
45,0 MM	SP05,TTT08581
50,0 MM	SP05,TTT08582
55,0 MM	SP05,TTT08583
60,0 MM	SP05,TTT08584
65,0 MM	SP05,TTT08585
70,0 MM	SP05,TTT08586
75,0 MM	SP05,TTT08587
80,0 MM	SP05,TTT08588



Connecting Rod 5.5mm (Round Head)

LENGTH	CAT. NO. TITANIUM (ROUND HEAD)	LENGTH	CAT. NO. TITANIUM (ROUND HEAD)
40,0 MM	SP05,TTT09668	280,0 MM	SP05,TTT08638
50,0 MM	SP05,TTT08615	290,0 MM	SP05,TTT08639
60,0 MM	SP05,TTT08616	300,0 MM	SP05,TTT08640
70,0 MM	SP05,TTT08617	310,0 MM	SP05,TTT08641
80,0 MM	SP05,TTT08618	320,0 MM	SP05,TTT08642
90,0 MM	SP05,TTT08619	330,0 MM	SP05,TTT08643
100,0 MM	SP05,TTT08620	340,0 MM	SP05,TTT08644
110,0 MM	SP05,TTT08621	350,0 MM	SP05,TTT08645
120,0 MM	SP05,TTT08622	360,0 MM	SP05,TTT08646
130,0 MM	SP05,TTT08623	370,0 MM	SP05,TTT08647
140,0 MM	SP05,TTT08624	380,0 MM	SP05,TTT08648
150,0 MM	SP05,TTT08625	390,0 MM	SP05,TTT08649
160,0 MM	SP05,TTT08626	400,0 MM	SP05,TTT08650
170,0 MM	SP05,TTT08627	410,0 MM	SP05,TTT08651
180,0 MM	SP05,TTT08628	420,0 MM	SP05,TTT08652
190,0 MM	SP05,TTT08629	430,0 MM	SP05,TTT08653
200,0 MM	SP05,TTT08630	440,0 MM	SP05,TTT08654
210,0 MM	SP05,TTT08631	450,0 MM	SP05,TTT08655
220,0 MM	SP05,TTT08632	460,0 MM	SP05,TTT08656
230,0 MM	SP05,TTT08633	470,0 MM	SP05,TTT08657
240,0 MM	SP05,TTT08634	480,0 MM	SP05,TTT08658
250,0 MM	SP05,TTT08635	490,0 MM	SP05,TTT08659
260,0 MM	SP05,TTT08636	500,0 MM	SP05,TTT08660
270,0 MM	SP05,TTT08637		



Connecting Rod 5.5mm (Hex Head)

LENGTH	CAT. NO. TITANIUM (HEX HEAD)	LENGTH	CAT. NO. TITANIUM (HEX HEAD)
50,0 MM	SP05,TTT08670	280,0 MM	SP05,TTT08693
60,0 MM	SP05,TTT08671	290,0 MM	SP05,TTT08694
70,0 MM	SP05,TTT08672	300,0 MM	SP05,TTT08695
80,0 MM	SP05,TTT08673	310,0 MM	SP05,TTT08696
90,0 MM	SP05,TTT08674	320,0 MM	SP05,TTT08697
100,0 MM	SP05,TTT08675	330,0 MM	SP05,TTT08698
110,0 MM	SP05,TTT08676	340,0 MM	SP05,TTT08699
120,0 MM	SP05,TTT08677	350,0 MM	SP05,TTT08700
130,0 MM	SP05,TTT08678	360,0 MM	SP05,TTT08701
140,0 MM	SP05,TTT08679	370,0 MM	SP05,TTT08702
150,0 MM	SP05,TTT08680	380,0 MM	SP05,TTT08703
160,0 MM	SP05,TTT08681	390,0 MM	SP05,TTT08704
170,0 MM	SP05,TTT08682	400,0 MM	SP05,TTT08705
180,0 MM	SP05,TTT08683	410,0 MM	SP05,TTT08706
190,0 MM	SP05,TTT08684	420,0 MM	SP05,TTT08707
200,0 MM	SP05,TTT08685	430,0 MM	SP05,TTT08708
210,0 MM	SP05,TTT08686	440,0 MM	SP05,TTT08709
220,0 MM	SP05,TTT08687	450,0 MM	SP05,TTT08710
230,0 MM	SP05,TTT08688	460,0 MM	SP05,TTT08711
240,0 MM	SP05,TTT08689	470,0 MM	SP05,TTT08712
250,0 MM	SP05,TTT08690	480,0 MM	SP05,TTT08713
260,0 MM	SP05,TTT08691	490,0 MM	SP05,TTT08714
270,0 MM	SP05,TTT08692	500,0 MM	SP05,TTT08715

Transverse Connector 5,5 mm

LENGTH	CAT. NO. TITANIUM
STD.	SP05,TIT08720



Transverse Connector Hook 5,5 mm

LENGTH	CAT. NO. TITANIUM
STD.	SP05,TIT08722



Auto Pre Stress Transverse Connector

LENGTH	CAT. NO. TITANIUM
28,0 MM	SP05,TIT08725
33,0 MM	SP05,TIT08726
43,0 MM	SP05,TIT08727
50 TO 65 MM	SP05,TIT08730



Laminar Hook 5.5 mm

LENGTH	CAT. NO. TITANIUM
6,5 MM	SP05,TIT08561
7,0 MM	SP05,TIT08562
8,0 MM	SP05,TIT08563



Pedicle Hook 5.5 mm

LENGTH	CAT. NO. TITANIUM
6,5 MM	SP05,TIT08570
7,0 MM	SP05,TIT08571
8,0 MM	SP05,TIT08572



Inner Nut

LENGTH	CAT. NO. TITANIUM
STD.	SP05,TIT08577



Staple

LENGTH	CAT. NO. TITANIUM
4,5 MM	SP05,TIT08875
5,5 MM	SP05,TIT08876
6,5 MM	SP05,TIT08877



Instruments Set

SRL NO.	PRODUCT NAME	CAT. NO.	QUANTITY
1	HOLDING WRENCH PLUM (INNER NUT HOLDER)	SO15,INS.0451	1
2	TENACULUM FORCEPS (FOR TRANSVERSE CONNECTOR)	SO15,INS.0452	1
3	ROD HOLDER PREBENT (FOR FLAT ROD)	SO15,INS.0453	1
4	ROD BENDER FORCEPS	SO15,INS.0454	1
5	ROD TEMPLATE 120CM FOR 5,0 MM ROD	SO15,INS.0455	1
	ROD TEMPLATE 200CM FOR 5,0 MM ROD	SO15,INS.0456	1
	ROD TEMPLATE 300 CM FOR 5,0 MM ROD	SO15,INS.0457	1
6	DEVELOPING NEEDLE BOX	SO15,INS.0459	1
	DEVELOPING NEEDLE BOX WITH NEEDLE ROUND	SO15,INS.0459-R	4
	DEVELOPING NEEDLE BOX WITH NEEDLE PILLAR	SO15,INS.0459-P	4
7	ROD PUSHER CLAMP PREBENT (FOR CONNECTOR)	SO15,INS.0460	1
8	INTERNAL ROD BENDER LEFT	SO15,INS.0461	1
9	INTERNAL ROD BENDER RIGHT	SO15,INS.0462	1
10	ROD ROTATION HEX WRENCH	SO15,INS.0463	2
11	BEALE ROD REDUCER	SO15,INS.0464	1
	EXTENDER 7,0 MM	SO15,INS.0464-1	1
	EXTENDER 14,0 MM	SO15,INS.0464-2	1
12	PEDICLE DISTRATOR	SO15,INS.0465	1
13	TAP FOR 4,0 MM WITH QUICK COUPLING	SO15,INS.0466	1
14	TAP FOR 4,5 MM WITH QUICK COUPLING	SO15,INS.0467	1
15	TAP FOR 5,5 MM WITH QUICK COUPLING	SO15,INS.0468	1
16	TAP FOR 6,5 MM WITH QUICK COUPLING	SO15,INS.0469	1
17	TAP FOR 7,5 MM WITH QUICK COUPLING	SO15,INS.0470	1
18	MONO AXIAL SCREW DRIVER FOR QUICK COUPLING	SO15,INS.0471	1
19	POLY AXIAL SCREW DRIVER FOR QUICK COUPLING	SO15,INS.0472	1
20	PLUM WRENCH QUICK CHANGE	SO15,INS.0473	1
21	PEDICLE CENTRALIZER	SO15,INS.0474	1
22	BALL HANDLE PROBE STRAIGHT	SO15,INS.0475	1
23	BALL HANDLE PROBE CURVED	SO15,INS.0476	1
24	PROVISIONAL DRIVER	SO15,INS.0477	1
25	COUNTER TORQUE INNER SCREW INSERTER	SO15,INS.0478	1
26	OPEN ROD PUSHER WITH FIBER HANDLE	SO15,INS.0480	1
27	QUICK CHANGE HANDLE WITH QUICK COUPLING	SO15,INS.0482	1
28	BALL TIP PROBE SOUNDER STRAIGHT	SO15,INS.0485	1
29	BALL TIP PROBE SOUNDER CURVED-BENT	SO15,INS.0486	1
30	ROD GRIPPER FORCEPS	SO15,INS.0487	1
31	PEDICLE COMPRESSOR	SO15,INS.0488	1
32	BROKEN FORCEPS	SO15,INS.0489	1
33	REDUCTION SCREW TAB BREAKER	SO15,INS.0458	1
34	TAP FOR 4,0MM WITH QUICK COUPLING	SO15,INS.0466	1
35	TAP FOR 7,5MM WITH QUICK COUPLING	SO15,INS.0470	1
36	BREAK OFF PROTECTOR	SO15,INS.0479	1
37	I HANDLE WITH QUICK COUPLING	SO15,INS.0481	1
38	TORQUE LIMITING HANDLE - 9 NM	SO15,INS.0483	1
39	COMPOUND RESTORER	SO15,INS.0484	1
40	CORE™ SPINAL SYSTEM PEDICLE SCREW INSTRUMENT-SMALL	SO15,INS.PS1-S	1

