

**SMALL AND
LARGE FRAGMENT
IMPLANTS & INSTRUMENTS**



Implants



- 198 | 2.4mm Locking Compression Screws Star Head

MATERIAL - Titanium / Stainless Steel
LENGTH - 10mm to 40mm (2mm Increment)



- 199 | 2.7mm Locking Compression Screws Star Head

MATERIAL - Titanium / Stainless Steel
LENGTH - 10mm to 60mm (2mm Increment)



- 200 | 3.5mm Locking Compression Screw Star Head

MATERIAL - Titanium / Stainless Steel
LENGTH - 10mm to 50mm (2mm Increment)
55mm to 80mm (5mm Increment)



- 178 | 4mm Locking Cancellous Screw Star Head (Fully Thread)

MATERIAL - Titanium / Stainless Steel
LENGTH - 14mm to 30mm (2mm Increment)
35mm to 80mm (5mm Increment)



- 146 | 3.5mm Locking Compression Screws

MATERIAL - Titanium / Stainless Steel
LENGTH - 10mm to 40mm (2mm Increment)
45mm to 80mm (5mm Increment)



- 148 | 4mm Locking Cancellous Screws (Fully Thread)

MATERIAL - Titanium / Stainless Steel
LENGTH - 14mm to 30mm (2mm Increment)
35mm to 80mm (5mm Increment)



- 075 | 2.7mm Cortex Screws (Self Tapping)

MATERIAL - Titanium / Stainless Steel
LENGTH - 08mm to 30mm (2mm Increment)
35mm to 50mm (5mm Increment)



- 451 | Cortex Screw 3.5mm (Self Tapping)

MATERIAL - Titanium / Stainless Steel
LENGTH - 10mm to 40mm (2mm Increment)
45mm to 70mm (5mm Increment)



- 130 | 4.0mm Cancellous Screws (Short Thread)

MATERIAL - Titanium / Stainless Steel
LENGTH - 20mm to 30mm (2mm Increment)
35mm to 75mm (5mm Increment)



- 131 | 4.0mm Cancellous Screws (Fully Thread)

MATERIAL - Titanium / Stainless Steel
LENGTH - 20mm to 50mm (2mm Increment)
55mm to 75mm (5mm Increment)



- **166** | Locking Volar Distal Radius Plate 2.7mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6



- **168A** | Locking XVA Volar Distal Radius Plate 2.7mm (Head 6hole) (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 2, 3, 4, 5



- **168B** | Locking XVA Volar Distal Radius Plate 2.7mm (Head 7hole) (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 2, 3, 4, 5



- **187** | Locking Distal Radius Plate 2.7mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 5



- **188** | Locking Distal Radius Buttress Plate 2.7mm (Head 5hole) (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3



- **189** | Locking Distal Radius Plate 2.7mm Extra Articular (Head 5hole) (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 5



- **190** | Locking Distal Radius Plate 2.7mm Extra Articular (Head 4hole) (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 5



- **191** | Locking Distal Radius Plate 2.7mm Straight

MATERIAL - Titanium / Stainless Steel

HOLES - 5, 6



- **192** | Locking Distal Radius L Plate 2.7mm (Head 2hole) (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4



- **193** | Locking Distal Radius L Plate 2.7mm (Head 3hole) (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4



- **194** | Locking Distal Radius L Plate Oblique Angled 2.7mm (Head 3hole) (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4



- **195** | Locking Distal Radius T Plate 2.7mm (Head 3hole)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4



- **172** | Locking Proximal Radius Neck Plate 2.7mm

MATERIAL - Titanium / Stainless Steel

HOLES - 2, 3, 4



- **173** | Locking Proximal Radius Rim Plate 2.7mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 2, 3, 4



- **149** | Small Locking Compression Plate 3.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 5, 6, 7, 8, 9, 10, 12, 14



- **150** | Locking T Plate 3.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8



- **151** | Locking T Plate Oblique Angled (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8



- **186** | Locking Reconstruction(Thin) Plate 3.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 4, 5, 6, 7, 8, 9, 10, 12, 14



- **157** | Locking Distal Humeral Plate with Support 3.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8, 9, 10



- **158** | Locking Distal Humeral Plate 3.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8, 9, 10



- **159** | Locking Medial Distal Humeral Plate 3.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8, 9, 10



- **171** | Locking Olecranon Plate 3.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12



- **153** | Locking Proximal Humeral Plate 3.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8



- **164** | 3.5mm Locking Hook Plate

MATERIAL - Titanium / Stainless Steel

HOLES - 3



- **160** | Locking Superior Anterior Clavicle Plate 3.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 6, 7, 8



- **161** | Locking Superior Anterior Clavicle Plate with Lateral Extension 3.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8



- **162** | Locking Clavicle Hook Plate 3.5mm Hook Depth 12, 15, 18mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 4, 5, 6, 7



- **154** | Locking Medial Distal Tibial Plate 3.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14



- **163** | Locking Medial Distal Tibia Plate 3.5mm without tab (Left & Right)

MATERIAL - Titanium / Stainless Steel


HOLES - 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14



- **174** | Locking Anterolateral Distal Tibia Plate 3.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 5, 6, 7, 8, 9, 10, 12



- **454** | Locking PILON Tibial Plate 3.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 7, 8, 9



- **167** | Locking Calcaneal Plate 3.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

Small | Medium | Large



- **175** | Locking Distal Femur Plate 3.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8



- **175A** | Locking Distal Femur Plate 2.7mm / 3.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8, 10



- **196** | Locking Anatomical Proximal Tibia Plate 3.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 4, 5, 6, 7, 8, 9, 10, 11, 13



- **156** | Locking Long Head Proximal Humeral Plate 3.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 8, 10



- **457** | Locking One - Third Tubular Plate 3.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 5, 6, 7, 8, 9, 10, 12



- **185** | Locking Distal Humerus Extra Articular 3.5mm Plate (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 4, 6, 8, 10, 12, 14



- **152** | Locking Reconstruction Plate 3.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 5, 6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20



- **184** | Locking Medial Proximal Tibia Plate 3.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 4, 5, 6, 7, 8, 9, 10



- **182** | Locking Posterior Medial Proximal Tibia Plate 3.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 1, 2, 3, 4, 5, 6, 7, 8, 9, 10



- **601.005** | Drill Bits 1.8mm x 130mm For Quick Coupling
- **601.031** | Drill Bits 2.0mm x 145mm For Quick Coupling
- **601.021** | Drill Bits 2.3mm x 150mm For Quick Coupling
- **601.023** | Drill Bits 2.5mm x 165mm For Quick Coupling
- **601.024** | Drill Bits 2.7mm x 165mm For Quick Coupling
- **601.019** | Drill Bits 2.8mm x 165mm For Quick Coupling



- **603.001** | Quick Coupling T Handle



- **603.027** | Tap 2.7mm Cortex Screw For Quick Coupling
- **603.035** | Tap 3.5mm Cortex Screw 20TPI For Quick Coupling
- **603.040** | Tap 4.0mm Cancellous Screw For Quick Coupling



- **734.024** | Tap 2.4mm Locking Screw For Quick Coupling
- **734.027** | Tap 2.7mm Locking Screw For Quick Coupling
- **734.035** | Tap 3.5mm Locking Screw For Quick Coupling



- **606.035** | Counter Sink Shaft For 3.5mm



- **660.010** | Triple Drill Guide 2.0mm With 3hole & Opposite Side 1hole



- **605.024** | Drill And Tap Sleeve 2.4/1.8mm
- **605.027** | Drill And Tap Sleeve 2.7/2.0mm
- **605.035** | Drill And Tap Sleeve 3.5/2.5mm



- **607.035** | DCP Drill Sleeve 3.5mm for use 2.5mm Drill



- **733.027** | Drill Sleeve For Locking Compression plate 2.7mm, For Drill Bits 2.3mm
- **733.035** | Drill Sleeve For Locking Compression plate 3.5mm, For Drill Bits 2.8mm
- **733.040** | Drill Sleeve For Locking Compression plate 4.0mm, For Drill Bits 2.8mm



- **733.020** | LCP Drill Sleeve For variable angle plate 2.4mm, For Drill Bits 1.8mm



- **609.004** | Depth Gauge For 2.4mm To 2.7mm Screw Length 60mm
- **609.002** | Depth Gauge For 3.5mm To 4.0mm Screw Length 80mm



- **610.002** | Screw Forceps Self Holding



- **612.025** | Small Hexagonal Screw Driver 2.5mm Tip



- **613.025** | Small Hexagonal Screw Driver With Holding Sleeve 2.5mm Tip



- **735.02** | Limit Screw Driver handle without shaft for 3.5/4.0mm screws
- **735.01** | Limit Screw Driver handle without shaft for 2.4/2.7mm screws



- **614.025** | Shaft for Hexagonal Screw Driver 2.5mm Tip for 3.5/4.0mm screws



- **614.T08** | Shaft for Star Screw Driver T08 Tip for 2.4/2.7mm screws
- **614.T15** | Shaft for Star Screw Driver T15 Tip for 3.5/4.0mm screws



- **616.002** | Bending Iron Small For Plate 2.7mm And 3.5mm



- **617.001** | Sharp Hook



- **660.013** | K Wire Bender Iron



- **660.014** | Universal Wire Cutter/Bender/Pilers



- **687.144** | Self-centering Bone Holding Forceps Length 144mm
- **687.191** | Self-Centering Bone Holding Forceps Length 191mm



- **688.146** | Reduction Forceps Serrated Jaws Length 146mm



- **689.126** | Reduction Forceps With Points Length 126mm



- **706.008** | Retractor Small 8mm Wide
- **706.015** | Retractor Small 15mm Wide



- **711.001** | Periosteal Elevator Curved Blade 6mm wide



- **738.035** | LCP Plate Holder Length 100mm



- **737.001** | Small Fragment Template (2 PCS)



Instruments

| | | |
|---------|--|--------|
| 601.005 | Drill Bits 1.8mm x 130mm For Quick Coupling | 2 Each |
| 601.031 | Drill Bits 2.0mm x 145mm For Quick Coupling | 2 Each |
| 601.021 | Drill Bits 2.3mm x 150mm For Quick Coupling | 2 Each |
| 601.023 | Drill Bits 2.5mm x 165mm For Quick Coupling | 2 Each |
| 601.024 | Drill Bits 2.7mm x 165mm For Quick Coupling | 2 Each |
| 601.019 | Drill Bits 2.8mm x 165mm For Quick Coupling | 2 Each |
| 603.001 | Quick Coupling T Handle | 1 Each |
| 603.027 | Tap 2.7mm Cortex Screw For Quick Coupling | 1 Each |
| 603.035 | Tap 3.5mm Cortex Screw 20TPI For Quick Coupling | 1 Each |
| 603.040 | Tap 4.0mm Cancellous Screw For Quick Coupling | 1 Each |
| 734.024 | Tap 2.4mm Locking Screw For Quick Coupling | 1 Each |
| 734.027 | Tap 2.7mm Locking Screw For Quick Coupling | 1 Each |
| 734.035 | Tap 3.5mm Locking Screw For Quick Coupling | 1 Each |
| 606.035 | Counter Sink Shaft For 3.5mm | 1 Each |
| 660.010 | Triple Drill Guide 2.0mm With 3hole & Opposite Side 1hole | 1 Each |
| 605.024 | Drill And Tap Sleeve 2.4/1.8mm | 1 Each |
| 605.027 | Drill And Tap Sleeve 2.7/2.0mm | 1 Each |
| 605.035 | Drill And Tap Sleeve 3.5/2.5mm | 1 Each |
| 607.035 | DCP Drill Sleeve 3.5mm for use 2.5mm Drill | 1 Each |
| 733.027 | Drill Sleeve For Locking Compression plate 2.7mm, For Drill Bits 2.3mm | 1 Each |
| 733.035 | Drill Sleeve For Locking Compression plate 3.5mm, For Drill Bits 2.8mm | 2 Each |

Instruments

| | | |
|---------|---|--------|
| 733.040 | Drill Sleeve For Locking cancellous plate 4.0mm, For Drill Bits 2.8mm | 2 Each |
| 733.020 | LCP Drill Sleeve For variable angle plate 2.4mm, For Drill Bits 1.8mm | 1 Each |
| 609.004 | Depth Gauge For 2.4mm To 2.7mm Screw Length 60mm | 1 Each |
| 609.002 | Depth Gauge For 3.5mm To 4.0mm Screw Length 80mm | 1 Each |
| 610.002 | Screw Forceps Self Holding | 1 Each |
| 612.025 | Small Hexagonal Screw Driver 2.5mm Tip | 1 Each |
| 613.025 | Small Hexagonal Screw Driver With Holding Sleeve 2.5mm Tip | 1 Each |
| 735.02 | Limit Screw Driver handle without shaft for 3.5/4.0mm screws | 1 Each |
| 614.025 | Shaft for Hexagonal Screw Driver 2.5mm Tip for 3.5/4.0mm screws | 1 Each |
| 614.T15 | Shaft for Star Screw Driver T15 Tip for 3.5/4.0mm screws | 1 Each |
| 735.01 | Limit Screw Driver handle without shaft for 2.4/2.7mm screws | 1 Each |
| 614.T08 | Shaft for Star Screw Driver T08 Tip for 2.4/2.7mm screws | 1 Each |
| 617.001 | Sharp Hook | 1 Each |


AGC.72 Small Fragment Screws in Graphic Case



Implants

| | | |
|-----|---|------------------|
| 198 | 2.4mm Locking Compression Screws Star Head Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm | 3 Each |
| 199 | 2.7mm Locking Compression Screws Star Head Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm | 3 Each |
| 146 | 3.5mm Locking Compression Screws Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm | 5 Each 4 Each |

| | | |
|-----|--|--------|
| 148 | 4mm Locking Cancellous Screws (Fully Thread) Length : 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm | 3 Each |
| 075 | 2.7mm Cortex Screws (Self Tapping) Length : 08mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm | 3 Each |
| 451 | Cortex Screw 3.5mm (Self Tapping) Length : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm | 4 Each |
| 130 | 4.0mm Cancellous Screws (Short Thread) Length : 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm | 1 Each |
| 131 | 4.0mm Cancellous Screws (Fully Thread) Length : 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 55mm, 60mm | 1 Each |
| 125 | Washer 10.0mm For Small Screws 10mm/4.6mm | 5 Each |



Instruments

| | | |
|---------|--|--------|
| 601.005 | Drill Bits 1.8mm x 130mm For Quick Coupling | 2 Each |
| 601.031 | Drill Bits 2.0mm x 145mm For Quick Coupling | 2 Each |
| 601.021 | Drill Bits 2.3mm x 150mm For Quick Coupling | 2 Each |
| 601.023 | Drill Bits 2.5mm x 165mm For Quick Coupling | 2 Each |
| 601.024 | Drill Bits 2.7mm x 165mm For Quick Coupling | 2 Each |
| 601.019 | Drill Bits 2.8mm x 165mm For Quick Coupling | 2 Each |
| 603.001 | Quick Coupling T Handle | 1 Each |
| 603.027 | Tap 2.7mm Cortex Screw For Quick Coupling | 1 Each |
| 603.035 | Tap 3.5mm Cortex Screw 20TPI For Quick Coupling | 1 Each |
| 603.040 | Tap 4.0mm Cancellous Screw For Quick Coupling | 1 Each |
| 734.024 | Tap 2.4mm Locking Screw For Quick Coupling | 1 Each |
| 734.027 | Tap 2.7mm Locking Screw For Quick Coupling | 1 Each |
| 734.035 | Tap 3.5mm Locking Screw For Quick Coupling | 1 Each |
| 606.035 | Counter Sink Shaft For 3.5mm | 1 Each |
| 660.010 | Triple Drill Guide 2.0mm With 3hole & Opposite Side 1hole | 1 Each |
| 605.024 | Drill And Tap Sleeve 2.4/1.8mm | 1 Each |
| 605.027 | Drill And Tap Sleeve 2.7/2.0mm | 1 Each |
| 605.035 | Drill And Tap Sleeve 3.5/2.5mm | 1 Each |
| 607.035 | DCP Drill Sleeve 3.5mm for use 2.5mm Drill | 1 Each |
| 733.027 | Drill Sleeve For Locking Comperssion plate 2.7mm For Drill Bits 2.3mm | 1 Each |
| 733.035 | Drill Sleeve For Locking Comperssion plate 3.5mm For Drill Bits 2.8mm | 2 Each |
| 733.040 | Drill Sleeve For Locking Comperssion plate 4.0mm, For Drill Bits 2.8mm | 2 Each |
| 733.020 | LCP Drill Sleeve For variable angle plate 2.4mm For Drill Bits 1.8mm | 1 Each |
| 609.004 | Depth Guage For 2.4mm To 2.7mm Screw Length 60mm | 1 Each |
| 609.002 | Depth Guage For 3.5mm To 4.0mm Screw Length 80mm | 1 Each |
| 610.002 | Screw Forceps Self Holding | 1 Each |
| 612.025 | Small Hexagonal Screw Driver 2.5mm Tip | 1 Each |
| 613.025 | Small Hexagonal Screw Driver With Holding Sleeve 2.5mm Tip | 1 Each |
| 735.02 | Limit Screw Driver handle without shaft for 3.5/4.0mm screws | 1 Each |
| 614.025 | Shaft for Hexagonal Screw Driver 2.5mm Tip for 3.5/4.0mm screws | 1 Each |
| 614.T15 | Shaft for Star Screw Driver T15 Tip for 3.5/4.0mm screws | 1 Each |
| 735.01 | Limit Screw Driver handle without shaft for 2.4/2.7mm screws | 1 Each |
| 614.T08 | Shaft for Star Screw Driver T08 Tip for 2.4/2.7mm screws | 1 Each |
| 616.002 | Bending Iron Small For Plate 2.7mm And 3.5mm | 1 Each |
| 617.001 | Sharp Hook | 1 Each |
| 660.013 | K Wire Bender Iron | 1 Each |
| 660.014 | Universal Wire Cutter/Bender/Pilers | 1 Each |
| 687.144 | Self-centering Bone Holding Forceps Length 144mm | 1 Each |

Instruments

| | | |
|---------|--|---------|
| 687.191 | Self-Centering Bone Holding Forceps Length 191mm | 1 Each |
| 688.146 | Reduction Forceps Serrated Jaws Length 146mm | 2 Each |
| 689.126 | Reduction Forceps With Points Length 126mm | 1 Each |
| 706.008 | Retractor Small 8mm Wide | 2 Each |
| 706.015 | Retractor Small 15mm Wide | 2 Each |
| 711.001 | Periosteal Elevator Curved Blade 6mm wide | 1 Each |
| 738.035 | LCP Plate Holder Length 100mm for 3.5mm Plate | 1 Each |
| 737.001 | Small fragment Template (2 pcs) | 1 Each |
| 328B.15 | K Wire (Double Side Trocar Tip) 1.5mm x 150mm | 10 Each |
| 328B.18 | K Wire (Double Side Trocar Tip) 1.8mm x 150mm | 10 Each |
| 328B.20 | K Wire (Double Side Trocar Tip) 2.0mm x 150mm | 10 Each |

Implants

| | | |
|-----|--|--------|
| 198 | 2.4mm Locking Compression Screws Star Head Lengh : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm | 3 Each |
| 199 | 2.7mm Locking Compression Screws Star Head Lengh : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm | 3 Each |
| 146 | 3.5mm Locking Compression Screws Lengh : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm | 5 Each |
| 148 | 4mm Locking Cancellous Screws (Fully Thread) Lengh : 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm | 3 Each |
| 075 | 2.7mm Cortex Screws (Self Tapping) Lengh : 08mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm | 3 Each |
| 451 | Cortex Screw 3.5mm (Self Tapping) Lengh : 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm | 4 Each |
| 130 | 4.0mm Cancellous Screws (Short Thread) Lengh : 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm | 1 Each |
| 131 | 4.0mm Cancellous Screws (Fully Thread) Lengh : 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 55mm, 60mm | 1 Each |
| 125 | Washer 10.0mm For Small Screws 10mm/4.6mm | 5 Each |

Implants

| | | |
|-----|---|--------|
| 457 | Locking One - Third Tubular Plate 3.5mm Holes : 5, 6, 7, 8, 10, 12 | 1 Each |
| 149 | Small Locking Compression Plate 3.5mm Holes : 5, 6, 7, 8, 9, 10, 12, 14 | 1 Each |
| 150 | Locking Compression T Plate, Right Angled 3.5mm Holes : 3, 4, 5, 6, 7 | 1 Each |
| 151 | Locking Compression T Plate, Oblique Angled 3.5mm (Left & Right) Holes : 3, 4, 5, 6, 7 | 1 Each |
| 186 | Locking Reconstruction (Thin) Plate 3.5mm Holes : 4, 5, 6, 7, 8, 9, 10, 12, 14 | 1 Each |

AGC.69 Locking Distal Tibial Plate 3.5mm in Graphic Case



Implants

| | | |
|-----|---|--------|
| 154 | Locking Medial Distal Tibial Plate 3.5mm (Left & Right) Holes : 4, 6, 8, 10, 12, 14 | 1 Each |
| 163 | Locking Medial Distal Tibia Plate 3.5mm without tab (Left & Right) Holes : 4, 6, 8, 10, 12, 14 | 1 Each |
| 174 | Locking Anterolateral Distal Tibia Plate 3.5mm (Left & Right) Holes : 5, 6, 7, 8, 9, 10, 12 | 1 Each |
| 454 | Locking PILON Tibial Plate 3.5mm Holes : 7, 8, 9 | 1 Each |
| 167 | Locking Calcaneal Plate 3.5mm (Left & Right) Holes : Small, Medium | 1 Each |
| 175 | Locking Distal Fibula Plate 3.5mm Holes : 3, 4, 5, 6, 7, 8 | 1 Each |

AGC.61 Locking Proximal Humeral Plate 3.5mm in Graphic Case

Implants

| | | |
|---------|---|--------|
| 156 | Locking Long Head Proximal Humeral Plate 3.5mm Holes : 3, 4, 5, 6, 7, 8, 9, 10, 12 | 1 Each |
| 733.018 | Block For Locking Long Head Proximal Humeral Plate 3.5mm | 1 Each |
| 153 | Locking Proximal Humeral Plate 3.5mm Holes : 4, 5, 6 | 1 Each |

AGC.62 Locking Distal Humeral Plate 3.5mm in Graphic Case

Implants

| | | |
|-----|---|--------|
| 157 | Locking Distal Humeral Plate with Support 3.5mm (Left & Right) Holes : 3, 4, 5, 6, 7, 8, 9, 10 | 1 Each |
| 158 | Locking Distal Humeral Plate 3.5mm (Left & Right) Holes : 3, 4, 5, 6, 7, 8, 9, 10 | 1 Each |
| 159 | Locking Medial Distal Humeral Plate 3.5mm (Left & Right) Holes : 3, 4, 5, 6, 7, 8, 9, 10 | 1 Each |
| 185 | Locking Distal Humerus Extra Articular 3.5mm Plate (Left & Right) Holes : 4, 6, 8, 10, 12, 14 | 1 Each |
| 171 | Locking Olecranon Plate 3.5mm (Left & Right) Holes : 3, 4, 5, 6, 7, 8 | 1 Each |
| 164 | 3.5mm Locking Hook Plate Holes : 3 | 2 Each |

Implants

| | | |
|------------|--|---------------|
| 160 | Locking Superior Anterior Clavicle Plate 3.5mm (Left & Right) Holes : 6, 7, 8 | 1 Each |
| 161 | Locking Superior Anterior Clavicle Plate with Lateral Extension 3.5mm (Left & Right) Holes : 4, 6, 8 | 1Each |
| 162 | Locking Clavicle Hook Plate 3.5mm Hook Depth 12mm/15mm/18mm (Left & Right) Holes : 4, 5, 6, 7 | 1 Each |

AGC.64 Locking Distal Radius Plate 2.7mm in Graphic Case

Implants

| | | |
|-------------|---|---------------|
| 166 | Locking Volar Distal Radius Plate 2.7mm (Left & Right) Holes : 3, 4, 5 | 1 Each |
| 168A | Locking XVA Volar Distal Radius Plate 2.7mm (Left & Right) Head 6 hole Holes : 3, 4, 5 | 1 Each |
| 168B | Locking XVA Volar Distal Radius Plate 2.7mm (Left & Right) Head 7 hole Holes : 3, 4, 5 | 1 Each |
| 187 | Locking Distal Radius Plate 2.7mm (Left & Right) Holes : 3, 5 | 1 Each |
| 188 | Locking Distal Radius Buttress Plate 2.7mm Head 5hole (Left & Right) Holes : 3 | 1 Each |
| 189 | Locking Distal Radius Plate 2.7mm Extra Articular Head 5 hole (Left & Right) Holes : 3, 5 | 1 Each |
| 190 | Locking Distal Radius Plate 2.7mm Extra Articular Head 4 hole (Left & Right) Holes : 3, 5 | 1 Each |

Implants

| | | |
|------------|---|---------------|
| 191 | Locking Distal Radius Plate 2.7mm Straight Holes : 5, 6 | 1 Each |
| 192 | Locking Distal Radius L Plate 2.7mm Plate Head 2hole (Left & Right) Holes : 3, 4 | 1 Each |
| 193 | Locking Distal Radius L Plate 2.7mm Head 3hole (Left & Right) Holes : 3, 4 | 1 Each |
| 194 | Locking Distal Radius L Plate Oblique Angled 2.7mm Head 3hole (Left & Right) Holes : 3, 4 | 1 Each |
| 195 | Locking Distal Radius T Plate 2.7mm Head 3hole (Left & Right) Holes : 3, 4 | 1 Each |
| 172 | Locking Proximal Radius Neck Plate 2.7mm Holes : 2, 3, 4 | 1 Each |
| 173 | Locking Proximal Radius Rim Plate 2.7mm (Left & Right) Holes : 2, 3, 4 | 1 Each |

AGC.65 Locking Proximal Tibia Plate 3.5mm in Graphic Case



Implants

| | | |
|------------|--|---------------|
| 182 | Locking Posterior Medial Proximal Tibia Plate 3.5mm Holes : 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 | 1 Each |
| 196 | Locking Anatomical Proximal Tibia Plate 3.5mm (Left & Right) Holes : 4, 6, 8, 10, 13 | 1 Each |



- **168** | Locking XVA Volar Distal Radius Plate 2.7mm (Head 6 & 7hole) (Left & Right)
- MATERIAL - Titanium / Stainless Steel
HOLES - 3, 4, 5



- **198** | 2.4mm Locking Compression Screws Star Head (Variable angle)
- MATERIAL - Titanium / Stainless Steel
LENGTH - 10mm to 30mm (2mm Increment)



- **199** | 2.7mm Locking Compression Screws Star Head
- MATERIAL - Titanium / Stainless Steel
LENGTH - 10mm to 30mm (2mm Increment)



- **458** | 2.7mm Cortex Screws Star Head (Self Tapping)
- MATERIAL - Titanium / Stainless Steel
LENGTH - 10mm to 30mm (2mm Increment)



• **603.001** | Quick Coupling T Handle



- **601.035** | Drill Bits 1.8mm x 125mm For Quick Coupling T Handle
- **601.036** | Drill Bits 2.0mm x 125mm For Quick Coupling T Handle
- **601.037** | Drill Bits 2.3mm x 125mm For Quick Coupling T Handle



• **735.01** | Limit Screw Driver handle without shaft for 2.4/2.7mm screws



• **614.T08** | Shaft for Star Screw Driver T08 Tip for 2.4/2.7mm screws



• **614.025** | Shaft Small Hexagonal Screw Driver 2.5mm Tip



• **733.020** | LCP Drill Sleeve For variable angle plate 2.4mm, For Drill Bits 1.8mm



• **733.027** | LCP Drill Sleeve 2.7mm, For Drill Bits 2.3mm



• **610.002** | Screw Forceps Self-Holding



- **609.004** | Depth Gauge For 2.4mm To 2.7mm Screw Length 60mm



Implants

| | | |
|-----|--|--------|
| 168 | Locking XVA Volar Distal Radius Plate 2.7mm (Head 6 & 7hole) (Left & Right) | 1 Each |
| 198 | 2.4mm Locking Compression Screws Star Head (Variable angle) | 3 Each |
| 199 | 2.7mm Locking Compression Screws Star Head | 3 Each |
| 458 | 2.7mm Cortex Screws Star Head (Self Tapping) | 3 Each |

Instruments

| | | |
|---------|--|--------|
| 603.001 | Quick Coupling T Handle | 1 Each |
| 601.035 | Drill Bits 1.8mm x 125mm for Quick Coupling T Handle | 1 Each |
| 601.036 | Drill Bits 2.0mm x 125mm for Quick Coupling T Handle | 1 Each |
| 601.037 | Drill Bits 2.3mm x 125mm for Quick Coupling T Handle | 1 Each |
| 735.01 | Limit Screw Driver handle without shaft for 2.4/2.7mm screws | 1 Each |
| 614.T08 | Shaft for Star Screw Driver T08 Tip for 2.4/2.7mm screws | 1 Each |
| 614.025 | Shaft Small Hexagonal Screw Driver 2.5mm Tip | 1 Each |
| 733.020 | LCP Drill Sleeve For variable angle plate 2.4mm, For Drill Bits 1.8mm | 1 Each |
| 733.027 | LCP Drill Sleeve 2.7mm, For Drill Bits 2.3mm | 1 Each |
| 610.002 | Screw Forceps Self-Holding | 1 Each |
| 609.004 | Depth Gauge For 2.4mm To 2.7mm Screw Length 60mm | 1 Each |



• 225 | 5.0mm Locking Compression Screws (Self Tapping)

MATERIAL - Titanium / Stainless Steel

LENGTH - 14mm to 50mm (2mm Increment)
55mm to 110mm (5mm Increment)



• 244 | 5.5mm Locking Cancellous Screw (16mm Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 30mm to 110mm (5mm Increment)



• 245 | 5.5mm Locking Cancellous Screw (32mm Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 45mm to 110mm (5mm Increment)



• 246 | 5.5mm Locking Cancellous Screw (Full Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 30mm to 110mm (5mm Increment)



• 452 | Cortex Screw 4.5mm (Self Tapping)

MATERIAL - Titanium / Stainless Steel

LENGTH - 14mm to 50mm (2mm Increment)
55mm to 80mm (5mm Increment)



• 205 | 6.5mm Cancellous Screw (16mm Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 30mm to 120mm (5mm Increment)



• 206 | 6.5mm Cancellous Screw (32mm Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 45mm to 120mm (5mm Increment)



• 207 | 6.5mm Cancellous Screw (Full Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 20mm to 120mm (5mm Increment)



- **322** | 6.5mm Locking Cannulated Cancellous Screw (16mm Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 30mm to 120mm (5mm Increment)



- **324** | 6.5mm Locking Cannulated Cancellous Screw (32mm Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 40mm to 120mm (5mm Increment)



- **325** | 6.5mm Locking Cannulated Cancellous Screw (Full Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 30mm to 120mm (5mm Increment)



- **229** | Narrow Locking Compression Plate 4.5mm/5.0mm

MATERIAL - Titanium / Stainless Steel

HOLES - 4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 16



- **230** | Broad Locking Compression Plate 4.5mm/5.0mm

MATERIAL - Titanium / Stainless Steel

HOLES - 4, 5, 6, 7, 8, 9, 10, 12, 14, 16



- **231** | Locking Reconstruction Plate 4.5mm/5.0mm

MATERIAL - Titanium / Stainless Steel

HOLES - 4, 5, 6, 7, 8, 9, 10, 11, 12, 14



- **232** | Locking L-Buttress Plate 4.5/5.0mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8, 9, 10, 11, 12



- **233** | Locking T-Buttress Plate 4.5/5.0mm

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 7, 8, 10, 11, 12



- **234** | Locking T- Plate 4.5/5.0mm

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8, 10, 11, 12



- **235** | Locking Lateral Tibia Plate (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 4, 5, 6, 7, 8, 9, 10, 11, 12, 13



- **236** | Locking Proximal Tibial Plate 4.5/5.0mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 4, 5, 6, 7, 8, 9, 10, 11, 12, 14



- **237** | Locking Distal Femoral Plate 4.5/5.0mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 5, 6, 7, 8, 9, 10, 11, 12, 13



- **238** | Locking Condylar Buttress Plate 4.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 5, 6, 7, 8, 9, 10, 11, 13



- **239** | Locking Proximal Femoral Plate (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14



- **239A** | Locking Proximal Femoral Plate (head 4 hole) (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8, 9, 10, 11, 12



- **241** | Locking Metaphyseal Plate 3.5mm/4.5mm/5.0mm

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8, 9, 10, 11, 12



- 243 | Locking Tomo Fix Plate 4.5mm

MATERIAL - Titanium / Stainless Steel
HOLES - Small / Standard



- **601.012** | Drill Bits 3.2mm x 195mm for Quick Coupling
- **601.013** | Drill Bits 3.5mm x 195mm for Quick Coupling
- **601.020** | Drill Bits 4.3mm x 225mm for Quick Coupling
- **601.028** | Drill Bits 4.5mm x 225mm for Quick Coupling



- **603.001** | Quick Coupling T Handle



- **603.045** | Tap For 4.5mm Cortex Screw For Quick Coupling
- **603.065** | Tap For 6.5mm LCP Cancellous Screw For Quick Coupling



- **734.050** | Tap 5.0mm Locking Screw For Quick Coupling



- **606.045** | Counter Sink for 4.5mm



- **605.045** | Drill And Tap Sleeve 4.5/3.2mm
- **605.065** | Drill And Tap Sleeve 6.5/3.2mm



- **607.045** | DCP Drill Sleeve 4.5mm for use 3.2mm Drill



- **733.050** | Drill Sleeve For Locking Compression plate 4.5mm For Drill Bits 4.3mm
- **733.065** | Drill Sleeve For Locking Compression plate 6.5mm For Drill Bits 4.5mm



- **609.003** | Depth Gauge for 4.5mm to 6.5mm Screws



- **610.002** | Screw Forceps Self-Holding



- **612.035** | Large Hexagonal Screw Driver 3.5mm Tip



- **613.035** | Large Hexagonal Screw Driver With Holding Sleeve 3.5mm Tip



- **735.03** | Limit Screw Driver handle without shaft for 5.0/6.5mm screws



- **614.035** | Shaft for Hexagonal Screw Driver 3.5mm Tip for 5.0/6.5mm screws
- **614.T25** | Shaft for Star Screw Driver T25 Tip for 5.0/6.5mm screws



- **616.007** | Bending Pliers With Rolls



- **617.001** | Sharp Hook



- 707.018 | Retractor Small 18mm Wide
- 707.024 | Retractor Small 24mm Wide



- 687.277 | Self-Centering Bone Holding Forceps Length 277mm



- 688.255 | Reduction Forceps Serrated Jaws Length 255mm




- 689.205 | Reduction Forceps With Points Length 205mm



- 738.50 | LCP Plate Holder Length 120mm for 4.5mm Plate



- 737.002 | Large fragment Template (2 pcs)



Instruments

| | | | | | |
|---------|--|--------|---------|--|--------|
| 601.012 | Drill Bits 3.2mm x 195mm for Quick Coupling | 2 Each | 733.065 | Drill Sleeve For Locking Compression plate 6.5mm, For Drill Bits 4.5mm | 1 Each |
| 601.013 | Drill Bits 3.5mm x 195mm for Quick Coupling | 2 Each | 609.003 | Depth Gauge for 4.5mm to 6.5mm Screws | 1 Each |
| 601.020 | Drill Bits 4.3mm x 225mm for Quick Coupling | 2 Each | 610.002 | Screw Forceps Self-Holding | 1 Each |
| 601.028 | Drill Bits 4.5mm x 225mm for Quick Coupling | 2 Each | 612.035 | Large Hexagonal Screw Driver 3.5mm Tip | 1 Each |
| 603.001 | Quick Coupling T Handle | 1 Each | 613.035 | Large Hexagonal Screw Driver With Holding Sleeve 3.5mm Tip | 1 Each |
| 603.045 | Tap For 4.5mm Cortex Screw For Quick Coupling | 1 Each | 735.03 | Limit Screw Driver handle without shaft for 5.0/6.5mm screws | 1 Each |
| 603.065 | Tap For 6.5mm LCP Cancellous Screw For Quick Coupling | 1 Each | 614.035 | Shaft for Hexagonal Screw Driver 3.5mm Tip for 5.0/6.5mm screws | 1 Each |
| 734.050 | Tap 5.0mm Locking Screw For Quick Coupling | 1 Each | 614.T25 | Shaft for Star Screw Driver T25 Tip for 5.0/6.5mm screws | 1 Each |
| 606.045 | Counter Sink for 4.5mm | 1 Each | 617.001 | Sharp Hook | 1 Each |
| 605.045 | Drill And Tap Sleeve 4.5/3.2mm | 1 Each | | | |
| 605.065 | Drill And Tap Sleeve 6.5/3.2mm | 1 Each | | | |
| 607.045 | DCP Drill Sleeve 4.5mm for use 3.2mm Drill | 1 Each | | | |
| 733.050 | Drill Sleeve For Locking Compression plate 4.5mm, For Drill Bits 4.3mm | 4 Each | | | |


AGC.73 Locking Large Fragment Screws in Graphic Case

Implants

| | | |
|-----|---|--------------------------------|
| 225 | 5.0mm Locking Compression Screws (Self Tapping) Length : 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm | 3 Each 5 Each 3 Each |
| 452 | Cortex Screw 4.5mm (Self Tapping) Length : 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm | 3 Each 5 Each 3 Each |

Implant

| | | |
|-----|--|--------|
| 244 | 5.5mm Locking Cancellous Screw (16mm Thread) Length : 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm | 2 Each |
| 245 | 5.5mm Locking Cancellous Screw (32mm Thread) Length : 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm | 2 Each |
| 246 | 5.5mm Locking Cancellous Screw (Full Thread) Length : 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm | 2 Each |
| 205 | 6.5mm Cancellous Screw (16mm Thread) Length : 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm | 2 Each |
| 206 | 6.5mm Cancellous Screw (32mm Thread) Length : 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm | 2 Each |
| 201 | Washer 13.0mm for Large Screws | 5 Each |




Instruments

| | |
|---------|--|
| 601.012 | Drill Bits 3.2mm x 195mm for Quick Coupling |
| 601.013 | Drill Bits 3.5mm x 195mm for Quick Coupling |
| 601.020 | Drill Bits 4.3mm x 225mm for Quick Coupling |
| 601.028 | Drill Bits 4.5mm x 225mm for Quick Coupling |
| 603.001 | Quick Coupling T Handle |
| 603.045 | Tap For 4.5mm Cortex Screw For Quick Coupling |
| 603.065 | Tap For 6.5mm LCP Cancellous Screw For Quick Coupling |
| 734.050 | Tap 5.0mm Locking Screw For Quick Coupling |
| 606.045 | Counter Sink for 4.5mm |
| 605.045 | Drill And Tap Sleeve 4.5/3.2mm |
| 605.065 | Drill And Tap Sleeve 6.5/3.2mm |
| 607.045 | DCP Drill Sleeve 4.5mm for use 3.2mm Drill |
| 733.050 | Drill Sleeve For Locking Compression plate 4.5mm, For Drill Bits 4.3mm |
| 733.065 | Drill Sleeve For Locking Compression plate 6.5mm, For Drill Bits 4.5mm |
| 609.003 | Depth Gauge for 4.5mm to 6.5mm Screws |
| 610.002 | Screw Forceps Self-Holding |
| 612.035 | Large Hexagonal Screw Driver 3.5mm Tip |
| 613.035 | Large Hexagonal Screw Driver With Holding Sleeve 3.5mm Tip |
| 735.03 | Limit Screw Driver handle without shaft for 5.0/6.5mm screws |
| 614.035 | Shaft for Hexagonal Screw Driver 3.5mm Tip for 5.0/6.5mm screws |
| 614.T25 | Shaft for Star Screw Driver T25 Tip for 5.0/6.5mm screws |
| 616.007 | Bending Pliers With Rolls |
| 617.001 | Sharp Hook |
| 707.018 | Retractor Small 18mm Wide |
| 707.024 | Retractor Small 24mm Wide |
| 687.277 | Self-Centering Bone Holding Forceps Length 277mm |
| 688.255 | Reduction Forceps Serrated Jaws Length 255mm |
| 689.205 | Reduction Forceps With Points length 205mm |
| 738.050 | LCP Plate Holder Length 120mm for 4.5mm Plate |
| 737.002 | Large fragment Template (2 pcs) |
| 328B.18 | K Wire (Double Side Trocar Tip) 1.8mm x 150mm |
| 328B.20 | K Wire (Double Side Trocar Tip) 2.0mm x 150mm |

Implants

| | | | |
|--------|-----|---|--------|
| 2 Each | 225 | 5.0mm Locking Compression Screws (Self Tapping) | |
| 2 Each | | Length : 14mm, 16mm, 18mm, | 3 Each |
| 2 Each | | 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, | |
| 2 Each | | 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, | |
| 1 Each | | 48mm, 50mm, | 5 Each |
| 1 Each | | 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm | 3 Each |
| 1 Each | 452 | Cortex Screw 4.5mm (Self Tapping) | |
| 1 Each | | Length : 14mm, 16mm, 18mm, | 3 Each |
| 1 Each | | 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, | |
| 1 Each | | 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, | |
| 1 Each | | 48mm, 50mm, | 5 Each |
| 1 Each | | 55mm, 60mm, 65mm, 70mm, 75mm, 80mm | 3 Each |
| 4 Each | 244 | 5.5mm Locking Cancellous Screw (16mm Thread) | |
| | | Length : 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, | |
| | | 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, | |
| 1 Each | | 95mm, 100mm, 105mm, 110mm | 2 Each |
| 1 Each | 245 | 5.5mm Locking Cancellous Screw (32mm Thread) | |
| 1 Each | | Length : 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, | |
| 1 Each | | 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, | |
| 1 Each | | 105mm, 110mm | 2 Each |
| 1 Each | 246 | 5.5mm Locking Cancellous Screw (Full Thread) | |
| | | Length : 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, | |
| 1 Each | | 60mm, 65mm | 2 Each |
| 1 Each | 205 | 6.5mm Cancellous Screw (16mm Thread) | |
| | | Length : 30mm, 35mm, 40mm, 45mm, 50mm, 55mm, | |
| | | 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, | |
| 1 Each | | 95mm, 100mm, 105mm, 110mm | 2 Each |
| 1 Each | 206 | 6.5mm Cancellous Screw (32mm Thread) | |
| 1 Each | | Length : 45mm, 50mm, 55mm, 60mm, 65mm, 70mm, | |
| 2 Each | | 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, | |
| 2 Each | | 110mm, 115mm, 120mm | 2 Each |
| 2 Each | 201 | Washer 13.0mm for Large Screws | 5 Each |

AGC.66 Large Locking Implants in Graphic Case




- 229 Narrow Locking Compression Plate 4.5mm/5.0mm
Holes : 6, 7, 8, 9, 10, 11, 12, 14, 16 Each 1
- 230 Broad Locking Compression Plate 4.5mm/5.0mm
Holes : 7, 8, 9, 10, 12, 14, 16 Each 1
- 231 Locking Reconstruction Plate 4.5mm/5.0mm
Holes : 6, 7, 8, 9, 10, 11, 12, 14 Each 1

AGC.67 Large Locking Tibial Implants in Graphic Case



- 232 Locking L-Buttress Plate 4.5/5.0mm (Left & Right)
Holes : 4, 6, 8, 10, 12 Each 1
- 233 Locking T-Buttress Plate 4.5/5.0mm
Holes : 4, 6, 8, 10, 12 Each 1
- 234 Locking T- Plate 4.5/5.0mm
Holes : 4, 6, 8, 10, 12 Each 1
- 235 Locking Lateral Tibia Plate (Left & Right)
Holes : 5, 6, 7, 8, 9, 10, 11, 13 Each 1
- 236 Locking Proximal Tibial Plate 4.5/5.0mm (Left & Right)
Holes : 4, 6, 8, 10, 12, 14 Each 1
- 243 Locking Tomo Fix Plate 4.5mm (Small / Standard)
Holes : 4 Each 1

AGC.68 Locking Femoral Implants in Graphic Case



- 237 Locking Distal Femoral Plate 4.5/5.0mm (Left & Right)
Holes : 5, 7, 9, 11, 13 Each 1
- 239 Locking Proximal Femoral Plate (Left & Right)
Holes : 5, 7, 9, 11 Each 1



• **126** | 3.5mm Cortex Screws (20TPI)

MATERIAL - Titanium / Stainless Steel

LENGTH - 10mm to 40mm (2mm Increment)
45mm to 60mm (5mm Increment)



• **130** | 4.0mm Cancellous Screws (Short Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 12mm to 40mm (2mm Increment)
45mm to 70mm (5mm Increment)



• **131** | 4.0mm Cancellous Screws (Fully Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 12mm to 40mm (2mm Increment)
45mm to 70mm (5mm Increment)

Large Fragment Implants & Instruments

Implants



• **202** | 4.5mm Cortex Screw

MATERIAL - Titanium / Stainless Steel

LENGTH - 14mm to 60mm (2mm Increment)
65mm to 70mm (2,3,5mm Increment)



• **204** | 4.5mm Malleolar Screw

MATERIAL - Titanium / Stainless Steel

LENGTH - 20mm to 110mm (5mm Increment)



• **205** | 6.5mm Cancellous Screw (16mm Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 20mm to 120mm (5mm Increment)



• **206** | 6.5mm Cancellous Screw (32mm Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 45mm to 120mm (5mm Increment)



• **207** | 6.5mm Cancellous Screw (Full Thread)

MATERIAL - Titanium / Stainless Steel

LENGTH - 20mm to 120mm (5mm Increment)



- **133** | One - Third Tubular Plate 3.5mm

MATERIAL - Titanium / Stainless Steel
HOLES - 4, 5, 6, 7, 8, 9, 10, 12



- **135** | Small DCP 3.5mm

MATERIAL - Titanium / Stainless Steel
HOLES - 5, 6, 7, 8, 9, 10, 12, 14, 15, 16



- **138** | Small T Plate, Right Angled 3.5mm

MATERIAL - Titanium / Stainless Steel
HOLES - 3, 4, 5, 6, 7, 8, 9, 10



- **139** | Small T Plate, Oblique Angled 3.5mm

MATERIAL - Titanium / Stainless Steel
HOLES - 3, 4, 5, 6, 7, 8, 9, 10



- **141** | Reconstruction Plate Straight 3.5mm (DC Hole)

MATERIAL - Titanium / Stainless Steel
HOLES - 4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 22



- **145** | Reconstruction Plate 3.5mm (Thin) Round Hole

MATERIAL - Titanium / Stainless Steel
HOLES - 5, 6, 7, 8, 9, 10, 12, 14, 16, 18, 20, 22, 24



• **210** | Narrow DCP 4.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 16



• **211** | Narrow LC-DCP 4.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 16



• **213** | Broad DCP 4.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 18



• **214** | Broad LC-DCP 4.5mm

MATERIAL - Stainless Steel

HOLES - 4, 5, 6, 7, 8, 9, 10, 11, 12, 14, 16



• **215** | T-Buttress Plate 4.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8, 9, 10, 12, 14



• **216** | T-Plate 4.5mm

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8, 9, 10, 12, 14



• **217** | L-Buttress Plate 4.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 3, 4, 5, 6, 7, 8, 9, 10, 12, 14



• **221** | Condylar Buttress Plate 4.5mm (Left & Right)

MATERIAL - Titanium / Stainless Steel

HOLES - 5, 6, 7, 8, 9, 10, 11, 13, 15



Plot No. G-2041/42/A, Kishan Gate, Lodhika G.I.D.C.,
Kalawad Road, Metoda, RAJKOT-360 021, (INDIA).

info@hardikinternational.com

☎ : +91 95740 01818 | 📞 : [hardikinternational](https://www.hardikinternational.com)

Follow Us :