

## Specificații tehnice (F4.1)

[Acest tabel va fi completat de către ofertant în coloanele 3, 4, 5, 7, iar de către autoritatea contractantă – în coloanele 1, 2, 6, 8]

Numărul procedurii de achiziție: <a href="#">ocds-b3wdp1-MD-1626868127523</a> din 06.08.2021							
Denumirea procedurii de achiziție: Echipament și accesorii pentru computer							
Cod CPV	Denumirea bunurilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standard de referință
1	2	3	4	5	6	7	8
30200000-1	1.1 PC	Lenovo AIO IdeaCentre 3 24ARE05 Black +Windows 10 Pro for OEM software + Microsoft Office Home & Business + Bitdefender GravityZone B	China SUA	Lenovo Microsoft Bitdefender	<p>Calculator Cu display IPS 23.8" FHD (1920x1080) 250nits" CPU: minim 4 nuclee si 4 fluxuri,4Mb cahe,Cu fregventa de lucru minim2,1 Ghz,5 GPU cores(1,4 GHz),Ram:8Gb DDR4-2666 cu posibilitate de a mari pina la 16 GB,Spatiu de stoacare 256 GB de tip M.2 NVMe,unitate optica:DVD+-RW,Placa de baza dotata cu:Card Reader 3-in-1 (SD, SDHC, SDXC),WLAN :802.11ac, 2x2 + BT 5.0; 2 x USB2.0;2 x USB3.2,HDMI,IGb LAN (RJ-45), Setul trebuie sa contina:Camera Web 720p,Wireless Keyboard,Wireless Mouse,Speakers Stereo speakers, 3W x2,Windows 10 PRO 64bit, Offtce Home and Business 2019</p>	<p>Lenovo AIO IdeaCentre 3 24ARE05 Black (23.8" FHD IPS Ryzen 3 4300U 2.7-3.7GHz, 8GB, 256GB,) Product Family : IdeaCentre AIO 3 24ARE05 PN: F0EW00CCRK Screen : 23.8" FHD (1920x1080) IPS 250nits, Non Touch CPU : AMD Ryzen 3 4300U (4C / 4T, 2.7 / 3.7GHz, 2MB L2 / 4MB L3) RAM : 2x 4GB SO-DIMM DDR4-2666 HDD : 256GB SSD M.2 2242 PCIe NVMe Opticals : 9.0mm DVD±RW Card Reader 3-in-1 (SD, SDHC, SDXC) Graphics : Integrated AMD Radeon Graphics WLAN : 802.11ac, 2x2 + BT5.0 Camera : 720P Camera 2 x USB2.0 2 x USB3.2 HDMI-out 1Gb LAN (RJ-45) Keyboard : Calliope Wireless Keyboard, Black, Russian Mouse : Calliope Wireless Mouse, Black Speakers Stereo speakers, 3W x2 PSU 90W Adapter Black Maincase : Black</p>	

					<a href="https://psref.lenovo.com/Detail/IdeaCentre/IdeaCentre_AIO_3_24ARE05?M=FOEW00CCRK">https://psref.lenovo.com/Detail/IdeaCentre/IdeaCentre_AIO_3_24ARE05?M=FOEW00CCRK</a> +Windows 10 Pro for OEM software + Microsoft Office Home & Business 2019 ENG P6 Win/Mac T5D-03308 Stary P/N:T5D-03216 + Bitdefender GravityZoneB Garantie 24 luni	
30200000-1	1.2 Notebook	Laptop HP ProBook 470 G7 + Windows 10 Pro for OEM software + Microsoft Office Home & Business + Bitdefender GravityZone B	China SUA	HP Microsoft Bitdefender	Laptop cu display FHD IPS eDP anti-glare LED-backlit, 300 nits, 72% NTSC (1920 x 1080) 43.9 cm diagonala,DirectX12,HDMI 1.4b,Graphics:Integrated+Discrete 2 GB GDDR5,Processor:1.6 GHz base frequency, up to 4.2 GHz burst frequency,6MB cache and 4 cores,RAM 16GB DDR4 2666MHz (2x8GB),dual type storage:SSD+HDD 256GB PCIe + 1TB 5400,lipsit de unitate optica,Ports:(2) USB 3.1 Gen 1,(1) USB 2.0,(1) HDMI 1.4,(1) RJ-45/Ethernet port,(1) Headphone/microphone combo jack (1) AC power port,Card reader:Supports SD, SDHC, and SDXC,wireless: AC AX201 802.11a/b/g/n/ac (2x2) Wi-Fi 6 and Bluetooth 5 Combo, non- vPro, camera web:720p HD,Single digital microphone, (2)Integrated stereo speakers,Baterie 3 celule Li-ion 41Wh Long Life,Full Size style BacklitKeyboard with numeric key pad,Windows 10 PRO64bit, Office Home and	Laptop HP ProBook 470 G7, 17.3 FHD, Intel Core i5-10210U, 16GB DDR4, SSD 256GB, HDD 1TB, AMD Radeon 530 2GB GDDR5, no DVD, 1xLAN, 1xHDMI, 1xAudio jack Ports: 1x USB Type-A 2.0 2x USB Type-A 3.2 Gen 1 (5 Gbps) Card Reader SD, SDHC, SDXC Ethernet LAN 10, 100, 1000 Mbit/s Bluetooth 5.0 camera web:720p HD Single digital microphone Speakers 2x Battery 41Wh, 3-cell Security Lock slot + Windows 10 Pro for OEM software + Bitdefender GravityZoneB + Microsoft Office Home & Business 2019 ENG P6 Win/Mac T5D-03308 Stary P/N:T5D-03216 Garantie 24 luni

					Business 2019	
30200000-1	1.3 Printer/scaner	MFD Canon i-Sensys MF237w	China	Canon	<p>Viteză de imprimare - 23 ppm monocrom (A4), timp de imprimare a primei pagini: aprox. 6,0 secunde sau mai puțin.</p> <p>Metodă de imprimare - Imprimare monocrom cu laser.</p> <p>Rezoluție de imprimare - 600 x 600 dpi.</p> <p>Calitatea imprimării: 1200 x 1200 dpi.</p> <p>Caracteristici de imprimare avansate: compatibilitate cu Google Cloud Print.</p> <p>iOS: airPrint, aplicația PRINT Business</p> <p>Android; certificare Mopria; plug-inul Print Service, aplicația PRINT Business. Ciclu de lucru - Max. 15.000 de pagini pe lună.</p> <p>GESTIONARE</p> <p>MATERIALE:</p> <p>Alimentare cu hârtie (standard) - Tavă multifuncțională pentru 250 de coli.</p> <p>Ieșire hârtie - 100 de coli Tipuri de suporturi material - Hârtie simplă, hârtie color, hârtie reciclată, hârtie grea, hârtie de legare, etichetă, fișă de indexare, plic.</p> <p>Formate de hârtie - A4, A5, B5, Legal, Letter, Executive, Statement, formate personalizate: min. 76,2 x 210 mm max. 216 x 356 mm, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL,</p>	<p>MFD Canon i-Sensys MF237w, laser, Printer/Scanner/Copier/Fax/Wi-Fi</p> <p>Imprimantă</p> <p>Viteză de imprimare 23 ppm (A4)</p> <p>Imprimare monocrom cu laser</p> <p>Calitatea imprimării 1200 x 1200 dpi</p> <p>Rezoluție de imprimare 600 x 600 dpi Timp de imprimare a primei pagini 6,0 secunde sau mai puțin</p> <p>Mod economisire toner Da</p> <p>Copiator 23 ppm (A4)</p> <p>Rezoluție de copiere 600 x 600 dpi Moduri de copiere Text/Foto, Text/Foto (viteză mare), Foto, Text</p> <p>Copii multiple Până la 999 de exemplare</p> <p>Scanner Color Rezoluție de scanare Optică: până la 600 x 600 dpi Îmbunătățită: până la 9600 x 9600 dpi Viteză de scanare</p> <p>Monocrom o față: 20 ipm (300 x 300 dpi)</p> <p>Color o față: 15 ipm (300 x 300 dpi)</p> <p>Scanare pe PC TIFF/JPEG/PDF/PDF compact/PDF cu funcție de căutare Fax</p> <p>Rezoluție</p> <p>Normal: 200 x 100 dpi Fină: 200 x 200 dpi Foto: 200 x 200 dpi Superfină: 200 x 400 dpi</p> <p>Memorie FAX Până la 256 de pagini</p> <p>Alimentare cu hârtie (standard)</p> <p>Casetă pentru 250 de coli</p> <p>Tavă universală pentru 1 coală Alimentator automat cu 35 de coli</p> <p>Ieșire hârtie 100 de coli</p> <p>Tipuri de suporturi materiale</p> <p>Hârtie simplă, hârtie color, hârtie reciclată, hârtie grea, hârtie de legare, etichetă, fișă de indexare, plic Greutatea hârtiei Casetă: 60 - 163 g/m<sup>2</sup> Tavă multifuncțională: 60-163 g/m<sup>2</sup> ADF: 50 - 105 g/m<sup>2</sup></p>

					<p>hârtie concept, 16K, plic (COM10, DL, C5).  Greutatea hârtiei - Casetă: 60 - 163 g/m<sup>2</sup>.  Tavă multifuncțională: 60-163 g/m<sup>2</sup>.  ADF: 50 - 105 g/m<sup>2</sup>  <b>CARACTERISTICI GENERALE:</b>  Cerințe de alimentare - 220 - 240 V c.a. (±10%), 50/60 Hz (±2 Hz). <b>CONTROLLER</b>  Memorie - 256 MB  Interfață și conectivitate - USB 2.0 Hi-Speed  Cablul USB pentru conexiunea la computer. Numărul de copii: minim 2400.</p>	<p>Tip de interfață USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX, Wireless 802.11b/g/n, Wireless Direct Connection  Volum lunar de imprimare 2.000 pagini pe lună  Ciclu de lucru: 15.000 de pagini pe lună  Memorie 256 MB  Panou de control Ecran tactil LCD alb-negru cu 6 linii  Cartuș 737 (2.400 de pagini)  Accesorii: cablu 220v – 1 buc  Cablul USB pentru conexiunea la computer.  Garantie 24 luni</p>	
30200000-1	1.4 Distrugator	Rexel AutoFeed+ 100X automatic shredder	China	Rexel	<p>Color Black  Dimensions 295 x 350 x 430  Shred Size 4 x 45mm Security Level P-3  Run Time/Cool Down Time (min) 8/40  Run Time From Cold (min) 8  Maximum Slot Entry Width (mm) 220  Cutting capacity 80 gsm in sheets 60  Cut Type Cross cut Cutting capacity 70 gsm in sheets 65  Container/collection volume in l 15  Shredder material Paper clips, staples, credit cards</p>	<p>Rexel AutoFeed+ 100X automatic shredder, P-4, cuts confetti cut (4x28mm), 100 sheets, 34 litre bin  Garantie 24 luni</p>	
30200000-1	1.5 Televizor	43" LED TV Hisense 43B6700PA, Black	China	Hisense SBOX	<p>Display: 108 cm diagonală, FHD 1920x1080, Viewing angle (H): 178 °, Brightness: 250 nits, Backlight technology:</p>	<p>43" LED TV Hisense 43B6700PA, Black (1920x1080 FHD, SMART TV, PCI 900Hz, DVB-T/T2/C/S2)</p>	

		+ SBOX PLB-3422T			<p>DLED,Sunet:2x7 W,DTS Studio Sound,User interface: Android TV,Parental control,Time shift,Frequency: 50-60 Hz,Wi-Fi: 802.11bgn/2.4G,Bluetooth,U SB (2.0)-2,S/PDIF-1, Ethernet RJ45,Digital and analog tuner: DVB-T2 / T / C / S2 / S,Supported video formats: AVI, MP4, MKV, WMV,Supported audio formats: WMA, MP3, AAC,Supported image formats: JPEG, BMP, PNG,The maximum power consumption in operation: 70 W. , TV VESA-UNIVERSAL WALL STAND,Screen size: 23" - 43" / 58 - 109 cm,Weight capacity: up to 35 kg,Tilt: 0 -14° or 8°,Mounting: from VESA 75 x 75 to VESA 200 x 200,Detachable panel: Yes,Surface finish: Powder coating,Distance from wall: 20,5 mm,</p>	<p>(43" DLED 1920x1080 FHD, PCI 900 Hz, SMART TV (AndroidTV 9.0 Pie OS), HEVC (H.265), MPEG4, MPEG2,VC1,MVC, 2 HDMI 2.0, 2 USB, Wi-Fi (802.11 b/g/n 2.4 GHz), DVB-T/T2/C/S2, OSD Language: ENG, RU, RO, Speakers 2x7W, 8 Kg)</p> <p>+ SBOX PLB-3422T Suport TV perete 23"-43" ,VESA 200 x 200 ,greutate suportata 35kg Garantie 24 luni</p>	
30200000-1	1.6 Pick-up	Vinyl Turntable MUSE MT-105 B	China	Muse	<p>Sistem audio,CONNECTIONS,USB port,RCA output jack,POWER SUPPLY,AC: 110 - 240V, 50/60Hz,AC adaptor,45RPM adaptor,USB port for playback and encoding,Auto stop,Metal tonearm, Removeable stylus,OUTPUT: DC 9V 1000mA</p>	<p>Vinyl Turntable MUSE MT-105 B 2 speeds turntable 33/45 RPM USB port for playback and encoding Auto stop 45RPM record adaptor Connections USB port Metal tonearm Garantie 24 luni</p>	

30200000-1	1.7 Suport proiector	Projector Mount Bateck "PRB-18M"	China	Bateck	Projector Mount,Tilt Range: +15°~-15°,Swivel Range: +15°~-15°,Rotation: 360°,Extension Range: 545~900mm (21.5"~35.4"),Installation: Ceiling Mounted,Cable Management: Yes,Weight Capacity: 13.5kg,Mounting Range: 54~320mm	Projector Mount Bateck "PRB-18M" Universal Black, 545 - 900mm, max.load 13.5kg +15°~-15°,Swivel Range: +15°~-15°,Rotation: 360°,Extension Range: 545~900mm (21.5"~35.4"),Installation: Ceiling Mounted,Cable Management: Yes,Weight Capacity: 13.5kg,Mounting Range: 54~320mm Garantie 24 luni	
30200000-1	1.8 External HDD	Seagate Expansion Portable 2TB	China	Seagate	2.5" External HDD 2.0TB USB 3.1 port (required for USB 3.0 transfer speeds),18 inch (46 cm) USB 3.0 cable,Quick start guide	Seagate Expansion Portable 2TB external hard drive 2000 GB Black USB 3.1 port (required for USB 3.0 transfer speeds),18 inch (46 cm) USB 3.0 cable,Quick start guide Garantie 24 luni	
30200000-1	1.9 Microfon+	Microfon Vocal JTS TM-929	China	JTS	Microfon dinamic, cardioid, 50 Hz- 15000 Hz, 600 Ohm, cablu 4,5 , întrerupător	Microfon Vocal JTS TM-929 Microfon dinamic, cardioid, 50 Hz- 15000 Hz, 600 Ohm, cablu 4,5 , întrerupător Garantie 24 luni	
30200000-1	1.10 Microfon Lavaliera	Sistem Wireless cu Doua Microfoane Lavaliera JTS E-7Du/E-7TBD+CM-501	China	JTS	Radiosistema: UHV 2 microfoane lavaliera Alimentare: 2 bat 1,5v AA Timp de lucru pînă la 15 ore Rază de activitate: 150 m	Sistem Wireless cu Doua Microfoane Lavaliera JTS E-7Du/E-7TBD+CM-501 Alimentare: 2 bat 1,5v AA Timp de lucru pînă la 15 ore Rază de activitate: 150 m Garantie 24 luni	
30200000-1	1.11 Fotoaparatură/ SD/ Husă	Nikon COOLPIX B500 Digital Camera+	China Polonia	Nikon Goodram Manfrotto	6,1 MPx; BSI CMOS 1/2,3"; 22,5-900 / 40x up to 80x(Dynamic Fine Zoom); F3,0-6,5; ISO 6400; 7,4 fps	Nikon COOLPIX B500 Digital Camera 6,1 MPx; BSI CMOS 1/2,3"; 22,5-900 / 40x up to 80x(Dynamic	

		Goodram M1AA-1280R12 memory card + Trepied Manfrotto + Husa Manfrotto			shooting; Bluetooth 4,1, Wi-Fi; SnapBridge; Full HD видео:(30fps); EXPEED C2;; JPEG;AΦ optic VR+eVR;3" 920k dot; 4AA , SDCard 64GB+Stativ + Husa compatibila cu Aparat foto	Fine Zoom); F3,0-6,5; ISO 6400; 7,4 fps shooting; Bluetooth 4,1, Wi-Fi; SnapBridge; Full HD видео:(30fps); EXPEED C2;; JPEG;AΦ optic VR+eVR;3" 920k dot; 4AA +Goodram M1AA-1280R12 memory card 64 GB MicroSDXC Class 10 UHS-I +COMPACT ACTION BLACK, Trepied Manfrotto +Advanced <sup>2</sup> camera Holster M Husa Manfrotto Garantie 24 luni	
30200000-1	1.12 Webcam	Camera Web Tellur Full HD TLL491131	China	Tellur	CAMERA WEB senzor 1080p Full-HD cu auto focus si rezolutie video 1920×1080, Microfon, USB 2.0, Senzor:CMOS, Distanța minima de focalizare:20 mm, Format salvare foto:BMP, Frecvența:50 Hz	Camera Web Tellur Full HD, 2MP, Autofocus, Microphone TLL491131 1080p Full-HD cu auto focus si rezolutie video 1920×1080, Microfon, USB 2.0, Senzor:CMOS, Distanța minima de focalizare:20 mm, Format salvare foto:BMP, Frecvența:50 Hz Garantie 24 luni	
30200000-1	1.13 Căști	Headset SVEN AP-860MV with Microphone	China	SVEN	Stereo casti, sensitivity, dB:118 ± 4, Microphone sensitivity, dB :-58 ± 3, Headphones frequency range, Hz:20 – 22,000, Microphone frequency range, Hz:30 – 16,000, Membrane, mm:Ø 40, Impedance, Ohm:32, Connection type:wired, Connector type:2 × Ø 3.5 mm (3 pin) stereo	Headset SVEN AP-860MV with Microphone dB:118 ± 4, Microphone sensitivity, dB :-58 ± 3, Headphones frequency range, Hz:20 – 22,000, Microphone frequency range, Hz:30 – 16,000, Membrane, mm:Ø 40, Impedance, Ohm:32, Connection type:wired, Connector type:2 × Ø 3.5 mm (3 pin) stereo mini-jack, Cable length, m:2.0	

					mini-jack,Cable length, m:2.0	Garantie 24 luni	
30200000-1	1.14 Boxe	Speakers 2.0 Esperanza Baila EGS103	China	Esperanza	Boxe 2.0 RAINBOW, iluminare LED, amplificator incorporat,Putere RMS 6 W,160—20000 Ghz,Magnetically shielded,Alimentare de la port USB	Speakers 2.0 Esperanza Baila EGS103, 6W (2 x 3W), LED Rainbow lighting, Volume control, built in amplifier, Power supply: 5V, They require: USB and mini-jack 3.5mm headphone output, Cable length: 1.2m, Weight: 750g Garantie 24 luni	
30200000-1	1.15 Mouse	Logitech B100 Optical Mouse	China	Logitech	Optical Mouse, Rezoluție 800 dpi, Conectivitate USB, 3 butoane, Funcționează cu Windows Vista, Windows 7, Windows 8, Windows 10, Optical tracking, Black, USB, OEM.	Logitech B100 Optical Mouse, Black, USB, OEM Rezoluție 800 dpi, Conectivitate USB, 3 butoane, Funcționează cu Windows Vista, Windows 7, Windows 8, Windows 10, Optical tracking Garantie 24 luni	
30200000-1	1.16 Tastatura	Logitech Keyboard K120	China	Logitech	Keyboard for Business, Interface: USB compatible, OEM, Russian Layout, Key Life:10,000,000 key strokes (excludes number lock key), Key type: low profile, Lungime cablu:1,5m.	Logitech Keyboard K120 for Business, USB, OEM, Russian Layout Lungime cablu:1,5m. Garantie 24 luni	
30200000-1	1.17 Cablu HDMI	Lanberg CA-HDMI-11CC-0050-BK	China	Lanberg	HDMI Version 1.4,Max video resolution 3840 x 2160 px,Transmission speed 10.2 Gb/s,AWG 30,Assembly of the connector Gold- plated,Material Copper Clad Steel (CCS),Wire braid Plastic shield,Cable length 500 cm	Lanberg CA-HDMI-11CC-0050-BK HDMI cable 5 m HDMI Type A (Standard) Black Version 1.4,Max video resolution 3840 x 2160 px,Transmission speed 10.2 Gb/s,AWG 30,Assembly of the connector Gold-plated,Material Copper Clad Steel (CCS),Wire braid Plastic shield Garantie 12 luni	
30200000-1	1.18 Cablu printer	Cablu USB2.0 A - B, 4.5m, bulk, Spacer	China	Spacer	Cabluri USB ptentru imprimante,Tip conector 1 USB 2.0 (T),Tip conector 2 USB Type-B (T),Lungime 4.5 m,	Cablu USB2.0 A - B, 4.5m, bulk, Spacer "SPC-USB-AMBM-15" Garantie 12 luni	



		"SPC-USB-AMBM-15"					
30200000-1	1.19 Cablu usb tablete	Cable USB - Micro USB TLL155304	China	Tellur	Connectors type:Micro USB, USB-A,Data transfer speed 480Mbps,Length:200cm,Syn c and fast charge Micro USB compatible devices	Cable USB - Micro USB, cu LED, Nylon, 2m, Tellur Black TLL155304 Garantie 12 luni	
30200000-1	1.20 Cablu UTP	Cable UTP Cat.5E 305M, APC Electronic	China	APC Electronic	Cable UTP Cat.5E, 305m, CCA,24awg 4X2X1/0.50, solid gray, APC Electronic	Cable UTP Cat.5E, 24awg 4X2X1/0.50, STRANDED, CCA, 305M, APC Electronic Garantie 12 luni	
30200000-1	1.21 Bloc alimentare Lenovo PC	Bloc alimentare Lenovo PC	China	Lenovo	Bloc alimentare Lenovo PC	Bloc alimentare Lenovo PC Garantie 12 luni	
30200000-1	1. 22 Bloc alimentare NB Dell 1545	Bloc alimentare NB Dell 1545	China	Dell	Bloc alimentare NB Dell 1545	Bloc alimentare NB Dell 1545 Garantie 12 luni	
30200000-1	1.23 Bloc alimentare NB Acer E1-531	Bloc alimentare NB Acer E1-531	China	Acer	Bloc alimentare NB Acer E1-531	Bloc alimentare NB Acer E1-531 Garantie 12 luni	
30200000-1	1.24 Bloc alimentare+bloc USB scaner Optic Book A300	Bloc alimentare+bloc USB scaner Optic Book A300	China	Optic Book	Bloc alimentare+bloc USB scaner Optic Book A300	Bloc alimentare+bloc USB scaner Optic Book A300 Garantie 12 luni	
30200000-1	1.25 Flash	32Gb USB3.0 GoodRAM UME3 Black	Polonia	Goodram	USB flash drive,Interface,USB 3.0,Compatibility with 3.1, 3.0, 2.0, 1.1,Max. transfer:read: up to 60 MB/s,write: up to 20 MB/s,OS Compatibility,Windows 2000 SP4 and higher,MacOS 10.5.x and higher,Linux v.2.6.x and higher	32Gb USB3.0 GoodRAM UME3 Black (Read 60 MByte/s, Write 20 MByte/s) Compatibility,Windows 2000 SP4 and higher,MacOS 10.5.x and higher,Linux v.2.6.x and higher Garantie 24 luni	

30200000-1	1.26 Conectore RJ 45	RJ45 Modular Plug, Cat.5E, Long Type, 3u" Gold plated, 100pcs/bag	China	China	RJ45 Modular Plug, Cat.5E, Long Type, 3u" Gold plated, 100pcs/bag	RJ45 Modular Plug, Cat.5E, Long Type, 3u" Gold plated, 100pcs/bag	
30200000-1	1.27 Casti	Casti Bluetooth, TWS Mood, Tellur Black TLL511331	China	Tellur	Bluetooth version 5.0 Wireless range 10m Type In-ear Audio type True Wireless Stereo Supported profiles A2DP, HFP, HSP, AVRCP Music play time Up to 3 hours Standby time Up to 120 hours Charging time Approx 1 hour Earbuds battery 35 mAh each Earbuds weight 8 grams Charging box battery 420mAh	Casti Bluetooth, TWS Mood, Tellur Black TLL511331 Bluetooth version 5.0 Wireless range 10m Type In-ear Audio type True Wireless Stereo Supported profiles A2DP, HFP, HSP, AVRCP Music play time Up to 3 hours Standby time Up to 120 hours Charging time Approx 1 hour Earbuds battery 35 mAh each Earbuds weight 8 grams Charging box Battery 420mAh Garantie 24 luni	
30200000-1	1.28 Presenter Wireless	Presenter Wireless Logitech R400	China	Logitech	Class: 2 laser Max output: Less than 1m W Wave Length: 640~660nm (red light)Wireless technology: 2.4 GHz wireless technology Operating distance: Approx 10 m 3It may vary based on use and computing conditions	Presenter Wireless Logitech R400 Class: 2 laser Max output: Less than 1m W Wave Length: 640~660nm (red light)Wireless technology: 2.4 GHz wireless technology Operating distance: Approx 10 m 3It may vary based on use and computing Conditions Garantie 24 luni	
30200000-1	1.29 Router	TP-LINK Archer C60 AC1350 Dual Band	China	TP-Link	Dual Band Wireless Router, Qualcomm, 867Mbps at 5GHz + 450Mbps at 2.4GHz, 802.11ac/a/b/g/n, 1 10/100M WAN + 4 10/100M LAN	TP-LINK Archer C60 AC1350 Dual Band Wireless Router, Qualcomm, 867Mbps at 5GHz + 450Mbps at 2.4GHz, 802.11ac/a/b/g/n, 1 10/100M WAN	

		Wireless Router				+ 4 10/100M LAN Garantie 24 luni	
30200000-1	1.30 Powerbank	10000mAh Powerbank TLL158231	China	Tellur	min.10000mAh, Output 18W: 1xType-C PD3.0, 2xUSB QC3.0, Input: 1x Type-C, 1x micro-USB	10000mAh Powerbank - Tellur PD100 Display, Output 18W: 1xType-C PD3.0, 2xUSB QC3.0, Input: 1x Type-C, 1x micro-USB, 230g, Black TLL158231	
30200000-1	1.31 Televizor	65" LED TV Samsung UE65AU7170UXUA + SBOX PLB-3446T Suport TV perete	China	Samsung SBOX	min. 65" min, 3840x2160 UHD Smart TV , PQI 2000Hz, HDR10+, HLG, 2 HDMI, 1 USB, Wi-Fi, DVB-T/T2/C/S2, OSD Language: ENG, RO, RU, Speakers 2x10W Dolby Digital Plus, max 21Kg + suport perete	65" LED TV Samsung UE65AU7170UXUA, Black (3840x2160 UHD, SMART TV, PQI 2100Hz, DVB-T/T2/C/S2) (65" Titan Grey, 3840x2160 UHD Smart TV (Tizen OS), PQI 2100Hz, HDR10+, HLG, 2 HDMI, 1 USB, Wi-Fi, DVB-T/T2/C/S2, OSD Language: ENG, RO, RU, Speakers 2x10W Dolby Digital Plus, 21.7Kg ) + SBOX PLB-3446T Suport TV perete 37"-70" , VESA 600 x 400 ,greutate suportata 35kg Garantie 24 luni	
30200000-1	1.32 Imprimata Multifunctionala A3	Ricoh 5054SP	China	Ricoh	Parametri Generali: Timp de incalzire-20 de secunde,Iesire prima pagina- 2,9 secunde,Viteza de iesire continua-50 pagini pe minut,Memorie-2 GB, Spatiu de stocare-320GB, Power source 220 - 240 V, 50/60 Hz,Procesul de Copiere: Scanare cu fascicul laser si imprimare electrofotografica,Copiere multipla pina la 999 de exemplare,Rezoluție 600 dpi,Zoom De la 25% la 400% în pași de 1%,Limbajul imprimantei - Standard PCL5e, PCL6, PostScript 3	Ricoh 5054SP Parametri Generali: Timp de incalzire-20 de secunde,Iesire prima pagina- 2,9 secunde,Viteza de iesire continua-50 pagini pe minut,Memorie-2 GB, Spatiu de stocare-320GB, Power source 220 - 240 V, 50/60 Hz,Procesul de Copiere: Scanare cu fascicul laser si imprimare electrofotografica,Copiere multipla pina la 999 de exemplare,Rezoluție 600 dpi,Zoom De la 25% la 400% în pași de 1%,Limbajul imprimantei - Standard PCL5e, PCL6, PostScript 3 (emulare), PDF direct (emulare),Limba imprimantei -	

				<p>(emulare), PDF direct (emulare),Limba imprimantei - Opțiune Autentic Adobe® PostScript® 3™, XPS, PDF, IPDS, PDF Direct de la Adobe®,Limba imprimantei - Opțiune Autentic Adobe® PostScript® 3™, XPS, PDF, IPDS, PDF Direct de la Adobe®,Rezoluție de imprimare - Maxim 1.200 x 1.200 dpi,Interfață - Standard Slot SD, USB Host I / F, Ethernet 10 base-T / 100 base-TX / 1000 base- T,Interfață - Opțiune LAN fără fir (IEEE 802.11a / b / g / n), server USB pentru a doua interfață de rețea, IEEE 1284 / ECP bidirecțional, USB 2.0,Protocol de rețea - TCP / IP IP v4, IP v6,Medii Windows® Windows® Vista / 7/8 / 8.1 / 10, Windows® Server 2008 / 2008R2 / 2012 / 2012R2,Medii Mac OS Macintosh OS X v10.7 sau o versiune ulterioară,Medii UNIX - UNIX Sun® Solaris 2.9, 2.10,Medii UNIX - HP- UX 11.x, 11i v2, 11i v3,Medii UNIX - SCO OpenServer 5.0.6, 5.0.7, 6.0,Medii UNIX - RedHat® Linux 6.x, 7.x, 8.x, 9.x,Medii UNIX - IBM® AIX 5L v7.1, V5.3, V6.1, V7.1,Medii SAP® R / 3® SAP® R / 3®,Alte medii acceptate NDPS Gateway,</p>	<p>Opțiune Autentic Adobe® PostScript® 3™, XPS, PDF, IPDS, PDF Direct de la Adobe®,Limba imprimantei - Opțiune Autentic Adobe® PostScript® 3™, XPS, PDF, IPDS, PDF Direct de la Adobe®,Rezoluție de imprimare - Maxim 1.200 x 1.200 dpi,Interfață - Standard Slot SD, USB Host I / F, Ethernet 10 base-T / 100 base-TX / 1000 base- T,Interfață - Opțiune LAN fără fir (IEEE 802.11a / b / g / n), server USB pentru a doua interfață de rețea, IEEE 1284 / ECP bidirecțional, USB 2.0,Protocol de rețea - TCP / IP IP v4, IP v6,Medii Windows® Windows® Vista / 7/8 / 8.1 / 10, Windows® Server 2008 / 2008R2 / 2012 / 2012R2,Medii Mac OS Macintosh OS X v10.7 sau o versiune ulterioară,Medii UNIX - UNIX Sun® Solaris 2.9, 2.10,Medii UNIX - HP- UX 11.x, 11i v2, 11i v3,Medii UNIX - SCO OpenServer 5.0.6, 5.0.7, 6.0,Medii UNIX - RedHat® Linux 6.x, 7.x, 8.x, 9.x,Medii UNIX - IBM® AIX 5L v7.1, V5.3, V6.1, V7.1,Medii SAP® R / 3® SAP® R / 3®,Alte medii acceptate NDPS Gateway AS / 400® utilizând OS / 400 Host Print Transform, IBM iSeries,Viteza de scanare - ARDF Max. 80 de originale pe minut,Viteza de scanare - SPDF Max. 110 (simplex) /</p>	
--	--	--	--	---	--	--

				<p>AS / 400®  utilizând OS / 400 Host Print Transform, IBM iSeries, Viteza de scanare - ARDF Max. 80 de originale pe minut, Viteza de scanare - SPDF Max. 110 (simplex) / 180 (duplex) originale pe minut,  Rezoluție - Maxim 600 dpi, Mărimea originală A3, A4, A5, B4, B5, Scațați la E- mail, folder, FAX: Circuit PSTN, PBX, Compatibilitate UIT-T (CCITT) G3, Compatibilitate UIT-T (CCITT) G3, Rezoluție - Standard 8 x 3,85 linie / mm, 200 x 100 dpi, 8 x 7,7 linie / mm, 200 x 200 dpi, Viteza transmisiei - G3 2 secunde (200 x 100 dpi, JBIG), 3 secunde (200 x 100 dpi, MMR), Viteza modemului - Maximă 33,6 Kbps, Capacitate de memorie - Maximă 60 MB, MANIPULAREA Hartiei: Dimensiunea recomandată a hârtiei - tăvi de hârtie standard A3, A4, A5, A6, B4, B5, B6, Capacitate hârtie - Standard 1.200 coli, Capacitate de intrare hârtie - Maxim 4.700 de coli, Capacitate de ieșire a hârtiei - Maxim 3.625 coli, Greutatea hârtiei 52 - 300 g / m<sup>2</sup>, Consum de energie - Maxim</p>	<p>180 (duplex) originale pe minut, Rezoluție - Maxim 600 dpi, Mărimea originală A3, A4, A5, B4, B5, Scațați la E- mail, folder, FAX: Circuit PSTN, PBX, Compatibilitate UIT-T (CCITT) G3, Compatibilitate UIT-T (CCITT) G3, Rezoluție - Standard 8 x 3,85 linie / mm, 200 x 100 dpi, 8 x 7,7 linie / mm, 200 x 200 dpi, Viteza transmisiei - G3 2 secunde (200 x 100 dpi, JBIG), 3 secunde (200 x 100 dpi, MMR), Viteza modemului - Maximă 33,6 Kbps, Capacitate de memorie - Maximă 60 MB, MANIPULAREA Hartiei: Dimensiunea recomandată a hârtiei - tăvi de hârtie standard A3, A4, A5, A6, B4, B5, B6, Capacitate hârtie - Standard 1.200 coli, Capacitate de intrare hârtie - Maxim 4.700 de coli, Capacitate de ieșire a hârtiei - Maxim 3.625 coli, Greutatea hârtiei 52 - 300 g / m<sup>2</sup>, Consum de energie – Maxim 1.780 W, Consum de energie - modul Ready 48,8 V, Consum de energie - modul Sleep Mai puțin de 0,82 W, Consum de energie - TEC (consum tipic de energie electrică) * 0,69 kWh. CONSUMABILE  Randament țintă pentru toner (A4 / LT, acoperire 6%) - Negru 37.000 de tipăriți, Finisher hibrid: Finisher hibrid de 1.000 de coli./Capsare de 50 de coli, cu mai multe poziții, capsare de</p>	
--	--	--	--	---	--	--

					<p>1.780 W,Consum de energie - modul Ready 48,8 V,Consum de energie - modul Sleep Mai puțin de 0,82 W,Consum de energie - TEC (consum tipic de energie electrică) * 0,69 kWh.  <b>CONSUMABILE</b>  Randament țintă pentru toner (A4 / LT, acoperire 6%) - Negru 37.000 de tipări,Finisher hibrid: Finisher hibrid de 1.000 de coli./Capsare de 50 de coli, cu mai multe poziții, capsare de dimensiuni mixte, perforare opțională și asamblare prin schimbare, precum și o capacitate de legare fără capse de până la 5 coli.Dimensiuni de hârtie până la 11 "x 17" L × A × A (mm): 564 × 620 × 960</p>	<p>dimensiuni mixte, perforare opțională și asamblare prin schimbare, precum și o capacitate de legare fără capse de până la 5 coli.Dimensiuni de hârtie până la 11 "x 17" L × A × A (mm): 564 × 620 × 960  Garantie 24 luni</p>	
30200000-1	1.33 Laptop	Laptop HP 255 G7 + Windows 10 Pro for OEM software + Microsoft Office Home & Business 2019 + Bitdefender GravityZone B	China SUA	HP Microsoft Defender	<p>15.6 inch LED FHD Anti- Glare 220 nits (1920x1080), Dual Core (2.6GHz, up to 3.5GHz, 4MB), video integrat, RAM 8GB DDR4 2400MHz (1x8GB), SSD 256GB PCIe NVMe, no ODD, Card reader, Boxe stereo integrate, HD audio, Webcam VGA, LAN 10/100/1000, WLAN Realtek 802.11b/g/n (1x1), Bluetooth 4.2, Porturi: 2x USB 3.1 Gen 1/ 1x USB 2.0/ 1x HDMI 1.4b/ 1x RJ-45/ 1x headphones/microphone, adaptor 45W, Baterie 3 celule Li-ion 41Wh, Tastatura texturata cu touchpad si taste numerice, Dark</p>	<p>Laptop HP 255 G7 15.6 LED FHD Anti-Glare (1920x1080), (15S74ES) Ryzen 3 3200U, video integrat, RAM 8GB DDR4 2400MHz (1x8GB), SSD 256GB PCIe NVMe, no ODD, Card reader, Boxe stereo integrate, HD audio, Webcam VGA, LAN 10/100/1000, WLAN Realtek 802.11b/g/n (1x1), Bluetooth 4.2, Porturi: 2x USB 3.1 Gen 1/ 1x USB 2.0/ 1x HDMI 1.4b/ 1x RJ-45/ 1x headphones/microphone, adaptor 45W, Baterie 3 celule Li-ion 41Wh, Tastatura texturata cu touchpad si taste numerice. Dark Ash Silver, Greutate 1.8 kg + Windows 10 Pro for OEM software</p>	

					Ash Silver, Greutate max.1.8 kg, win 10 pro, MS Office H&B 2019	+ Microsoft Office Home & Business 2019 ENG P6 Win/Mac T5D-03308 Sary P/N:T5D-03216 + Bitdefender GravityZoneB Garantie 24 luni	
30200000-1	1.34 PC	Lenovo AIO IdeaCentre 3 27IMB0 Black + Windows 10 Pro for OEM software + Microsoft Office Home & Business 2019 + Bitdefender GravityZone B	China SUA	Lenovo Microsoft Bitdefender	Screen : 27" FHD (1920x1080) IPS 250nits, Non Touch CPU : (8C / 16T, 2.0 / 4.5GHz, 16MB) RAM : 2x 8GB SO-DIMM DDR4-2666 HDD : 512GB SSD M.2 2242 PCIe NVMe Opticals : No DVD Card Reader 3-in-1 (SD, SDHC, SDXC) Graphics : Integrated Intel UHD Graphics 630 WLAN : 802.11ax, 2x2 + BT5.0 Camera : 1080P Camera 2 x USB2.0 2 x USB3.1 HDMI-out 1Gb LAN (RJ-45) Keyboard : Calliope Wireless Keyboard, Black, Russian Mouse : Calliope Wireless Mouse, Black Speakers JBL® speakers, 2 x 3W PSU 90W Adapter Black OS : Win 10 Pro, MS Office H&B 2019 Maincase : Black	Lenovo AIO IdeaCentre 3 27IMB0 Black (27" FHD IPS Core i7-10700T 2.0-4.5GHz, 16GB, 512GB, No OS) Product Family : IdeaCentre AIO 3 27IMB05 PN F0EY00K9RK Screen : 27" FHD (1920x1080) IPS 250nits, Non Touch : CPU : Intel Core i7-10700T (8C / 16T, 2.0 / 4.5GHz, 16MB) RAM : 2x 8GB SO-DIMM DDR4-2666 HDD : 512GB SSD M.2 2242 PCIe NVMe Opticals : No DVD Card Reader 3-in-1 (SD, SDHC, SDXC) Graphics : Integrated Intel UHD Graphics 630 WLAN : 802.11ax, 2x2 + BT5.0 Camera : 1080P Camera 2 x USB2.0 2 x USB3.1 HDMI-out 1Gb LAN (RJ-45) Keyboard : Calliope Wireless Keyboard, Black, Russian Mouse : Calliope Wireless Mouse, Black Speakers JBL® speakers, 2 x 3W PSU 90W Adapter Black Maincase : Black +Windows 10 Pro for OEM software +Microsoft Office Home & Business 2019 ENG P6 Win/Mac T5D-03308 Sary P/N:T5D-03216 +Bitdefender GravityZoneB Garantie 24 luni	

Semnat: \_\_\_\_\_ Numele, Prenumele: Constantin Alexandru În calitate de: director  
Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, of 16