

# STORZ

KARL STORZ—ENDOSKOPE

## EU-Declaration of Conformity

### EU-Konformitätserklärung

This European Declaration of Conformity is issued under the sole responsibility of the manufacturer.  
*Diese Europäische Konformitätserklärung wird in alleiniger Verantwortung des Herstellers ausgestellt.*

#### MANUFACTURER HERSTELLER

Name of Company  
*Firmen Name*

Address  
*Adresse*

SRN  
*SRN*

KARL STORZ SE & Co. KG

Dr.-Karl-Storz-Str. 34  
78532 Tuttlingen  
Germany

DE-MF-000005723

#### PRODUCT IDENTIFICATION PRODUKTIDENTIFIZIERUNG

Device Description  
*Produkt Bezeichnung*

Basic UDI-DI  
*Basis UDI-DI*

Unipolar High Frequency Cord, different sizes

4048551000505TF

Intended use  
*Zweckbestimmung*

Connecting cable between HF equipment and unipolar or bipolar HF instruments as well as neutral electrodes for transporting high-frequency currents.

REF Number(s), Short text  
*REF Nummer(n), Kurztext*

26004ML Unipolar High Frequency Cord, 500 cm, 26005ML Unipolar High Frequency Cord, 500 cm, 26006M Unipolar High Frequency Cord, 300 cm, 279A Unipolar High Frequency Cord, 300 cm, 26005M Unipolar High Frequency Cord, 300 cm, 26006ML Unipolar High Frequency Cord, 500 cm, 26176LE Bipolar High Frequency Cord, 300 cm, 279KA Unipolar High Frequency Cord, 300 cm, 279KB Unipolar High Frequency Cord, 300 cm, 279KBL Unipolar High Frequency Cord, 500 cm, 279KE Unipolar High Frequency Cord, 300 cm, UH801 Bipolar High Frequency Cord, 400 cm, 26002M Unipolar High Frequency Cord, 300 cm, 26002ML Unipolar High Frequency Cord, 500 cm, 26004M Unipolar High Frequency Cord, 300 cm, 26176LEL Bipolar High Frequency Cord, 500 cm, 26176LM Bipolar High Frequency Cord, 300 cm, 26176LML Bipolar High Frequency Cord, 500 cm, 26176LV Bipolar High Frequency Cord, 300 cm, 26176LVL Bipolar High Frequency Cord, 500 cm, 26176LW Bipolar High Frequency Cord, 300 cm, 277 Unipolar High Frequency Cord, 300 cm, 277A Unipolar High Frequency Cord, 300 cm, 277AL Unipolar High Frequency Cord, 500 cm, 277KA Unipolar High Frequency Cord, 300 cm, 277KB Unipolar High Frequency Cord, 300 cm, 277KBL Unipolar High Frequency Cord, 500 cm, 277KE Unipolar High Frequency Cord, 300 cm, 277KEL Unipolar High Frequency Cord, 500 cm, 277L Unipolar High Frequency Cord, 500 cm, 279 Unipolar High Frequency Cord, 300 cm, 847000E Bipolar High Frequency Cord, 300 cm, 847000M Bipolar High Frequency Cord, 300 cm, 847000V Bipolar High Frequency Cord, 300 cm, 847000W Bipolar High Frequency Cord, 300 cm, 847002V Bipolar High Frequency Cord, 450 cm, 26002MR Unipolar High



# STORZ

KARL STORZ—ENDOSKOPE

## EU-Declaration of Conformity

### EU-Konformitätserklärung

Frequency Cord, 600 cm, 26176LER Bipolar High Frequency Cord, 600 cm

**RISK CLASS (according Annex VIII (EU) 2017/745)**  
**RISIKOKLASSE (gemäß Anhang VIII (EU) 2017/745)**

<b>Class</b> <b>Klasse</b>	I	<b>Conformity Assessment Procedure</b> <b>Konformitätsbewertungsverfahren</b>
<b>Rule</b> <b>Regel</b>	1	Art. 52, Para. 7 Art. 52, Para. 7

**A complete listing of applied standards is available upon request.**  
**Eine vollständige Liste der angewandten Normen ist auf Anfrage verfügbar.**

The Manufacturer declares that the above-mentioned products meet the provision of the following EU legislation.  
*Der Hersteller erklärt, dass die oben genannten Produkte den Bestimmungen folgender EU-Gesetzgebung entsprechen.*

(EU) 2017/745 MDR  
 2011/65/EU RoHS

This declaration is valid until / *Diese Erklärung ist gültig bis zum:* 17.12.2025.

Tuttlingen, 06.07.2021



p.p. Karim Djamshidi-Gilani  
 Executive Director / Global Regulatory Affairs

This declaration instantly loses all validity in consequence of any product change not authorized by KARL SE & Co. KG in written form, in case of product change affects the conformity to the General Safety and Performance Requirements, so that a new placing on the market must be assumed.

*Diese Erklärung verliert sofort ihre Gültigkeit in Folge jeder nicht durch KARL STORZ SE & Co. KG schriftlich autorisierten Änderung am Produkt, bei der die Konformität mit den Grundlegenden Sicherheits- und Leistungsanforderungen beeinflusst wird, so dass von einem neuen Inverkehrbringen auszugehen ist.*

SAP ID: 300000427175  
 Version: BC

