

EU DECLARATION OF CONFORMITY

1. Personal protective equipment cat. 2:

MAINZ SC-03-002 - 02020478

2a. Name and address of the manufacturer:

CERVA GROUP a.s.
Průmyslová 483, 252 61 Jeneč, Czech Republic

3. This declaration of conformity is issued under the sole responsibility of the manufacturer:

CERVA GROUP a.s.

4. Object of the declaration:

Ankle shoes FF MAINZ

5. The object of the declaration described in point 4 is in conformity with the relevant Union harmonisation legislation:

Regulation (EU) 2016/425 of the Parliament and of the Council


6. Harmonised standards in relation to which conformity is declared:

EN ISO 20345:2022 (S1 FO CI SR)

7. The notified body 0075 CTC, Parc Scientifique Tony Garnier – 4 rue Hermann Frenkel – 69367 LYON CEDEX 07, France performed the EU type-examination (Module B) and issued the type-examination certificate 0075/2305/161/10/24/2497 on Oct 25, 2024

Signed for and on behalf of:

Jeneč October 25, 2024
CERVA GROUP a.s.
Petr Pípal
certification manager



MAINZ SC-03-002 S1 CI SRC ankle
Ankle shoes

02020478



NORM SPECIFICATION

EN ISO 20345:2022 (S1 FO CI SR)
Personal protective equipment - Safety footwear

DESCRIPTION

- thermoinsulated safety shoes with steel toe cap • PU/PU sole • oil resistant • upper - embossed split leather

PRODUCT CODE - 02020478 XX YYY

Colours - XX

60 - black

Sizes - YYY

036 - 36	037 - 37
038 - 38	039 - 39
040 - 40	041 - 41
042 - 42	043 - 43
044 - 44	045 - 45
046 - 46	047 - 47
048 - 48	

COLOUR VARIANTS



60 - black

MATERIALS

Antipuncture midsole material:
Upper material: leather
Toe cap material: steel
Outsole material: double density polyurethane
Lining material: artificial fur

FEATURES

Features: Energy absorption in heel area - E, Antislip outsole - SR,
Metallic safety toe cap - S, Breathable upper, Protection against cold -
CI, Antistatic shoes - A

PACKAGING

Packaging type	Pieces in packaging	Size	Volume	Weight
CTN	10 PR	32.5 x 42.5 x 59 cm	81.5 dm³	13 kg
Pair	1 PR	0 x 0 x 0 cm	8149 cm³	1.3 kg

SIZE
TABLES

Scan or Tap

