

la Documentația standard nr. _____
din “ ____ ” _____ 20 ____

Specificații tehnice

Numărul procedurii de achiziție 21064718 din 29 sept 2022
Obiectul achiziției: accesoriilor de birou

Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Produce - cătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7
Lot 1.ID card printer and laminator	Primacy 2 Duplex + CLM Card Lamination Module	Franța	Evolis	Single Sided, Double-sided reverse, Re-Transfer, sublimation / thermal transfer, color up to 16,7 mil., LCD display, interfaces USB (2.0) Full-Speed (min 12Mbps) and Hi-Speed (min 480Mbps). 10BASE-T/100BASE-TX Ethernet, Contactless card encoder. Contactless card supported: Philips:Mifare DESFire HID: iCLASS, Legic, Printers drivers included for Microsoft Windows 7/ 8 /10, Mac OS, Linux. Card feed Automatic. Laminator Double-sided. În set vor fi incluse cel puțin 2000 cartele PVC (Plastic) 86 x 54 mm, grosimea nu mai mică de 1mm cu CHIP, frecvența 13.56MHz, Card Memory: 4K Bytes, culoare albă și materiale pentru imprimarea și laminarea lor. Garanție minim 2 ani.	Specificații generale: · Single Sided, Double-sided reverse, Re-Transfer, sublimation / thermal transfer, · Print resolution: - In color and monochrome: 300x300 dpi & 300x600 dpi - In monochrome: 300x1200 dpi · User interface: LED panel or LCD touch screen PRINT SPEED: - Single-sided (YMCKO): up to 280 cards/hour - Double-sided (YMCKOK): 170 cards/hour - Single-sided (YMCK) with lamination module: up to 215 cards/hour CARD MANAGEMENT AND SPECIFICATIONS: · Feeder capacity: 100 cards (0.76 mm – 30 mil) · Hopper capacity:	CE

					100 cards (0.76 mm – 30 mil) · Rear hopper capacity: 50 cards (0.76 mm – 30 mil)² · Card types: PVC cards, composite PVC cards, PET cards, ABS cards, and rewritable card PORTS/CONNECTIVITY: · USB (cable supplied) and Ethernet · Wireless connection 802.11b/g on Wireless range LAMINATION: · Standard single and double-sided · Extensive laminate offering: patches (600 sides per roll) and varnishes (1,200 sides per roll), with or without hologram, alternate laminates (contact chip cut-out / magnetic stripe cut-out) SOFTWARE: · Printer management by Evolis Premium Suite for Windows, Mac, and Linux · Evolis SDK available for easy product integration · Supplied with cardPresso XXS for designing and printing badges Consumabile incluse: 2000 carduri cu cip Mifare (albe) și materiale pentru imprimarea și laminarea lor. (ribboane color și riboane laminator-hologram) Garanție 24 luni	
--	--	--	--	--	---	--

Semnat: _____ Numele, Prenumele: _____ În calitate de: _____

Ofertantul: _____ Adresa: _____

Anexa nr.23
la Documentația standard nr. _____
din “ ____ ” _____ 20 ____

Specificații de preț

	Numărul procedurii de achiziție 21064718 din 29 sept 2022
	Obiectul achiziției: accesoriiilor de birou

Cod CPV	Denumirea bunurilor/serviciilor	Unitatea de măsură	Cantitatea	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma fără TVA	Suma cu TVA	Termenul de livrare/prestare	Clasificație bugetară (IBAN)	Discount %
1	2	3	4	5	6	7	8	9	10	11
30200000-1	Primacy 2 Duplex + CLM Card Lamination Module	set	1	150 000,00	180 000,00	150 000,00	180 000,00	Pînă la 45 de zile de la data semnării contractului		
TOTAL						150 000,00	180 000,00			

Semnat: _____ Numele, Prenumele: _____ În calitate de: _____

Ofertantul: _____ Adresa: _____