

Certificate of Conformity



DESCRIPTION	Mucicarmine Southgate Stain Kit
PRODUCT CODE	RRSK13
BATCH NUMBER	Allocated on Production
SHELF LIFE	3 Years

Atom Scientific Ltd
Unit 2B
East Tame Business Park
Hyde SK14 4G
United Kingdom
T: + 44 (0) 161 3665123
E: technical@atomscientific.com

SPECIFICATION	<p>The Mucicarmine Stain Kit (Southgate) is intended for use in the histological visualization of acid mucopolysaccharides in tissue sections. This product is useful in distinguishing mucin negative undifferentiated squamous cell lesions from mucin positive adenocarcinomas. In addition, this product will stain the mucopolysaccharide capsule of <i>Cryptococcus neoformans</i></p> <p>This Kit Contains:</p> <p>Mucicarmine Southgate Scotts Tap Water Substitute Martius Yellow Saturated Alcoholic Haemalum Mayer Protocol Sheet</p>
---------------	--

This document certifies that the above product is manufactured to and complies with the company's standard Specification.

It further certifies that each batch is microscopically tested by our internal QC laboratory and meets the company's expected standard.

A handwritten signature in black ink, appearing to read "Peter Keenan".

Peter Keenan
Commercial Director

