

[Acest tabel va fi completat de către ofertant în coloanele 2, 3, 4, 6, 7, iar de către autoritatea contractantă – în coloanele 1, 5.]

Numărul procedurii de achiziție: ocds-b3wdp1-MD-1754487258589 din 6 august 2025							
Obiectul achiziției: Tehnica de calcul							

Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Garantie, luni	Standarde de referință
1	2	3	4	5	6	7	8
Lotul nr. 1							
	C-09	China	HPC	Echivalent sau cerințe tehnice minime Case HPC R-05, ATX, 650W, Glass Side Panel, 1x120 mm Rear RGB Fan, 1xFront RGB LED Strip, 1xUSB3.0, 2xUSB2.0, HD Audio, Black	HPC C ATX Case, with PSU (650W, 24 pin, Black Flat Cables, 1x 8pin(4+4), 2x 8pin(6+2), 6x SATA, 2x IDE, 12cm black fan), Glass Side & Front Panels, 3x 120mm RGB Fans (front), 1x 120mm RGB Fan (rear), 1xUSB3.2, 2xUSB2.0/HD Audio, 2x 3.5"/3x 2.5", Bottom PSU Shroud, SPCC 0.5mm, Black		
	Z590MHP	Taiwan	Biostar Microtech International Corp	MB S1200 Biostar Z590MHP (HDMI, VGA, mATX)	Biostar Z590MHP Intel Z590 LGA 1200 (Socket H5) micro ATX		
	Intel Core i5-11400	China	Intel Corporation	CPU Intel Core i5-11400, 2.6-4.4GHz (6C/12T, 12MB, S1200, 14nm, Integ. UHD Graphics 730, 65W), Tray	Intel S1200 CORE i5 11400 TRAY 6x2,6 65W GEN11.		
	DDR4 SDRAM	China	Innovation IT	16GB DDR4-3200 Crucial PC25600, CL19, 1.2V	Memorie RAM 3200 16GB Innovation IT CL22 1.2V LD (CL22-22-22)		

Computer set	GAMMA ARCHER PRO V2	China	Deepcool	Deepcool Gamma Archer Pro V2, 17.8-21dBA, 900-1600RPM, 55.5CFM, 120mm, PWM, Copper Core, 110W	AC Deepcool "GAMMA ARCHER PRO V2" (17.8-21dBA, 900-1600RPM, 55.5CFM, 120mm, PWM, Copper core, 110W, 173	24	
	M.2 512GB Performance NVMe PCIe 3.0	China	Innovation IT	M.2 NVMe SSD 512GB InnovationIT Performance, Read 2042 MB/s, Write 1500 MB/s, 3D NAND TLC	M.2 512GB InnovationIT Performance NVMe PCIe 3.0 Read speed: 2042 MB/s		
	HDD 3.5" 1TB	China	Western Digital	HDD 1 TB	3.5" HDD 1.0TB Western Digital		
	V277EBI	China	ACER	Monitor 27 Acer V277EBI Zeroframe (IPS LED, 4ms, 100M:1, 250cd, 1920x1080, VGA, HDMI, DisplayPort, 100Hz, VESA), Black	27.0" ACER IPS LED V277EBI Zeroframe Black (4ms, 100M:1, 250cd, 1920x1080, 178°/178°, VGA, HDMI, DisplayPort, 100Hz Refresh Rate, VESA) [UM.HV7EE.E03]		
	KB-S330C	China	SVEN	Tastatura si Mouse Echivalent sau cerințe tehnice minime Sven KB-S330C, Black, Fullsize layout, Splash proof, Fn key, USB	Keyboard & Mouse SVEN KB-S330C, Fn keys, Splash proof, 1200 dpi, 3 buttons, 1.5m, USB, EN/RU, Black		

Computere	Tara de	China	Acus	Echivalent sau cerințe tehnice minime 15.6" Dell Inspiron 3530 (Intel Core i7-1355U,	Asus Vivobook 15, X1502VA-BQ489 , 15.6-inch, FHD (1920 x1080)16:9 aspect ratio, Intel® Core™ i7-13620H Processor 2.4 GHz (24MBCache,up to 4.9 GHz, 10 cores, 16 Threads), Intel® UHD Graphics, 1x DDR4SO-DIMM slot, 1x M.2 2280 PCIe 4.0x4, DDR4 16GB, 512GB M.2 NVMe™ PCIe®4.0SSD, 60Hz refresh rate, 250nits, Anti-glare display, 720p HD camera;With privacy shutter, Wi-Fi 6E(802.11ax) (Dual band) 1*1 +Bluetooth®5.3 Wireless Card (*Bluetooth® version may change with OSversiondifferent.), I/O Ports:1x USB 2.0 Type-A (data speed up to480Mbps), 1xUSB 3.2 Gen 1 Type-C with support for power delivery (dataspeed up to5Gbps), 2x USB 3.2 Gen 1 Type-A (data speed up to 5Gbps), 1xHDMI 1.4,1x 3.5mm Combo	24	
-----------	---------	-------	------	--	--	----	--

portabile				16GB DDR4, SSD 512GB, Intel Iris Xe Graphics, Linux), Carbon Black	Audio Jack, 1x DC-in, SonicMaster, Built-inspeaker,Built-in microphone, Backlit Chiclet Keyboard with Num-key,Dimension:35.97 x 23.25 x 1.99 ~ 1.99 cm (14.16" x 9.15" x 0.78" ~0.78"), Weight:1.70 kg (3.75 lbs), US MIL-STD 810H military-gradestandard, Non-touchscreen, McAfee®, BIOS Booting User PasswordProtection, BIOS setup userpassword, Trusted Platf orm Module (FirmwareTPM), Plastic, Quiet Blue,No preinstalled OS		
Monitor pentru computer	22MR410-B.AEUQ	China	LG Electronics	Monitor 21inci Rezolutie 1920/1080, VGA, HDMI	LG 22MR410-B.AEUQ: Diagonală: 21.5" Rezoluție: Full HD 1920×1080 Panou: VA, anti-glare Frecvență refresh: 100 Hz Timp răspuns: 5 ms (GtG) Unghi vizualizare: 178°/178° Luminozitate: 250 cd/m² Contrast: 3000:1 Conectori: 1x HDMI, 1x 3.5 mm audio Suport VESA: 100×100 mm Dimensiuni: 491.9 × 378.1 × 200 mm Greutate: 2.46 kg	24	

Ofertantul: **Evrinet SRL**

Adresa: s. Cojusna, r. Straseni, str. Zinevici 9

Botan Dorin , Administrator

Semnăt: _____