


# ASKIR 36 BR

## BATTERY OPERATED

A surgical suction unit indicated for ward, department and crash cart.

Thanks to its versatility it can be used in any situation selecting the most appropriate power feeding. The device is suitable for nasal, oral and endotracheal aspiration of bodily fluids (mucus or catarrh) from adults and children.

## MAIN FEATURES

-  **Non-stop operation**  
Device can operate without interruption 24/24h to guarantee the best performance.
-  **Small size - high performance**  
Thanks to its powerful engine it can reach quickly a max vacuum power of -0,80 Bar.
-  **Long lasting accessories**  
Accessories are made in resistant, autoclavable materials to guarantee safety and hygiene over time.
-  **Universal use**  
Operates with 110-240 V~ 50/60 Hz AC/ DC adapter or rechargeable battery or 12V car adapter.
-  **High-quality materials**  
The chassis is made of UL94-V0 durable, flame retardant, corrosion resistant and rust-proof ABS plastic

## Best Seller configuration

NEW ASKIR 36BR +1000 mL reusable jar in Makrolon Polycarbonate (121°C)  
Product code: RE 410200/03

Select your configuration at page 49

The warranty lapses immediately if the unit is used without all the required accessories or with non-original CA-MI accessories.



SUPPORT WALL MOUNT

## MAIN APPLICATIONS

CE 0123

CRASH CART	ROOM/WARD
PATIENT TRANSFER	TRACHEOSTOMY

## TECHNICAL DATA

<b>MOTOR</b>	Oiless and maintenance-free piston pump
<b>POWER FEEDING</b>	
<b>Power Adapter</b>	IN: 100-240 V~ 50/60 Hz 100VA OUT: 14 V =4,29 A
<b>Lead Battery</b>	12 V =4 A
<b>Car adapter</b>	12 V =4 A
<b>BATTERY AUTONOMY</b>	60 min after 4 h recharge
<b>ISO 10079-1 CLASSIFICATION</b>	High vacuum / High flow
<b>MAX VACUUM adjustable</b>	- 0,80 bar -80 kPa -600 mmHg value at sea level different altitudes may affect it
<b>MAX FREE AIR FLOW RATE without accessories</b>	36 L/min
<b>NOISE LEVEL</b>	65,5 dB(A)
<b>DUTY CYCLE</b>	Non-stop operation by mains only
<b>IP PROTECTION DEGREE</b>	IP21
<b>WEIGHT</b>	4,06 Kg
<b>DIMENSIONS</b>	35 x 18 x 21 cm
<b>WARRANTY</b>	2 years
<b>SHIPPING CARTON</b>	2 units
<b>MANUFACTURING COUNTRY</b>	Italy

## OPTIONAL ACCESSORIES

### Reusable Jars in Makrolon®, APEC® Polycarbonate or Polysulfone

**AVAILABLE SIZES:**  
1000 mL / 2000 mL

- AVAILABLE SETS:**
- › Complete set (Jar+cover with overflow system+ O-ring)
  - › Jar (without cover)
  - › Cover with overflow system
  - › O-ring

Further details at page: 41



**OPERATING WITH:**  
REUSABLE COMPLETE TUBES' SET  
3 silicone tubes (Ø 8/14mm, L: 140cm/ 18cm each)  
+ 1 bi-conical connector Ø 10/11/12mm  
+ 1 Antibacterial and hydrophobic filter

### Disposable Flovac® System

**AVAILABLE SIZES:**  
1000 mL / 2000 mL.

- AVAILABLE SETS:**
- › Reusable Flovac® Canister
  - › Disposable Flovac® Liner
  - › Male Connectors for Flovac® Liner (5's pack)

Further details at page: 43



**OPERATING WITH:**  
FLOVAC COMPLETE TUBES' SET  
2 tubes (Ø 8 / 14mm, L: 140cm / L: 26cm)  
+ 1 bi-conical connector (Ø 10-11-12mm)

### Rolls of silicone tube

- AVAILABLE SIZES:**
- › Ø 8 / 14 mm, Length = 1m
  - › Ø 8 / 14 mm, Length = 10m
  - › Ø 8 / 14 mm, Length = 50m

### Cannulas

- AVAILABLE MODELS**
- › Aspiration Probe CH20 (set of 10's)
  - › Yankauer Handle Flat Tip With Hole
  - › Yankauer Handle Crown Tip With Hole
  - › Yankauer Tube L= 180cm

### Wall Mount

Support wall mount

### Carrying Bags

**AVAILABLE SIZES:**  
1000 mL / 2000 mL.

### Foot-switch control

with plug-in system

## INCLUDED ACCESSORIES

### REUSABLE JAR OR DISPOSABLE SYSTEM

depending on configuration

### REUSABLE SILICONE TUBES

Ø 8 / 14 mm

### BI-CONICAL CONNECTORS

Ø 10 / 11 / 12 mm

### ANTIBACTERIAL & HYDROPHOBIC FILTER

### UNIVERSAL AC/DC POWER ADAPTER

with European plug

### 12V CAR ADAPTER