

ANNEX II + III: TECHNICAL SPECIFICATIONS + TECHNICAL OFFER

Contract title: Supply of < special vehicle with high capacity pump, 8+1 passenger car, UTV+ trailer (mobile platform) >

p 1 /8

Publication reference: < ROMD00074 – FLOOD RESCUE - "Joint preparation for saving human lives following floods"

Columns 1-2 should be completed by the contracting authority

Columns 3-4 should be completed by the tenderer

Column 5 is reserved for the evaluation committee

Annex III - the contractor's technical offer

The tenderers are requested to complete the template on the next pages:

- Column 2 is completed by the contracting authority shows the required specifications (not to be modified by the tenderer),
- Column 3 is to be filled in by the tenderer and must detail what is offered (for example the words 'compliant' or 'yes' are not sufficient)
- Column 4 allows the tenderer to make comments on its proposed supply and to make eventual references to the documentation

The eventual documentation supplied should clearly indicate (highlight, mark) the models offered and the options included, if any, so that the evaluators can see the exact configuration. Offers that do not permit to identify precisely the models and the specifications may be rejected by the evaluation committee.

The offer must be clear enough to allow the evaluators to make an easy comparison between the requested specifications and the offered specifications.

| 1. Item number | 2. Specifications required | 3. Specifications offered | 4. Notes, remarks, ref to documentation | 5. Evaluation committee's notes |
|---------------------------------|---|--|--|--|
|---------------------------------|---|--|--|--|

| 1. Item number | 2. Specifications required | 3. Specifications offered | 4. Notes, remarks, ref to documentation | 5. Evaluation committee's notes |
|-------------------|-------------------------------|--|---|---------------------------------------|
| 1 | | <p>4x2 passenger car type vehicle , for removal personnel and service equipment</p> <p>Motor:</p> <ul style="list-style-type: none"> - Emission standard: Euro 6 or higher; - Fuel: Diesel; - Power: minimum 170 hp; - Maximum torque: minimum 400 Nm; - Cylinder capacity: 1950 cm 3 <p>Mixed fuel consumption: maximum 14 liters/100km;</p> <p>Fuel tank volume: minimum 90 liters;</p> <p>Gearbox: Automatic, in 7-9 ratios;</p> <p>Drive: Rear;</p> <p>Number of seats: 8+1;</p> <p>Ground clearance: 200 mm;</p> <p>Payload: minimum 500 kg;</p> <p>Suspension: Front suspension: Coil springs Rear suspension: Air bellows</p> <p>Braking system:</p> <ul style="list-style-type: none"> - Front disc brake; - Rear brake: combined disc and drum (system). <p>Vehicle dimensions:</p> <ul style="list-style-type: none"> - Length: minimum 6967 mm. - Width: 2000 mm. - Height: minimum 2694 mm. <p>Authorized weight : 2921 kg.</p> <p>All amenities listed below are minimum requirements. Additional amenities are accepted at no additional cost.</p> | | |

| 1. Item number | 2. Specifications required | 3. Specifications offered | 4. Notes, remarks, ref to documentation | 5. Evaluation committee's notes |
|-------------------|-------------------------------|--|---|---------------------------------------|
| | | <ul style="list-style-type: none"> - 12 V socket inside the cabin at least 2 pcs and luggage compartment at least 2 pcs (180W) - Jack hydraulic - Framework body reinforced - Heated and electrically adjustable rearview mirrors - Tire pressure control system Passenger car 8+1 seats is NEW (unused, not refurbished, and not assembled from reconditioned components) Year of production - no more (older)12 months after signing the contract <ul style="list-style-type: none"> • Warranty term: 2 years or 100,000 km | | |

| 1. Item number | 2. Specifications required | 3. Specifications offered | 4. Notes, remarks, ref to documentation | 5. Evaluation committee's notes |
|-------------------|-------------------------------|--|--|------------------------------------|
| | | <p>SUSPENSII Suspensie față Braț dublu in forma literei A /Amortizoare fata Gaz Suspensie spate TTA cu bara stabilizatoare Amortizoare spate Gaz</p> <p>Anvelope/Jante Anvelope față & spate 27 x 9 / 11 x 14 in. (68.6 x 22.9 / 27.9 x 35.6 cm) Jante 14in.(35.6 cm)aluminu</p> <p>Frîne Față Doua discuri ventilate de minim 220 mm, cu etriere hidraulice cu doua pistoane Spate Doua discuri ventilate de minim 220 mm, cu etriere hidraulice cu 1 piston</p> <p>Ceas digital Display digital diagonala Baterie 12-V (30 amp/h) Magnetou Alte dotari Priza tip bricheta in consola (10-A) Sistem iluminare 4 faruri (putere totala 100-150 W) si stop spate tip LED Trolu Capacitate 2000-2200 kg Șa Bancheta Versa Pro cu sezutul scaunelor pasagerilor rabatabile si carlig de prindere Volan Ajustabil Protectie Bara față integrata din otel Scut central HMWPE Extensii aripi față Tip de carlig Bila remorcare 2-in., carlig remorca spate, priza remorca Caracteristici cat. T Claxon, lumini de pozitie si semnalizatoare, oglinzi retrovizoare, suport placuta registrare, carlig bara metalica față</p> | | |

| 1. Item number | 2. Specifications required | 3. Specifications offered | 4. Notes, remarks, ref to documentation | 5. Evaluation committee's notes |
|-------------------|-------------------------------|--|---|---------------------------------------|
| | | <p>Remorcă (platformă mobilă): Sarcină totală – 3500 kg; Sarcină de încărcare 2700 kg; Lungime utilă 6400 cm; Lățime utilă – 210 cm; Sistem de frânare – cu frânare; Număr de axe – 2 axe; Masă proprie – 600 kg; Material – oțel de minim 3mm, zincat termic sau aluminiu; Poziționare roți – sub remorcă; Formă – dreaptă, inele metalice ancorare auto cu prindere laterală pe șasiu; Garda/înălțime de la sol – 60 cm; Pene blocare roți – 2 pene incluse; Rampe încărcare – 2 rampe de încărcare 2-2,5m; Dimensiune roți – R13-R14 cu aparători noroi; Roată de rezerva – da; Troliu – suport de troliu și troliu manual; Instalație electrică – 13 pini / 12v în conformitate cu standardele EU, lumini poziție față, laterale, spate; Picior de sprijin – 1buc - automat cu roata manevră de greutate, 2buc - cu suport de prindere. Warranty term: 2 years</p> | | |
| | | | | |
| | | | | |