

To whom it may concern

The product line of our swab dispenser is ruled differently according to the claim which is posted on the product. In Germany both is possible.

It depends on the claim you choose. If the claim is for **disinfecting** the skin before an injection, etc, it is ruled by the **AMG** (German Drug Law). If we sell Quickpad just for **cleaning** the skin Quickpad is ruled as a **cosmetic** (for example like make up remover).

We produce and sell „Quickpad“ in Germany under the regulations of the German Drug Law (Arzneimittelgesetz **AMG**).

The European market and the European regulations (i.e. Guideline-for medical items-93/42/EWG), are converted in Germany into the Medizinproduktegesetz (**MPG**).

There is a difference between these two regulations.

The **AMG** (strictly national) covers all products which have a pharmaceutical effect.

The **MPG** covers all products which are not drugs but support drugs or have a **physical** (not a pharmaceutical) effect, like for example our tourniquet. The MPG fulfils the guideline 93/42/EWG. MPG, items have to bear the CE signet.

As mentioned before it depends on the claim you choose. If the claim is for disinfecting the skin before an injection, etc., it is a drug and ruled by the AMG. For this reason we have the permission to produce and to market this product under AMG (CE-signet is not possible in this case). The product has to be labeled strictly with the original HOLTSCHE label

If your claim is for **cleaning** the skin, it is considered as a cosmetic item and is ruled by the cosmetic act and has no CE signet and no special permission as per the AMG is necessary. This is also possible in Germany.

Most of our customers do not declare Quickpad as a drug because they might run through some kind of registration with their ministry of health. They prefer to use Quickpad like a cosmetic and as explained above there is no possibility of a CE-signet on the product.

Maybe the regulations in other countries are different.

If so, please let us know.

Taunusstein, September 07, 2021


Malte Hertzberg
Qualified Person AMG

HOLTSCH MED

Quality. Safety. Trust.

Quickpad

The Quickpad alcohol swab dispenser, being sterile and physiologically verified as harmless, is ideal for cleaning and disinfecting the skin.

The active agent 2 propanol acts as an effective, "mild on skin" disinfecting agent. The "swab tear-off" ready to use system allows for the single use of the swab. This makes Quickpad not only economical but also efficient in its use.

The lid of the Quickpad alcohol swab dispenser container seals air-tight, keeping the alcohol swabs moist and sterile. As a result, the swab dispenser has a particularly long shelf life of 24 months.

Quickpad is supplied ready for use and with its simple operation, can be used by specialists as well as patients for cleaning/disinfecting the skin. An ideal product for diabetics and other users of self-injection syringes. Additionally, it is always possible through the transparent container to see the fill level and it is suitable for self-application by the patient.

Holtsch	T +49 6128 91717-7
Medizinprodukte GmbH	F +49 6128 44742
In den Faltern 13	M info@holtsch-med.com
D-65232 Taunusstein	W holtsch-med.com



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quickpads

Revision date: 03.07.2020

Product code: 10692-0001

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Quickpads

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Disposable alcohol swabs for cleansing the skin

1.3. Details of the supplier of the safety data sheet

Company name:	Holtsch Medizinprodukte GmbH	
Street:	In den Faltern 13	
Place:	D-65232 Taunusstein	
Telephone:	+49(0)6128 917 177	Telefax: +49(0)6128 447 42
e-mail:	info@holtsch-med.com	
Contact person:	Malte Hertzberg	
Internet:	www.holtsch-med.com	
Responsible Department:	Responsible for the safety data sheet: sds@gbk-ingelheim.de	

1.4. Emergency telephone number:

+49 (0) 172 6123 572
 In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Flammable liquid: Flam. Liq. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

2.2. Label elements**Regulation (EC) No. 1272/2008****Signal word:** Danger**Pictograms:****Hazard statements**

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Additional advice on labelling

According to the EC hazardous substance regulations in compliance with the EC cosmetic product regulations this product must not be labelled as a hazardous substance.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

If swallowed in higher quantities risk of intestinal passage obstruction.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quickpads

Revision date: 03.07.2020

Product code: 10692-0001

Page 2 of 9

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Disposable swab impregnated with 70%-Isopropanol (0,46 ml per swab).

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
67-63-0	Propan-2-ol			0,46 ml %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

No specific precautions required.

After inhalationMove to fresh air in case of accidental inhalation of vapours or decomposition products.
In the event of symptoms refer for medical treatment.**After contact with skin**

No specific precautions required.

After contact with eyesRinse immediately with plenty of water, also under the eyelids.
If eye irritation persists, consult a specialist.**After ingestion**

Consult a physician.

4.2. Most important symptoms and effects, both acute and delayedCauses serious eye irritation.
May cause drowsiness or dizziness.
If swallowed in higher quantities risk of intestinal passage obstruction.**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptoms.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**Alcohol-resistant foam, dry chemical, carbon dioxide (CO₂), water-spray.**Unsuitable extinguishing media**

Full water jet

5.2. Special hazards arising from the substance or mixtureFire may produce:
carbon monoxide and carbon dioxide**5.3. Advice for firefighters**Use breathing apparatus with independent air supply.
Protective suit.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quickpads

Revision date: 03.07.2020

Product code: 10692-0001

Page 3 of 9

Additional information

Vapours are heavier than air and spread along ground.
The vapour/air mixture is explosive, even in empty, uncleaned receptacles.
Cool containers at risk with water spray jet.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.
Ensure adequate ventilation.
Use personal protective clothing.
Keep away sources of ignition.
Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Take up mechanically and collect in suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).
Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

When using do not eat, drink or smoke.
Avoid contact with eyes.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.
Don't smoke.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect against direct sun radiation.
Keep containers tightly closed in a cool, well-ventilated place.

Hints on joint storage

Incompatible with:
Oxidizing agents
Alkaline metals and earth alkaline metals.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Disposable alcohol swabs for cleansing the skin

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quickpads

Revision date: 03.07.2020

Product code: 10692-0001

Page 4 of 9

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls**Appropriate engineering controls**

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

When using do not eat, drink or smoke.

Do not inhale vapours.

Avoid contact with eyes.

Eye/face protection

Not required under normal use.

Hand protection

Not required under normal use.

Skin protection

Not required under normal use.

Respiratory protection

No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state: Tissue, tintured with clear disinfectant solution

Colour:

Odour: Alcoholic

Test method

pH-Value: n.d.

Changes in the physical state

Melting point: n.d.

Initial boiling point and boiling range: n.d.

Sublimation point: n.a.

Softening point: n.d.

Flash point: 12 °C *)

Flammability

Solid: Combustible.

Gas: n.a.

Explosive properties

The product is considered non-explosive; nevertheless explosive vapour/air mixture can be generated.

Lower explosion limits: 2,0 vol. % *)

Upper explosion limits: 12 vol. % *)

Ignition temperature: 425 °C *)

Auto-ignition temperature

Solid: The product is not self-igniting

Gas: n.a.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quickpads

Revision date: 03.07.2020

Product code: 10692-0001

Page 5 of 9

Decomposition temperature:	n.d.
Oxidizing properties	
Not oxidising.	
Vapour pressure: (at 20 °C)	43 hPa *)
Density (at 20 °C):	0,87 g/cm ³ *)
Bulk density:	n.d.
Water solubility: (at 20 °C)	Miscible *)
Solubility in other solvents	
n.d.	
Viscosity / dynamic:	n.a.
Viscosity / kinematic:	n.a.
Flow time:	n.a.
Vapour density:	n.d.
Evaporation rate:	n.d.
Solvent separation test:	n.d.
Solvent content:	n.d.

9.2. Other information

*) All data refer to the solution

SECTION 10: Stability and reactivity**10.1. Reactivity**

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Heating can release vapours which can be ignited.

10.5. Incompatible materialsOxidizing agents
Alkaline metals and earth alkaline metals.**10.6. Hazardous decomposition products**No hazardous decomposition products known.
Fire may produce:
Carbon monoxide and carbon dioxide**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

Propan-2-ol

LD50/oral/rat: 5045 mg/kg [RTECS]

LD50/dermal/rabbit: 12800 mg/kg

LC50/inhalation/rat: 46,5 mg/l/4h [RTECS]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quickpads

Revision date: 03.07.2020

Product code: 10692-0001

Page 6 of 9

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Practical experience

Other observations

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

Sometimes short-term reddening of skin may occur.

May cause irritation of the mucous membranes.

If swallowed in higher quantities risk of intestinal passage obstruction.

SECTION 12: Ecological information

12.1. Toxicity

Propan-2-ol

LC50/Lepomis macrochirus/96 h = 1400 mg/l [ECOTOX DATABASE]

EC50/Daphnia magna/48 h = 13299 mg/l [IUCLID]

EC50/Desmodesmus subspicatus/72 h > 1000 mg/l [IUCLID]

12.2. Persistence and degradability

Propan-2-ol

Biodegradable (OECD): 95% [OECD 301 E]

12.3. Bioaccumulative potential

Propan-2-ol

Product has a low bioaccumulating potential. Log Pow: 0,05 [OECD 107]

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Other adverse effects

Low hazard to waters.

Further information

Product is not allowed to be discharged into aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Can be incinerated, when in compliance with local regulations.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quickpads

Revision date: 03.07.2020

Product code: 10692-0001

Page 7 of 9

List of Wastes Code - residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing hazardous substances; hazardous waste

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3175
14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Propan-2-ol)
14.3. Transport hazard class(es): 4.1
14.4. Packing group: II
 Hazard label: 4.1



Classification code: F1
 Limited quantity: 1 kg / 30 kg
 Excepted quantity: E2
 Transport category: 2
 Hazard No: 40
 Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 3175
14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Propan-2-ol)
14.3. Transport hazard class(es): 4.1
14.4. Packing group: II
 Hazard label: 4.1



Classification code: F1
 Limited quantity: 1 kg / 30 kg
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number: UN 3175
14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Propan-2-ol)
14.3. Transport hazard class(es): 4.1
14.4. Packing group: II
 Hazard label: 4.1

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quickpads

Revision date: 03.07.2020

Product code: 10692-0001

Page 8 of 9



Marine pollutant:	No
Limited quantity:	1 kg / 30 kg
Excepted quantity:	E2
EmS:	F-A, S-I

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	UN 3175
14.2. UN proper shipping name:	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Propan-2-ol)
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	II
Hazard label:	4.1



Limited quantity Passenger:	5 kg
Passenger LQ:	Y441
Excepted quantity:	E2
IATA-packing instructions - Passenger:	445
IATA-max. quantity - Passenger:	15 kg
IATA-packing instructions - Cargo:	448
IATA-max. quantity - Cargo:	50 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Take the usual precautions when handling with chemicals.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2004/42/EC (VOC):	0,46 ml
Information according to 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS

National regulatory information

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
--------------------------	---

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Quickpads

Revision date: 03.07.2020

Product code: 10692-0001

Page 9 of 9

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation int er
 IMDG = International Maritime Code for Dangerous Goods
 IATA/ICAO = International Air Transport Association / International Civil Aviation Organization
 MARPOL = International Convention for the Prevention of Pollution from Ships
 IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 REACH = Registration, Evaluation, Authorization and Restriction of Chemicals
 CAS = Chemical Abstract Service
 EN = European norm
 ISO = International Organization for Standardization
 DIN = Deutsche Industrie Norm
 PBT = Persistent Bioaccumulative and Toxic
 vPvB = Very Persistent and very Bio-accumulative
 LD = Lethal dose
 LC = Lethal concentration
 EC = Effect concentration
 IC = Median immobilisation concentration or median inhibitory concentration

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

'The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Certificate Of Analysis

(Analysenzertifikat)

HOLTSCH

Medizinprodukte GmbH

Product / Lot-No. (Produkt / Ch.bez.): *Quickpad* *060321*
Date of Manufacturing (Herstellungsdatum): *02.03.-09.03.2021*
Expiry Date (Verfallsdatum): *02/2023*

	Specification (Spezifikation)	Result (Ergebnis)
Description (Beschreibung):	milky-white to yellowish transparent plastic container, filled with white and separately detachable non-woven pads and isopropanol 70% V/V Milchig-weiße bis leicht gelbliche, durchsichtige Kunststoffdose, befüllt mit weißen, einzeln abreißbaren Vliestupfern und Isopropanol 70% (V/V)	<i>complies (entspricht)</i>
Leak tightness and intactness of container (Dichtigkeit und Unversehrtheit des Behältnisses):	fully welded and intact vollständig verschweißt und unversehrt	<i>complies (entspricht)</i>
Sterility (Sterilität):	sterile (steril)	<i>complies (entspricht) ¹⁾</i>

¹⁾ The sterility of product is ensured by the process of irradiation and is tested only at random intervals.
Die Sterilität des Produktes wird durch den Bestrahlungsprozess sichergestellt und nur stichprobenartig geprüft.

Summary (Gesamtbeurteilung):
The above mentioned lot complies with the specification.
Die o.g. Charge entspricht der Spezifikation.

Comments (Bemerkungen): *none (keine)*

Date / Signature Head of Quality Control:
(Datum / Unterschrift Leiter Qualitätskontrolle)

25.06.21 Wiebe

Zertifikat
Protokoll **BESTRAHLUNG**
certificate
protocol **IRRADIATION**

Auftragsnummer (AN) : 181184/2021
order number (internal)
Kundennummer : 728
Customer number

DB Nr	181184
BP Nr	239.691

Synergy Health Radeberg GmbH; Juri-Gagarin-Str.15;01454 Radeberg

Auftraggeber (Customer)

Auftragnehmer (performer)

Holtsch Medizinprodukte GmbH

Leipziger Str. 300
01139 Dresden

Synergy Health Radeberg GmbH

Juri-Gagarin-Str.15
01454 Radeberg
Tel.: +49 3528 / 4364 - 16
Fax: +49 3528 / 4364 - 99

Auftragsnummer (AG) : 20.30.2021
order number Customer

Auftragsdatum : 30.03.2021
date of order

Name des Produktes : Quickpad (Kosmetik)
name of product

Artikelcode :
item code

Charge : 060321, Vref.: 02.2023
batch number

Bestrahlungszyklus : A-14p/21
irradiation cycle

Spezifikation : DD0728_0440_2020_R34
specification

Bestrahlungsdatum : 11.04.2021
irradiation date

Identifikationsnummer : 845555 - 845558
identification number

Bestrahlungseinheiten : EP-Palette
irradiation unit

Anzahl : 4
quantity

Verpackungseinheiten : Palette
packaging unit

Anzahl : 2
quantity

Besonderheiten :
remarks

Die Bestrahlung erfolgt gemäß AAMI TIR33 / ISO 11137 und Produktspezifikation.
The irradiation has been performed in accordance to AAMI TIR33/ ISO 11137 as well as to product specification.

Dosis
dose

Energiedosis laut Auftrag
dose in accordance with order

Dosimetrisch ermittelte Dosis
calculated dose

Identnummer :
identification number

min. Dosis:
minimum dose 25,0 kGy

28,11 kGy

845558

max. Dosis:
maximum dose 40,0 kGy

36,20 kGy

845557

Unterbrechungszeit >24 h : Nein
interruption time over 24 hours

Anlage : GS3000
(facility)

Strahlungsart : Co-60
(kind of radiation)

Erstellung und Datenübernahme
preparation and data transfer

13.04.2021

Datum und Unterschrift Ersteller
date and signature originator

Freigabe des oben genannten Bestrahlungsgutes zur
Auslieferung Release of specified product for delivery

13.04.2021

Datum und Unterschrift Qualität
date and signature quality

Protokollsignatur 83adfc25e4a38187c9e5292ff18c471f



Zertifikat-Nr./Certificate no:
DE_SN_01_GMP_2020_0038

Aktenzeichen/Reference Number:
26-5117/90

**BESTÄTIGUNG DER ÜBEREINSTIMMUNG EINES
HERSTELLERS MIT GMP**

Teil 1

Ausgestellt nach einer Inspektion gemäß

- Art. 111 (5) der Richtlinie 2001/83/EG

Die zuständige deutsche Überwachungsbehörde bestätigt:

Der Hersteller
HOLTSCH Medizinprodukte GmbH

Anschrift der Betriebsstätte
**HOLTSCH Medizinprodukte GmbH
Leipziger Straße 300
01139 Dresden
Deutschland**

- wurde im Rahmen der nationalen Arzneimittelüberwachung inspiziert in Verbindung mit der Herstellungserlaubnis Nr. DE_SN_01_MIA_2016_0010 gemäß
 - Art. 40 der Richtlinie 2001/83/EGumgesetzt in deutsches Recht durch:
§ 13 Abs. 1 und § 72 Arzneimittelgesetz

Aufgrund der aus der letzten Inspektion vom 24. Januar 2019 gewonnenen Erkenntnisse wird für die oben genannte Betriebsstätte des Herstellers die Übereinstimmung mit den Anforderungen der Guten Herstellungspraxis festgestellt, die sich aus

- den Grundsätzen und Leitlinien der Guten Herstellungspraxis gemäß
 - Richtlinie 2003/94/EG

ergeben.

**CERTIFICATE OF GMP COMPLIANCE OF A
MANUFACTURER**

Part 1

Issued following an inspection in accordance with

- Art. 111 (5) of Directive 2001/83/EC

The competent authority of GERMANY confirms the following:

The manufacturer
HOLTSCH Medizinprodukte GmbH

Site address
**HOLTSCH Medizinprodukte GmbH
Leipziger Straße 300
01139 Dresden
Germany**

- has been inspected under the national inspection programme in connection with manufacturing authorisation no. DE_SN_01_MIA_2016_0010 in accordance with
 - Art. 40 of Directive 2001/83/ECtransposed in the following national legislation:
Sect 13 para 1 and sect 72 Arzneimittelgesetz (German Drug Law)

From the knowledge gained during the inspection of this manufacturer, the latest of which was conducted on 24 January 2019, it is considered that it complies with the Good Manufacturing Practice requirements referred to in

- the principles and guidelines of Good Manufacturing Practice laid down in
 - Directive 2003/94/EC

Dieses Zertifikat bestätigt den Status der Betriebsstätte zum Zeitpunkt der oben genannten Inspektion. Es sollte nicht zur Bestätigung der Übereinstimmung herangezogen werden, wenn seit der genannten Inspektion mehr als drei Jahre vergangen sind. Nach Ablauf dieser Zeit sollte mit der zuständigen Behörde Kontakt aufgenommen werden. Das Zertifikat ist nur bei Vorlage sämtlicher Seiten inklusive der Teile 1 und 2 gültig. Die Echtheit dieses Zertifikates kann ggf. durch die ausstellende Behörde bestätigt werden.

This certificate reflects the status of the manufacturing site at the time of the inspection noted above and should not be relied upon to reflect the compliance status if more than three years have elapsed since the date of that inspection, after which time the issuing authority should be consulted. This certificate is valid only when presented with all pages and both parts 1 and 2. The authenticity of this certificate may be verified with the issuing authority.



Teil 2

- Humanarzneimittel

1 HERSTELLUNGSTÄTIGKEITEN

1.1 Sterile Produkte

1.1.2 *Im Endbehältnis sterilisiert
(Herstellungstätigkeiten für folgende
Darreichungsformen)*

1.1.2.5 Andere endsterilisierte Produkte
Alkoholtupfer

1.1.3 *Chargenfreigabe*

28. September 2020



Name und Unterschrift des Bearbeiters der zuständigen
Behörde

Klaus Hartmann
Landesdirektion Sachsen
Referat 26 Pharmazie, GMP-Inspektorat
Braustraße 2
04107 Leipzig
Deutschland

Tel.: +49(0)351 825-2411
Fax: +49(0)351 825-9201

Part 2

- Human Medicinal Products

1 MANUFACTURING OPERATIONS

1.1 Sterile Products

1.1.2 *Terminally sterilised (processing operations
for the following dosage forms)*

1.1.2.5 Other terminally sterilised
prepared products
alcoholic pads

1.1.3 *Batch certification*

28 September 2020

Name and signature of the authorised person of the
Competent Authority


Klaus Hartmann
Landesdirektion Sachsen
Referat 26 Pharmazie, GMP-Inspektorat
Braustraße 2
04107 Leipzig
Deutschland

Tel.: +49(0)351 825-2411
Fax: +49(0)351 825-9201

LANDESDIREKTION SACHSEN
09105 Chemnitz

MANUFACTURER'S AUTHORISATION

(This English translation is for reference only. It is not part of the official certificate.)

- | | |
|--|--|
| 1. Authorisation number/file number | DE_SN_01_MIA_2012_0045/Nr. 6 /
24-5482.11/62 |
| 2. Name of authorisation holder | HOLTSCH Medizinprodukte GmbH |
| 3. Address(es) of manufacturing site(s) | HOLTSCH Medizinprodukte GmbH
Leipziger Straße 300
01139 Dresden |
| 4. Legally registered address of authorisation holder | In den Faltern 13
65232 Taunusstein |
| 5. Scope of authorisation and dosage forms | ANNEX 1 |
| 6. Legal basis of authorisation | Sect 13 para 1 Arzneimittelgesetz (German Drug Law) |
| 7. Name of responsible officer of the competent authority of the member state granting the manufacturing authorisation | Edith Detlefsen |
| 8. Signature |  |
| 9. Date | 09/27/2012 |
| 10. Annexes attached | Annex 1
Annex 4 (Addresses of Contract Laboratories)
Annex 5 (Name of Qualified Person)
Annex 7 (Date of inspection on which authorisation granted, scope of last inspection)
Annex 8 (Manufactured/ imported products authorised) |



SCOPE OF AUTHORISATION

Annex 1

Name and address of the site:

HOLTSCHE Medizinprodukte GmbH, Leipziger Straße 300, 01139 Dresden

Human Medicinal Products

AUTHORISED OPERATIONS

Manufacturing Operations (according to part 1)

Part 1 - MANUFACTURING OPERATIONS

- authorised manufacturing operations include total and partial manufacturing (including various processes of dividing up, packaging or presentation), batch release and certification, storage and distribution of specified dosage forms unless informed to the contrary;

- quality control testing and/or release and batch certification activities without manufacturing operations should be specified under the relevant items;

- if the company is engaged in manufacture of products with special requirements e.g. radiopharmaceuticals or products containing penicillin, sulphonamides, cytotoxics, cephalosporins, substances with hormonal activity or other or potentially hazardous active ingredients this should be stated under the relevant product type and dosage form (applicable to all sections of Part 1 apart from sections 1.5.2 and 1.6)

1.1	Sterile Products
	<i>1.1.3 Batch certification only</i>
1.2	Non-sterile products
	<i>1.2.1 Non-sterile products</i>
	1.2.1.17 Other non-sterile medicinal product alcoholic pads

Any restrictions or clarifying remarks related to the scope of these Manufacturing operations

This Authorisation is according with the site plans of manufacturing rooms with list of room numbers and classification dated 16 July,2009.



Address(es) of Contract Laboratories

Li-iL GmbH Arzneimittel Arzneibäder
Leipziger Strasse 300
01139 Dresden

- total quality control without sterility and microbiological testing

SGS Institut Fresenius GmbH
Im Maisel 14
65232 Taunusstein

- Sterility Testing in accordance with Pharm Europ. 2.6.1

- Microbiological Testing non-steril products in accordance with Pharm Europ. 2.6.12 Total viable aerobic count of non-sterile intermediate



Name(s) of Qualified Person(s)

Mrs. Dr. Karin Beck-Piotraschke

Mr. Malte Hertzberg



Date of Inspection on which
authorisation was granted

09/01/2011

Scope of last Inspection

Quality Management, Personnel, Premises and Equipment,
Documentation, Contract Manufacture and Analysis,
Complaints and Product Recall, Self Inspection



Products authorised to be manufactured/imported (in accordance with Article 41 and 42 of Directive 2001/83/EC and/or Article 45 and 46 of Directive 2001/82/EC, as amended).

Quickpad® Tupfer



