



EVS-EN 16615:2015  
OÜ BALTIACHEMI  
LABORATORY  
Tel +372 6214 694  
e-mail: info@baltiacemi.ee

**Quantitative test method for the evaluation of bactericidal and yeasticidal activity  
on non-porous surfaces with mechanical action employing wipes in the medical area, 4-field test (phase 2, step 2)**

TEST REPORT no 423a


**1. General information and material**

Client: Medi-Sept Sp. z.o.o., Konopnica 159 c, 21-030 Motycz, Poland  
Date of order: 2018/12/20

**2. Identification of sample**

Name of the product: VELOX SPRAY  
Batch number: LOT:180822\_3  
Manufacturer: Medi-Sept Sp. z.o.o.

Microbiologist  
Ljudmila Shljapnikova  
Biol.Ph.D.  
Head of the Laboratory



Date of delivery: 2019/01/11  
Storage conditions: room temperature and darkness  
Apperance of the product: clear liquid  
Recommended diluent: product is ready to use  
Active substance: Etanol, 63.7 %; Propan-2-ol, 6,3 %

### 3. Test conditions

Test period: 2019/01/11 – 2019/01/19  
Date of tests: 2019/01/11; 2019/01/15  
Product test concentrations: 100 %  
Exposure time: 30 s.  
Test temperature:  $19,5 \pm 0,5^{\circ}\text{C}$   
Organic load: for clean condition is bovine albumine, 0,3g/l  
for dirty conditions are bovine albumine, 3,0 g/l and sheep erythrocytes, 3 ml/l  
Neutralizer: Polysorbate 80, 30 g/l; Lecithin, 3 g/l; Saponin, 30 g/l  
Temperature of incubation  $36,5^{\circ}\text{C} \pm 0,5^{\circ}\text{C}$  for bacteria and  $29,5^{\circ}\text{C} \pm 0,5^{\circ}\text{C}$  for yeast  
Test organisms: Staphylococcus aureus ATCC 6538, Pseudomonas aeruginosa ATCC 15442,  
Enterococcus hirae ATCC 10541, Candida albicans ATCC 10231

### 4. Methods

2.1. Test method and its validation: dilution neutralisation

### 5. Results

see annex

### 6. Conclusion

In accordance with EN 16615:2015, product VELOX SPRAY (LOT:180822\_3) with concentration 100 % in 30 s. possesses bactericidal activity on non-porous surfaces with mechanical action employing wipes at 20 °C under clean and dirty conditions for referenced strains Staphylococcus aureus ATCC 6538, Pseudomonas aeruginosa ATCC 15442 and Enterococcus hirae ATCC 10541. The product VELOX SPRAY (LOT:180822\_3) demonstrates at least a 5 lg reduction. The VELOX SPRAY (LOT:180822\_3) possesses high yeasticidal activity (4 lg reduction) under conditions: concentration 100 % in 30 s. on non-porous surfaces with mechanical action employing wipes at 20 °C under clean and dirty conditions in relation to Candida albicans ATCC 10231.

Microbiologist  
Ljudmila Shljapnikova  
Biol.Ph.D.  
Head of the Laboratory




Total 14 pages  
Annex on 11 pages

Maardu, 2019/01/19

---

Microbiologist  
Ljudmila Shljapnikova  
Biol.Ph.D.  
Head of the Laboratory



## Annex 1

## VALIDATION AND CONTROLS

Test organisms	Validation suspension N <sub>vo</sub>			Neutralizer control B			Method validation C		
	V <sub>c 1</sub>	V <sub>c 2</sub>	$\bar{X}$	V <sub>c 1</sub>	V <sub>c 2</sub>	$\bar{X}$	V <sub>c 1</sub>	V <sub>c 2</sub>	$\bar{X}$
Staphylococcus aureus ATCC 6538	71	79	75	59	65	62	59	69	64
Pseudomonas aeruginosa ATCC 15442	52	58	55	40	54	47	43	39	41
Enterococcus hirae ATCC 10541	91	107	99	70	82	76	69	84	73
Candida albicans ATCC 10231	76	64	70	62	50	56	51	53	52

Microbiologist  
 Ljudmila Shljapnikova  
 Biol.Ph.D.  
 Head of the Laboratory




## Annex 2

## TEST SUSPENSION

Test organisms	Dilution step	Vc 1	Vc 2	N
Staphylococcus aureus ATCC 6538	$10^{-7}$	155	160	$N = 1,5 \times 10^9 = \lg N 9,18$ $No = N/20, \lg No = 7,88$ $7,88 \leq \lg No \leq 8,40$
	$10^{-}$ <input type="checkbox"/>	14	16	
Pseudomonas aeruginosa ATCC 15442	$10^{-7}$	>300	>300	$N = 3,4 \times 10^9 = \lg N 9,53$ $No = N/20, \lg No = 8,23$ $7,88 \leq \lg No \leq 8,40$
	$10^{-}$ <input type="checkbox"/>	38	30	
Enterococcus hirae ATCC 10541	$10^{-7}$	174	186	$N = 1,8 \times 10^9 = \lg N 9,26$ $No = N/20, \lg No = 7,95$ $7,88 \leq \lg No \leq 8,40$
	$10^{-}$ <input type="checkbox"/>	16	20	
Candida albicans ATCC 10231	$10^{-6}$	>200	>200	$N = 2,6 \times 10^8 = \lg N 8,42$ $No = N/20, \lg No = 7,11$ $6,88 \leq \lg No \leq 7,40$
	$10^{-7}$	23	29	

 Microbiologist  
 Ljudmila Shljapnikova  
 Biol.Ph.D.  
 Head of the Laboratory




## Annex 3

## DRYING CONTROL (Dco)

Test organisms	Dilution step	Vc 1	Vc 2	N
Staphylococcus aureus ATCC 6538	$10^{-5}$	>200	>200	N = $2,4 \times 10^7 = \lg N 7,38$ $6,88 \leq \lg Dco \leq 8,40$
	$10^{-6}$	20	28	
Pseudomonas aeruginosa ATCC 15442	$10^{-5}$	>300	>300	N = $7,5 \times 10^7 = \lg N 7,88$ $6,88 \leq \lg Dco \leq 8,40$
	$10^{-6}$	69	81	
Enterococcus hirae ATCC 10541	$10^{-5}$	300	300	N = $2,75 \times 10^7 = \lg N 7,43$ $6,88 \leq \lg Dco \leq 8,40$
	$10^{-6}$	26	29	
Candida albicans ATCC 10231	$10^{-4}$	80	82	N = $8,1 \times 10^5 = \lg N 5,91$ $5,88 \leq \lg Dco \leq 7,40$
	$10^{-5}$	7	8	

 Microbiologist  
 Ljudmila Shljapnikova  
 Biol.Ph.D.  
 Head of the Laboratory




## Annex 4

## DRYING CONTROL (Dct)

Test organisms	Dilution step	Vc 1	Vc 2	N
Staphylococcus aureus ATCC 6538	10 <sup>-5</sup> 10 <sup>-6</sup>	>200 19	>200 25	N = 2,2 x 10 <sup>7</sup> = <b>lgN 7,34</b> 6,88 ≤ lg Dct ≤ 8,40
Pseudomonas aeruginosa ATCC 15442	10 <sup>-5</sup> 10 <sup>-6</sup>	>300 88	>300 74	N = 8,1 x 10 <sup>7</sup> = <b>lgN 7,9</b> 6,88 ≤ lg Dct ≤ 8,40
Enterococcus hirae ATCC 10541	10 <sup>-5</sup> 10 <sup>-6</sup>	296 27	284 33	N = 2,91 x 10 <sup>7</sup> = <b>lgN 7,46</b> 6,88 ≤ lg Dct ≤ 8,40
Candida albicans ATCC 10231	10 <sup>-4</sup> 10 <sup>-5</sup>	75 8	79 9	N = 7,7 x 10 <sup>5</sup> = <b>lgN 5,89</b> 5,88 ≤ lg Dct ≤ 7,40

Microbiologist  
 Ljudmila Shljapnikova  
 Biol.Ph.D.  
 Head of the Laboratory



## Annex 5

## TEST FIELD I

Test organisms	Dilution step	Vc1	Vc2	Na	Ig Na	Ig R	Contact time	Conditions
Staphylococcus aureus ATCC 6538	10 <sup>0</sup>	36	44	40	1,6	5,74	30 s.	Clean
		162	178	170	2,23	5,11	30 s.	Dirty
Pseudomonas aeruginosa ATCC 15442	10 <sup>0</sup>	17	23	20	1,3	6,6	30 s.	Clean
		20	36	28	1,45	6,45	30 s.	Dirty
Enterococcus hirae ATCC 10541	10 <sup>0</sup>	27	17	22	1,34	6,12	30 s.	Clean
		38	24	31	1,49	5,97	30 s.	Dirty
Candida albicans ATCC 10231	10 <sup>0</sup>	0	0	1	<1	>4,89	30 s.	Clean
		0	0	1	<1	>4,89	30 s.	Dirty

Microbiologist  
 Ljudmila Shljapnikova  
 Biol.Ph.D.  
 Head of the Laboratory





## Annex 6

 TEST FIELDS 2 to 4 (cfu/25 cm<sup>2</sup>)

Test organisms	Dilution step	Vc T2	Vc T3	Vc T4	V T2 to 4 C x 5 Cfu/25 cm <sup>2</sup>	Contact time	Conditions
Staphylococcus aureus ATCC 6538	10 <sup>0</sup>	0	0	0	1 x 5 = 5	30 s.	Clean
		0	0	0	1 x 5 = 5	30 s.	Dirty
Pseudomonas aeruginosa ATCC 15442	10 <sup>0</sup>	0	0	0	1 x 5 = 5	30 s.	Clean
		0	0	0	1 x 5 = 5	30 s.	Dirty
Enterococcus hirae ATCC 10541	10 <sup>0</sup>	0	0	0	1 x 5 = 5	30 s.	Clean
		0	0	0	1 x 5 = 5	30 s.	Dirty
Candida albicans ATCC 10231	10 <sup>0</sup>	0	0	0	1 x 5 = 5	30 s.	Clean
		0	0	0	1 x 5 = 5	30 s.	Dirty

Microbiologist  
 Ljudmila Shljapnikova  
 Biol.Ph.D.  
 Head of the Laboratory



## Annex 7

1. Nw TEST FIELDS 2 to 4 (cfu/25 cm<sup>2</sup>) Staphylococcus aureus


Test organisms	Dilution step	Vc T2	Vc T3	Vc T4	VT2 to 4 C x 5	Contact time
Staphylococcus aureus ATCC 6538	10 <sup>0</sup>	85	73	32	316,5	30 s.
	10 <sup>-1</sup>	9	9	5		



## Annex 8

2. Nw TEST FIELDS 2 to 4 (cfu/25 cm<sup>2</sup>) *Pseudomonas aeruginosa*

Test organisms	Dilution step	Vc T2	Vc T3	Vc T4	VT2 to 4  C x 5	Contact time
<i>Pseudomonas aeruginosa</i> ATCC 15442	10 <sup>0</sup>	150	89	27	443,5	30 s.
	10 <sup>-1</sup>	17	11	3		



## Annex 9

3. Nw TEST FIELDS 2 to 4 (cfu/25 cm<sup>2</sup>) *Enterococcus hirae*

Test organisms	Dilution step	Vc T2	Vc T3	Vc T4	V T2 to 4 C x 5	Contact time
<i>Enterococcus hirae</i> ATCC 10541	10 <sup>0</sup>	135	91	22	413,5	30 s.
	10 <sup>-1</sup>	15	10	3		

Microbiologist  
Ljudmila Shljapnikova  
Biol.Ph.D.  
Head of the Laboratory




## Annex 10

4. Nw TEST FIELDS 2 to 4 (cfu/25 cm<sup>2</sup>) *Candida albicans*

Test organisms	Dilution step	Vc T2	Vc T3	Vc T4	V T2 to 4 C x 5	Contact time
<i>Candida albicans</i> ATCC 10231	10 <sup>0</sup>	35	46	28	181,5	30 s.
	10 <sup>-1</sup>	5	7	4		

Microbiologist  
Ljudmila Shljapnikova  
Biol.Ph.D.  
Head of the Laboratory



## Annex 11

$$N = c / (n1 + 0.1 n2) \times 10^{-7}$$

$$D_{co}, D_{ct} = c / (n1 + 0.1 n2) \times 10^{-5}$$

$$N_v = c / n$$

$$N_{vo} = N_v / 10$$

$$N_{aT1} = \frac{V_{c1} + V_{c2}}{2}$$

$$N_a, N_w T 2 \text{ to } 4 = c \times 5 / n \text{ (for test fields 2 to 4, cfu/25 cm}^2\text{)}$$

$$B, C = c / n$$

$$R = \lg D_{ct} - \lg N_a$$

N – is the number of cfu (colony forming unit) for 1 ml test suspension

V<sub>c1</sub>, V<sub>c2</sub> - is the is number of cfu for 1 ml sample

c – is the sum of V<sub>c</sub>-values taken into account

n – is the number of V<sub>c</sub>-values taken into account

N<sub>w</sub> – water control

R – reduction

---

Microbiologist  
Ljudmila Shljapnikova  
Biol.Ph.D.  
Head of the Laboratory

