

N ^o crt.	B07		B01-B02		B09		C	Si	Mn	S	P	Cr	Ni	Cu	As	N	Al
	Nr. Bundles	Heat	Product	Dimension(mm)	x100	x1000											
1 51945	524197	S235JRH EN 10219-1/2	80 x 80 x 5 x 12000	14	1,5	41	35	22	4		3						
2 51939	524197	S235JRH EN 10219-1/2	80 x 80 x 5 x 12000	14	1,5	41	35	22	4		3						
3 46718	813116	S235JRH EN 10219-1/2	100 x 100 x 5,0 x 12000mm	14	1,8	40	35	14	6		2						
4 46717	813116	S235JRH EN 10219-1/2	100 x 100 x 5,0 x 12000mm	15	1,8	40	35	14	6		2						
5 45516	143048	S235JRH EN 10219-1/2	50 x 50 x 4,0 x 6000	15	1,7	40	24	25	3		3						
6 45513	143048	S235JRH EN 10219-1/2	50 x 50 x 4,0 x 6000	15	1,7	40	24	25	3		3						
7 45510	143048	S235JRH EN 10219-1/2	50 x 50 x 4,0 x 6000	15	1,7	40	24	25	3		3						
8 49265	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000m	13	1,5	35	22	15	4		2						
9 49194	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000m	13	1,5	35	22	15	4		2						
10 48934	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000m	13	1,5	35	22	15	4		2						
11 48935	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000m	13	1,5	35	22	15	4		2						

«BAS STEEL PROFILE» S.R.L.
 O T K

Nr.crt.	Nr. Bundles	Heat	Product	Dimension(mm)	Mechanical Test			Ra, µm	D02	D03
					C02	C03	C11			
1	51945	524197	S235JRH EN 10219-1/2	80 x 80 x 5 x 12000mm	Direction of the test pieces	Test temperature	ReH	Rm	A	Hydraulic Pressure, bar./min.
2	51939	524197	S235JRH EN 10219-1/2	80 x 80 x 5 x 12000mm		ambient	265	397	38	
3	46718	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x 12000mm		ambient	329	397	31	
4	46717	813116	S235JRH EN 10219-1/2	100 x 100 x 5.0 x 12000mm		ambient	329	397	31	
5	45516	143048	S235JRH EN 10219-1/2	50 x 50 x 4.0 x 6000mm		ambient	294	427	38	
6	45513	143048	S235JRH EN 10219-1/2	50 x 50 x 4.0 x 6000mm		ambient	294	427	38	
7	45510	143048	S235JRH EN 10219-1/2	50 x 50 x 4.0 x 6000mm		ambient	294	427	38	
8	49265	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000mm		ambient	279	387	35	
9	49194	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000mm		ambient	279	387	35	
10	48934	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000mm		ambient	279	387	35	
11	48935	143457-9	S235JRH EN 10219-1/2	60 x 60 x 3 x 6000mm		ambient	279	387	35	

We state on our sole responsibility that the delivered products are in conformity with production standards or with contract Addendums.
 Visual inspection: checked without any objection
 Tolerances on dimensions and shape: pass

Draweted up,
 Eng.Filipov Nicolai

Signature of the QCD representative,
 Eng.Nekit Yurii

Handwritten signature

Handwritten signature

