

Bandage for Rhinoplasty

Surgical Instruments

Reconstructive Biomaterials

PVA Anatomical Swabs

Prostheses for Otosurgery

Disposable Suction Tubes

Middle Ear Implants

AUDIOPROSTHESIS

SPL Stapedioplasty
Stapedectomy and
Stapedotomy prostheses

TPL Tympanoplasty

TAP Total Audio Prostheses

PAP Partial Audio Prostheses



audio[®]
TECHNOLOGIES

Audio Technologies S.r.l

Gossolengo - Piacenza (ITALY) - Tel. +39.0523.778864 - Fax. +39.0523.770019
info@audiotecnologies.it - www.audiotecnologies.it

PLATINUM Prosthesis for Stapedectomy

CODE SPL 03.00

CODE	L (mm)
SPL 03.00.300	3.00
SPL 03.00.350	3.50
SPL 03.00.400	4.00
SPL 03.00.425	4.25
SPL 03.00.450	4.50
SPL 03.00.475	4.75
SPL 03.00.500	5.00
SPL 03.00.550	5.50
SPL 03.00.600	6.00

**PLATINUM Prosthesis for Stapedectomy**

CODE SPL 03.13

Platinum sphere Ø: 0.40

CODE	L (mm)
SPL 03.13.400	4.00
SPL 03.13.450	4.50
SPL 03.13.500	5.00

**PLATINUM Prosthesis for Stapedectomy**

CODE SPL 03.15

Platinum loop Ø: 0.40

CODE	L (mm)
SPL 03.15.400	4.00
SPL 03.15.450	4.50
SPL 03.15.500	5.00

**PLATINUM Prosthesis for Stapedotomy**

CODE SPL 03.05

Piston ø: 0.30

CODE	L (mm)
SPL 03.05	6.00

**PLATINUM and AUDIO-PE Prosthesis for Stapedectomy**

CODE SPL 03.04

Piston ø: 0.60

CODE	L (mm)
SPL 03.04.350	4.00
SPL 03.04.400	4.50
SPL 03.04.425	4.25
SPL 03.04.450	4.50
SPL 03.04.475	4.75
SPL 03.04.500	5.00
SPL 03.04.550	5.50
SPL 03.04.600	6.00

**PT/PTFE/HA Adjustable Cup Prosthesis for Stapedectomy**

CODE SPL 03.14

HA: cup
PT: joint
PTFE: columella
trimmable columella ø: 0.6

CODE	L (mm)
SPL 03.14.400	4.00
SPL 03.14.450	4.50
SPL 03.14.500	5.00



Pt - platinum

Ti - Titanium (ASTM F67)

AUDIO-PE - High molecular weight porous polyethylene

PTFE - Polytetrafluorethylene

AUDIO-HA - Bioactive calcium hydroxylapatite ceramic

AUDIO-HAP - Porous hydroxylapatite ceramic

PTFE LOOP**Prosthesis for Stapedotomy and Stapedectomy**CODE SPL 03.16
SPL 03.16x**Dimensions**

Trimmable Piston ø: 0.50 mm

CODE*	CODE**	L (mm)
SPL 03.16.400	SPL 03.16.400x	4.00
SPL 03.16.450	SPL 03.16.450x	4.50
SPL 03.16.500	SPL 03.16.500x	5.00
SPL 03.16.550	SPL 03.16.550x	5.50
SPL 03.16.600	SPL 03.16.600x	6.00
SPL 03.16.650	SPL 03.16.650x	6.50
SPL 03.16.700	SPL 03.16.700x	7.00

* with notch **without notch

**PTFE LOOP****Prosthesis for Stapedotomy and Stapedectomy**CODE SPL 03.17
SPL 03.17x**Dimensions**

Trimmable Piston ø: 0.60 mm

CODE*	CODE**	L (mm)
SPL 03.17.400	SPL 03.17.400x	4.00
SPL 03.17.450	SPL 03.17.450x	4.50
SPL 03.17.500	SPL 03.17.500x	5.00
SPL 03.17.550	SPL 03.17.550x	5.50
SPL 03.17.600	SPL 03.17.600x	6.00
SPL 03.17.650	SPL 03.17.650x	6.50
SPL 03.17.700	SPL 03.17.700x	7.00

* with notch **without notch

**PTFE LOOP****Prosthesis for Stapedotomy and Stapedectomy**CODE SPL 03.18
SPL 03.18x**Dimensions**

Trimmable Piston ø: 0.40 mm

CODE*	CODE**	L (mm)
SPL 03.18.400	SPL 03.18.400x	4.00
SPL 03.18.450	SPL 03.18.450x	4.50
SPL 03.18.500	SPL 03.18.500x	5.00
SPL 03.18.550	SPL 03.18.550x	5.50
SPL 03.18.600	SPL 03.18.600x	6.00
SPL 03.18.650	SPL 03.18.650x	6.50
SPL 03.18.700	SPL 03.18.700x	7.00


* with notch **without notch

**PTFE LOOP****Prosthesis for Stapedotomy and Stapedectomy**CODE SPL 03.19
SPL 03.19x**Dimensions**

Trimmable Piston ø: 0.80 mm

CODE*	CODE**	L (mm)
SPL 03.19.400	SPL 03.19.400x	4.00
SPL 03.19.450	SPL 03.19.450x	4.50
SPL 03.19.500	SPL 03.19.500x	5.00
SPL 03.19.550	SPL 03.19.550x	5.50
SPL 03.19.600	SPL 03.19.600x	6.00
SPL 03.19.650	SPL 03.19.650x	6.50
SPL 03.19.700	SPL 03.19.700x	7.00

* with notch **without notch

**SILICON LOOP****Prosthesis for Stapedotomy and Stapedectomy**

CODE SPL 03.24

Dimensions

Trimmable Piston ø: 0.40 mm

CODE	L (mm)
SPL 03.24	7.00 trimmable to 4.00

SILICON - loop

TI - joint

PTFE - columella

**SILICON LOOP****Prosthesis for Stapedotomy and Stapedectomy**

CODE SPL 03.25

Dimensions

Trimmable Piston ø: 0.50 mm

CODE	L (mm)
SPL 03.25	7.00 trimmable to 4.00

SILICON - loop

TI - joint

PTFE - columella

**SILICON LOOP****Prosthesis for Stapedotomy and Stapedectomy**

CODE SPL 03.26

Dimensions


Trimmable Piston ø: 0.60 mm

CODE	L (mm)
SPL 03.26	7.00 trimmable to 4.00

SILICON - loop

TI - joint

PTFE - columella




TITANIUM Bucket Handle for Stapedectomy

CODE SPL 03.48

Piston diameter - 0.40
Ext. cup diameter - 1.10
Int. cup diameter - 0.95


CODE	Total Length	Functional Length
SPL 03.48.400	4.00	3.20
SPL 03.48.425	4.25	3.45
SPL 03.48.450	4.50	3.70
SPL 03.48.75	4.75	3.95
SPL 03.48.500	5.00	4.20
SPL 03.48.525	5.25	4.45
SPL 03.48.550	5.50	4.70
SPL 03.48.575	5.75	4.95
SPL 03.48.600	6.00	5.20
SPL 03.48.625	6.25	5.45
SPL 03.48.650	6.50	5.70

**TITANIUM Bucket Handle for Stapedectomy**

CODE SPL 03.49

Piston diameter - 0.60
Ext. cup diameter - 1.10
Int. cup diameter - 0.95


CODE	Total Length	Functional Length
SPL 03.49.400	4.00	3.20
SPL 03.49.425	4.25	3.45
SPL 03.49.450	4.50	3.70
SPL 03.49.75	4.75	3.95
SPL 03.49.500	5.00	4.20
SPL 03.49.525	5.25	4.45
SPL 03.49.550	5.50	4.70
SPL 03.49.575	5.75	4.95
SPL 03.49.600	6.00	5.20
SPL 03.49.625	6.25	5.45
SPL 03.49.650	6.50	5.70

**TITANIUM Bucket Handle for Stapedectomy**

CODE SPL 03.50

Piston diameter - 0.80
Ext. cup diameter - 1.10
Int. cup diameter - 0.95


CODE	Total Length	Functional Length
SPL 03.50.400	4.00	3.20
SPL 03.50.425	4.25	3.45
SPL 03.50.450	4.50	3.70
SPL 03.50.75	4.75	3.95
SPL 03.50.500	5.00	4.20
SPL 03.50.525	5.25	4.45
SPL 03.50.550	5.50	4.70
SPL 03.50.575	5.75	4.95
SPL 03.50.600	6.00	5.20
SPL 03.50.625	6.25	5.45
SPL 03.50.650	6.50	5.70

**TITANIUM Bucket Handle for Stapedectomy**

CODE SPL 03.51

Piston diameter - 0.50
Ext. cup diameter - 1.10
Int. cup diameter - 0.95

CODE	Total Length	Functional Length
SPL 03.51.400	4.00	3.20
SPL 03.51.425	4.25	3.45
SPL 03.51.450	4.50	3.70
SPL 03.51.75	4.75	3.95
SPL 03.51.500	5.00	4.20
SPL 03.51.525	5.25	4.45
SPL 03.51.550	5.50	4.70
SPL 03.51.575	5.75	4.95
SPL 03.51.600	6.00	5.20
SPL 03.51.625	6.25	5.45
SPL 03.51.650	6.50	5.70

**TITANIUM SELF-CRIMPING Prosthesis for Stapedotomy and Stapedectomy**

CODE SPL 03.31

Dimensions
Piston ø: 0.40 mm


CODE	L (mm)
SPL 03.31.425	4.25
SPL 03.31.450	4.50
SPL 03.31.475	4.75
SPL 03.31.500	5.00
SPL 03.31.525	5.25
SPL 03.31.550	5.50
SPL 03.31.575	5.75
SPL 03.31.600	6.00
SPL 03.31.650	6.50

**TITANIUM/PTFE SELF-CRIMPING Trimmable Prosthesis**

CODE SPL 03.355

CODE	L (mm)
SPL 03.355	7.00 trimmable to 4.25


Dimensions
Piston ø: 0.40 mm

**TITANIUM SELF-CRIMPING Prosthesis for Stapedotomy and Stapedectomy**

CODE SPL 03.32

Dimensions
Piston ø: 0.50 mm

CODE	L (mm)
SPL 03.32.425	4.25
SPL 03.32.450	4.50
SPL 03.32.475	4.75
SPL 03.32.500	5.00
SPL 03.32.525	5.25
SPL 03.32.550	5.50
SPL 03.32.575	5.75
SPL 03.32.600	6.00
SPL 03.32.650	6.50

**TITANIUM/PTFE SELF-CRIMPING Trimmable Prosthesis**

CODE SPL 03.365

CODE	L (mm)
SPL 03.365	7.00 trimmable to 4.25

Dimensions
Piston ø: 0.50 mm

**TITANIUM SELF-CRIMPING Prosthesis for Stapedotomy and Stapedectomy**

CODE SPL 03.33

Dimensions
Piston ø: 0.60 mm

CODE	L (mm)
SPL 03.33.425	4.25
SPL 03.33.450	4.50
SPL 03.33.475	4.75
SPL 03.33.500	5.00
SPL 03.33.525	5.25
SPL 03.33.550	5.50
SPL 03.33.575	5.75
SPL 03.33.600	6.00
SPL 03.33.650	6.50

**TITANIUM/PTFE SELF-CRIMPING Trimmable Prosthesis**

CODE SPL 03.375

CODE	L (mm)
SPL 03.375	7.00 trimmable to 4.25

Dimensions
Piston ø: 0.60 mm

**TITANIUM SELF-CRIMPING Prosthesis for Stapedotomy and Stapedectomy**

CODE SPL 03.34

Dimensions
Piston ø: 0.80 mm

CODE	L (mm)
SPL 03.34.425	4.25
SPL 03.34.450	4.50
SPL 03.34.475	4.75
SPL 03.34.500	5.00
SPL 03.34.525	5.25
SPL 03.34.550	5.50
SPL 03.34.575	5.75
SPL 03.34.600	6.00
SPL 03.34.650	6.50

**TITANIUM/PTFE SELF-CRIMPING Trimmable Prosthesis**

CODE SPL 03.385

CODE	L (mm)
SPL 03.385	7.00 trimmable to 4.25

Dimensions
Piston ø: 0.80 mm



PLATINUM - PTFE**PLATINUM/PTFE Prosthesis for Stapedotomy and Stapedectomy**

Dimensions
Piston ø: 0.60 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.07.400	4.00	SPL 03.07.550	5.50
SPL 03.07.425	4.25	SPL 03.07.575	5.75
SPL 03.07.450	4.50	SPL 03.07.600	6.00
SPL 03.07.475	4.75	SPL 03.07.625	6.25
SPL 03.07.500	5.00	SPL 03.07.650	6.50
SPL 03.07.525	5.25	SPL 03.07.999	10.00

CODE SPL 03.07

**PLATINUM - PTFE****PLATINUM/PTFE Trimmable Prosthesis**

CODE SPL 03.07S

CODE	L (mm)
SPL 03.07S	7.00 trimmable to 4.25


Dimensions
Piston ø: 0.60 mm

**PLATINUM/PTFE Prosthesis for Stapedotomy and Stapedectomy**

Dimensions
Piston ø: 0.40 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.08.400	4.00	SPL 03.08.550	5.50
SPL 03.08.425	4.25	SPL 03.08.575	5.75
SPL 03.08.450	4.50	SPL 03.08.600	6.00
SPL 03.08.475	4.75	SPL 03.08.625	6.25
SPL 03.08.500	5.00	SPL 03.08.650	6.50
SPL 03.08.525	5.25	SPL 03.08.999	10.00

CODE SPL 03.08

**PLATINUM/PTFE Trimmable Prosthesis**

CODE SPL 03.08S

CODE	L (mm)
SPL 03.08S	7.00 trimmable to 4.25

Dimensions
Piston ø: 0.40 mm

**PLATINUM/PTFE Prosthesis for Stapedotomy and Stapedectomy**

Dimensions
Piston ø: 0.50 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.09.400	4.00	SPL 03.09.550	5.50
SPL 03.09.425	4.25	SPL 03.09.575	5.75
SPL 03.09.450	4.50	SPL 03.09.600	6.00
SPL 03.09.475	4.75	SPL 03.09.625	6.25
SPL 03.09.500	5.00	SPL 03.09.650	6.50
SPL 03.09.525	5.25	SPL 03.09.999	10.00

CODE SPL 03.09

**PLATINUM/PTFE Trimmable Prosthesis**

CODE SPL 03.09S

CODE	L (mm)
SPL 03.09S	7.00 trimmable to 4.25

Dimensions
Piston ø: 0.50 mm

**PLATINUM/PTFE Prosthesis for Stapedotomy and Stapedectomy**

Dimensions
Piston ø: 0.80 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.10.400	4.00	SPL 03.10.550	5.50
SPL 03.10.425	4.25	SPL 03.10.575	5.75
SPL 03.10.450	4.50	SPL 03.10.600	6.00
SPL 03.10.475	4.75	SPL 03.10.625	6.25
SPL 03.10.500	5.00	SPL 03.10.650	6.50
SPL 03.10.525	5.25	SPL 03.10.999	10.00


CODE SPL 03.10

**PLATINUM/PTFE Trimmable Prosthesis**

CODE SPL 03.10S

CODE	L (mm)
SPL 03.10S	7.00 trimmable to 4.25

Dimensions
Piston ø: 0.80 mm

**TITANIUM****TITANIUM Prosthesis for Stapedotomy and Stapedectomy**

Dimensions
Piston ø: 0.60 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.20.400	4.00	SPL 03.20.550	5.50
SPL 03.20.425	4.25	SPL 03.20.575	5.75
SPL 03.20.450	4.50	SPL 03.20.600	6.00
SPL 03.20.475	4.75	SPL 03.20.625	6.25
SPL 03.20.500	5.00	SPL 03.20.650	6.50
SPL 03.20.525	5.25	SPL 03.20.999	10.00

CODE SPL 03.20

**TITANIUM - PTFE****TITANIUM/PTFE Trimmable Prosthesis**

CODE SPL 03.27S

CODE	L (mm)
SPL 03.27S	7.00 trimmable to 4.25


Dimensions
Piston ø: 0.40 mm

**TITANIUM Prosthesis for Stapedotomy and Stapedectomy**

Dimensions
Piston ø: 0.40 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.21.400	4.00	SPL 03.21.550	5.50
SPL 03.21.425	4.25	SPL 03.21.575	5.75
SPL 03.21.450	4.50	SPL 03.21.600	6.00
SPL 03.21.475	4.75	SPL 03.21.625	6.25
SPL 03.21.500	5.00	SPL 03.21.650	6.50
SPL 03.21.525	5.25	SPL 03.21.999	10.00

CODE SPL 03.21

**TITANIUM/PTFE Trimmable Prosthesis**

CODE SPL 03.28S

CODE	L (mm)
SPL 03.28S	7.00 trimmable to 4.25

Dimensions
Piston ø: 0.50 mm

**TITANIUM Prosthesis for Stapedotomy and Stapedectomy**

Dimensions
Piston ø: 0.50 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.22.400	4.00	SPL 03.22.550	5.50
SPL 03.22.425	4.25	SPL 03.22.575	5.75
SPL 03.22.450	4.50	SPL 03.22.600	6.00
SPL 03.22.475	4.75	SPL 03.22.625	6.25
SPL 03.22.500	5.00	SPL 03.22.650	6.50
SPL 03.22.525	5.25	SPL 03.22.999	10.00

CODE SPL 03.22

**TITANIUM/PTFE Trimmable Prosthesis**

CODE SPL 03.29S

CODE	L (mm)
SPL 03.29S	7.00 trimmable to 4.25


Dimensions
Piston ø: 0.60 mm

**TITANIUM Prosthesis for Stapedotomy and Stapedectomy**

Dimensions
Piston ø: 0.80 mm

CODE	L (mm)	CODE	L (mm)
SPL 03.23.400	4.00	SPL 03.23.550	5.50
SPL 03.23.425	4.25	SPL 03.23.575	5.75
SPL 03.23.450	4.50	SPL 03.23.600	6.00
SPL 03.23.475	4.75	SPL 03.23.625	6.25
SPL 03.23.500	5.00	SPL 03.23.650	6.50
SPL 03.23.525	5.25	SPL 03.23.999	10.00

CODE SPL 03.23

**TITANIUM/PTFE Trimmable Prosthesis**

CODE SPL 03.30S

CODE	L (mm)
SPL 03.30S	7.00 trimmable to 4.25

Dimensions
Piston ø: 0.80 mm



Superelastic NITINOL - PTFE


Self-Crimping Superelastic NITINOL/PTFE Piston

Dimensions

Wire ø: 0.20 mm
Columella ø: 0.40 mm

CODE	L (mm)	FL (mm)
SPL 03.43.400	4.00	3.00
SPL 03.43.425	4.25	3.25
SPL 03.43.450	4.50	3.50
SPL 03.43.475	4.75	3.75
SPL 03.43.500	5.00	4.00
SPL 03.43.525	5.25	4.25
SPL 03.43.550	5.50	4.50
SPL 03.43.575	5.75	4.75
SPL 03.43.600	6.00	5.00
SPL 03.43.625	6.25	5.25
SPL 03.43.650	6.50	5.50

CODE	L (mm)	FL (mm)
SPL 03.43.700	7.00	6.00
SPL 03.43.750	7.50	6.50
SPL 03.43.800	8.00	7.00
SPL 03.43.850	8.50	7.50
SPL 03.43.900	9.00	8.00
SPL 03.43.950	9.50	8.50
SPL 03.43.999	9.99	8.99



CODE SPL 03.44


NITINOL/PTFE Trimmable Prosthesis

CODE SPL 03.43S

CODE	L (mm)	FL (mm)
SPL 03.43S	7.00 trimmable to 4.25	6.00 trimmable to 3.25

Dimensions

Wire ø: 0.20 mm
PTFE Columella ø: 0.40 mm




Self-Crimping Superelastic NITINOL/PTFE Piston

Dimensions

Wire ø: 0.20 mm
Columella ø: 0.50 mm

CODE	L (mm)	FL (mm)
SPL 03.44.400	4.00	3.00
SPL 03.44.425	4.25	3.25
SPL 03.44.450	4.50	3.50
SPL 03.44.475	4.75	3.75
SPL 03.44.500	5.00	4.00
SPL 03.44.525	5.25	4.25
SPL 03.44.550	5.50	4.50
SPL 03.44.575	5.75	4.75
SPL 03.44.600	6.00	5.00
SPL 03.44.625	6.25	5.25
SPL 03.44.650	6.50	5.50

CODE	L (mm)	FL (mm)
SPL 03.44.700	7.00	6.00
SPL 03.44.750	7.50	6.50
SPL 03.44.800	8.00	7.00
SPL 03.44.850	8.50	7.50
SPL 03.44.900	9.00	8.00
SPL 03.44.950	9.50	8.50
SPL 03.44.999	9.99	8.99



CODE SPL 03.44


NITINOL/PTFE Trimmable Prosthesis

CODE SPL 03.44S

CODE	L (mm)	FL (mm)
SPL 03.44S	7.00 trimmable to 4.25	6.00 trimmable to 3.25

Dimensions

Wire ø: 0.20 mm
PTFE Columella ø: 0.50 mm




Self-Crimping Superelastic NITINOL/PTFE Piston

Dimensions

Wire ø: 0.20 mm
Columella ø: 0.60 mm

CODE	L (mm)	FL (mm)
SPL 03.45.400	4.00	3.00
SPL 03.45.425	4.25	3.25
SPL 03.45.450	4.50	3.50
SPL 03.45.475	4.75	3.75
SPL 03.45.500	5.00	4.00
SPL 03.45.525	5.25	4.25
SPL 03.45.550	5.50	4.50
SPL 03.45.575	5.75	4.75
SPL 03.45.600	6.00	5.00
SPL 03.45.625	6.25	5.25
SPL 03.45.650	6.50	5.50

CODE	L (mm)	FL (mm)
SPL 03.45.700	7.00	6.00
SPL 03.45.750	7.50	6.50
SPL 03.45.800	8.00	7.00
SPL 03.45.850	8.50	7.50
SPL 03.45.900	9.00	8.00
SPL 03.45.950	9.50	8.50
SPL 03.45.999	9.99	8.99



CODE SPL 03.45


NITINOL/PTFE Trimmable Prosthesis

CODE SPL 03.45S

CODE	L (mm)	FL (mm)
SPL 03.45S	7.00 trimmable to 4.25	6.00 trimmable to 3.25

Dimensions

Wire ø: 0.20 mm
PTFE Columella ø: 0.60 mm




Self-Crimping Superelastic NITINOL/PTFE Piston

Dimensions

Wire ø: 0.20 mm
Columella ø: 0.80 mm

CODE	L (mm)	FL (mm)
SPL 03.46.400	4.00	3.00
SPL 03.46.425	4.25	3.25
SPL 03.46.450	4.50	3.50
SPL 03.46.475	4.75	3.75
SPL 03.46.500	5.00	4.00
SPL 03.46.525	5.25	4.25
SPL 03.46.550	5.50	4.50
SPL 03.46.575	5.75	4.75
SPL 03.46.600	6.00	5.00
SPL 03.46.625	6.25	5.25
SPL 03.46.650	6.50	5.50

CODE	L (mm)	FL (mm)
SPL 03.46.700	7.00	6.00
SPL 03.46.750	7.50	6.50
SPL 03.46.800	8.00	7.00
SPL 03.46.850	8.50	7.50
SPL 03.46.900	9.00	8.00
SPL 03.46.950	9.50	8.50
SPL 03.46.999	9.99	8.99



CODE SPL 03.46


NITINOL/PTFE Trimmable Prosthesis

CODE SPL 03.46S

CODE	L (mm)	FL (mm)
SPL 03.46S	7.00 trimmable to 4.25	6.00 trimmable to 3.25

Dimensions

Wire ø: 0.20 mm
PTFE Columella ø: 0.80 mm





Standard NITINOL Hook:
0.7 mm < Anvil < 0.9 mm



Small NITINOL Hook:
Anvil < 0.7 mm
add "P" to the number code
for example: SPL 03.44.525P



Large NITINOL Hook:
Anvil > 0.9 mm
add "G" to the number code
for example: SPL 03.44.525G

Anvil Measurement Device: code SPL 03.56

TITANIUM - PTFE

TITANIUM/PTFE Adjustable Russo-Sanna Piston

CODE SPL 03.53S

Titanium adjustable wire Ø: 0.15mm
PTFE trimmable stem ø: 0.5 mm

CODE	L (mm)
SPL 03.53S	7.00 trimmable to 4.00



TITANIUM/PTFE Adjustable Russo-Sanna Piston

CODE SPL 03.53LL

Titanium adjustable wire Ø: 0.15mm
PTFE trimmable stem ø: 0.5 mm


CODE	L (mm)
SPL 03.53LL	11.00 trimmable to 6.00



AUDIO PE® Offset Partial Prosthesis**CODE TPL 07.02**


Columella outside Ø: 1.80
Columella inside Ø: 1.20

CODE	L (mm)
TPL 07.02	5.00

**AUDIO PE® Offset Total Prosthesis****CODE TPL 07.04**

Columella distal end Ø: 0.65

CODE	L (mm)
TPL 07.04.600	6.00
TPL 07.04.700	7.00
TPL 07.04.800	8.00

**AUDIO PE® Total Prosthesis****CODE TAL 07.09**


Columella distal end Ø: 0.70

CODE	L (mm)
TAP 07.09.600	6.00
TAP 07.09.700	7.00
TAP 07.09.800	8.00

**AUDIO PE® Partial Prosthesis****CODE PAP 07.10**


Columella outside Ø: 2.10
Columella inside Ø: 1.20

CODE	L (mm)
PAP 07.10	5.00

**AUDIO PE® Adjustable Offset Total Prosthesis*****CODE TPL 07.03**


*PLATINUM core
Columella distal end Ø: 1.20

CODE	L (mm)
TPL 07.03	8.00

**AUDIO-HA® Offset Total Prosthesis****CODE TPL 07.05**


Columella distal end Ø: 0.70

CODE	L (mm)
TPL 07.05.500	5.00
TPL 07.05.550	5.50
TPL 07.05.600	6.00
TPL 07.05.650	6.50
TPL 07.05.700	7.00
TPL 07.05.750	7.50
TPL 07.05.800	8.00

**AUDIO-HA® Offset Partial Prosthesis****CODE TPL 07.06**


Columella outside Ø: 2.00
Hole Ø: 1.20

CODE	L (mm)
TPL 07.06.300	3.00
TPL 07.06.350	3.50
TPL 07.06.400	4.00
TPL 07.06.450	4.50
TPL 07.06.500	5.00
TPL 07.06.550	5.50

**AUDIO-HA® Total Prosthesis****CODE TAP 07.11**


Columella distal end Ø: 0.65

CODE	L (mm)
TAP 07.11.500	5.00
TAP 07.11.550	5.50
TAP 07.11.600	6.00
TAP 07.11.650	6.50
TAP 07.11.700	7.00
TAP 07.11.750	7.50
TAP 07.11.800	8.00

**AUDIO-HA® Partial Prosthesis****CODE PAP 07.12**

Columella outside Ø: 2.10
Hole Ø: 1.20

CODE	L (mm)
PAP 07.12.300	3.00
PAP 07.12.350	3.50
PAP 07.12.400	4.00
PAP 07.12.450	4.50
PAP 07.12.500	5.00

**AUDIO-HA® 90° Oval Head Total Prosthesis****CODE TAP 07.13**

Columella distal end Ø: 0.75

CODE	L (mm)
TAP 07.13.500	5.00
TAP 07.13.550	5.50
TAP 07.13.600	6.00
TAP 07.13.650	6.50
TAP 07.13.700	7.00
TAP 07.13.750	7.50
TAP 07.13.800	8.00

**AUDIO-HA® 75° Oval Head Total Prosthesis****CODE TAP 07.14**


Columella distal end Ø: 0.70

CODE	L (mm)
TAP 07.14.500	5.00
TAP 07.14.550	5.50
TAP 07.14.600	6.00
TAP 07.14.650	6.50
TAP 07.14.700	7.00
TAP 07.14.750	7.50
TAP 07.14.800	8.00

**AUDIO-HA® 90° Oval Head Partial Prosthesis****CODE PAP 07.15**


Columella outside Ø: 2.00
Columella inside Ø: 1.20

CODE	L (mm)
PAP 07.15.300	3.00
PAP 07.15.350	3.50
PAP 07.15.400	4.00
PAP 07.15.450	4.50
PAP 07.15.500	5.00

**AUDIO-HA® 75° Oval Head Partial Prosthesis****CODE PAP 07.16**


Columella outside Ø: 2.00
Columella inside Ø: 1.20

CODE	L (mm)
PAP 07.16.300	3.00
PAP 07.16.350	3.50
PAP 07.16.400	4.00
PAP 07.16.450	4.50
PAP 07.16.500	5.00

**AUDIO-HA® Incus****CODE INCUS 07.17**

Columella outside Ø: 2.00
Columella inside Ø: 1.20


CODE	L (mm)
INCUS 07.17.325	3.25
INCUS 07.17.375	3.75



AUDIO-HA® Partial Incus

CODE INCUS 07.32

CODE	L (mm)	H (mm)
INCUS 07.32	2.50	1.60




AUDIO-HA® Adjustable Total Prosthesis*

CODE TPL 07.07

*PLATINUM joint
Columella distal end Ø: 0.65

CODE	L (mm)
TPL 07.07.550	5.50
TPL 07.07.600	6.00
TPL 07.07.650	6.50
TPL 07.07.700	7.00
TPL 07.07.750	7.50
TPL 07.07.800	8.00




AUDIO-HA® Adjustable Partial Prosthesis*

CODE TPL 07.08

*PLATINUM joint
Columella outside Ø: 2.00
Columella inside Ø: 1.20

CODE	L (mm)
TPL 07.08.350	3.50
TPL 07.08.400	4.00
TPL 07.08.450	4.50
TPL 07.08.500	5.00
TPL 07.08.550	5.50
TPL 07.08.600	6.00




Dense AUDIO-HA® Telescopic Total Prosthesis by Magnan-Babighian

CODE TAP 07.18

Piston Ø: 0.80

CODE	L (mm)
TAP 07.18.500	5.00
TAP 07.18.550	5.50
TAP 07.18.600	6.00
TAP 07.18.650	6.50
TAP 07.18.700	7.00
TAP 07.18.750	7.50
TAP 07.18.800	8.00




Dense AUDIO-HA® Telescopic Partial Prosthesis by Magnan-Babighian

CODE PAP 07.19

Columella outside Ø: 2.10
Columella inside Ø: 1.20

CODE	L (mm)
PAP 07.19.350	3.50
PAP 07.19.400	4.00
PAP 07.19.450	4.50
PAP 07.19.500	5.00
PAP 07.19.550	5.50
PAP 07.19.600	6.00




Dense AUDIO-HA® and AUDIO-PE® Trimmable Total Prosthesis*

CODE TAP 07.40

*PLATINUM joint
Flange Ø: 3.50
Platinum wire Ø: 0.20
PTFE Ø: 0.75

CODE	L (mm)
TAP 07.40	8.00




Dense AUDIO-HA® and AUDIO-PE® Trimmable Partial Prosthesis*

CODE PAP 07.41

*PLATINUM joint
Flange Ø: 3.50
Platinum wire Ø: 0.25
AUDIO-PE columella external Ø: 2.20
AUDIO-PE columella inner Ø: 1.40

CODE	L (mm)
PAP 07.41	8.00



Dense AUDIO-HA® Prosthesis "Marpla" by E. Garcia Ibañez

CODE TAP 07.54

Flange length: 4.00
Columella width: 1.00 x 0.80

CODE	L (mm)
TAP 07.54	8.00




Porous and dense AUDIO-HA® Adjustable Total Prosthesis*

PATENTED

CODE TAP 07.33

*PLATINUM joint
Lower end columella Ø: 0.65

CODE	L (mm)
TAP 07.33.550	5.50
TAP 07.33.600	6.00
TAP 07.33.650	6.50
TAP 07.33.700	7.00
TAP 07.33.750	7.50
TAP 07.33.800	8.00



Porous and dense AUDIO-HA® Adjustable Partial Prosthesis*

PATENTED

CODE PAP 07.34

*PLATINUM joint
Columella outside Ø: 2.100
Columella inside Ø: 1.40

CODE	L (mm)
PAP 07.34.400	4.00
PAP 07.34.450	4.50
PAP 07.34.500	5.00
PAP 07.34.550	5.50
PAP 07.34.600	6.00



Porous AUDIO-HAP® and PTFE Trimmable Total Prosthesis*

PATENTED

CODE TAP 07.35

*PLATINUM joint
Flange Ø: 3.50
Platinum wire Ø: 0.20
PTFE Ø: 0.60

CODE	L (mm)
TAP 07.35	from 8.00 to 3.25



Porous AUDIO-HAP® and PTFE Trimmable Total Prosthesis*

PATENTED

CODE PAP 07.36

*PLATINUM joint
Flange Ø: 3.50
Platinum wire Ø: 0.25
PTFE columella outside Ø: 2.10
PTFE columella inner Ø: 1.40

CODE	L (mm)
PAP 07.36	from 6.50 to 3.00



Porous AUDIO-HAP® and AUDIO-PE® Trimmable Total Prosthesis*

PATENTED

CODE TAP 07.37

*PLATINUM joint
Flange Ø: 3.50
Platinum wire Ø: 0.20
PE Ø: 0.60

CODE	L (mm)
TAP 07.37	from 8.00 to 3.25



Porous AUDIO-HAP® and AUDIO-PE® Trimmable Total Prosthesis*

PATENTED


CODE PAP 07.38


*PLATINUM joint
Flange Ø: 3.50
Platinum wire Ø: 0.25
PE columella outside Ø: 2.10
PE columella inner Ø: 1.40


CODE	L (mm)
PAP 07.38	from 6.50 to 3.00



Dense AUDIO-HA® and AUDIO-PE® Trimmable Malleus-Footplate Prosthesis*		CODE TAP 07.42				
*PLATINUM joint Flange Ø: 3.50 Platinum wire Ø: 0.20 AUDIO-PE Ø: 0.75	<table border="1"> <thead> <tr> <th>CODE</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>TAP 07.42</td> <td>8.00</td> </tr> </tbody> </table>	CODE	L (mm)	TAP 07.42	8.00	
CODE	L (mm)					
TAP 07.42	8.00					

Dense AUDIO-HA® and AUDIO-PE® Trimmable Malleus-Stapes Prosthesis*		CODE PAP 07.43				
*PLATINUM joint Flange Ø: 3.50 Platinum wire Ø: 0.25 AUDIO-PE columella external Ø: 2.20 AUDIO-PE Columella inner Ø: 1.40	<table border="1"> <thead> <tr> <th>CODE</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>PAP 07.43</td> <td>8.00</td> </tr> </tbody> </table>	CODE	L (mm)	PAP 07.43	8.00	
CODE	L (mm)					
PAP 07.43	8.00					


Dense AUDIO-HA® Posterior Canal Wall Prosthesis by Magnan		CODE TPL 07.39									
Outside radius: 10 Inside radius: 6	<table border="1"> <thead> <tr> <th>CODE</th> <th>B (mm)</th> <th>A (mm)</th> </tr> </thead> <tbody> <tr> <td>TPL 07.39L (left)</td> <td>22</td> <td>20</td> </tr> <tr> <td>TPL 07.39R (right)</td> <td>22</td> <td>20</td> </tr> </tbody> </table>	CODE	B (mm)	A (mm)	TPL 07.39L (left)	22	20	TPL 07.39R (right)	22	20	 LEFT RIGHT
CODE	B (mm)	A (mm)									
TPL 07.39L (left)	22	20									
TPL 07.39R (right)	22	20									


Dense AUDIO-HA® Footplate Prosthesis		CODE TPL 07.44
Footplate size: 1.25x1.00 Inner ø: 0.85 Added implant length: 0.50		

Dense AUDIO-HA® Open Tympanoplasty Partial Prosthesis		CODE TPL 07.45				
Total drilled flange ø: 4.00 Inside ø: 1.40	<table border="1"> <thead> <tr> <th>CODE</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>TPL 07.45</td> <td>3.50</td> </tr> </tbody> </table>	CODE	L (mm)	TPL 07.45	3.50	
CODE	L (mm)					
TPL 07.45	3.50					


Porous AUDIO-HAP® Open Tympanoplasty Partial Prosthesis		CODE PAP 07.50				
Flange ø: 4.00 Columella external ø: 2.10 Columella Inside ø: 1.20	<table border="1"> <thead> <tr> <th>CODE</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>PAP 07.50</td> <td>4.00</td> </tr> </tbody> </table>	CODE	L (mm)	PAP 07.50	4.00	
CODE	L (mm)					
PAP 07.50	4.00					


Gold and PTFE Trimmable Total Prosthesis*		CODE TAP 07.46				
*Trimmable PTFE stem Flange Ø: 3.00 Gold wire Ø: 0.30 PTFE Ø: 0.80	<table border="1"> <thead> <tr> <th>CODE</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>TAP 07.46</td> <td>trimmable from 8.00 to 4.50</td> </tr> </tbody> </table>	CODE	L (mm)	TAP 07.46	trimmable from 8.00 to 4.50	
CODE	L (mm)					
TAP 07.46	trimmable from 8.00 to 4.50					


Gold and PE Trimmable Partial Prosthesis*		CODE PAP 07.47				
*Trimmable PE stem Flange Ø: 3.00 Gold wire Ø: 0.30 PE columella outside Ø: 1.80 PE columella inner Ø: 1.20	<table border="1"> <thead> <tr> <th>CODE</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>PAP 07.47</td> <td>trimmable from 6.50 to 2.75</td> </tr> </tbody> </table>	CODE	L (mm)	PAP 07.47	trimmable from 6.50 to 2.75	
CODE	L (mm)					
PAP 07.47	trimmable from 6.50 to 2.75					


Gold and PTFE Adjustable Total Prosthesis*		CODE TAP 07.48				
*Extensible PTFE stem Flange Ø: 3.00 Gold wire Ø: 0.30 PTFE Ø: 0.80	<table border="1"> <thead> <tr> <th>CODE</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>TAP 07.48</td> <td>from 4.00 to 9.00</td> </tr> </tbody> </table>	CODE	L (mm)	TAP 07.48	from 4.00 to 9.00	
CODE	L (mm)					
TAP 07.48	from 4.00 to 9.00					

Gold and AUDIO-PE® Adjustable Partial Prosthesis*		CODE PAP 07.49				
*Extensible PE stem Flange Ø: 3.00 Gold wire Ø: 0.30 Audio-PE columella outside Ø: 1.80 Audio-PE columella inside Ø: 1.20	<table border="1"> <thead> <tr> <th>CODE</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>PAP 07.49</td> <td>from 2.75 to 6.50</td> </tr> </tbody> </table>	CODE	L (mm)	PAP 07.49	from 2.75 to 6.50	
CODE	L (mm)					
PAP 07.49	from 2.75 to 6.50					

TITANIUM and PTFE Total Prosthesis for Ossiculoplasty*		CODE TAP 07.52				
*Trimmable PTFE stem Titanium wire Ø: 0.23 PTFE Ø: 0.60	<table border="1"> <thead> <tr> <th>CODE</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>TAP 07.52</td> <td>trimmable from 6.25 to 4.50</td> </tr> </tbody> </table>	CODE	L (mm)	TAP 07.52	trimmable from 6.25 to 4.50	
CODE	L (mm)					
TAP 07.52	trimmable from 6.25 to 4.50					

TITANIUM and PTFE Partial Prosthesis for Ossiculoplasty		CODE PAP 07.53				
Titanium wire Ø: 0.23	<table border="1"> <thead> <tr> <th>CODE</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>PAP 07.53</td> <td>1.90</td> </tr> </tbody> </table>	CODE	L (mm)	PAP 07.53	1.90	
CODE	L (mm)					
PAP 07.53	1.90					


TITANIUM Adjustable Total Prosthesis*		CODE TAP 07.55				
*Extensible stem Flange size: 3.80x3.00	<table border="1"> <thead> <tr> <th>CODE</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>TAP 07.55</td> <td>from 5.00 to 8.50</td> </tr> </tbody> </table>	CODE	L (mm)	TAP 07.55	from 5.00 to 8.50	
CODE	L (mm)					
TAP 07.55	from 5.00 to 8.50					

TITANIUM Incus Prosthesis		CODE PAP 07.56								
Columella outside ø: 2.00 Columella inner ø: 1.20	<table border="1"> <thead> <tr> <th>CODE</th> <th>L (mm)</th> </tr> </thead> <tbody> <tr> <td>PAP 07.56.300</td> <td>3.00</td> </tr> <tr> <td>PAP 07.56.400</td> <td>4.00</td> </tr> <tr> <td>PAP 07.56.500</td> <td>5.00</td> </tr> </tbody> </table>	CODE	L (mm)	PAP 07.56.300	3.00	PAP 07.56.400	4.00	PAP 07.56.500	5.00	
CODE	L (mm)									
PAP 07.56.300	3.00									
PAP 07.56.400	4.00									
PAP 07.56.500	5.00									

TITANIUM/HAP Adjustable Partial Prosthesis **PATENTED** CODE PAP 07.72

Extensible stem
Flange size: 3.50 x 2.50


CODE	L (mm)
PAP 07.72	from 2.00 to 5.00



TITANIUM/HAP Adjustable Total Prosthesis **PATENTED** CODE TAP 07.58

Extensible stem
Flange size: 3.50 x 2.50
Columella ø: 0.60


CODE	L (mm)
TAP 07.58	from 4.00 to 8.00



TITANIUM Total Prosthesis CODE TAP 07.61

Columella
ø: 0.60


CODE	L (mm)	CODE	L (mm)
TAP 07.61.300	3.00	TAP 07.61.500	5.00
TAP 07.61.325	3.25	TAP 07.61.525	5.25
TAP 07.61.350	3.50	TAP 07.61.550	5.50
TAP 07.61.375	3.75	TAP 07.61.600	6.00
TAP 07.61.400	4.00	TAP 07.61.650	6.50
TAP 07.61.425	4.25	TAP 07.61.700	7.00
TAP 07.61.450	4.50	TAP 07.61.750	7.50
TAP 07.61.475	4.75	TAP 07.61.800	8.00



TITANIUM/HAP Total Prosthesis **PATENTED** CODE TAP 07.65

Columella
ø: 0.60


CODE	L (mm)	CODE	L (mm)
TAP 07.65.300	3.00	TAP 07.65.500	5.00
TAP 07.65.325	3.25	TAP 07.65.525	5.25
TAP 07.65.350	3.50	TAP 07.65.550	5.50
TAP 07.65.375	3.75	TAP 07.65.600	6.00
TAP 07.65.400	4.00	TAP 07.65.650	6.50
TAP 07.65.425	4.25	TAP 07.65.700	7.00
TAP 07.65.450	4.50	TAP 07.65.750	7.50
TAP 07.65.475	4.75	TAP 07.65.800	8.00



TITANIUM Partial Prosthesis CODE PAP 07.62

Columella
outside ø: 1.20
Columella
inside ø: 1.10


CODE	L (mm)	CODE	L (mm)
PAP 07.62.050	0.50	PAP 07.62.250	2.50
PAP 07.62.075	0.75	PAP 07.62.275	2.75
PAP 07.62.100	1.00	PAP 07.62.300	3.00
PAP 07.62.125	1.25	PAP 07.62.325	3.25
PAP 07.62.150	1.50	PAP 07.62.350	3.50
PAP 07.62.175	1.75	PAP 07.62.400	4.00
PAP 07.62.200	2.00	PAP 07.62.450	4.50
PAP 07.62.225	2.25	PAP 07.62.500	5.00



TITANIUM/HAP Partial Prosthesis **PATENTED** CODE PAP 07.66

Columella
outside ø: 1.20
Columella
inside ø: 1.10

CODE	L (mm)	CODE	L (mm)
PAP 07.66.100	1.00	PAP 07.66.275	2.75
PAP 07.66.125	1.25	PAP 07.66.300	3.00
PAP 07.66.150	1.50	PAP 07.66.325	3.25
PAP 07.66.175	1.75	PAP 07.66.350	3.50
PAP 07.66.200	2.00	PAP 07.66.400	4.00
PAP 07.66.225	2.25	PAP 07.66.450	4.50
PAP 07.66.250	2.50	PAP 07.66.500	5.00



TITANIUM Adjustable Total Prosthesis CODE TAP 07.63

Extensible stem
Flange size: 3.50 x 2.50


CODE	L (mm)
TAP 07.63	from 3.00 to 8.00



TITANIUM/HAP Adjustable Total Prosthesis **PATENTED** CODE TAP 07.67

Extensible stem
Flange size: 3.50 x 2.50


CODE	L (mm)
TAP 07.67	from 4.00 to 8.00



TITANIUM Adjustable Partial Prosthesis CODE PAP 07.64

Extensible stem
Flange size: 3.50 x 2.50


CODE	L (mm)
PAP 07.64	from 1.50 to 5.50



TITANIUM Adjustable Partial Prosthesis **PATENTED** CODE PAP 07.68

Extensible stem
Flange size: 3.50 x 2.50

CODE	L (mm)
PAP 07.68	from 2.25 to 5.00



TITANIUM/ HAP Shock-absorbing Prosthesis **PATENTED** CODE PAP 07.60

Columella outside ø: 1.30
Columella inside ø: 1.10


CODE	L (mm)
PAP 07.60.250	2.50
PAP 07.60.300	3.00
PAP 07.60.350	3.50
PAP 07.60.400	4.00
PAP 07.60.450	4.50
PAP 07.60.500	5.00



TITANIUM/ HAP Shock-absorbing Prosthesis **PATENTED** CODE TAP 07.71

Columella PTFE ø: 0.60


CODE	L (mm)
TAP 07.71	trimmable from 8.00 to 4.00



Bojrab TITANIUM Universal Prosthesis CODE TPL 07.77

Trimmmable stem
Flange size: 2.50 x 5.35


CODE	L (mm)
TPL 07.77	trimmmable from 8.00 to 2.00



TITANIUM/HAP/PTFE Universal Prosthesis **PATENTED** CODE TPL 07.59


Partial: columella outside ø: 1.20
columella inner ø: 1.10
Total: columella ø: 0.60

CODE	L (mm)
TPL 07.59	shortable from 3.50 to 7.50



holder diameter: 0.60

holder diameter: 0.80



holder diameter: 0.50

holder diameter: 0.40

CODE	Diam. (mm)
TPL 07.73	0.40
TPL 07.74	0.50
TPL 07.75	0.60
TPL 07.76	0.80

shoe size: 0.7x1.1
nails: 0.09


TITANIUM *Ninja* Total Prosthesis

CODE TAP 07.61 SH

Shoe size:
0.7x1.1

PATENT PENDING

CODE	L (mm)	CODE	L (mm)
TAP 07.61.300SH	3.00	TAP 07.61.500SH	5.00
TAP 07.61.325SH	3.25	TAP 07.61.525SH	5.25
TAP 07.61.350SH	3.50	TAP 07.61.550SH	5.50
TAP 07.61.375SH	3.75	TAP 07.61.600SH	6.00
TAP 07.61.400SH	4.00	TAP 07.61.650SH	6.50
TAP 07.61.425SH	4.25	TAP 07.61.700SH	7.00
TAP 07.61.450SH	4.50	TAP 07.61.750SH	7.50
TAP 07.61.475SH	4.75	TAP 07.61.800SH	8.00


TITANIUM/HAP *Ninja* Total Prosthesis

CODE TAP 07.65SH

Shoe size:
0.7x1.1

PATENT PENDING

CODE	L (mm)	CODE	L (mm)
TAP 07.65.300SH	3.00	TAP 07.65.500SH	5.00
TAP 07.65.325SH	3.25	TAP 07.65.525SH	5.25
TAP 07.65.350SH	3.50	TAP 07.65.550SH	5.50
TAP 07.65.375SH	3.75	TAP 07.65.600SH	6.00
TAP 07.65.400SH	4.00	TAP 07.65.650SH	6.50
TAP 07.65.425SH	4.25	TAP 07.65.700SH	7.00
TAP 07.65.450SH	4.50	TAP 07.65.750SH	7.50
TAP 07.65.475SH	4.75	TAP 07.65.800SH	8.00

TITANIUM *Ninja* Adjustable Total Prosthesis


CODE TAP 07.63 SH

Extensible stem

Shoe size: 0.7x1.1

PATENT PENDING

CODE	L (mm)
TAP 07.63SH	from 3.00 to 9.00

TITANIUM/HAP *Ninja* Adjustable total Prosthesis


CODE TAP 07.67SH

Extensible stem

Shoe size: 0.7x1.1

PATENT PENDING

CODE	L (mm)
TAP 07.67SH	from 3.00 to 9.00



NOTE



The word 'audio' is written in a lowercase, black, sans-serif font. To the left of the 'a' is a circular graphic composed of several concentric circles. A registered trademark symbol (®) is located to the upper right of the 'o'. Below the word 'audio' is a red rectangular bar containing the word 'TECHNOLOGIES' in white, uppercase, sans-serif letters.

Audio Technologies S.r.l

Gossolengo - Piacenza (ITALY) - Tel. +39.0523.778864 - Fax. +39.0523.770019 - info@audiotecnologies.it - www.audiotecnologies.it

CAT400 rev.00 – Oct. 2015