


1. **JackKNIFE, 2 switches, shaft 2.4 mm, for 3-pin, cable 4.5 m (220-045)**
DM000569231



2. **Double-pedal footswitch with switch and clip, cable 4 m (901-032)**
DM000569544



3. **TissueSeal PLUS COMFORT, 160 mm, cable 4.5 m (760-216)**
DM000569335



4. Rubber return plate, adults, 250 x 150 mm, international DM000569049



Rubber return plate, adults, 250 x 150 mm, international

Reusable neutral electrodes for simple procedures

Product number: 242-003

Unit: 1 piece

Use: Adults

Connection: International

[Reset selection](#)

[Inquiry](#)

Description	Specification	Download
Size / Dimensions	375 cm ²	
Cable	0.5 m	
Total gross weight	454 G	
Net unit weight	279 G	
Monopolar / bipolar / passive	Passive	
Single-use / reusable	Reusable	
Sterile / non-sterile	Non-sterile	
Cleaning / Disinfecting	Autoclave	
Preparation	75 cycles	
Permissible combinations	194-075, 295-050, 385-050	
Packaging unit	PCS (1 PCS)	
CE conformity marking	YES	
EU medical device classification	IIb	
Manufacturer	BOWA-electronic GmbH & Co. KG	
Note	non-split, for adults > 15 kg	

5. Cable, rubber return plate, international, 4.5 m

DM000569090



Cable, rubber return plate, international, 4.5 m
Cable for reusable neutral electrodes

- > High voltage reliability
- > Autoclavable

Scope of delivery
Incl. instructions for use
Product number: 385-050
Unit: 1 piece

Device connection: 2 pin international NON-REM

[Reset selection](#)

Inquiry

Description	Specification	Download
Length	4.5 m	
Total gross weight	162 G	
Net unit weight	100 G	
Electric strength	500 Vp	
Monopolar / bipolar / passive	passive	
Single-use / reusable	Reusable	
Sterile / non-sterile	Non-sterile	
Cleaning / Disinfecting	Autoclave	
Preparation	200 cycles	
Connector type	BOWA / Valleylab NON-REM	
Permissible combinations	232-003, 242-003	
Packaging unit	PCS (1 PCS)	
Scope of delivery	Incl. instructions for use	
CE conformity marking	YES	
EU medical device classification	I	
Manufacturer	BOWA-electronic GmbH & Co. KG	

6. Equipotential bonding, 0.5 m/ Equipotential bonding, 5 m



Equipotential bonding, 5 m

Equipotential bonding cables for BOWA devices and equipment trolleys

Product number: 900-031

Length: 5 m

[View selection](#)

Inquiry

Description

Specification

Size / Dimensions	5 m
Total gross weight	334 G
Net unit weight	329 G
Sterile / non-sterile	Non-sterile
Preparation	Wipe disinfection
Permissible combinations	LG4, 900-000, 900-001, 900-100, 900-250, 900-303, 900-351, 900-400, 900-600, 902-050, 902-054, 902-055, 902-056, 902-070, 902-911, 950-001
Packaging unit	PCS (1 PCS)
CE conformity marking	NO
EU medical device classification	non-medical

7. Generator trunk, for BOWA ARC (without generator) (040-400)
DM000569525



Description	Specification
Size / Dimensions	650 x 350 x 700 mm
Total gross weight	18.5 KG
Net unit weight	17.22 KG
Preparation	Wipe disinfection
Permissible combinations	900-250, 900-303, 900-351, 900-400, 900-600
Packaging unit	PCS (1 PCS)
Scope of delivery	220-045, 218-145, 530-207, 530-021, 280-050, 2 x 101-000, 101-140, 605-002, 605-040, 386-050, 816-112, 901-032, 901-011, 900-030, 900-031
CE conformity marking	YES
Notified body	TÜV SÜD Product Service GmbH (0123)
EU medical device classification	non-medical
Manufacturer	BOWA-electronic GmbH & Co. KG