

Specificații tehnice (F4.1)

[Acest tabel va fi completat de către ofertant în coloanele 3, 4, 5, 7, iar de către autoritatea contractantă – în coloanele 1, 2, 6, 8]

Numărul procedurii de achiziție: ocds-b3wdp1-MD-1625567368810 din 06.07.2021							
Denumirea procedurii de achiziție: Materiale consumabile și piese de schimb							
Cod CPV	Denumirea bunurilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standard de referință
1	2	3	4	5	6	7	8
30200000-1	2.1 Switch intelligent 10/100/1000 24 ports	MIKROTIK CRS326-24G-2S+RM CLOUD ROUTER SWITCH	China	MikroTik	24 Gigabit port Switch; 2 x SFP: architecture ARM; power (DC jack + PoE-IN) 1U rackmount C:ISC Dual boot	MIKROTIK CRS326-24G-2S+RM CLOUD ROUTER SWITCH 800MHZ, 512MB, 24XGE, 2XSFP+, 1XSERIAL -RJ45, L5 Garantie 24 luni	
30200000-1	2.2 Switch 10/100/100 24 ports	MIKROTIK CRS326-24G-2S+RM CLOUD ROUTER SWITCH	China	MikroTik	24 Gigabit port Switch; 2 x SFP; power (DC jack + PoE-IN) 1U rackmount case	MIKROTIK CRS326-24G-2S+RM CLOUD ROUTER SWITCH 800MHZ, 512MB, 24XGE, 2XSFP+, 1XSERIAL -RJ45, L6 Garantie 24 luni	
30200000-1	2.3 Router	Router MikroTik RB3011UiAS-RM	China	MikroTik	Zece porturi Gigabit si o interfata SFP+ de 10Gbps, Unitatea este echipata cu 1 GB de memorie RAM, poate furniza alimentare PoE pe portul 10 si vine intr-o carcasa metalica compacta si profesionala in negru mat alimentator 24V 1.5A, urechi prindere in rack 1U. Dimensiunea stocarii 512 MB, Tipul de stocare NAND, Temperatura de lucru - 40°C la 70°C	Router MikroTik RB3011UiAS-RM CPU IPQ-8064 CPU core count 2 CPU nominal frequency 1.4 GHz Size of RAM 1 GB Storage size 128 MB Storage type NAND Tested ambient temperature -20°C to 70°C Number of DC inputs 2 (DC jack, PoE-IN) SFP ports 1 Serial console port RJ45 Number of USB ports 1 USB Power Reset Yes	

						USB slot type USB 3.0 type A Garantie 24 luni	
30200000-1	2.4 Switch 10/100,1000 8-10 ports	TP-LINK TL- SG108 8-port	China	TP-LINK	8 Gigabit port switch; Tip carcasa - metal;	TP-LINK TL-SG108 8-port Desktop Gigabit Switch, 8 10/100/1000M RJ45 ports, steel case Garantie 24 luni	
30200000-1	2.5 HDD SAS Server 600 Gb	SEAGATE Exos 600 GB ST600MP000 6	China	SEAGATE	Capacitate (GB) 600 GB; Viteza de rotatie (rpm): 15000; Buffer min. (MB) 128 MB; Timp de acces (ms) de la 3.5, Interfata SAS; Rata de transfer (MB/s) de la 10Gbit/s; Format (inch) 3.5 "	SEAGATE Exos 600 GB ST600MP0006 Viteza de rotatie (rpm): 15000; Buffer (MB) 256 MB; Timp de acces (ms) 2, Interfata SAS; Rata de transfer (MB/s) 12Gbit/s; Format (inch) 2.5 Garantie 24 luni	
30200000-1	2.6 HDD 2Tb	3.5" HDD 2.0TB-SATA- 256MB Western Digital " Red NAS (WD20EFAX) "	China	Western Digital	Viteza de rotatie (RPM)7200; Format (inch)3.5; Capacitate (GB) 2000; Interfata SATA3: Buffer MB 64 - 256; Compatibilitate Desktop - Nas	3.5" HDD 2.0TB-SATA-256MB Western Digital " Red NAS (WD20EFAX)" Garantie 24 luni	
30200000-1	2.7 SSD 240 GB	Silicon Power Slim S56	China	Silicon Power	Format (inch) 2.5; Capacitate (GB) 240; Interfata SATA3: Compatibilitate - Laptop si Desktop; Viteza de citire si scriere min 560/500 MB/s	Silicon Power Slim S56 2.5" 240 GB Serial ATA III TLC Read speed 560 MB/s Write speed 530 MB/s Garantie 24 luni	
30200000-1	2.8 Memorie DDR3 8gb	Patriot Memory 8GB	China	Patriot	8Gb DDR3 - 1600 PC 12800, CL10, 1.35V / 1.5V	Patriot Memory 8GB PC3-12800 memory module DDR3 1600 MHz Garantie 24 luni	
30200000-1	2.9 Memorie DDR4 8gb	XPG Hunter memory module 8 GB	China	XPG	DDR4 -3200 PC25600. CL16. 1.2V / 1.35V	XPG Hunter memory module 8 GB 1 x 8 GB DDR4 3200 MHz Garantie 24 luni	
30200000-1	2.10 Router WIFI 2.4 Ghz/5Ghz	Mikrotik RBD52G- 5HacD2HnD- TC, hAP ac2	China	Mikrotik	Tipul dispozitivului - Wi-Fi punct de acces; Ethernet Porturi - LAN 2 x RJ - 45 (10/100/1000 Mbps); Architecture ARM; 4-CPU; Wi-Fi Standartele de	Mikrotik RBD52G-5HacD2HnD- TC, hAP ac2 CPU IPQ-4018 CPU core count 4	

					comunicare 802.11 a/b/g/n/ac; Cifrare + Frecventa 2,4/5 GHz: Puterea de iesire max 25 dBm; Amplificarea antenei de la 2 dBi; power (DC jack + PoE-IN; Interfete - gestionarea web, gestionare-terminal;	CPU nominal frequency 716 MHz Size of RAM 128 MB Storage size 16 MB Tested ambient temperature -40°C to 50°C Wireless 2.4 GHz Max data rate 300 Mbit/s Wireless 2.4 GHz number of chains 2 Wireless 2.4 GHz standards 802.11b/g/n Antenna gain dBi for 2.4 GHz 2.5 Wireless 2.4 GHz generation Wi-Fi 4 Wireless 5 GHz Max data rate 867 Mbit/s Wireless 5 GHz number of chains 2 Wireless 5 GHz standards 802.11a/n/ac 10/100/1000 Ethernet ports 5 Garantie 24 luni	
30200000-1	2.11 Camera cu microfon WEB	Camera Web Tellur Full HD TLL491131	China	Tellur	Rezolutie video min (pixeli) 1280 x 720; Interfata USB 2.0 cu Microfon, Autofocus;	Camera Web Tellur Full HD TLL491131, 2MP, Autofocus, Microphone Interfata USB 2.0 Garantie 24 luni	
30200000-1	2.12 Acumulator pentru UPS 12V 7Ah	Gembird Battery 12V 7AH	China	Gembird	Tensiune nominala 12 V; Capacitatea nominala 7 Ah; Dimensiuni Lungimea 151 mm. Latimea 65 mm. Inaltimea 94 mm;	Gembird Battery 12V 7AH Dimensions: 151 x 65 x 93 mm Garantie 12 luni	
30200000-1	2.13 Baaterii reincarcabile AAA	AAA 1000mAh, Energenie, Ni-MH, EG-BA-AAA10-01	China	Energenie	Tip acumuloare (IEC) NiMH; Capacitatea acumulatorului 750- 1000 mAh; Tensiunea de alimentare 1,2 V; Resurs dc la 500- 2100 reincarcari	AAA 1000mAh, Energenie, Ni-MH, EG-BA-AAA10-01	
30200000-1	2.14 Baterii reincarcabile AA	AA 2000mAh, Energenie, Ni-	China	Energenie	Tip acumuloare (IEC) NiMH; Capacitatea acumulatorului 1700 2500	AA 2000mAh, Energenie, Ni-MH, EG-BA-AA20R4-01	

		MH, EG-BA-AA20R4-01			mAH; Tensiunea de alimentare 1,2 V; Resurs de la 500- 2100 reincarcari;		
30200000-1	2.15 Conector RJ45	RJ45 Modular Plug, Cat.5E	China	China	Set 100 Bucati; Mufa CAT RJ45 neecranata: Tip CAT5 8P8C (8 pini 8 contacte, 50u gold plated);	RJ45 Modular Plug, Cat.5E, Long Type, 50u" Gold plated, 100pcs/bag	
30200000-1	2.16 Mouse/tastatura cu fir	Logitech Wired Combo MK120	China	Logitech	Culoare Gri negru; Lungime cablu (m) 1.7- 2; Interfata USB: Compatibilitate Windows Vista, Windows 7, 8, 10; Tip mouse Optic, cu fir; Numar butoane 2+ 1: Rezolutie-minim 900dpi;	Logitech Wired Combo MK120, Keyboard & Mouse, USB, Russian Layout Garantie 24 luni	
30200000-1	2.17 Mouse/tastatura fara fir	Logitech Wireless Combo MK270	China	Logitech	Wireless Combo Keyboard + Mouse, Multimedia, 8-butoane, Spill-resistant, Nano receiver- 2.4Ghz;	Logitech Wireless Combo MK270, Multimedia Keyboard & Mouse, 8-keys, Spill-resistant, Nano receiver, USB, Retail Garantie 24 luni	
30200000-1	2.18 UPS 650 VA 390W	Gembird EnerGenie EG-UPS-031	China	Gembird	LCD display, min 650VA / 390W, UPS cu AVR, iesiri de tip min C13-2,min 1 pe Schuko outlets, USB port;	Gembird EnerGenie EG-UPS-031, LCD display, 650VA / 390W, UPS with AVR, Output sockets: 2 pcs x C13, 1 pc Schuko outlets, USB port Garantie 12 luni	
30200000-1	2.19 Casti audio cu microfon	CASTI Spacer „SPK-223”	China	Spacer	3.5mm jack, Tip conectivitate - Cu fir, Sunet Stereo, Microfon inclus;	CASTI Spacer, cu fir, standard, utilizare multimedia, call center, microfon pe brat, conectare prin Jack 3.5 mm x 2, negru, „SPK-223” Garantie 24 luni	
30200000-1	2.20 Hard extern	2.5" External HDD 2.0TB "STEA2000400"	China	Seagate	Capacitatea 2TB, interfata USB 3.I, compatibilitate - Windows, Mac OS, Linux, format - 2.5(inch).	2.5" External HDD 2.0TB (USB3.1) Seagate Expansion Portable Black "STEA2000400" Garantie 24 luni	
30200000-1	2.21 Microfon pt calculator	Microphone SVEN "MK-390"	China	SVEN	culoare- negru, interfata - 3.5mm, lungimea cablu min 2.4m;	Microphone SVEN "MK-390" Desktop Black interfata - 3.5mm lungimea cablu 2.4m Garantie 24 luni	
30200000-1	2.22 USB stik 64gb	64GB USB3.1 Kingston	China	Kingston	Micro USB 3. 1, Compact, carcasa metal, USB Flash drive (min citire 100 MB/s, scriere 15 MB/s)	64GB USB3.1 Kingston DataTraveler Micro 3.1 Metal casing, Compact and lightweight, World's smallest USB Flash drive	

						(Read 100 MByte/s, Write 15 MByte/s) Garantie 24 luni	
30200000-1	2.23 Usb prelungitor	LANBERG USB EXTENSION CABLE 2.0 AM-AF 1.8M	China	LANBERG	Lungime- 1.8 m, culoare-negru	LANBERG USB EXTENSION CABLE 2.0 AM-AF 1.8M (BLACK) CA-USBE-10CC-0018-BK Garantie 24 luni	
30200000-1	2.24 Boxe audio	BOXE SPACER 2.0 „SPB-216”	China	SPACER	Putere RMS(W) min. 6, sateliti- 2, culoare negru, conectori 3.5mm	BOXE SPACER 2.0, RMS: 6W (2 x 3W), control volum, mufa casti, USB power, black, „SPB-216” Garantie 24 luni	
30200000-1	2.25 Cablu UTP Cat 5/5e CU 305m	cable UTP Cat.5E, 24awg 4X2X1/0.45 COPPER, 305M, APC Electronic	China	APC Electronic	Cupru, UTP Cat 5/5e .4*2* 1/0.5 I mm	cable UTP Cat.5E, 24awg 4X2X1/0.45 COPPER, 305M, APC Electronic	
30200000-1	2.26 Reportofon	PHILIPS DVT2000 voice recorder	China	PHILIPS	Inregistrati continut audio in format MP3 Durata lunga de utilizare a bateriei min 20 de ore de inregistrare (MP3 la 8 kb/s), Memoria min de 4 GB, Inregistrare automata a vocii cu reducerea zgomotului de fundal, culoare- negru	PHILIPS DVT2000 voice recorder, Data recording format WAV, MP3, PCM, Memory size 4 GB, Maximum battery life (38 h), Noise reduction Garantie 24 luni	
30200000-1	2.27 Distrugator de hirtie	FELLOWES M-8C shredder	China	FELLOWES	Material plastic Randament min 8 foi (70 g/m2). Dimensiuni taiere 4x50mm Auto start/stop. Nivel de zgomot min 70 dB Senzori, Material pentru maruntire - carduri, CD/DVD, clame, foi Dimensiuni min 390x340x246 mm Greutate 5-6.5 kg	FELLOWES M-8C shredder, Cross Cut 4x50mm, Capacity 8 sheets, Vol. 15 litr. Material pentru maruntire - carduri, CD/DVD, clame, foi 378 x 310 x 244 mm 5,6 kg Garantie 24 luni	
30200000-1	2.28 Covoras pentru mouse	MousePAD GEMBIRD „MP-GAME-S”	China	GEMBIRD	Dimensiune min 200 x min 250 x min 3 mm, Material- natural rubber foam + fabric, Black;	MousePAD GEMBIRD – gaming, textil, 250 x 200 x 3 mm, negru, „MP-GAME-S”	

30200000-1	2.29 Prelungitor 5m cu filtru	Prelungitor cu protectie Defender ES black 5m, 5 sockets	China	Defender	Lungie 5m, Nr de locuri 5. Curent- 10A, tensiune V -220	Prelungitor cu protectie Defender ES black 5m, 5 sockets Garantie 24 luni	
------------	----------------------------------	--	-------	----------	--	---	--

Semnat: _____ Numele, Prenumele: Constantin Alexandru
Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, of 16

În calitate de: director