

OCEM Airfield Technology a division of Energy Technology S.r.l. Via della Solidarieta 2/1 40056 Valsamoggia Localita Crespellano Bologna Italy REVISION DATE: December 10, 2018

ORIGINAL ISSUE DATE: September 30, 2013

Recertification due: July 2021

An Activity Sponsored and Administered by Intertek

# AIRPORT LIGHTING EQUIPMENT CERTIFICATION PROGRAM

## CERTIFICATE OF CONFORMANCE

The product described below is hereby approved for listing in the next issue of the Federal Aviation Administration (FAA) Advisory Circular (AC) 150/5345-53, Appendix 3 Addendum "Airport Lighting Equipment Certification Program. The approval is based on successful completion of tests in accordance with the specifications listed in, and the requirements for approval described in the Advisory Circular, and the reporting to the Program Administrator the results of such tests, accompanied by related documents by an Intertek recognized testing laboratory. This Certificate is only confirmable in conjunction with equipment being listed in AC 150/5345-53, Appendix 3, Addendum, as currently published by the FAA. The certification is not valid for a product modified with non-OEM replacement parts or non-production components.

L-852(L) — Lights, Taxiway, Inpavement (AC 150/5345-46E)						
Manufacturer	Туре	Class	Style	Manufacturer's Catalog Number		
OCEM Airfield	A(L)	1	3	LITC08-F-A-GG-XX-0-X-X (540); LITC08-F-A-GY-XX-0-X-X (540)(541)		
Technology	A(L)	1	3	LITC08-F-A-YG-XX-0-X-X (541)(540); LITC08-F-A-YY-XX-0-X-X (541)		
0,	A(L)	1	3	LITC08-F-A-GS-1P-0-X-X (540); LITC08-F-A-YS-1P-0-X-X (541)		
	A(L)	1	3	LITC08-F-A-GM-1P-0-X-X (540); LITC08-F-A-YM-1P-0-X-X (541)		
	A(L)	1, 2	3	LITC08-F-A-GG-XX-R-X-X (540); LITC08-F-A-GY-XX-R-X-X (540)(541)		
	A(L)	1, 2	3	LITC08-F-A-YG-XX-R-X-X (541)(540); LITC08-F-A-YY-XX-R-X-X (541)		
	A(L)	1, 2	3	LITC08-F-A-GS-1P-R-X-X (540); LITC08-F-A-YS-1P-R-X-X (541)		
	A(L)	1, 2	3	LITC08-F-A-GM-1P-R-X-X (540); LITC08-F-A-YM-1P-R-X-X (541)		

NOTE: (540) 150.3957 Green LED; (541) 150.4048 Yellow LED

Equipment meets the requirements of FAA Engineering Brief No. 67D additional requirements for "Light Sources Other Than Incandescent and Xenon for Airport and Obstruction Lighting Fixtures" dated March 6, 2012.

- 1. This Equipment requires continuing validation in accordance with the requirements of AC 150/5345-53, and the Intertek Airport Lighting Equipment Certification Program.
- 2. Product tested and Report issued by: OCEM Airfield Technology; EuroTest, CERMET

(A) Report No: UT-RP-0240; EMC02 27210-130254; EMC07 27210-130254; UT-RP-0397

(B) Date of Report: 7/2013; 7/2013; 7/2013; 6/2018

NOTE: PLEASE REVIEW, AND ADVISE ADMINISTRATOR AT INTERTEK IMMEDIATELY IF DATA, AS SHOWN, NEED TO BE

CORRECTED.

Approved for Certification by:

Jeremy N. Downs, PE, Program Administrator Date: December 10, 2018



OCEM Airfield Technology a division of Energy Technology S.r.l. Via della Solidarieta 2/1 40056 Valsamoggia Localita Crespellano Bologna Italy

**REVISION DATE: December 10, 2018** 

ORIGINAL ISSUE DATE: September 30, 2013

Recertification due: <u>July 2021</u>

An Activity Sponsored and Administered by Intertek

### **AIRPORT LIGHTING EQUIPMENT** CERTIFICATION PROGRAM

#### **CERTIFICATE OF** CONFORMANCE

The product described below is hereby approved for listing in the next issue of the Federal Aviation Administration (FAA) Advisory Circular (AC) 150/5345-53, Appendix 3 Addendum "Airport Lighting Equipment Certification Program. The approval is based on successful completion of tests in accordance with the specifications listed in, and the requirements for approval described in the Advisory Circular, and the reporting to the Program Administrator the results of such tests, accompanied by related documents by an Intertek recognized testing laboratory. This Certificate is only confirmable in conjunction with equipment being listed in AC 150/5345-53, Appendix 3, Addendum, as currently published by the FAA. The certification is not valid for a product modified with non-OEM replacement parts or non-production components.

	L-852(L) – Lights, Taxiway, Inpavement (AC 150/5345-46E)							
Manufacture	er Type	Class	Style	Manufacturer's Catalog Number				
OCEM Airfie Technology	( – )	1, 2 1, 2 1, 2 1, 2	3 3 3 3	LITC12-F-A-GG-XX-0-X-X (540); LITC12-F-A-GY-XX-0-X-X (540)(541) LITC12-F-A-YG-XX-0-X-X (541)(540); LITC12-F-A-YY-XX-0-X-X (541) LITC12-F-A-GS-1P-0-X-X (540); LITC12-F-A-YS-1P-0-X-X (541) LITC12-F-A-GM-1P-0-X-X (540); LITC12-F-A-YM-1P-0-X-X (541)				

NOTE: (540) 150.3957 Green LED; (541) 150.4048 Yellow LED

Equipment meets the requirements of FAA Engineering Brief No. 67D additional requirements for "Light Sources Other Than Incandescent and Xenon for Airport and Obstruction Lighting Fixtures" dated March 6, 2012.

- 1. This Equipment requires continuing validation in accordance with the requirements of AC 150/5345-53, and the Intertek Airport Lighting Equipment Certification Program.
- 2. Product tested and Report issued by: OCEM Airfield Technology; EuroTest, CERMET

(A) Report No: UT-RP-0240; EMC02 27210-130254;

(B) Date of Report: 7/2013; 7/2013; 7/2013; 6/2018

EMC07 27210-130254; UT-RP-0397

NOTE: PLEASE REVIEW, AND ADVISE ADMINISTRATOR AT INTERTEK IMMEDIATELY IF DATA, AS SHOWN, NEED TO BE CORRECTED.

Approved for Certification by:



OCEM Airfield Technology a division of Energy Technology S.r.l. Via della Solidarieta 2/1 40056 Valsamoggia Localita Crespellano Bologna Italy **REVISION DATE:** <u>December 10, 2018</u>

ORIGINAL ISSUE DATE: September 30, 2013

Recertification due: <u>July 2021</u>

An Activity Sponsored and Administered by Intertek

# AIRPORT LIGHTING EQUIPMENT CERTIFICATION PROGRAM

### CERTIFICATE OF CONFORMANCE

The product described below is hereby approved for listing in the next issue of the Federal Aviation Administration (FAA) Advisory Circular (AC) 150/5345-53, Appendix 3 Addendum "Airport Lighting Equipment Certification Program. The approval is based on successful completion of tests in accordance with the specifications listed in, and the requirements for approval described in the Advisory Circular, and the reporting to the Program Administrator the results of such tests, accompanied by related documents by an Intertek recognized testing laboratory. This Certificate is only confirmable in conjunction with equipment being listed in AC 150/5345-53, Appendix 3, Addendum, as currently published by the FAA. The certification is not valid for a product modified with non-OEM replacement parts or non-production components.

L-852(L) – Lights, Taxiway, Inpavement (AC 150/5345-46E)							
Manufacturer	Туре	Class	Style	Manufacturer's Catalog Number			
OCEM	B(L)	1	3	LITC08-F-B-GG-XX-0-X-X (540); LITC08-F-B-YY-XX-0-X-X (541)			
Airfield	B(L)	1	3	LITC08-F-B-GS-1P-0-X-X (540); LITC08-F-B-GM-1P-0-X-X (540)			
Technology	B(L)	1	3	LITC08-F-B-YS-1P-0-X-X (541); LITC08-F-B-YM-1P-0-X-X (541)			
	B(L)	1	3	LITC08-F-B-SG-1P-0-X-X (540); LITC08-F-B-MG-1P-0-X-X (540)			
	B(L)	1	3	LITC08-F-B-SY-1P-0-X-X (541); LITC08-F-B-MY-1P-0-X-X (541)			
	B(L)	1, 2	3	LITC08-F-B-GG-XX-R-X-X (540); LITC08-F-B-YY-XX-R-X-X (541)			
	B(L)	1, 2	3	LITC08-F-B-GS-1P-R-X-X (540); LITC08-F-B-GM-1P-R-X-X (540)			
	B(L)	1, 2	3	LITC08-F-B-YS-1P-R-X-X (541); LITC08-F-B-YM-1P-R-X-X (541)			
	B(L)	1, 2	3	LITC08-F-B-SG-1P-R-X-X (540); LITC08-F-B-MG-1P-R-X-X (540)			

NOTE: (540) 150.3957 Green LED; (541) 150.4048 Yellow LED

1, 2

Equipment meets the requirements of FAA Engineering Brief No. 67D additional requirements for "Light Sources Other Than Incandescent and Xenon for Airport and Obstruction Lighting Fixtures" dated March 6, 2012.

- 1. This Equipment requires continuing validation in accordance with the requirements of AC 150/5345-53, and the Intertek Airport Lighting Equipment Certification Program.
- 2. Product tested and Report issued by: OCEM Airfield Technology; EuroTest, CERMET

(A) Report No: UT-RP-0240; EMC02 27210-130254; EMC07 27210-130254; UT-RP-0397

B(L)

(B) Date of Report: 7/2013; 7/2013; 7/2013; 6/2018

LITC08-F-B-SY-1P-R-X-X (541); LITC08-F-B-MY-1P-R-X-X (541)

NOTE: PLEASE REVIEW, AND ADVISE ADMINISTRATOR AT INTERTEK IMMEDIATELY IF DATA, AS SHOWN, NEED TO BE CORRECTED.

Approved for Certification by:



OCEM Airfield Technology a division of Energy Technology S.r.l. Via della Solidarieta 2/1 40056 Valsamoggia Localita Crespellano Bologna Italy **REVISION DATE:** <u>December 10, 2018</u>

ORIGINAL ISSUE DATE: September 30, 2013

Recertification due: \_\_July 2021

An Activity Sponsored and Administered by Intertek

# AIRPORT LIGHTING EQUIPMENT CERTIFICATION PROGRAM

### CERTIFICATE OF CONFORMANCE

The product described below is hereby approved for listing in the next issue of the Federal Aviation Administration (FAA) Advisory Circular (AC) 150/5345-53, Appendix 3 Addendum "Airport Lighting Equipment Certification Program. The approval is based on successful completion of tests in accordance with the specifications listed in, and the requirements for approval described in the Advisory Circular, and the reporting to the Program Administrator the results of such tests, accompanied by related documents by an Intertek recognized testing laboratory. This Certificate is only confirmable in conjunction with equipment being listed in AC 150/5345-53, Appendix 3, Addendum, as currently published by the FAA. The certification is not valid for a product modified with non-OEM replacement parts or non-production components.

	L-852(L) – Lights, Taxiway, Inpavement (AC 150/5345-46E)						
Manufacturer	Type	Class	Style	Manufacturer's Catalog Number			
OCEM Airfield Technology	B(L) B(L) B(L) B(L) B(L)	1, 2 1, 2 1, 2 1, 2 1, 2	3 3 3 3 3	LITC12-F-B-GG-XX-0-X-X (540); LITC12-F-B-YY-XX-0-X-X (541) LITC12-F-B-GS-1P-0-X-X (540); LITC12-F-B-GM-1P-0-X-X (540) LITC12-F-B-YS-1P-0-X-X (541); LITC12-F-B-YM-1P-0-X-X (541) LITC12-F-B-SG-1P-0-X-X (540); LITC12-F-B-MG-1P-0-X-X (540) LITC12-F-B-SY-1P-0-X-X (541); LITC12-F-B-MY-1P-0-X-X (541)			

NOTE: (540) 150.3957 Green LED; (541) 150.4048 Yellow LED

Equipment meets the requirements of FAA Engineering Brief No. 67D additional requirements for "Light Sources Other Than Incandescent and Xenon for Airport and Obstruction Lighting Fixtures" dated March 6, 2012.

- 1. This Equipment requires continuing validation in accordance with the requirements of AC 150/5345-53, and the Intertek Airport Lighting Equipment Certification Program.
- 2. Product tested and Report issued by: OCEM Airfield Technology; EuroTest, CERMET

(A) Report No: UT-RP-0240; EMC02 27210-130254; EMC07 27210-130254; UT-RP-0397 (B) Date of Report: 7/2013; 7/2013; 7/2013; 6/2018

NOTE: PLEASE REVIEW, AND ADVISE ADMINISTRATOR AT INTERTEK IMMEDIATELY IF DATA, AS SHOWN, NEED TO BE

CORRECTED.

Approved for Certification by:



**OCEM Airfield Technology** a division of Energy Technology S.r.l. Via della Solidarieta 2/1 40056 Valsamoggia Localita Crespellano Bologna Italy

**REVISION DATE: December 10, 2018** 

ORIGINAL ISSUE DATE: September 30, 2013

Recertification due: <u>July 2021</u>

An Activity Sponsored and Administered by Intertek

### **AIRPORT LIGHTING EQUIPMENT CERTIFICATION PROGRAM**

#### **CERTIFICATE OF CONFORMANCE**

The product described below is hereby approved for listing in the next issue of the Federal Aviation Administration (FAA) Advisory Circular (AC) 150/5345-53, Appendix 3 Addendum "Airport Lighting Equipment Certification Program. The approval is based on successful completion of tests in accordance with the specifications listed in, and the requirements for approval described in the Advisory Circular, and the reporting to the Program Administrator the results of such tests, accompanied by related documents by an Intertek recognized testing laboratory. This Certificate is only confirmable in conjunction with equipment being listed in AC 150/5345-53, Appendix 3, Addendum, as currently published by the FAA. The certification is not valid for a product modified with non-OEM replacement parts or nonproduction components.

	L-852(L) – Lights, Taxiway, Inpavement (AC 150/5345-46E)							
Manufacturer	Type	Class	Style	Manufacturer's Catalog Number				
OCEM Airfield Technology	C(L) C(L) C(L) C(L) C(L) C(L) C(L) C(L)	1 1 1 1 1 1,2 1,2 1,2 1,2 1,2	3 3 3 3 3 3 3 3 3 3 3 3	LITC08-F-C-GG-XX-0-X-X (540); LITC08-F-C-GY-XX-0-X-X (540)(541) LITC08-F-C-YG-XX-0-X-X (541)(540); LITC08-F-C-YY-XX-0-X-X (541) LITC08-F-C-GS-1P-0-X-X (540); LITC08-F-C-GM-1P-0-X-X (540) LITC08-F-C-YS-1P-0-X-X (541); LITC08-F-C-MG-1P-0-X-X (541) LITC08-F-C-SG-1P-0-X-X (540); LITC08-F-C-MG-1P-0-X-X (540) LITC08-F-C-SY-1P-0-X-X (541); LITC08-F-C-MY-1P-0-X-X (541) LITC08-F-C-GG-XX-R-X-X (540); LITC08-F-C-GY-XX-R-X-X (540)(541) LITC08-F-C-YG-XX-R-X-X (541)(540); LITC08-F-C-YY-XX-R-X-X (541) LITC08-F-C-GS-1P-R-X-X (540); LITC08-F-C-GM-1P-R-X-X (540) LITC08-F-C-YS-1P-R-X-X (541); LITC08-F-C-MG-1P-R-X-X (541) LITC08-F-C-SG-1P-R-X-X (540); LITC08-F-C-MG-1P-R-X-X (540) LITC08-F-C-SG-1P-R-X-X (541); LITC08-F-C-MG-1P-R-X-X (540) LITC08-F-C-SY-1P-R-X-X (541); LITC08-F-C-MY-1P-R-X-X (541)				

NOTE: (540) 150.3957 Green LED; (541) 150.4048 Yellow LED

Equipment meets the requirements of FAA Engineering Brief No. 67D additional requirements for "Light Sources Other Than Incandescent and Xenon for Airport and Obstruction Lighting Fixtures" dated March 6, 2012.

- 1. This Equipment requires continuing validation in accordance with the requirements of AC 150/5345-53, and the Intertek Airport Lighting Equipment Certification Program.
- 2. Product tested and Report issued by: OCEM Airfield Technology; EuroTest, CERMET

(A) Report No: UT-RP-0240: EMC02 27210-130254; EMC07 27210-130254; UT-RP-0397 (B) Date of Report: 7/2013; 7/2013; 7/2013; 6/2018

NOTE: PLEASE REVIEW, AND ADVISE ADMINISTRATOR AT INTERTEK IMMEDIATELY IF DATA, AS SHOWN, NEED TO BE CORRECTED.

Jeremy N. Downs, PE, Program Administrator

Date: December 10, 2018

Approved for Certification by:



OCEM Airfield Technology a division of Energy Technology S.r.l. Via della Solidarieta 2/1 40056 Valsamoggia Localita Crespellano Bologna Italy REVISION DATE: December 10, 2018

ORIGINAL ISSUE DATE: September 30, 2013

Recertification due: July 2021

An Activity Sponsored and Administered by Intertek

# AIRPORT LIGHTING EQUIPMENT CERTIFICATION PROGRAM

### CERTIFICATE OF CONFORMANCE

The product described below is hereby approved for listing in the next issue of the Federal Aviation Administration (FAA) Advisory Circular (AC) 150/5345-53, Appendix 3 Addendum "Airport Lighting Equipment Certification Program. The approval is based on successful completion of tests in accordance with the specifications listed in, and the requirements for approval described in the Advisory Circular, and the reporting to the Program Administrator the results of such tests, accompanied by related documents by an Intertek recognized testing laboratory. This Certificate is only confirmable in conjunction with equipment being listed in AC 150/5345-53, Appendix 3, Addendum, as currently published by the FAA. The certification is not valid for a product modified with non-OEM replacement parts or non-production components.

			1 (	PEO/L) Lights Tayiyay Innayamant				
		L-852(L) – Lights, Taxiway, Inpavement						
				(AC 150/5345-46E)				
Manufacturer	Type	Class	Style	Manufacturer's Catalog Number				
OCEM	C(L)	1, 2	3	LITC12-F-C-GG-XX-0-X-X (540); LITC12-F-C-GY-XX-0-X-X (540)(541)				
Airfield	C(L)	1, 2	3	LITC12-F-C-YG-XP-0-X-X (541)(540); LITC12-F-C-YY-XP-0-X-X (541)				
Technology	C(L)	1, 2	3	LITC12-F-C-GS-1P-0-X-X (540); LITC12-F-C-GM-1P-0-X-X (540)				
	C(L)	1, 2	3	LITC12-F-C-YS-1P-0-X-X (541); LITC12-F-C-YM-1P-0-X-X (541)				
	C(L)	1, 2	3	LITC12-F-C-SG-1P-0-X-X (540); LITC12-F-C-MG-1P-0-X-X (540)				
	C(L)	1, 2	3	LITC12-F-C-SY-1P-0-X-X (541); LITC12-F-C-MY-1P-0-X-X (541)				

NOTE: (540) 150.3957 Green LED; (541) 150.4048 Yellow LED

Equipment meets the requirements of FAA Engineering Brief No. 67D additional requirements for "Light Sources Other Than Incandescent and Xenon for Airport and Obstruction Lighting Fixtures" dated March 6, 2012.

- 1. This Equipment requires continuing validation in accordance with the requirements of AC 150/5345-53, and the Intertek Airport Lighting Equipment Certification Program.
- 2. Product tested and Report issued by: OCEM Airfield Technology; EuroTest, CERMET

(A) Report No: UT-RP-0240; EMC02 27210-130254; EMC07 27210-130254; UT-RP-0397 (B) Date of Report: 7/2013; 7/2013; 7/2013; 6/2018

NOTE: PLEASE REVIEW, AND ADVISE ADMINISTRATOR AT INTERTEK IMMEDIATELY IF DATA, AS SHOWN, NEED TO BE CORRECTED.

Approved for Certification by:

Jeremy N. Downs, PE, Program Administrator

Date: December 10, 2018



PROGRAM ADMINISTRATOR DEPARTMENT ALECP INTERTEK 3933 U.S. ROUTE 11

CORTLAND, NY 13045-0950

OCEM Airfield Technology a division of Energy Technology S.r.l. Via della Solidarieta 2/1 40056 Valsamoggia Localita Crespellano Bologna Italy **REVISION DATE: December 10, 2018** 

ORIGINAL ISSUE DATE: September 30, 2013

Recertification due: \_\_July 2021

An Activity Sponsored and Administered by Intertek

# AIRPORT LIGHTING EQUIPMENT CERTIFICATION PROGRAM

### CERTIFICATE OF CONFORMANCE

The product described below is hereby approved for listing in the next issue of the Federal Aviation Administration (FAA) Advisory Circular (AC) 150/5345-53, Appendix 3 Addendum "Airport Lighting Equipment Certification Program. The approval is based on successful completion of tests in accordance with the specifications listed in, and the requirements for approval described in the Advisory Circular, and the reporting to the Program Administrator the results of such tests, accompanied by related documents by an Intertek recognized testing laboratory. This Certificate is only confirmable in conjunction with equipment being listed in AC 150/5345-53, Appendix 3, Addendum, as currently published by the FAA. The certification is not valid for a product modified with non-OEM replacement parts or non-production components.

a product mod	moa witii	11011 0 = 11	Topiao	ement parts of non-production components.
			L-852(	(L) – Lights, Taxiway, Inpavement
				(AC 150/5345-46E)
Manufacturer	Type	Class	Style	Manufacturer's Catalog Number
OCEM	D(L)	1	3	LITC08-F-D-GG-XX-0-X-X (540); LITC08-F-D-YY-XX-0-X-X (541)
Airfield	D(L)	1	3	LITC08-F-D-GS-1P-0-X-X (540); LITC08-F-D-GM-1P-0-X-X (540)
Technology	D(L)	1	3	LITC08-F-D-YS-1P-0-X-X (541); LITC08-F-D-YM-1P-0-X-X (541)
	D(L)	1	3	LITC08-F-D-WS-1P-0-X-X (542); LITC08-F-D-WM-1P-0-X-X (542)
	D(L)	1	3	LITC08-F-D-SG-1P-0-X-X (540); LITC08-F-D-MG-1P-0-X-X (540)
	D(L)	1	3	LITC08-F-D-SY-1P-0-X-X (541); LITC08-F-D-MY-1P-0-X-X (541)
	D(L)	1	3	LITC08-F-D-SW-1P-0-X-X (542); LITC08-F-D-MW-1P-0-X-X (542)
	D(L)	1, 2	3	LITC08-F-D-GG-XX-R-X-X (540); LITC08-F-D-YY-XX-R-X-X (541)
	D(L)	1, 2	3	LITC08-F-D-GS-1P-R-X-X (540); LITC08-F-D-GM-1P-R-X-X (540)
	D(L)	1, 2	3	LITC08-F-D-YS-1P-R-X-X (541); LITC08-F-D-YM-1P-R-X-X (541)
	D(L)	1, 2	3	LITC08-F-D-WS-1P-R-X-X (542); LITC08-F-D-WM-1P-R-X-X (542)
	D(L)	1, 2	3	LITC08-F-D-SG-1P-R-X-X (540); LITC08-F-D-MG-1P-R-X-X (540)
	D(L)	1, 2	3	LITC08-F-D-SY-1P-R-X-X (541); LITC08-F-D-MY-1P-R-X-X (541)
	D(L)	1, 2	3	LITC08-F-D-SW-1P-R-X-X (542); LITC08-F-D-MW-1P-R-X-X (542)
NOTE: (540) 1	50.3957	Green LE	D; (541	) 150.4048 Yellow LED; (542) 150.4166 White LED

Equipment meets the requirements of FAA Engineering Brief No. 67D additional requirements for "Light Sources Other Than Incandescent and Xenon for Airport and Obstruction Lighting Fixtures" dated March 6, 2012.

- 1. This Equipment requires continuing validation in accordance with the requirements of AC 150/5345-53, and the Intertek Airport Lighting Equipment Certification Program.
- 2. Product tested and Report issued by: OCEM Airfield Technology; EuroTest, CERMET

(A) Report No: UT-RP-0240; EMC02 27210-130254; EMC07 27210-130254; UT-RP-0397

(B) Date of Report: 7/2013; 7/2013; 7/2013; 6/2018

NOTE: PLEASE REVIEW, AND ADVISE ADMINISTRATOR AT INTERTEK IMMEDIATELY IF DATA, AS SHOWN, NEED TO BE CORRECTED.

Approved for Certification by:



OCEM Airfield Technology a division of Energy Technology S.r.l. Via della Solidarieta 2/1 40056 Valsamoggia Localita Crespellano Bologna Italy **REVISION DATE:** <u>December 10, 2018</u>

ORIGINAL ISSUE DATE: September 30, 2013

Recertification due: \_\_July 2021

An Activity Sponsored and Administered by Intertek

# AIRPORT LIGHTING EQUIPMENT CERTIFICATION PROGRAM

### CERTIFICATE OF CONFORMANCE

The product described below is hereby approved for listing in the next issue of the Federal Aviation Administration (FAA) Advisory Circular (AC) 150/5345-53, Appendix 3 Addendum "Airport Lighting Equipment Certification Program. The approval is based on successful completion of tests in accordance with the specifications listed in, and the requirements for approval described in the Advisory Circular, and the reporting to the Program Administrator the results of such tests, accompanied by related documents by an Intertek recognized testing laboratory. This Certificate is only confirmable in conjunction with equipment being listed in AC 150/5345-53, Appendix 3, Addendum, as currently published by the FAA. The certification is not valid for a product modified with non-OEM replacement parts or non-production components.

			L-8	352(L) – Lights, Taxiway, Inpavement (AC 150/5345-46E)
Manufacturer	Type	Class	Style	Manufacturer's Catalog Number
OCEM Airfield Technology	D(L)	1, 2	3	LITC12-F-D-GG-XX-0-X-X (540); LITC12-F-D-YY-XX-0-X-X (541) LITC12-F-D-GS-1P-0-X-X (540); LITC12-F-D-GM-1P-0-X-X (540) LITC12-F-D-YS-1P-0-X-X (541); LITC12-F-D-YM-1P-0-X-X (541) LITC12-F-D-WS-1P-0-X-X (542); LITC12-F-D-WM-1P-0-X-X (542) LITC12-F-D-SG-1P-0-X-X (540); LITC12-F-D-MG-1P-0-X-X (540) LITC12-F-D-SY-1P-0-X-X (541); LITC12-F-D-MY-1P-0-X-X (541) LITC12-F-D-SW-1P-0-X-X (542); LITC12-F-D-MW-1P-0-X-X (542)
NOTE: (540) 1	50 2057	Groon I	ED: /5/	1) 150 4048 Vellow LED: (542) 150 4166 White LED

NOTE: (540) 150.3957 Green LED; (541) 150.4048 Yellow LED; (542) 150.4166 White LED

Equipment meets the requirements of FAA Engineering Brief No. 67D additional requirements for "Light Sources Other Than Incandescent and Xenon for Airport and Obstruction Lighting Fixtures" dated March 6, 2012.

- 1. This Equipment requires continuing validation in accordance with the requirements of AC 150/5345-53, and the Intertek Airport Lighting Equipment Certification Program.
- 2. Product tested and Report issued by: OCEM Airfield Technology; EuroTest, CERMET

(A) Report No: UT-RP-0240; EMC02 27210-130254; EMC07 27210-130254; UT-RP-0397 (B) Date of Report: 7/2013; 7/2013; 7/2013; 6/2018

NOTE: PLEASE REVIEW, AND ADVISE ADMINISTRATOR AT INTERTEK IMMEDIATELY IF DATA, AS SHOWN, NEED TO BE CORRECTED.

Approved for Certification by:



OCEM Airfield Technology a division of Energy Technology S.r.l. Via della Solidarieta 2/1 40056 Valsamoggia Localita Crespellano Bologna Italy REVISION DATE: December 10, 2018

ORIGINAL ISSUE DATE: September 30, 2013

Recertification due: <u>July 2021</u>

An Activity Sponsored and Administered by Intertek

# AIRPORT LIGHTING EQUIPMENT CERTIFICATION PROGRAM

### CERTIFICATE OF CONFORMANCE

The product described below is hereby approved for listing in the next issue of the Federal Aviation Administration (FAA) Advisory Circular (AC) 150/5345-53, Appendix 3 Addendum "Airport Lighting Equipment Certification Program. The approval is based on successful completion of tests in accordance with the specifications listed in, and the requirements for approval described in the Advisory Circular, and the reporting to the Program Administrator the results of such tests, accompanied by related documents by an Intertek recognized testing laboratory. This Certificate is only confirmable in conjunction with equipment being listed in AC 150/5345-53, Appendix 3, Addendum, as currently published by the FAA. The certification is not valid for a product modified with non-OEM replacement parts or non-production components.

			L-8	B52(L) - Lights, Taxiway, Inpavement
				(AC 150/5345-46E)
Manufacturer	Type	Class	Style	Manufacturer's Catalog Number
OCEM	J(L)	1	3	LITC08-F-J-GG-XX-0-X-X (540); LITC08-F-J-YY-XX-0-X-X (541)
Airfield	J(L)	1	3	LITC08-F-J-GS-1P-0-X-X (540); LITC08-F-J-GM-1P-0-X-X (540)
Technology	J(L)	1	3	LITC08-F-J-YS-1P-0-X-X (541); LITC08-F-J-YM-1P-0-X-X (541)
	J(L)	1	3	LITC08-F-J-SG-1P-0-X-X (540); LITC08-F-J-MG-1P-0-X-X (540)
	J(Ľ)	1	3	LITC08-F-J-SY-1P-0-X-X (541); LITC08-F-J-MY-1P-0-X-X (541)
	J(L)	1, 2	3	LITC08-F-J-GG-XX-R-X-X (540; LITC08-F-J-YY-XX-R-X-X (541)
	J(Ľ)	1, 2	3	LITC08-F-J-GS-1P-R-X-X (540); LITC08-F-J-GM-1P-R-X-X (540)
	J(L)	1, 2	3	LITC08-F-J-YS-1P-R-X-X (541); LITC08-F-J-YM-1P-R-X-X (541)
	J(L)	1, 2	3	LITC08-F-J-SG-1P-R-X-X (540); LITC08-F-J-MG-1P-R-X-X (540)
	J(Ľ)	1, 2	3	LITC08-F-J-SY-1P-R-X-X (541); LITC08-F-J-MY-1P-R-X-X (541)
NOTE: (540) 15	50.3957	Green L	ED; (54	1) 150.4048 Yellow LED;

Equipment meets the requirements of FAA Engineering Brief No. 67D additional requirements for "Light Sources Other Than Incandescent and Xenon for Airport and Obstruction Lighting Fixtures" dated March 6, 2012.

- 1. This Equipment requires continuing validation in accordance with the requirements of AC 150/5345-53, and the Intertek Airport Lighting Equipment Certification Program.
- 2. Product tested and Report issued by: OCEM Airfield Technology; EuroTest, CERMET

(A) Report No: UT-RP-0240; EMC02 27210-130254; EMC07 27210-130254; UT-RP-0397 (B) Date of Report: 7/2013; 7/2013; 7/2013; 6/2018

NOTE: PLEASE REVIEW, AND ADVISE ADMINISTRATOR AT INTERTEK IMMEDIATELY IF DATA, AS SHOWN, NEED TO BE

CORRECTED.

Approved for Certification by:

Jeremy N. Downs, PE, Program Administrator Date: December 10, 2018



OCEM Airfield Technology a division of Energy Technology S.r.l. Via della Solidarieta 2/1 40056 Valsamoggia Localita Crespellano Bologna Italy REVISION DATE: December 10, 2018

ORIGINAL ISSUE DATE: September 30, 2013

Recertification due: July 2021

An Activity Sponsored and Administered by Intertek

# AIRPORT LIGHTING EQUIPMENT CERTIFICATION PROGRAM

### CERTIFICATE OF CONFORMANCE

The product described below is hereby approved for listing in the next issue of the Federal Aviation Administration (FAA) Advisory Circular (AC) 150/5345-53, Appendix 3 Addendum "Airport Lighting Equipment Certification Program. The approval is based on successful completion of tests in accordance with the specifications listed in, and the requirements for approval described in the Advisory Circular, and the reporting to the Program Administrator the results of such tests, accompanied by related documents by an Intertek recognized testing laboratory. This Certificate is only confirmable in conjunction with equipment being listed in AC 150/5345-53, Appendix 3, Addendum, as currently published by the FAA. The certification is not valid for a product modified with non-OEM replacement parts or non-production components.

	L-852(L) – Lights, Taxiway, Inpavement (AC 150/5345-46E)						
Manufacturer	Type	Class	Style	Manufacturer's Catalog Number			
OCEM Airfield Technology	J(L)	1, 2	3	LITC12-F-J-GG-XX-0-X-X (540); LITC12-F-J-YY-XX-0-X-X (541) LITC12-F-J-GS-1P-0-X-X (540); LITC12-F-J-GM-1P-0-X-X (540) LITC12-F-J-YS-1P-0-X-X (541); LITC12-F-J-YM-1P-0-X-X (541) LITC12-F-J-SG-1P-0-X-X (540); LITC12-F-J-MG-1P-0-X-X (540) LITC12-F-J-SY-1P-0-X-X (541); LITC12-F-J-MY-1P-0-X-X (541)			

NOTE: (540) 150.3957 Green LED; (541) 150.4048 Yellow LED;

Equipment meets the requirements of FAA Engineering Brief No. 67D additional requirements for "Light Sources Other Than Incandescent and Xenon for Airport and Obstruction Lighting Fixtures" dated March 6, 2012.

- 1. This Equipment requires continuing validation in accordance with the requirements of AC 150/5345-53, and the Intertek Airport Lighting Equipment Certification Program.
- 2. Product tested and Report issued by: OCEM Airfield Technology; EuroTest, CERMET

(A) Report No: UT-RP-0240; EMC02 27210-130254; EMC07 27210-130254; UT-RP-0397 (B) Date of Report: 7/2013; 7/2013; 7/2013; 6/2018

NOTE: PLEASE REVIEW, AND ADVISE ADMINISTRATOR AT INTERTEK IMMEDIATELY IF DATA, AS SHOWN, NEED TO BE CORRECTED.

Approved for Certification by:

Jeremy N. Downs, PE, Program Administrator Date: December 10, 2018



OCEM Airfield Technology a division of Energy Technology S.r.l. Via della Solidarieta 2/1 40056 Valsamoggia Localita Crespellano Bologna Italy REVISION DATE: December 10, 2018

ORIGINAL ISSUE DATE: September 30, 2013

Recertification due: <u>July 2021</u>

An Activity Sponsored and Administered by Intertek

# AIRPORT LIGHTING EQUIPMENT CERTIFICATION PROGRAM

## CERTIFICATE OF CONFORMANCE

The product described below is hereby approved for listing in the next issue of the Federal Aviation Administration (FAA) Advisory Circular (AC) 150/5345-53, Appendix 3 Addendum "Airport Lighting Equipment Certification Program. The approval is based on successful completion of tests in accordance with the specifications listed in, and the requirements for approval described in the Advisory Circular, and the reporting to the Program Administrator the results of such tests, accompanied by related documents by an Intertek recognized testing laboratory. This Certificate is only confirmable in conjunction with equipment being listed in AC 150/5345-53, Appendix 3, Addendum, as currently published by the FAA. The certification is not valid for a product modified with non-OEM replacement parts or non-production components.

			L-052(	L) – Lights, Taxiway, Inpavement (AC 150/5345-46E)
Manufacturer	Type	Class	Style	Manufacturer's Catalog Number
OCEM	K(L)	1	3	LITC08-F-K-GG-XX-0-X-X (540); LITC08-F-K-YY-XX-0-X-X (541)
Airfield	K(L)	1	3	LITC08-F-K-GS-1P-0-X-X (540); LITC08-F-K-GM-1P-0-X-X (540)
Technology	K(L)	1	3	LITC08-F-K-YS-1P-0-X-X (541); LITC08-F-K-YM-1P-0-X-X (541)
o,	K(L)	1	3	LITC08-F-K-SG-1P-0-X-X (540); LITC08-F-K-MG-1P-0-X-X (540)
	K(L)	1	3	LITC08-F-K-SY-1P-0-X-X (541); LITC08-F-K-MY-1P-0-X-X (541)
	K(L)	1, 2	3	LITC08-F-K-GG-XX-R-X-X (540); LITC08-F-K-YY-XX-R-X-X (541)
	K(L)	1, 2	3	LITC08-F-K-GS-1P-R-X-X (540); LITC08-F-K-GM-1P-R-X-X (540)
	K(L)	1, 2	3	LITC08-F-K-YS-1P-R-X-X (541); LITC08-F-K-YM-1P-R-X-X (541)
	K(L)	1, 2	3	LITC08-F-K-SG-1P-R-X-X (540); LITC08-F-K-MG-1P-R-X-X (540)
	K(L)	1, 2	3	LITC08-F-K-SY-1P-R-X-X (541); LITC08-F-K-MY-1P-R-X-X (541)
NOTE: (540) 15		,	D; (541	) 150.4048 Yellow LED;

Equipment meets the requirements of FAA Engineering Brief No. 67D additional requirements for "Light Sources Other Than Incandescent and Xenon for Airport and Obstruction Lighting Fixtures" dated March 6, 2012.

- 1. This Equipment requires continuing validation in accordance with the requirements of AC 150/5345-53, and the Intertek Airport Lighting Equipment Certification Program.
- 2. Product tested and Report issued by: OCEM Airfield Technology; EuroTest, CERMET

(A) Report No: UT-RP-0240; EMC02 27210-130254; EMC07 27210-130254; UT-RP-0397 (B) Date of Report: 7/2013; 7/2013; 7/2013; 6/2018

NOTE: PLEASE REVIEW, AND ADVISE ADMINISTRATOR AT INTERTEK IMMEDIATELY IF DATA, AS SHOWN, NEED TO BE CORRECTED.

Approved for Certification by:



OCEM Airfield Technology a division of Energy Technology S.r.l. Via della Solidarieta 2/1 40056 Valsamoggia Localita Crespellano Bologna Italy REVISION DATE: December 10, 2018

ORIGINAL ISSUE DATE: September 30, 2013

Recertification due: <u>July 2021</u>

An Activity Sponsored and Administered by Intertek

# AIRPORT LIGHTING EQUIPMENT CERTIFICATION PROGRAM

### CERTIFICATE OF CONFORMANCE

The product described below is hereby approved for listing in the next issue of the Federal Aviation Administration (FAA) Advisory Circular (AC) 150/5345-53, Appendix 3 Addendum "Airport Lighting Equipment Certification Program. The approval is based on successful completion of tests in accordance with the specifications listed in, and the requirements for approval described in the Advisory Circular, and the reporting to the Program Administrator the results of such tests, accompanied by related documents by an Intertek recognized testing laboratory. This Certificate is only confirmable in conjunction with equipment being listed in AC 150/5345-53, Appendix 3, Addendum, as currently published by the FAA. The certification is not valid for a product modified with non-OEM replacement parts or non-production components.

			L-852(	(L) – Lights, Taxiway, Inpavement (AC 150/5345-46E)
Manufacturer	Type	Class	Style	Manufacturer's Catalog Number
OCEM Airfield Technology	K(L) K(L) K(L) K(L) K(L)	1, 2 1, 2 1, 2 1, 2 1, 2	3 3 3 3 3	LITC12-F-K-GG-X-0-X-X (540); LITC12-F-K-YY-XX-0-X-X (541) LITC12-F-K-GS-1P-0-X-X (541); LITC12-F-K-GM-1P-0-X-X (540) LITC12-F-K-YS-1P-0-X-X (541); LITC12-F-K-YM-1P-0-X-X (541) LITC12-F-K-SG-1P-0-X-X (540); LITC12-F-K-MG-1P-0-X-X (540) LITC12-F-K-SY-1P-0-X-X (541); LITC12-F-K-MY-1P-0-X-X (541)

NOTE: (540) 150.3957 Green LED; (541) 150.4048 Yellow LED;

Equipment meets the requirements of FAA Engineering Brief No. 67D additional requirements for "Light Sources Other Than Incandescent and Xenon for Airport and Obstruction Lighting Fixtures" dated March 6, 2012.

- 1. This Equipment requires continuing validation in accordance with the requirements of AC 150/5345-53, and the Intertek Airport Lighting Equipment Certification Program.
- 2. Product tested and Report issued by: OCEM Airfield Technology; EuroTest, CERMET

(A) Report No: UT-RP-0240; EMC02 27210-130254; EMC07 27210-130254; UT-RP-0397 (B) Date of Report: 7/2013; 7/2013; 7/2013; 6/2018

NOTE: PLEASE REVIEW, AND ADVISE ADMINISTRATOR AT INTERTEK IMMEDIATELY IF DATA, AS SHOWN, NEED TO BE CORRECTED. Approved for Certification by:

Jeremy N. Downs, PE, Program Administrator Date: December 10, 2018