Cold Light Fountains



Components / Spare Parts

Catalog Page

TL 300 Cold Light Fountain POWER LED 300 SCB

141

400 A Mains Cord, length 300 cm



Components / Spare Parts

Catalog Page

20161401-1 Cold Light Fountain Power LED 175 SCB

142

400 A Mains Cord, length 300 cm

20090170 SCB Connecting Cable, length 100 cm



Spare Parts



2108191

Light Cable Adaptor, HALOGEN, 150/250 W

Components / Spare Parts

Catalog Page

20161201 Cold Light Fountain LED NOVA 150

90, 142

400 A Mains Cord, length 300 cm



Components / Spare Parts

Catalog Page

20133101-1 Cold Light Fountain XENON 300 SCB

143

400 A Mains Cord, length 300 cm

20090170 SCB Connecting Cable, length 100 cm



Spare Parts



20133028 **XENON Spare Lamp,**

300 W, 15 V



20133027 XENON Spare Lamp Module, 300 W, 15 V



2108191

Light Cable Adaptor, HALOGEN, 150/250 W

0-18

TP-SP 9 SP 11





Fiber Optic Light Cable, with straight connector, diameter 3.5 mm, length 180 cm





© KARL STORZ 96141019 PRO 1.0 02/2021/YHL-E

HEINKEL **Rectoscope Tube**, available in the following sizes:

HEINKEL Rectoscope Tube with Obturator					
Art. No.	Outer Diameter	Working Length	Art. No.	Outer Diameter	Working Length
24918K	12 mm	20 cm	24912K	20 mm	20 cm
24916K	16 mm	20 cm	24911K	20 mm	25 cm
24914K	16 mm	30 cm	24910K	20 mm	30 cm
24915K	18 mm	25 cm	24919K	24 mm	20 cm
24913K	18 mm	30 cm			

24920K

Illumination Head Unit, for HEINKEL rectoscope tubes, with fiber optic light transmission,

LUER-Lock hub for rubber insufflation bulb, including Glass Window Plug 24920FK

40924 Rubber Insufflation Bulb, with detachable tube, with LUER-Lock connector

> including: **Rubber Bulb Rubber Tube**

031123-10* Gas Filter, sterile, for single use, package of 10 STERILE ()



25215 Sponge Forceps, working length 40 cm

25239 Suction Tube, with cut-off hole, working length 40 cm

34351B CLICKLINE Biopsy Forceps, rotating, dismantling, insulated, with connector pin for unipolar

coagulation, with LUER-Lock irrigation connector for cleaning, single action jaws, medium jaws,

standard model for mucosal biopsy, size 5 mm, length 36 cm

Plastic Handle, without ratchet, with large contact area

Metal Outer Sheath, insulated

Forceps Insert

Note: The gas filter is positioned between the rubber ball and the rubber tube to prevent instrument contamination. Reprocessing of the rubber tube is nevertheless required when using Filter 031123-10*.

Components for video-assisted rectoscopy (RECTOVISION®)

24995K Rectoscope Tube, outer diameter 20 mm, length 25 cm, LUER-Lock hub for rubber insufflation bulb


and obturator

24995GA Working Attachment, with locking ring for Rectoscope Tube 24995 and 2 channels for instruments

with diameters up to 5 mm

24995BA HOPKINS® Forward-Oblique Telescope 30°, eyepiece angled 45°, diameter 4 mm,

length 28.5 cm, for use with Rectoscope Tube 24995 and Working Attachment 24995GA






Instrumentation for rectoscopy as well as suitable light sources and fiber optic light cables can be found in the Proctology catalog.

Instruments for Rectoscopy





High Frequency Surgery Units and Cords, Suction and Irrigation Systems see catalog PROCTOLOGY

80 GE-PRO 24

