

# ANUNȚ DE PARTICIPARE

privind achiziționarea: *echipamentului tehnic pentru producția TV și Radio*

prin procedura de achiziție *Cererea ofertelor de Preț*

1. Denumirea autorității contractante: *IP Compania „Teleradio – Moldova”*
2. IDNO: *1004600050558*
3. Adresa str. *Miorița 1, mun. Chișinău, MD – 2028*
4. Numărul de telefon/fax: *022721047, 022723352, 068088984*
5. Adresa de e-mail și pagina web oficială ale autorității contractante: [trm@trm.md](mailto:trm@trm.md), [www.trm.md](http://www.trm.md)
6. Adresa de e-mail sau pagina web oficială de la care se va putea obține accesul la documentația de atribuire: *documentația de atribuire este anexată în cadrul procedurii în SIA RSAP*
7. Tipul autorității contractante și obiectul principal de activitate (dacă este cazul, mențiunea că autoritatea contractantă este o autoritate centrală de achiziție sau că achiziția implică o altă formă de achiziție comună): *Instituție Publică*
8. Cumpărătorul invită operatorii economici interesați, care îi pot satisface necesitățile, să participe la procedura de achiziție privind livrarea bunuri:

Nr. d/o	Cod CPV	Denumirea bunului	Descrierea bunurilor și specificarea tehnică (cerințe minime tehnice)	Cant.	Unitatea de măsură	Pretul estimativ fără TVA
<i>Lot 1</i>						<i>116666,67</i>
	32000000-3	Camera Video	<p><b>Imaging</b>            Sensor Resolution Effective: 8.3 Megapixel            Image Sensor 1/3"-Type 3-Chip CMOS            Built-In ND Filter Mechanical Filter Wheel with Clear, 2-Stop (1/4), 4-Stop (1/16), 6-Stop (1/64) ND Filters and a 2 to 7 Stop Electronic ND Filter            Capture Type Video Only</p> <p><b>Exposure Control</b>            Shutter Type Electronic Rolling Shutter            Shutter Type Electronic Rolling Shutter            Shutter Speed 1/8000 to 1/24 Second            Minimum Illumination 0.02 Lux</p> <p><b>Lens</b>            Focal Length 3.7 to 92.5mm (35mm Equivalent: 28.8 to 720mm)            Optical Zoom Ratio 25x            Maximum Aperture f/1.6            Minimum Aperture f/11            Filter Size 82 mm (included 10 transparent filters)            Control Rings Focus            Zoom Iris            Focus Control Autofocus, Manual Focus</p> <p><b>Video Capture</b>            Internal Recording Modes            XAVC-L            3840 x 2160 at 23.98/25/29.97/50/59.94 fps [150 Mb/s]            1920 x 1080p at 23.98/25/29.97/50/59.94 fps [35 to 50 Mb/s]            1920 x 1080i at 50/59.94 fps [25 to 50 Mb/s]            1280 x 720 at 50/59.94 fps [50 Mb/s]            DV            720 x 480i at 59.94 fps            720 x 480p at 29.97 fps            720 x 576i at 50 fps            720 x 576p at 25 fps            Built-In Microphone Type Stereo</p>	1	Buc	

			<p>Audio Recording XAVC: 4-Channel 24-Bit 48 kHz LPCM Audio</p> <p><b>Interface</b>  Media/Memory Card Slot Dual Slot: SD/SDHC/SDXC  Video I/O 1 x BNC (3G-SDI) Output  1 x HDMI Output Audio I/O  2 x XLR 3-Pin Mic/Line (+48 V Phantom Power) Input  1 x 3.5 mm TRS Stereo Headphone Output  Other I/O 1 x BNC (Timecode) Input/Output, 1 x Micro-USB, 2 x USB-A  1 x RJ45 (LAN)  1 x 2.5 mm Sub-Mini (LANC) Control Wireless  2.4 / 5 GHz Wi-Fi 5 (802.11ac), NFC</p> <p><b>Monitor</b>  Display Type Articulating LCD  Display Size 3.5"  Resolution 1,560,000 Dot</p> <p><b>Viewfinder</b>  Type Built-In Electronic (LCD)  Size 0.39"  Resolution 2,360,000 Dot</p> <p><b>Focus</b>  Focus Type Auto and Manual Focus  Focus Mode Automatic, Manual Focus</p> <p><b>General</b>  Battery Type BP-U Series (5200 mAh / 74.88Wh 8 x Piece included)  Accessory Mounting Thread 1 x  Include 10 x SDXC 64Gb Write speed 90MB/S,  Speed Class 10  UHS Speed Class U3  Video Speed Class V30  10 x Card Reader All-in-1 (included)  USB3.0/3.1  SD XC UHS-II  Garanție 24 luni</p>			
<b>Lot 2</b>						<b>62908,33</b>
2.1	30213100-6	Laptop	<p>Processor (8-core/16-thread, 20MB cache, up to 4.7 GHz max)  GPU 4GB GDDR6, 1550MHz* at 95W  17.3 inches FHD (1920 x 1080) 16:9, IPS, 144Hz refresh rate  8GB DDR5-4800 SO-DIMM x 2  Maximum capacity: 32GB  1TB PCIe® 4.0 NVMe™ M.2 SSD</p> <p>Input/output ports  1x 3.5mm Combo Audio Jack  1x HDMI 2.0b  1x USB 3.2 Gen 2 Type-C  2x USB 3.2 Gen 1 Type-A  1x USB 3.2 Gen 2 Type-C, DisplayPort support  1x 2.5G LAN port</p> <p>Chiclet keyboard with lighting, 4 RGB zones Touchpad</p> <p><b>Audio</b>  Audio via Dolby Atmos  Microphone with background noise cancellation technology  Built-in microphone array  2-speaker system</p> <p><b>Networks and Communications</b>  Wi-Fi 6E(802.11ax) (Triple band) 2*2 + Bluetooth® 5.3</p> <p><b>Battery</b>  56WHrs, 4S1P, 4-cell Li-ion  Garanție 24 luni</p>	1	Buc	
2.2	30213100-6	Laptop	<p><b>MEMORY</b>  MEMORY CAPACITY 32 GB  MEMORY TYPE DDR5</p> <p><b>VIDEO</b>  VIDEO CARD MEMORY TYPE GDDR6  VIDEO CARD TYPE Dedicated  VIDEO MEMORY CAPACITY 12288 MB</p> <p><b>PROCESSOR</b></p>	1	Buc	

			<p>FREQUENCY 4800 MHz  CACHE 30720 KB  CORE NUMBER 16  PROCESSOR TECHNOLOGY 10 nm  TURBO BOOST FREQUENCY 5 GHz  <b>MONITOR</b>  RESOLUTION 2560x1440  DIAGONAL DISPLAY 17.3 inches  DISPLAY TECHNOLOGY IPS  AUDIO Stereo speakers, dual microphones  SSD CAPACITY 1 TB  SSD INTERFACE PCI Express, M.2  WIRELESS 802.11 ax 2x2  NETWORK 10/100/1000  1 x Mini DisplayPort, 1 x RJ-45, 3 x USB 3.1, 1 x Audio Out/Microphone, 1 x HDMI 2.1, 1 x Thunderbolt v4  CARD READER SD, SDHC, SDXC  BLUETOOTH VERSION 5.3  ACCESSORIES INCLUDED 330 W adapter  15m cable HDMI – HDMI (included 2Piece)  2m cable tupe-C – type-C (included 2Piece)  Garanție 24 luni</p>			
<b>Lot 3</b>						<b>4166,67</b>
3.1	30213100-6	Rucsac	<p>Backpack  Exterior (L x W x H) 55 x 37 x 35 cm  Interior (L x W x H) 52 x 35 x 22 cm  Soft padding  Hard padding  Suitable for Camera  Color Black  Nylon lining  Removable dividers  Pocket(s) outside  Net inside  Carrying handle  Tablet compartment  rainProtector  Material 1000d Cordura</p>	1	Buc	
<b>Lot 4</b>						<b>46890,00</b>
4.1	32340000-8	Microfon	<p>System  Wireless Technology Digital 1.9 GHz  Included Transmitters 1 x Handheld  Diversity Antenna Diversity  RF Frequency Band 1920 to 1930 MHz  RF Bandwidth 10 MHz  RF Channel Scanning Auto-Scan  Max Operating Range 29.9 m (Line of Sight)  Max Transmitters per Band 8  Sample Rate/Resolution 48 kHz / 24-Bit  Latency 19 ms  Dynamic Range &gt;120 dBA  Encryption AES 256  Modulation GFSK (with Back Channel)  Receiver  Receiver Type Camera-Mount  Mounting Options- Plug-In, Shoe-Mount(with Included Hardware)  Antenna 1 x External, Fixed (Top-Mount)  Number of Audio Channels 1  Audio I/O 1 x XLR 3-Pin Male Balanced Mic Output  Audio Output Level - XLR Output:-30 to 0 dB (Balanced)  Frequency Response 20 Hz to 20 kHz  USB/Lightning Connectivity 1 x Micro-USB Female (Bus Power, Charging)  Power Requirements Battery, Bus Power (USB)  Battery Type 1 x Battery Pack (Included)  Approx. Battery Life - 4 Hours (Lithium Rechargeable)  Display &amp; Indicators - 1 x LED (Battery Status, Level)  Housing Metal</p>	1	Buc	

			<p>Transmitter  Transmitter Type Handheld  RF Output Power Up to 250 mW  Muting Mute Switch  Frequency Response 50 Hz to 20 kHz (Mic)  Antenna 1 x External, Fixed (Handheld)  Power Requirements- Battery, Bus Power (USB)  Battery Type 1 x Battery Pack (Included)  Approx. Battery Life - 15 Hours (Lithium Rechargeable)  USB/Lightning I/O 1 x Micro-USB (Bus Power, Charging)  Display &amp; Indicators 1 x LCD (Battery Status, Signal Strength)  Housing Metal  Microphone  Microphone Type Handheld Capsule  Color Black  Sound Field Mono  Capsule Dynamic  Polar Pattern Cardioid  Maximum SPL 154 dB SPL Peak  Sensitivity 2.1 mV/Pa  Garanție 24 luni</p>			
4.2	32340000-8	Microfon	<p>Microphone Channel Audio Output 2ch  Shoe type Multi Interface Shoe  Power Supply from Main Unit Multi Interface Shoe  Battery Type Built-in lithium-ion battery  Number of Battery Required 1  Monaural / Stereo Monaural  Directivity omni-directional  Frequency Response 20 Hz to 20 000 Hz  <b>Front sensitivity</b>  -20 dBFS (0.1 Pa, 1 kHz)* * Acquired while "10dB" is selected by the ATT switch.  <b>Intrinsic noise</b>  16 dB SPL or less (0 dB = <math>2 \times 10^{-5}</math> Pa)* * Acquired while "10dB" is selected by the ATT switch. * Acquired while "DIGITAL" is selected by the slide switch.  <b>Maximum Input Sound Pressure Level</b>  120 dB SPL* * Acquired while "10dB" is selected by the ATT switch. * Equivalent sound pressure level value converted from the input level value that is acquired when 1% waveform distortion is produced by 1 kHz output signals from the microphone. (0 dB = <math>2 \times 10^{-5}</math> Pa)  <b>Microphone out jack</b> (3.5 mm mini jack (stereo))  External microphone input jack(3.5 mm mini jack (monaural))  USB Type-C® Terminal  Garanție 24 luni</p>	2	Buc	
4.3	32340000-8	Microfon	<p><b>Form Factor</b> Stand/Boom Mount  Intended Sound Sources Vocals, Speech/Voice-Over  Sound Field Mono  Operating Principle Pressure Operated  Element Type Dynamic  Polar Pattern Cardioid  <b>Performance</b>  Frequency Range 50 Hz to 20 kHz  Sensitivity -59 dBV/Pa at 1 kHz  <b>Physical</b>  Color Gray  Mounting Thread Size 5/8"-27 Female  Garanție 24 luni</p>	1	Buc	
4.4	32340000-8	Set de Lavalier wireless	<p><b>System</b>  Wireless Technology Analog UHF  Number of RF Channel Frequencies 1680  Included Transmitters 1 x Bodypack with Microphone  Diversity Antenna Diversity  RF Frequency Band A: 516 to 558 MHz  RF Bandwidth 42 MHz  Frequency Step Size 25 kHz  Max Operating Range 100.6 m (Line of Sight)  Max Transmitters per Band 12</p>	1	buc.	

			<p>Deviation 48 kHz (Peak)  Modulation Wideband FM</p> <p><b>Receiver</b>  Receiver Type Camera-Mount  Mounting Options Shoe-Mount (with Included Hardware)  Antenna 1 x Flexible Whip, Fixed  Number of Audio Channels 1  Audio I/O 1 x 3.5 mm TRS Female Unbalanced Output (Lockable)  Gain Range 42 dB (6 dB Steps)  Audio Output Level +12 dBu  Squelch 5 to 25 dBµV  Adjacent Channel Isolation &gt;65 dB  Power Requirements Battery  Battery Type 2 x AA (Included)  Approx. Battery Life 8 Hours (Alkaline)  Display &amp; Indicators 1 x Backlit LCD (Battery Status, Output Level, RF Level)  Housing Metal</p> <p><b>Transmitter</b>  Transmitter Type Bodypack  RF Output Power 30 mW  Audio I/O 1 x 3.5 mm TRS Female Unbalanced Input (Lockable)  Muting Mute Switch  Audio Input Level 3 V RMS (Max)  Gain Range 60 dB (3 dB Steps)  Frequency Response 80 Hz to 18 kHz (Mic)  25 Hz to 18 kHz (Line)  Sync Method IR  Antenna 1 x Flexible Whip, Fixed (Belt-pack)  Power Requirements Battery  Battery Type 2 x AA (Included)  Approx. Battery Life 8 Hours (Alkaline)  Display &amp; Indicators 1 x Backlit LCD (Audio Level, Battery Status, Signal Strength)  Housing Metal</p> <p><b>Microphone</b>  Microphone Type Lavalier  Sound Field Mono  Capsule Electret Condenser  Polar Pattern Omnidirectional  Frequency Range 50 Hz to 18 kHz  Equivalent Noise Level 36 dB  Maximum SPL 130 dB SPL Peak  Sensitivity 20 mV/Pa  Output Connectors 1 x 3.5 mm TRS Male Unbalanced (Lockable)  Cable Length 1.6 m  Garantie 24 luni</p>			
<b>Lot 5</b>						<b>4849,17</b>
5.1	32340000-8	Boxe active	<p>Device type speakers, loudspeaker  Diffuser Bass unit  MATERIAL Wood  Frequency band 42 Hz - 40,000 Hz  Model S1000MKII  Principal edifying  The type of connection With fir tree  Color Wood  Signal-to-noise ratio, dB(A) 90  Manufacturer code null  In the set Audio connection cables, Remote control  Input sensitivity Line in 1  Number of acoustic channels 2.0  Power, W 120 (2 x 60)  Wireless connection Bluetooth 5.0  Inputs Audio outputs 2 x RCA  Coaxial Optical  Choice null</p>	1	Buc	

			Noise level, dB null Garanție 12 luni			
<b>Lot 6</b>						<b>35777,50</b>
6.1	31400000-0	Acumulator V-Mount	Mount Type: V – Mount ( V-lock holder ) Power Meter : Blue Color 4-LED Power Monitor ( Display 100%, 75%, 50%, or 25% SOC capacity ) Product Color : Dark Grey Bat. Cell Model : LG High Load Stand 18650 x 16 Bat. Cell Chemistry : Lithium-Ion Capacity : 10400 mAh / 150 Wh Maximum Load : 13A / 190W USB Output : 5V, 12W / 2.4A max ( Dust Protection Cover ) D-Tap Output : 14.8V, 100W / 6.8A max	6	Buc	
6.2	31400000-0	Încărcător	<b>Battery Charger</b> Charger Compatibility BP-U Series Number of Battery Bays 2 Multi-Bay Charging Modes Simultaneous Charger Power Source AC Power (Cable Included) <b>Charger Power I/O</b> 1 x Barrel/Coax Female Output • 12 VDC at 3 A (36 W) <b>Charger Included Adapter / Cable</b> 1 x Barrel/Coax Male to Barrel/Coax Male Cable 1 x USA Type-A Plug to IEC Male Cable	1	Buc	
6.3	31400000-0	Baterie	Battery type Rechargeable batteries Rechargeable Battery size AA Battery type Ni-MH Battery capacity 2500 mAh Quantity included: 4 pcs.	4	Buc	
6.4	31400000-0	Încărcător	<b>Power supply</b> Type Charger Charging compartments 4 Charging voltage 5 Power supply AC outlet <b>Compatibility</b> Battery size AA/AAA Battery type Ni-MH <b>Peculiarities</b> Charger Operating Modes Charging, Updating & Testing Indicator type LCD display with backlight Plug Design Built-in plug	4	Buc	
6.5	31400000-0	Încărcător Type - C	<b>General</b> Power Output 65 W Number of Tips 1 Tip Type USB-C Plug Type 2-Prong USB I/O 1 x USB-C	4	Buc	
<b>Lot 7</b>						<b>21183,33</b>
7.1	30200000-1	Tehnică de stocare SSD	<b>Interface</b> USB 3.2 Gen 2x2 Speed 2000 MB/s (read), 2000 MB/s (write) NAND 3D memory Capacity 4TB Housing material Metal + plastic Includet rubber case and one USB-C to USB-C cable Garanție 12 luni	2	Buc	
7.2	30200000-1	Tehnică de stocare HDD	<b>Interface</b> USB Type USB Type Micro-B to USB Type A Connection Interface USB 3.1 Gen 1 (USB 5Gbps) <b>Storage</b> Capacity 4 TB/8 TB Storage Media 3.5" HDD Garanție 12 luni	2	Buc	
<b>Lot 8</b>						<b>5650,00</b>
8.1	32342200-4	Căști dinamice	Transducer type Dynamic Operating principle Closed Nominal frequency response 5 - 35,000 Hz	2	Buc	

			Nominal impedance 80 Ω Nominal SPL 96 dB Nominal T.H.D < 0.2% Power handling capacity 100 mW Sound coupling to ear Circumaural <b>Ambient noise isolation</b> 80 Ω / 250 Ω version approx. 18 dBA Nominal headband pressure approx. 3.5 N Length and type of cable 3 m / straight cable Connection Gold plated mini stereo jack plug (3.5 mm) & adapter (6.35 mm)			
<b>Lot 9</b>						<b>39166,67</b>
9.1	31512100-9	Lumini bicolor LED	› 153pcs ultra bright long-life LEDs › Surface mounted LED technology › 120°(half-declined 68°) wide beam angle › 3200K-5600K continuously adjustable › 20W power, 640Lux @ 1 meter center › 10%-100% flick-free dimming › Super high CRI Ra≥93, TLCI≥97 › Interchangeable various DV battery plates (included 1 S-7004F, included 1 S-7004U) › Support DC 6-17V input from D-tap › Provide ball head, diffuser, and bag Garanție 12 luni	2	Buc	
9.2	31512100-9	Lumini	Item Type 1 x LED Flexible Light Included Light Modifier 1 x Softbox Included Filters Diffusion Included Storage Case 1 x Case Photometrics 2700K: 11,500 Lux at 1 m 3200K: 12,600 Lux at 1 m 4300K: 14,200 Lux at 1 m 5600K: 14,700 Lux at 1 m 6500K: 14,300 Lux at 1 m 8500K: 13,800 Lux at 1 m Color Temperature 2700 to 8500K Color Modes Daylight, Tungsten Color Accuracy Standard CRI 96; TLCI 96 Connectivity Wireless Remote Control Type Bluetooth; Wi-Fi; Wireless DMX 1 x XLR 5-Pin Locking Male Wireless Range 300 m (included) Wireless Frequency 2.4 GHz Wireless Range 30 m (Bluetooth); 60 m (Wi-Fi) Max DMX Control Channels 512 Power & I/O Power Source AC Power (Cable Included); Power Supply/Controller (Included) Inputs/Outputs Light Fixture To Power Supply/Controller: 1 x Built-In Cable with Proprietary Power Input Power Supply/Controller 1 x Unspecified AC Power Input 1 x XLR 5-Pin DMX Input 1 x XLR 5-Pin DMX Output 1 x USB-A Power/Remote Input/Output Battery Plate Type 2 x V-Mount (Built-In) Battery 2 x V-Mount Rechargeable (Included) Included Adapter / Cable 1 x Unspecified to Unspecified Garanție 12 luni	2	Buc	
<b>Lot 10</b>						<b>26014,16</b>
10.1.	31512100-9	Tripod	Payload Capacity Fluid Head: 2 to 8 kg Tripod: 20 kg, with appropriate head Height Range Complete System: 79 to 170 cm Folded Length Complete System: 86 cm Counterbalance 8 steps Pan / Tilt Drag 3 steps + zero Sliding Balance Plate Travel 10.4 cm Tilt Range +90 to -75°	1	Buc	

			Head Attachment Fitting 75 mm bowl, integrated flat base Leveling Bubble Illuminated Material of Construction Fluid Head: Aluminum Tripod: Carbon fiber Feet: Rubber			
10.2	31512100-9	Stativ pentru microfon	Table Stand For microphones Height: 15 - 20 cm Colour: Nickel / black Including micro-clamp	1	Buc	
10.3	31512100-9	Suport lumini	Maximum Working Height 285 cm Load Capacity min 10 kg <b>General</b> Number of Sections 4 Leg Shape Round Finish Black Material Metal	2	Buc	
			<b>Valoarea estimativă totală fără TVA</b>			<b>363272,50</b>

9. În cazul procedurilor de preselecție se indică numărul minim al candidaților și, dacă este cazul, numărul maxim al acestora.
10. În cazul în care contractul este împărțit pe loturi un operator economic poate depune oferta (se va selecta):
- 1) Pentru un singur lot;
  - 2) **Pentru mai multe loturi;**
  - 3) Pentru toate loturile;
  - 4) Alte limitări privind numărul de loturi care pot fi atribuite aceluiași ofertant \_\_\_\_\_
11. Admiterea sau interzicerea ofertelor alternative: *nu se admite*
12. Termenii și condițiile de livrare/prestare solicitați: *Livrarea bunurilor în decurs de 40 zile de la intrarea contractului în vigoare.*
13. Termenul de valabilitate a contractului: **31.03.2024**
14. Contract de achiziție rezervat atelierelor protejate sau că acesta poate fi executat numai în cadrul unor programe de angajare protejată (după caz): **nu**
15. Prestarea serviciului este rezervată unei anumite profesii în temeiul unor legi sau al unor acte administrative (după caz): **nu**
16. Scurta descriere a criteriilor privind eligibilitatea operatorilor economici care pot determina eliminarea acestora și a criteriilor de selecție/de preselecție; nivelul minim (nivelurile minime) al (ale) cerințelor eventual impuse; se menționează informațiile solicitate (DUAE, documentație):

nr	Scurtă descriere a criteriilor de selecție		Nivelul minim/Obligativitatea
1	Specificații tehnice completată în conformitate cu Anexa nr. 22	- în original semnat electronic;	Obligativiu
2	Specificații de preț completată în conformitate cu Anexa nr. 23	- în original semnat electronic;	Obligativiu
3	Garanția pentru ofertă 1% – formularul garanției bancare completată în conformitate cu Anexa nr. 9	- în original, garanție bancară în original, emisă de o bancă comercială; sau - Transfer pe contul <b>IP Compania „Teleradio-Moldova”, Beneficiarul plății: IP Compania „Teleradio-Moldova”</b> <i>Denumirea Băncii: BC „Moldindconbank” SA</i> <i>Codul fiscal: 1004600050558</i> <i>Contul de decontare: MD47ML00000002251206328</i> <i>Contul bancar: MOLMD2X306</i>	Obligativiu



		Termenul de valabilitate al garanției să fie valabil pe perioada de valabilitate a ofertei – 30 zile din ziua depunerii ofertelor;	
4	Document unic de achiziții european	- în original semnat electronic;	Obligatori
5	Cerere de participare completată în conformitate cu Anexa nr. 7	- în original semnat electronic;	Obligatori
6	Declarație privind valabilitatea ofertei completată în conformitate cu Anexa nr. 8	- în original semnat electronic;	Obligatori
Acte solicitate prin DUAE, conform art. 20 alin.8, Legea nr. 131 din 03.07.2015, privind achizițiile publice, ofertantul clasat pe primul loc va prezenta (prin mijloace electronice, cu aplicarea semnăturii electronice) în termen de 3 zile, la solicitarea autorității contractante, documentele justificative actualizate prin care va demonstra îndeplinirea tuturor criteriilor de calificare și selecție.			
7	Dovada înregistrării juridice	emis de organul abilitat – în original/copie semnat electronic;	Obligatori
8	Certificat de atribuire al contului bancar	eliberat de banca deținătoare de cont, în original/copie semnat electronic;	Obligatori
9	Certificat de efectuare sistematică a plății impozitelor, contribuțiilor	eliberat de Inspectoratul Fiscal (valabilitatea certificatului – conform cerințelor Inspectoratului Fiscal al Republicii Moldova), în original semnat electronic;	Obligatori
10	Situație financiară	raportul financiar în original/copie pentru ultimul an, aprobat de către Direcția Generală pentru Statistică sau însoțite de recipisa de primire de către Direcția Generală pentru Statistică autentificat prin semnătură electronică	Obligatori
11	Declarație privind lista principalelor livrări/prestări efectuate în ultimii 3 ani de activitate completată în conformitate cu Anexa nr. 12	în original semnat electronic;	Obligatori
12	Declarație privind confirmarea faptului că producătorul/distribuitorul de echipamente electrice și electronice (EEE) este inclus în Lista producătorilor de produse supuse reglementarilor de responsabilitate extinsă a producătorilor	Numărul de înregistrare din „Lista producătorilor” conform Regulamentului privind deșeurile de echipamente electrice și electronice aprobat prin H.G. nr. 212 din 07.03.2018	Obligatori
13	Declarație privind confirmarea identității beneficiarilor efectiv și neîncadrarea acestora în situația condamnării pentru participarea la activități ale unei organizații sau grupări criminale, pentru corupție, fraudă și/sau spălare de bani.	Aprobat prin Ordinul MF nr. 145 din 24.11.2020, completată în conformitate cu Formularul - în original semnat electronic;  *Se va prezenta în termen de 5 zile de către operatorul economic desemnat câștigător.	Obligatori
14	Garanția de bună execuție a contractului 5% din valoarea contractului inclusiv TVA	<u>Transfer la contul I.P. Compania „Teleradio-Moldova”</u> <u>Beneficiarul plății: I.P. Compania „Teleradio-Moldova”</u> <u>Denumirea Băncii: B.C. „Moldindconbank” SA</u> <u>Codul fiscal: 1004600050558</u> <u>Contul de decontare:</u> <u>MD47ML000000002251206328</u> <u>Contul bancar: MOLDM2X306</u>  *Se va prezenta până la semnarea contractului.	Obligatori

**17. Garanția pentru ofertă, după caz** *Da, cuantumul de 1%, din valoarea ofertei fără TVA.*

**18. Garanția de bună execuție a contractului, după caz** *Da, cuantumul 5% din valoarea contractului, inclusiv TVA.*

**19. Motivul recurgerii la procedura accelerată (în cazul licitației deschise, restrânse și a procedurii negociate), după caz** *\_\_ nu \_\_*

**20. Tehnici și instrumente specifice de atribuire (dacă este cazul specificați dacă se va utiliza acordul-cadru, sistemul dinamic de achiziție sau licitația electronică):** *Licitație electronică, 3 runde, valoarea pasului minim 1%.*

**21. Condiții speciale de care depinde îndeplinirea contractului (indicați după caz):** *\_\_ nu \_\_*

**22. Ofertele se prezintă în valuta** *LEI MD*

**23. Criteriul de evaluare aplicat pentru atribuirea contractului:** *prețul cel mai scăzut și corespunderea cerințelor caietului de sarcini.*

**24. Termenul limită de depunere/deschidere a ofertelor:**

- conform SIA RSAP

**25. Adresa la care trebuie transmise ofertele sau cererile de participare:**

*Ofertele sau cererile de participare vor fi depuse electronic prin intermediul SIA RSAP*

**26. Termenul de valabilitate a ofertelor: 30 zile**

**27. Locul deschiderii ofertelor: SIA RSAP**

*Ofertele întârziate vor fi respinse.*

**28. Persoanele autorizate să asiste la deschiderea ofertelor:**

*Ofertanții sau reprezentanții acestora au dreptul să participe la deschiderea ofertelor, cu excepția cazului când ofertele au fost depuse prin SIA RSAP.*

**29. Limba sau limbile în care trebuie redactate ofertele sau cererile de participare: Română**

**30. Respectivul contract se referă la un proiect și/sau program finanțat din fonduri ale Uniunii Europene: nu**

**31. Denumirea și adresa organismului competent de soluționare a contestațiilor:**

*Agencia Națională pentru Soluționarea Contestațiilor*

*Adresa: mun. Chișinău, bd. Ștefan cel Mare și Sfânt nr.124 (et.4), MD 2001;*

*Tel/Fax/email:022-820 652, 022 820-651, contestatii@ansc.md*

**32. Data (datele) și referința (referințele) publicărilor anterioare în Jurnalul Oficial al Uniunii Europene privind contractul (contractele) la care se referă anunțul respectiv (dacă este cazul): nu**

**33. În cazul achizițiilor periodice, calendarul estimat pentru publicarea anunțurilor viitoare: nu**

**34. Data publicării anunțului de intenție sau, după caz, precizarea că nu a fost publicat un astfel de anunț: nu**

**35. Data transmiterii spre publicare a anunțului de participare: Conform SIA RSAP**

**36. În cadrul procedurii de achiziție publică se va utiliza/accepta:**

Denumirea instrumentului electronic	Se va utiliza/accepta sau nu
Depunerea electronică a ofertelor sau a cererilor de participare	da
Sistemul de comenzi electronice	nu
Facturarea electronică	da
Plățile electronice	da

**37. Contractul intră sub incidența Acordului privind achizițiile guvernamentale al Organizației Mondiale a Comerțului (numai în cazul anunțurilor transmise spre publicare în Jurnalul Oficial al Uniunii Europene): nu**

**Președintele grupului de lucru:**

**Ion Stratulat**