




Capacity	[ KW ]	5.00	Evaporating temperature	[ °C ]	-38.00
Inlet Air Temperature	[ °C ]	-30.00	Refrigerant		R507A
DT	[ Δ°C ]	8.00			
Minimum number of units in room		0			
Heat exchanger			Casing		
Fan motor feed			Type of fan motor		
Defrost	Electric				
Selected model: 1 x GCE 352E8			ED		
Capacity	[ kW ]	5.06	Margin	[ % ]	1.1
DT	[ Δ°C ]	7.9	Tot. air flow	[ m³/h ]	5280.0



Weight	kg	39.500	PED Category		Cat I
			Design Pressure PS	[bar]	16
Internal surface	m²	2.38	External surface	m²	16.60
Inlet connection		16 mm	Output connection		28 mm
Total circuit capacity	dm³	3.5	Fin spacing	mm	8
Drain connection		1" GAS			
Defrost	Electric		W		3150
Fan Motors	n.	2	Diameter	mm	350
Air flow	m³/h	5280	Air throw	m	16.0
Feed	V	230/1/50-60	Rotation speed	rpm	1450
Fan Motor	A	1.92	Absorbed power	W	370
Tot. Pres.S.Lev. 10 m.	dB(A)	48			



\* The safety requirements for the use of refrigerants must comply with the provisions of the EN378 standards and the safety data sheets of each fluid used. The risk assessment for the use of A2L mid-flammable refrigerants shall be conducted by the user based on site requirements. We shall not be liable for the performance and the quality of sold products, if fitted or connected fan motor speed regulation or control systems are different from the ones proposed or installed by us.

---

ED

Heat exchanger

Casing

Fan motor feed

Type of fan motor

Defrost

ED - Electric	EUR 0.00
Base Price	EUR 0.00
Surcharge Water Version	EUR 0.00
Total Options	EUR 0.00
Total Price	EUR 0.00



\* The safety requirements for the use of refrigerants must comply with the provisions of the EN378 standards and the safety data sheets of each fluid used. The risk assessment for the use of A2L mid-flammable refrigerants shall be conducted by the user based on site requirements  
We shall not be liable for the performance and the quality of sold products, if fitted or connected fan motor speed regulation or control systems are different from the ones proposed or installed by us.