



*Certificate*  
OF REGISTRATION

**RENASAN MÜREKKEPLİ ŞERİTLER SANAYİ VE TİCARET ANONİM ŞİRKETİ**

Address: Ergazi Mahallesi 1819. Cadde No:3/D Yenimahalle/ANKARA, Turkey

has submitted Declaration of Conformity (Dated: 06/06/2020) according to  
**CLASS 1 -MEDICAL DEVICES DIRECTIVE 93/42/EEC- 2007/47/EC- Annex IX**

( SINIF 1- TIBBİ CİHAZLAR DİREKTİFİ 93/42/EEC – 2007/47/EC-EK 9 )

**ISO 13485 : 2016 MEDICAL DEVICES QUALITY MANAGEMENT SYSTEM**

( ISO 13485 :2016 TIBBİ CİHAZLAR KALİTE YÖNETİM SİSTEMİ )

Organization has been assessed and found to be conforming with the requirements of the stated directive  
and standards submitted through Declaration of conformity

Hence manufacturer places the CE marking with his own responsibility as follows:



**For the Products of**

%70 isopropanol wipes for use in pre injection disinfection and skin and hand cleaning

%70 ethanol wipes for use in pre injection disinfection and skin and hand cleaning

( NON STERILE- STERİL OLMAYAN )

Product Commercial Brand / Marka: RENASAN Alkollü Swap Mendil

By QSA International, UK

**Certification Issue Date: 02 July 2020~ Certification Expiry Date: 01 July 2021**



**QSA INTERNATIONAL  
LIMITED**  
27, Old Gloucester Street,  
London, WC1N3AX, ENGLAND

*Startford Ray*

Certification Manager

Registration Number : QSA-20072423

Initial Certification Date: 02 July 2020

Certification Expiry Date: 01 July 2023



Email: [info@qsai.co.uk](mailto:info@qsai.co.uk)  
Web: [www.qsai.co.uk](http://www.qsai.co.uk)

# CERTIFICATE

to the company



## RENASAN MÜREKKEPLİ ŞERİTLER SANAYİ VE TİCARET ANONİM ŞİRKETİ

Ergazi Mahallesi 1819. Cadde No:3/D Yenimahalle / ANKARA

certification body hereby certifies  
that the company's

### Quality Management System

has been found to be  
implemented and maintained

in accordance with the requirements set in

### ISO 9001:2015

the management system is applicable to:

**Manufacturing of Antibacterial,  
Disinfectant and Cosmetic Wipes  
and Disposable Medical  
Products, Restaurant  
Consumables and Hygienic  
Products**


Mr. Daniel Helfer  
director of certification body

Certificate No.: QMS-4752-2020  
Certificate issued: 28. 05. 2020  
Certificate is valid until: 27. 05. 2023



28. 05. 2020

27. 05. 2021



28. 05. 2021


27. 05. 2022



28. 05. 2022

27. 05. 2023

Validity of the certificate for the stated period confirms  
the safety mark. In case the safety mark for the stated period is  
missing, please verify the validity of the certificate at [www.astraja.biz](http://www.astraja.biz).





Management System Certification Body No. MSCB-105

# CERTIFICATE

No. 20-B-0674 Rev. 0

This is to certify that the Quality Management System of

**RENASAN MUREKKEPLI SERITLER SANAYİ VE  
TİCARET ANONİM ŞİRKETİ**

of

**Ergazi Mah. 1819.Cadde Teknosite No:3-D Batkent-Yenimahalle/ANKARA**

Company Reg. No.: 7340067418

has implemented and documented a quality management system in compliance  
with the requirements of the standard

**ISO 13485:2016**

for

**MANUFACTURING AND SALES OF DENTAL BIBS,  
DENTAL TABLE CLOTHES, ALCOHOL SWAB WIPES**

**DENTAL HASTA ÖNLÜĞÜ, DENTAL TABLA ÖRTÜSÜ,  
ALKOLLÜ SWAB MENDİL**

The certificate is issued on the basis of the results mentioned in the pertinent audit report.  
Validity of the certificate is conditionally limited by positive results of surveillance audits, which the  
certified company committed to undergo.

This certificate can be invalid if the certificate holder does not fulfill the conditions set out in the  
certification agreement.

Initial issue date: Jul. 03. 2020

Expire date: Jul. 02. 2023



*G. Gilbert*  
G. Gilbert

Head of Certification Body

**TECHNICAL DATA SHEET**

Product	Renasan Code Product Name	M0250 Renasan Laminated Couch Cover Roll		
<b>Raw Material</b>	Quality Veils Weight per Veil	Description Nr. Gr/Mq(+/-0,5)	100% CELLULOSE 1,00 17,00	
	Quality Micron Corona	Description Nr. Gr/Mq(+/-0,5)	- - -	
	Color White grade Whitening method WS Treatment(wet strenght)	Description % (+/-1) Type Yes/No	WHITE 88,00 ECF YES	
	Absorption by immersion Klemm method absorption	% (+/-10) mm/10'(+/-5)	468 100	
	Longitudinal dry tensile strength. Trasversal dry tensile strenght. Longitudinal wet tensile strength. Trasversal wet tensile strenght.	N/m(+/-50) N/m(+/-50) N/m(+/-30) N/m(+/-30)	477 245 161 84	
	Embossing Adhesion Veil Type Suitable Food Contact	Description Type Yes/No	YES POINT POINT SYSTEM YES	
	<b>Service</b>	Format/Roll width	cm	80,00
		Format Lenght	cm	30,00
Perforation		Yes/No	YES/ Every 30cm	
<b>Rolls</b>	Numenr of tear-off point	Nr.	281,00	
	Roll Lenght	m	200,00	
	Roll width	cm	80,00	
	Roll Diameter	cm	24,15	
	Labeling	Description	Videojet	
	Roll packing	Description	Barcode SHRINK	
	Packaging Barcode		8022650626074	
<b>Box</b>	Roll box packing	Description	BOX	
	Rolls number X boxes number Box Barcode	nr	4,00	
	Box measures (LxDxH)		18025425632541 39x101,5x26,5	
<b>Pallet</b>	Pallet type	Description	EPAL	
	Boxes x Pallet	Nr.	5	
	Pallet measures (LxDxH)	cm	80x120x205 cm	

The technical data indicated above are generated from surveys made on articles in our standard range and are provided for information only.  
Additional information can be provided upon specific request.  
All measures are subject to tolerance by law.