

www.radixray.com

Radixray[™]
Protection



Welcome to Radixray;

When it comes to X-ray protection, Radixray is the name you can trust. Since 2007, for our experience in manufacturing X-ray garments, you can feel sure that, you are choosing the very best.

All Radixray protective garments are designed and manufactured in Turkey according to actual European Regulations (EC) to the regulated upmost standards, using the top quality materials and resulting manufacturing some of the most durable and reliable x-ray protective products on the market.

QUALITY&SERVICE

Radixray employs highly trained, professional sewing staff with one goal in mind; to create a tailor-made lead apron that exceeds your dreams expectations in comfort and quality. Our radiation apron sizing criteria have been refined for long years experience and are designed for a clean, ergonomic fit with the best x-ray protection level.

CORE MATERIAL

Radixray aprons come in 2 options; Lead-Free and Standard Lead. Our durable, lightweight core materials are made from the highest quality

raw materials and latest manufacturing methods available. Additionally, our new polymer, and our radiation aprons beat out the competition in flexibility, durability, and light-weight advantage, as well as pricing, thanks to our all-in-house compact manufacturing process.

FABRICS AND AUXILIARY MATERIALS

Cover fabrics used for our products include two types. As a standart we use nylon fabrics all OEKO certified and tested for harmful to health substances. Nylon fabrics are durable but not so easy to clean.

Optionally we offer to our customers our polyurethane fabrics that have antimicrobial and anti-fungal properties. As well polyurethane covered fabrics are very easy to clean, simply with a sponge and warm water. PU fabrics we use are manufactured by DARTEX (UK) and have a reputable trust for medical manufacturers.

All hook and loops used in our products are supplied by VELCRO (Italy) and quarenteed for 10.000 times usage.

Buckles used in all aprons are supplied by YKK, leading manufacturer of textile auxiliaries, and all accessories are made from durable 6.6 nylon and tested against harmful-to-health substances.

STYLES

Each vest skirt, wrap-around or frontal apron style comes with its own specific features and benefits. With many styles to choose from, if you cannot choose what you want, Radixray can customize any products specially for you. Kindly contact our customer service and advise what you want. We will be more than happy to customize a product you want.

QUALITY&WARRANTY

Regarding our commitment to highest quality standards, Radixray aprons are CE marked and ISO certified. We regularly have our aprons tested to certified standards such as IEC and maintain strict manufacturing tolerances. Our commitment to quality is also why we stand behind a 2 year manufacturer warranty against defects.

BILAYER TECHNOLOGY FOR LEADFREE RADIATION PROTECTION

Traditional Lead-free and Lead composite products, containing lower atomic weight metals,

such as Antimony, can't match the performance of traditional Lead products only by itself due to the K-edge effect and resulting fluorescence at key levels of keV within scatter radiation.

These materials can only pass old standards when tested between 80kV-100kV using narrow beam geometry that fails to detect the secondary radiation created by fluorescence, inevitably resulting in an increase in the absorbed dose to the body.

This test procedure is not able to detect the K-edge effectively that is created by using low atomic weight elements only. Bilayer Technology used in our leadfree products that contain Antimony and Bismuth with approved ratios are tested and certified for attenuation and Sb equivalence approved by the National Physical Laboratory (NPL) in the UK and Physikalisch-Technische Bundesanstalt in Germany, against a full range of kV (50kV to 150kV) using broad beam geometry. Bilayer Technology performs in accordance with all major standards, including IEC 61331-1:2014 and DIN 6857-1, providing users upmost x-ray protection while lowering the weight of the apron up to 40% compared to traditional lead aprons.

FULL PRO

ORDER CODE:

23990 FULLPRO (LEAD)
LF23990 FULLPRO (LEADFREE)



PERSONALIZATION
AVAILABLE



LARGE HARD BELT
FOR BACK SUPPORT



ADDED COMFORT WITH
SHOULDER PADS

The most preferred x-ray protective apron type globally. Owing to its design, it covers the whole body without leaks and from side to side which is an essential for full protection from scattered x radiation. When properly adjusted 5 inch

wide elastic belt supports the back of user and prevents back pains while providing comfortable weight adjustment during use. Velcro closure inside front panels provide a secure fit. Shoulder pads support best comfort for the user.



Front : 0,50 mm Pb Rear: 0,25 mm Pb
Front: 0,35 mm Pb Rear: 0,25 or 0,35 mm Pb

LIBRA

ORDER CODE:

23930 LIBRA (LEAD)

LF23930 LIBRA (LEADFREE)



PERSONALIZATION
AVAILABLE



HOOK AND LOOP OR BUCKLE
CLOSURE ON BOTH SIDES



ADDED COMFORT WITH
SHOULDER PADS



The most preferred x-ray protective apron type globally. Owing to its design, it covers the whole body without leaks and from side to side which is an essential for full protection from scattered x radiation. When properly adjusted 5 inch

wide elastic belt supports the back of user and prevents backpains while providing comfortable weight adjustment during use. Velcro closure inside front panels provide a secure fit. Shoulder pads support best comfort for the user.

Front : 0,50 mm Pb - Front : 0,25 mm Pb
Front : 0,35 mm Pb

FLEX

ORDER CODE:

23940 FLEX (LEAD)
LF23940 FLEX (LEADFREE)



PERSONALIZATION
AVAILABLE



EXTRA SHOULDER
SUPPORT



ADDED COMFORT WITH
SHOULDER PADS

This design is similar to LIBRA but advised for physically large people. Hook and loop bands that are connected between shoulders provide flexibility and fits for

almost all body shapes.

Available at 0,25-0,35 mm Pb & 0,50 mm Pb front protection levels.



Front : 0,50 mm Pb - Front : 0,25 mm Pb
Front : 0,35 mm Pb

STANDART

ORDER CODE:

23950 STD (LEAD)
LF23950 STD (LEADFREE)



PERSONALIZATION
NOT AVAILABLE



STANDART POCKET



STANDART SHOULDER PADS



This design is preferred by users who are not very close to x-ray source. It is the most economical design but covers all safety issues of other apron designs. 2,5 cm durable wide belt and upper con-

nection between shoulders provide comfortable use.

STANDART design is supplied with pockets and shoulder pads.

Available at 0,50 mm Pb front protection level.

Front : 0,50 mm Pb - Front : 0,25 mm Pb
Front : 0,35 mm Pb

SKIRT & VEST

ORDER CODE:

23912 (LEAD)
LF23912 (LEADFREE)



Skirt designs are standart and provide full protection of 0,35 or 0,50 mm Pb front & 0,25 mm Pb rear when correctly overlapped. You can choose your skirt&vest at different colors.

All skirts are manufactured with nylon buckle belts to prevent the feeling of discomfort during long procedures.

Vests are supplied with improved shoulder pads and hook and loops for closure to provide weight distribution and superior comfort. Two front panels have 0,175 or 0,25 mm Pb protection and when fully overlapped, 0,35 or 0,50 mm Pb protection on the front and 0,25 mm Pb protection on the rear is maintained.

Front : 0,50 mm Pb - Front : 0,25 mm Pb
Front : 0,35 mm Pb



PERSONALIZATION
AVAILABLE



EXTRA SHOULDER
SUPPORT



ADDED COMFORT WITH
SHOULDER PADS



DENTAL APRON

ORDER CODE:

239301

THYROID COLLAR
ATTACHED

NO POCKET



NO SHOULDER PADS

AVAILABLE
0,50 MM PB LEAD ONLY

Manufactured for breast and thyroid protection of people who are exposed to x-rays during panoramic dental examination. Thyroid collar is attached to apron and manufactured at 0,50 mm Pb as standart.

HALF APRON



ORDER CODE:

239303

Half apron is used for gonad protection for adults. Additionally it is used for pregnant ladies during fluoroscopy. Manufactured at 0,50 mm Pb lead as standart.

SPINAL COLLAR



ORDER CODE:

239411

This product is designed for protecting other organs than spina, when only spinal radiography is the case. Manufactured at 0,50mm Pb as standart



GONAD PROTECTION SET

ORDER CODE:

239414

SIZING TABLE

25 * 20 CM


30 * 25 CM

40 * 30 CM

45 * 35 CM

All products shown on this page are
available at 0,50 mm Pb lead protection

OVAL GONAD SET



ORDER CODE:

239413



X-RAY SKULL CAP

ORDER CODE:

239300

BREAST PROTECTION



ORDER CODE:

239412



ORDER CODE:

239401 LARGE (LEAD)
LF239401 LARGE (LEADFREE)



ORDER CODE:

239404 BUCKLE (LEAD)
LF239404 BUCKLE (LEADFREE)



ORDER CODE:

239405 STD (LEAD)
LF239405 STD (LEADFREE)



ORDER CODE:

239403 FLEX (LEAD)
LF239403 FLEX (LEADFREE)

We have 4 types of thyroid collars. All models are fastened with Premium quality velcro hook&loops. Optionally they can be fastened with buckles on demand.
All models are 0,50 mm Pb as standart.

HARD RUBBER GLOVE

ORDER CODE:

GL90012



SURGICAL STERILE GLOVE

ORDER CODE:

GL90016

HARD PVC GLOVE

ORDER CODE:

GL90014



Radiation resistant gloves are often used to offset the risk of scatter beam radiation exposure during fluoroscopy, cardiac cath lab and electrophysiology lab procedures. Each time an image is captured, the x-ray travels through the body making contact with internal structures. Multiple images are necessary for the success of these procedures, however the negative effects of scatter beam radiation exposure to the physicians and assistants can be offset by use of radiation gloves. Our sterile radiation protection gloves are specially designed to permit the maintenance of dexterity during surgical procedures. These radiation gloves are offered sterile, by the pair in a full range of sizes, including half-sizes. We urge you not to discount the importance of the use of lead gloves for protection from harmful repeat exposure.

FULL NAPPY

Available at 0,50 mm Pb
protection with hook&loops



ORDER CODE:

P10103

HALF NAPPY

Available at 0,50 mm Pb
protection with hook&loops



ORDER CODE:

P10102



PEDIATRIC APRON

ORDER CODE: P10101 - Front Protection
P10105 - Full Protection

Available at 0,50 mm Pb protection front and
0,25 mm Pb rear with hook&loops

PEDIATRIC THYROID COLLAR



Available at 0,50 mm Pb
protection with hook&loops

ORDER CODE:

P10107

TANGA GONAD



Available at 0,50 mm Pb
protection


ORDER CODE:

P10109







NYLON FABRICS

Nylon fabrics are a standart due to their resistancy to tear and long life.
Applicable in a variety of color shades.

| | | | | |
|---|---|---|--|---|
|  |  |  |  |  |
| ORDER CODE: 112 | ORDER CODE: 113 | ORDER CODE: 114 | ORDER CODE: 115 | ORDER CODE: 116 |
|  |  |  |  |  |
| ORDER CODE: 117 | ORDER CODE: 118 | ORDER CODE: 119 | ORDER CODE: 120 | ORDER CODE: 121 |

ANTIMICROBIAL
FABRICS


Our antimicrobial fabrics are supplied by DARTEX coatings and made by poluyrethane coating process.
Polyurethane coatings are breathable, waterproof, washable, stain resistant and provide superior
antimicrobial protection against known germs and bacteria up to 99,99%

| | | | |
|---|---|--|---|
|  |  |  |  |
| ORDER CODE: 211 | ORDER CODE: 212 | ORDER CODE: 213 | ORDER CODE: 214 |

PATTERNS



ORDER CODE: **321**




ORDER CODE: **322**



ORDER CODE: **323**



ORDER CODE: **324**



ORDER CODE: **325**



ORDER CODE: **326**



ORDER CODE: **327**



ORDER CODE: **328**



ORDER CODE: **329**



ORDER CODE: **330**



ORDER CODE: **331**



ORDER CODE: **332**



JUNO GLASSES

ORDER CODE:

RX-1171

FEATURES

- 0.75mm Lead Equivalency Schott SF6 Radiation Protective Lenses
- Rubberized Soft Grip Temple Bars and Nose Pads for Secure Fit
- Rubberized Foam Insert with Fog-Reducing Ventilation Ports

SPECS

Frame Size: 55-15-135
Weight: 69g
CE Pending
Non-Rx Frame

Fits: Medium to Small Faces **Colors:** Black, White, Red



ASTRO GLASSES

ORDER CODE:

RX-208

FEATURES

- 0.75mm Lead Equivalency Schott SF6 Radiation Protective Lenses
- Rubberized Soft Grip Temple Bars for Secure Fit
- Constructed of High Impact TR-90 Nylon

SPECS

Frame Size: 62-18-145
Weight: 75g
CE Certified
Rx Frame

Fits: Medium to Small Faces **Colors:** Pink, White, Red, Purple



MARS GLASSES

ORDER CODE:

RX-EGM

FEATURES

- 0.75mm Lead Equivalency Schott SF6 Radiation Protective Lenses
- Constructed of High Impact TR-90 Nylon
- Intergrated T Lock Retainer Cord for Secure Fit

SPECS

Frame Size: 53-17-130
Weight: 75g
CE Certified
RX Frame

Fits: Medium to Small Faces **Colors:** Black, White, Red

SPECS

Frame Size: 62-19-ADJ
Weight: 86g
CE Certified
Non-Rx Frame

FEATURES

- 0.75mm Lead Equivalency Schott SF6 Radiation Protective Lenses
- Extended Brow Guard to Fit Over Glasses
- Adjustable, Ratcheting Temple Bars

Fits: To all Faces **Colors:** Black, White, Silver



FITOVER GLASSES

ORDER CODE:

RX-66

SPECS

Frame Size: 57-16-125
Weight: 70g
CE Certified
Rx Frame

FEATURES

- 0.75mm Lead Equivalency Schott SF6 Radiation Protective Lenses.
- 0.35mm Lead Equivalency Side Shields for Lateral Protection.
- Rubberized Temple Bars and Removable Nose Pads in 3 Sizes

Fits: Small to Medium Faces **Colors:** Black-Yellow, Black - Orange



VENUS GLASSES

ORDER CODE:

RX-206

SPECS

Frame Size: 57-19-140
Weight: 90g
CE Certified
RX Frame

FEATURES

- 0.75mm Lead Equivalency Schott SF6 Radiation Protective Lenses and 0.35mm Lead Equivalency Lateral Protection
- Flexible Temple Bars and Acetate Frame
- Adjustable Nose Pads

Fits: To all Faces **Colors:** Black, Tortoise



CLASSIC GLASSES

ORDER CODE:

RX-52



ARIES GLASSES

ORDER CODE:

RX-808

FEATURES

- 0.75mm lead equivalency Schott SF6 radiation Protective lenses.
- Rubberized Soft Grip Temple Bars and Nose Pads for Secure Fit
- Constructed of High Impact TR-90 Nylon

SPECS

Frame Size: 60-18-135
Weight: 71g
CE Certified
Rx Frame

Fits: Medium to Large Faces **Colors:** Black, White, Red



VIRGO GLASSES

ORDER CODE:

RX-375

FEATURES

- 0.75mm Lead Equivalency Schott SF6 Radiation Protective Lenses
- TR-90 Nylon Construction
- Lightweight and Stylish Design

SPECS

Frame Size: 52-19-145
Weight: 59g
CE Certified
RX Frame

Fits: Small to Large Faces **Colors:** Black, Tortoise



FEATHER GLASSES

ORDER CODE:

RX-MX30

FEATURES

- 0.75mm lead equivalency Schott SF6 radiation Protective lenses.
- Constructed of High Impact TR-90 Nylon
- Intergrated T Lock Retainer Cord for Secure Fit.

SPECS

Frame Size: 53-17-130
Weight: 63g
CE Certified
RX Frame

Fits: Medium to Large Faces **Colors:** Black, Red

SPECS

Frame Size: 62-15-145
Weight: 90g
CE Certified
Rx Frame

FEATURES

- 0.75mm Lead Equivalency Schott SF6 Radiation Protective Lenses
- Ultimate Fitover Design for Weight & Comfort
- 0.35mm Pb Lateral Protection



WRAPAROUND GLASSES

ORDER CODE:

RX-33

Fits: Medium to Large Faces **Colors:** Black, Tortoise

SPECS

Frame Size: 56-17-135
Weight: 67g
CE Certified
RX Frame

FEATURES

- 0.75mm Lead Equivalency Schott SF6 Radiation Protective Lenses
- Rubberized Soft Grip Temple Bars for Secure Fit
- Constructed of High Impact TR-90 Nylon



SUNFUN GLASSES

ORDER CODE:

RX-W200

Fits: Small Medium to Large Faces **Colors:** Black, White, Blue

SPECS

Frame Size: ADJ
Weight: 460g
CE Certified
Non-Rx Frame

FEATURES

- 0.10mm Lead Equivalency Radiation Protective Mask
- Ratcheting Head Strap to Fit All Head Sizes
- Scratch Coating on Lead Acrylic



FACESHIELD

ORDER CODE:

RX-FM-FULL

Fits: To all Faces **Colors:** Transparant only



MOBILE SHIELDS

Manufactured
at 2,00 or 1,00mm Pb.
Standart size is 100x200cm,
but also can be manufactured at any
sizes or cover according to demand.

ORDER CODE:

49354



ORDER CODE:

43912



Manufactured at 0,50mm Pb.
Standart size is 60x70cm,
but also can be manufactured at any
sizes according to demand.
Cannot be adjustable.
Easy move wheels.

ORDER CODE:

70115



Manufactured at 0,50mm Pb.
Standart size is 60x85cm,
but also can be manufactured at any
sizes according to demand.
height can be adjustable.
Easy move wheels.

ORDER CODE:

70114

ANGIO TABLE SHIELDS

ORDER CODE:

70112

Primarily designed to prevent lower body exposure to scattered radiation, these units may be used on any table where X-ray fluoroscopy is used. Our exclusive designed system makes leveling shields on any conventional sized table. Standard protection level is 0,50mm Pb and at 110x70 cm. But also can be manufactured at any sizes according to demand.



PATIENT PROTECTIVE BLANKET

ORDER CODE:

70112

Whether you are shielding patients from radiation scatter or equipment, the radiation protective blanket will have you covered. The blanket is available in 70*100cm size. This nylon-covered 0.50mm equivalent protective blanket will compliment your other protective aprons.



VEST & SKIRT RACK

ORDER CODE:

50002



WALL RACK

ORDER CODE:

50003



GENERAL APRON RACK

ORDER CODE:

50004

SIZING CHART

FRONT PROTECTION-UNISEX

| STD | ACTUAL SIZE | SUIT SIZE | MAX.CHEST/HIP SIZE | MAX. HEIGHT |
|----------|-------------|-----------|--------------------|-------------|
| SMALL | 50 * 80 CM | 34 - 36 | 75 CM | 165 CM |
| MEDIUM | 55 * 85 CM | 38 - 40 | 90 CM | 175 CM |
| LARGE | 60 * 90 CM | 42 - 44 | 100 CM | 180 CM |
| X LARGE | 65 * 105 CM | 46 - 48 | 120 CM | 185 CM |
| XX LARGE | 70 * 110 CM | 50 - 52 | 130 CM | 190 CM |

VEST SIZING MALE

| STD | CHEST (CM) | LEGTH (CM) |
|----------|------------|------------|
| X SMALL | 74 - 84 | 51 |
| SMALL | 85 - 91 | 54 |
| MEDIUM | 93 - 99 | 57 |
| LARGE | 100- 106 | 60 |
| X LARGE | 108 - 113 | 63 |
| XX LARGE | 115 - 120 | 66 |
| 3X LARGE | 122 - 127 | 70 |

VEST SIZING FEMALE

| STD | CHEST (CM) | LENGTH (CM) |
|----------|------------|-------------|
| X SMALL | 74 - 84 | 52 |
| SMALL | 86 - 89 | 55 |
| MEDIUM | 90 - 95 | 58 |
| LARGE | 97 - 102 | 61 |
| X LARGE | 103 - 106 | 66 |
| XX LARGE | 107 - 110 | 67 |
| | | |

SKIRT SIZING UNISEX

| STD | WAIST (CM) | HIP (CM) | LENGTH (CM) |
|----------|------------|-----------|-------------|
| X SMALL | 65 - 68 | 83 - 85 | 45 CM |
| SMALL | 70 - 75 | 88 - 91 | 48 CM |
| MEDIUM | 78 - 83 | 95 - 100 | 51 CM |
| LARGE | 85 - 90 | 103 - 109 | 54 CM |
| X LARGE | 95 - 100 | 112 - 115 | 57 CM |
| XX LARGE | 105 - 110 | 117 - 120 | 61 CM |
| 3X LARGE | 120 - 125 | 122 - 125 | 62 CM |

COAT TYPE - UNISEX

| STD | CHEST (CM) | WAIST (CM) | HIP (CM) | FRONT LENGTH (CM) | REAR LENGTH (CM) |
|---------|------------|------------|-----------|-------------------|------------------|
| SMALL | 83 - 90 | 83 - 90 | 87 - 95 | 90 | 80 |
| MEDIUM | 92 - 99 | 94 - 102 | 97 - 106 | 95 | 85 |
| LARGE | 103 -110 | 105 - 112 | 108 - 115 | 100 | 90 |
| X LARGE | 113 - 120 | 115 - 122 | 117 - 125 | 105 | 95 |

www.radixray.com

RadixrayTM
Protection

Radi Teknoloji A.Ş.
Kocavezir Mah. Karacaoğlan Cad. 5/1007
Seyhan / ADANA / TURKEY

T : 0322 365 55 15
F : 0322 365 55 16
M : radi@radixray.com



Grafik Tasarım:MIKNATIS MEDYA - YUSUF BALCI
Baskı:MIKNATIS MEDYA - YUSUF BALCI
Basım Tarihi:23/03/2018
Basım Adedi:2500 Adet