



Quotation

Quotation# MMC-Q-25-23379-R1


Measure Monitor Control

Unit 15 Abergorki Industrial Estate
Ynyswen Road
Treorchy
Rhondda Cynon Taf
CF42 6DL
United Kingdom
VAT: 791056521
Tel: +44 (0)1443 772500
sales@measuremonitorcontrol.com
www.measuremonitorcontrol.com

Quotation Date : 11/02/2025
Expiry Date : 11/03/2025
MMC Ref# : E-20670
Sales person : Jerry Cook
Customer Ref : RFQ for Nadi Products
Lead Time : *Approx. 10 working weeks
Payment Terms : Proforma
Customer EORI Number : TBC with order




Customer
Bio-Market SRL
Chisinau
Moldova

Ship To
Bio-Market SRL
Chisinau
Moldova

#	Item & Description	Commodity Code	Qty	Rate	VAT %	VAT	£ Amount
1	 Solenoid Valve 1/4" BSP 3/2NO 316SS VITON 0-24bar 24VDC EExdIIB M20 SKU : C08I08C1B/24VDC /M20 1/4" BSP Solenoid Valve. Three Way Normally Open Direct Acting. 316 Stainless Steel Body. Orifice 0.8 mm. VITON Seals (-10 to +90C). Operating pressure range: 0-24 Bar (AC/DC). Kv0.2. B6 /E Series Coil: 24VDC 11W. II 2 GD EEx-d IIB (-20C to +40C) ATEX. IP67 Anodised Aluminium Solenoid Coil Housing. Cable	84812090	10.00 1		0.00	0.00	

#	Item & Description	Commodity Code	Qty	Rate	VAT %	VAT	£ Amount
---	--------------------	----------------	-----	------	-------	-----	----------


Gland Entry: M20*1.
5mm. ATEX Certificate included


2	 <p>Solenoid Valve 1/4" BSP 2/2 NO 316SS VIT 0-7 Bar EExdIIB 24VDC M20 SKU : L08I25C1B/24VDC /M20 1/4" BSP Solenoid Valve. Two Way Normally Open. Direct Acting. 316 Stainless Steel Body. Orifice 2.5 mm. VITON Seals (-10 to +90C). Operating pressure range: 0-7 Bar (AC/DC). kv1.6 . B6 /E Series Coil: 24VDC 11W. II 2 GD EEx-d IIB (-20C to +40C) ATEX. IP67 Anodised Aluminium Solenoid Coil Housing. Female Cable Gland Entry: M20*1.5mm. ATEX Certificate included</p>	84812090	10.00 1		0.00	0.00	
3	 <p>Solenoid Valve 1/4" BSP 3/2NO 316SS VITON 0-24bar 24VDC EExdIIB M20 SKU : C08I08C1B/24VDC /M20 1/4" BSP Solenoid Valve. Three Way Normally Open Direct Acting. 316 Stainless Steel Body. Orifice 0.8 mm. VITON Seals (-10 to +90C). Operating pressure range: 0-24 Bar (AC/DC). Kv0.2. B6 /E Series Coil: 24VDC 11W. II 2 GD EEx-d IIB (-20C to +40C) ATEX. IP67 Anodised Aluminium Solenoid Coil Housing. Cable Gland Entry: M20*1.5mm. ATEX Certificate included</p>	84812090	6.00 1		0.00	0.00	
4	 <p>Solenoid Valve 1/4" BSP 2/2 NC 316SS VITON 0-18bar</p>	84812090	6.00 1		0.00	0.00	

#	Item & Description	Commodity Code	Qty	Rate	VAT %	VAT	£ Amount
---	--------------------	----------------	-----	------	-------	-----	----------

24VDC EExdIIB M20
 SKU : L03I25C1B/24VDC
 /M20
 1/4" BSP Solenoid
 Valve Two Way
 Normally Closed.
 Direct Acting. 316
 Stainless Steel Body.
 Orifice 2.5mm. VITON
 Seals (-10 to +90C).
 Operating pressure
 range 0-18 Bar (DC).
 Kv1.6. B6/E Series Coil:
 24VDC 11W. II 2 GD
 EEx-d IIB (-20C to
 +40C) ATEX. IP67 Two
 Pack Epoxy Coated
 Aluminium Solenoid
 Coil Housing. Female
 Cable Gland Entry:
 M20*1.5mm. ATEX
 Certificate included

Serial Number: 28914. Model with Flow Control. Originally supplied with 1/2" GK cable gland, now discontinued. 1/2" NPT Gland is now standard

5	 <p> Solenoid Valve 1/4" NPT 316SS 2/2NC FLOW CONTROL VITON EExd IIB 24VDC NPT SKU : L05I25C1B/24VDC /NPT 1/4" BSP Solenoid Valve. Two Way Normally Closed. Direct Acting. Flow adjuster on the Outlet 316 Stainless Steel body. Orifice 2.5mm. Viton Seals. Operating Pressure range: 0-12 Bar (AC/DC). Variable Kv between 0 and 1.6. B6/E Series Coil: 24VDC 11W. II 2 GD EEx-d IIB (-20C to +40C) ATEX. IP67 Anodised Aluminium Solenoid Coil Housing. Female Cable Gland Entry: 1/2" NPT. ATEX Certificate included </p>	8481209	6.00		0.00	0.00	
		0	1				

#	Item & Description	Commodity Code	Qty	Rate	VAT %	VAT	£ Amount
6	 Nadi Certification Pack SKU : Nadi Certification Pack Certificate Pack (If Required); Including Certificate of Conformance and Quality and 3.1 material certification (If applicable - 316 Stainless Steel Only).	4911109000	1.00 1.00		0.00	0.00	

Notes

Dear Vladimir,

I have please revising my original quotation and adding the Flow Control model, originally supplied. It had a 1/2"GK electrical cable gland thread, which has since been replaced with NPT

Consignment Size: 1x Plastic Pallet - 41Kgs Gross Weight (60x80x56cm)

Terms are Proforma paid UK sterling with order

*Please allow Approx. 10 working weeks from RECEIPT OF PROFORMA PAYMENT

GOODS OFFERED ON AN EX WORKS BASIS:

IMPORTANT Please take note of EXW Incoterms below.

The customer is to provide a completed Shipping Airway Bill / Courier Shipping Label to facilitate the collection and shipment of their consignment when ready.

Red Dragon Ltd T/A Measure Monitor Control accepts no responsibility for the creation or provision of any additional paperwork other than what is clearly set out in the EXW incoterms below.

EXW Incoterms:

- The seller fulfills their obligation when the goods are made available at their premises for collection.
 - The seller is responsible for ensuring that the goods are available for pickup at the place and time agreed with the buyer.
 - The seller accepts no involvement in customs, additional shipping documentation*, transport, etc. The price of the order is simply the goods value, nothing added on.
(*The seller will provide the buyer with a Packing List and Commercial Invoice including Customs Tariff Codes.)
 - The buyer has full responsibility for the goods from the supplier's UK address to the cargo's ultimate destination.
 - The buyer bears all costs and risks involved in taking the goods from the seller's premises to the desired destination.
- Please note that any certification, testing, documentation, product tagging and unspecified delivery addresses not specifically listed herein, may incur further charges

Please ask for a revised quote prior to ordering if outside of the validity period

Shipping via courier: CPT (Carriage paid to) Risk transfers to the buyer as soon as the goods are under the control of the carrier at the origin. If the buyer wishes to cover the goods for loss of damage the buyer is responsible for that cost. The buyer is also responsible for the cost of customs import fees, duties & taxes

A copy of our terms & conditions of sale are duly attached and applied

Warranty is 1 year/12 months from date of delivery

Terms & Conditions

Please see the attached Terms & Conditions of Sale.

All prices are GBP and for the full line quantities as stated to be shipped in a single shipment. Partial or scheduled deliveries or reduced order quantities may result in an increase in unit cost. Payment terms are Proforma with order. Unless otherwise stated, goods are manufactured upon receipt of Proforma payment.

Shipping terms are CPT Incoterms: Risk transfers to the buyer as soon as the goods are under the control of the carrier at the origin. If the [Measure Monitor Control](#) is a trading name of Red Dragon Ltd. Company no. 363 7383. EORI Number: GB791056521000