

Dynamic Hip and Condylar Plate (DHS / DCS)

Implants &
Instrumentation
[Non-Locked]




**Sharma
Orthopedic (India)
Pvt. Ltd.**

DYNAMIC HIP AND CONDYLAR PLATE (DHS / DCS) Implants & Instrumentation [NON-LOCKED]



DHS PLATE L/B OR S/B (R/H, D.C/H)




DESCRIPTION

Suitable for	Trochanteric Fracture of Femur
Profile	19.0mm x 6.0mm
Degree	125°, 130°, 135°, 140°
Distance Between Hole	16.0mm
Screw Ø	12.5mm & 4.5mm
Proximal Screw Ø 12.5mm	25.0mm to 120.0mm (Diff. 5.0mm)
Distal Screw Ø 4.5mm	10.0mm to 54.0mm (Diff. 2.0mm)
Material	Stainless Steel 316L / 316LVM / Titanium

HOLE	CAT. NO. S.S.	CAT. NO. TIT.
02 HOLE	SP05.SS01297	SP05.TIT01297
03 HOLE	SP05.SS01298	SP05.TIT01298
04 HOLE	SP05.SS01299	SP05.TIT01299
05 HOLE	SP05.SS01300	SP05.TIT01300
06 HOLE	SP05.SS01301	SP05.TIT01301
07 HOLE	SP05.SS01302	SP05.TIT01302
08 HOLE	SP05.SS01303	SP05.TIT01303
09 HOLE	SP05.SS01304	SP05.TIT01304
10 HOLE	SP05.SS01305	SP05.TIT01305
11 HOLE	SP05.SS01306	SP05.TIT01306
12 HOLE	SP05.SS01307	SP05.TIT01307
13 HOLE	SP05.SS01308	SP05.TIT01308
14 HOLE	SP05.SS01309	SP05.TIT01309
15 HOLE	SP05.SS01310	SP05.TIT01310
16 HOLE	SP05.SS01311	SP05.TIT01311
17 HOLE	SP05.SS01312	SP05.TIT01312
18 HOLE	SP05.SS01313	SP05.TIT01313

DCS PLATE 95° (R/H, D.C/H)



DESCRIPTION


HOLE	CAT. NO. S.S.	CAT. NO. TIT.
02 HOLE	SP05.SS01314	SP05.TIT01314
03 HOLE	SP05.SS01315	SP05.TIT01315
04 HOLE	SP05.SS01316	SP05.TIT01316
05 HOLE	SP05.SS01317	SP05.TIT01317
06 HOLE	SP05.SS01318	SP05.TIT01318
07 HOLE	SP05.SS01319	SP05.TIT01319
08 HOLE	SP05.SS01320	SP05.TIT01320
09 HOLE	SP05.SS01321	SP05.TIT01321
10 HOLE	SP05.SS01322	SP05.TIT01322
11 HOLE	SP05.SS01323	SP05.TIT01323
12 HOLE	SP05.SS01324	SP05.TIT01324
13 HOLE	SP05.SS01325	SP05.TIT01325
14 HOLE	SP05.SS01326	SP05.TIT01326
15 HOLE	SP05.SS01327	SP05.TIT01327
16 HOLE	SP05.SS01328	SP05.TIT01328

Suitable for	Supracondylar Fracture Distal Femur Fracture
Profile	16.0mm & 6.0mm
Degree	95°
Distance Between Hole	16.0mm
Screw Ø	12.5mm, 6.5mm & 4.5mm
Proximal Screw Ø 12.5mm	25.0mm to 125.0mm (Diff. 5.0mm)
Proximal Screw Ø 6.5mm	25.0mm to 110.0mm (Diff. 5.0mm)
Distal Screw Ø 4.5mm	10.0mm to 54.0mm (Diff. 2.0mm)
Material	Stainless Steel 316L / 316LVM / Titanium

DYNAMIC HIP AND CONDYLAR PLATE (DHS / DCS) Implants & Instrumentation [NON-LOCKED]



DYNAMIC COMPRESSION SCREW (DHS COMPRESSION SCREW) WITH LAG SCREW



DESCRIPTION

Suitable for	Intracapsular and Intercervical Fractures of Femur
Thread Dia	12.5mm
Core Dia	8.2mm
Drill Bit for	8.0mm
Drive	Hex Drive 3.5mm
Material	Stainless Steel 316L / 316LVM / Titanium

LENGTH	CAT. NO. S.S.	CAT. NO. TIT.
10MM	SP05.SS01832	SP05.TIT01832
12MM	SP05.SS01833	SP05.TIT01833
14MM	SP05.SS01834	SP05.TIT01834
16MM	SP05.SS01835	SP05.TIT01835
18MM	SP05.SS01836	SP05.TIT01836
20MM	SP05.SS01837	SP05.TIT01837
22MM	SP05.SS01838	SP05.TIT01838
24MM	SP05.SS01839	SP05.TIT01839
26MM	SP05.SS01840	SP05.TIT01840
28MM	SP05.SS01841	SP05.TIT01841
30MM	SP05.SS01842	SP05.TIT01842
32MM	SP05.SS01843	SP05.TIT01843
34MM	SP05.SS01844	SP05.TIT01844
36MM	SP05.SS01845	SP05.TIT01845
38MM	SP05.SS01846	SP05.TIT01846
40MM	SP05.SS01847	SP05.TIT01847
42MM	SP05.SS01848	SP05.TIT01848
44MM	SP05.SS01849	SP05.TIT01849
46MM	SP05.SS01850	SP05.TIT01850
48MM	SP05.SS01851	SP05.TIT01851
50MM	SP05.SS01852	SP05.TIT01852
52MM	SP05.SS01853	SP05.TIT01853
54MM	SP05.SS01854	SP05.TIT01854

LENGTH	CAT. NO. S.S.	CAT. NO. TIT.
STD.	SP05.SS02138	SP05.TIT02138
25MM	SP05.SS02139	SP05.TIT02139
30MM	SP05.SS02140	SP05.TIT02140
35MM	SP05.SS02141	SP05.TIT02141
40MM	SP05.SS02142	SP05.TIT02142
45MM	SP05.SS02143	SP05.TIT02143
50MM	SP05.SS02144	SP05.TIT02144
55MM	SP05.SS02145	SP05.TIT02145
60MM	SP05.SS02146	SP05.TIT02146
65MM	SP05.SS02147	SP05.TIT02147
70MM	SP05.SS02148	SP05.TIT02148
75MM	SP05.SS02149	SP05.TIT02149
80MM	SP05.SS02150	SP05.TIT02150
85MM	SP05.SS02151	SP05.TIT02151
90MM	SP05.SS02152	SP05.TIT02152
95MM	SP05.SS02153	SP05.TIT02153
100MM	SP05.SS02154	SP05.TIT02154
105MM	SP05.SS02155	SP05.TIT02155
110MM	SP05.SS02156	SP05.TIT02156
115MM	SP05.SS02157	SP05.TIT02157
120MM	SP05.SS02158	SP05.TIT02158

CORTICAL SCREW 4.5MM



DESCRIPTION


Thread Dia	4.5mm
Core Dia	3.0mm
Drill Bit for	3.2mm
Drive	Hex Drive 3.5mm
Material	Stainless Steel 316L / 316LVM / Titanium

DYNAMIC HIP AND CONDYLAR PLATE (DHS / DCS) Implants & Instrumentation [NON-LOCKED]

CANCELLOUS SCREW 6.5MM

DESCRIPTION

Thread Dia	6.5mm
Core Dia	3.9mm
Drill Bit for	4.0mm
Drive	3.5mm
Material	Stainless Steel 316L / 316LVM / Titanium








LENGTH	CAT. NO. S.S.			CAT. NO. TIT.		
	16MM	32MM	FULL	16MM	32MM	FULL
25MM	SP05.SS01892	SP05.SS01910	SP05.SS01928	SP05.TIT01892	SP05.TIT01910	SP05.TIT01928
30MM	SP05.SS01893	SP05.SS01911	SP05.SS01929	SP05.TIT01893	SP05.TIT01911	SP05.TIT01929
35MM	SP05.SS01894	SP05.SS01912	SP05.SS01930	SP05.TIT01894	SP05.TIT01912	SP05.TIT01930
40MM	SP05.SS01895	SP05.SS01913	SP05.SS01931	SP05.TIT01895	SP05.TIT01913	SP05.TIT01931
45MM	SP05.SS01896	SP05.SS01914	SP05.SS01932	SP05.TIT01896	SP05.TIT01914	SP05.TIT01932
50MM	SP05.SS01897	SP05.SS01915	SP05.SS01933	SP05.TIT01897	SP05.TIT01915	SP05.TIT01933
55MM	SP05.SS01898	SP05.SS01916	SP05.SS01934	SP05.TIT01898	SP05.TIT01916	SP05.TIT01934
60MM	SP05.SS01899	SP05.SS01917	SP05.SS01935	SP05.TIT01899	SP05.TIT01917	SP05.TIT01935
65MM	SP05.SS01900	SP05.SS01918	SP05.SS01936	SP05.TIT01900	SP05.TIT01918	SP05.TIT01936
70MM	SP05.SS01901	SP05.SS01919	SP05.SS01937	SP05.TIT01901	SP05.TIT01919	SP05.TIT01937
75MM	SP05.SS01902	SP05.SS01920	SP05.SS01938	SP05.TIT01902	SP05.TIT01920	SP05.TIT01938
80MM	SP05.SS01903	SP05.SS01921	SP05.SS01939	SP05.TIT01903	SP05.TIT01921	SP05.TIT01939
85MM	SP05.SS01904	SP05.SS01922	SP05.SS01940	SP05.TIT01904	SP05.TIT01922	SP05.TIT01940
90MM	SP05.SS01905	SP05.SS01923	SP05.SS01941	SP05.TIT01905	SP05.TIT01923	SP05.TIT01941
95MM	SP05.SS01906	SP05.SS01924	SP05.SS01942	SP05.TIT01906	SP05.TIT01924	SP05.TIT01942
100MM	SP05.SS01907	SP05.SS01925	SP05.SS01943	SP05.TIT01907	SP05.TIT01925	SP05.TIT01943
105MM	SP05.SS01908	SP05.SS01926	SP05.SS01944	SP05.TIT01908	SP05.TIT01926	SP05.TIT01944
110MM	SP05.SS01909	SP05.SS01927	SP05.SS01945	SP05.TIT01909	SP05.TIT01927	SP05.TIT01945

DYNAMIC HIP AND CONDYLAR PLATE (DHS / DCS) Implants & Instrumentation [NON-LOCKED]



S015.INS.DHS / DCS

ITEM	DESCRIPTION	REFERENCE CODE	QUANTITY
1	GUIDE WIRE 2.5MMX250MM	S015.INS.0231	3
2	GUIDE WIRE THREAD TIP 2.5MMX250MM	S015.INS.0232	3
3	COUPLING SCREW FOR INSERTING OF LAG SCREW (SHORT)	S015.INS.0233	1
4	GUIDE SHAFT FOR COUPLING SCREW	S015.INS.0234	1
5	WRENCH FOR DHS / DCS LAG SCREW	S015.INS.0235	1
6	COUPLING SCREW FOR REMOVAL OF LAG SCREW (LONG)	S015.INS.0236	1
7	IMPACTOR FOR DHS / DCS PLATE	S015.INS.0237	1
8	DHS TRIPLE REAMER	S015.INS.0238	1
9	DCS TRIPLE REAMER	S015.INS.0239	1
10	DCS 95° FIXED ANGLED GUIDE	S015.INS.0240	1
11	DHS 135° FIXED ANGLED GUIDE	S015.INS.0241	1
12	BONE TAP FOR DHS / DCS LAG SCREW	S015.INS.0242	1
13	T HANDLE WITH QUICK COUPLING	S015.INS.0243	1
14	DHS / DCS DIRECT MEASURING DEVICE FOR LAG SCREW	S015.INS.0244	1
15	DHS / DCS CENTERING SLEEVE FOR TAP (SHORT)	S015.INS.0245	1
16	DHS / DCS CENTERING SLEEVE FOR WRENCH (LONG)	S015.INS.0246	1
17	T HANDLE QUICK COUPLING FOR DRILL BIT & BONE TAP	S015.INS.0247	1
18	DOUBLE DRILL SLEEVE 3.2MM/4.5 MM	S015.INS.0248	1
19	DOUBLE DRILL SLEEVE 3.2MM/6.5MM	S015.INS.0249	1
20	NEUTRAL & LOAD DRILL SLEEVE 3.2/4.5	S015.INS.0250	1
21	DEPTH GAUGE	S015.INS.0251	1
22	SELF SCREW HOLDING SLEEVE	S015.INS.0252	1
23	QUICK COUPLING DRILL BIT 3.2MM X 147MM	S015.INS.0253	2
24	QUICK COUPLING DRILL BIT 4.5MM X 147MM	S015.INS.0254	2
25	BONE TAP FOR QUICK COUPLING 4.5MM	S015.INS.0255	1
26	BONE TAP FOR QUICK COUPLING 6.5MM	S015.INS.0256	1
27	SCREW HEAD EXTRACTOR	S015.INS.0257	1
28	BROKEN SCREW REMOVAL	S015.INS.0258	1
29	HEXAGON SCREW DRIVER SW3.5 WITH FIBER HANDLE	S015.INS.0259	1
30	CONTAINER FOR DYNAMIC HIP AND CONDYLAR PLATE INSTRUMENT SET (DHS / DCS)	S015.INS.DHS/DCS	1
OPTIONAL			
31	CONTAINER FOR IMPLANTS	S015.INS.DHS/DCS.I	1





We feel proud to introduce ourselves as a foremost manufacturer and exporter in orthopedic implants and instruments. We offer a wide & growing range of the highest quality range of the highest quality orthopedic implants & instrumentation along with other associated products at reasonable cost.

We have got a sound and firm position in the orthopedic industry by having a sturdy **network of distributors domestically & around the globe**. We are having the most modern technologies and are one of the leading manufacturers (**since 1992**) with pinnacle superiority of Ortho - Implants and instrumentations. We offer a wide range of **Orthopedic Products** made up of **Stainless Steel (ISO 5832-1)** and **Titanium (ISO 5832-3)**. We have employed Quality management System which confirms to **ISO 9001 & ISO 13485** standards.

Our all products are **CE** marked as per European Council Directive. **93/42/EEC** and are licensed by **Indian FDA** for manufacturing. Based on the principles of Quality Excellency, our product satisfies the expectations of our customers. We are associated with major medical Institutions of India for supplying the products. We continually participate in almost all major exhibitions of Orthopedics around the world to promote our products.

Our motto is to provide the **Best Quality Products** and to continue as a leading manufacturer and supplier of these products in the global market. We are growing rapidly in terms of world-wide sales because of our extensive product range, its quality & services by orthopedic surgeons.



Sharma Orthopedic (India) Pvt. Ltd.

445/A, G.I.D.C. Estate, Waghodia - 391 760, Dist. Vadodara, Gujarat, India.
Tele No. : +91 2668 262601 / 02 / 03 / 7698221526 / 7284003123 / 7284003125
Toll Free : 1800 123 4979 **Email :** info@sharmaortho.com, exports@sharmaortho.com
Website : www.sharmaortho.com **CIN :** U33110GJ2014PTC081007