

Tel. +41 21 728 64 35 Fax +41 21 728 64 49 info@assutsutures.com www.assutsutures.com

LETTER OF AUTHORIZATION

To: whom it may concern

We, Assut Medical Sàrl located in Pully-Lausanne, Switzerland (tel.+41.21.728.64.35), are a manufacturer of sterile surgical sutures. Our general catalogue show only the most sold products worldwide but do not reflect the thousands of different sutures we are able to manufacture. We are a manufacturer of atraumatic needles (not an assembler like many other companies) and we are thus able to offer various products that sometimes are not mentioned in our general catalogue.

We, thus hereby authorize our representative for the Republic of Moldova – Medec Service SRL, or Chişinău, str. Academiei 3, of. 120, Republica Moldova, represented by Mr. Alexandru Captari to bid on their behalf and their own account in the Tender Nr. 21043173 with all our sterile surgical sutures including the following products manufactured by Assut Medical Sàrl, Switzerland which are not included in our catalogue:

- lot. 38 REF CV739706x4 ,HSRG 50 (1/2c. cutting taper, 50mm) USP -6-, 4x45cm
- lot. 39 REF CV739707x4 (HSRG 50 (1/2c. cutting taper, 50mm) USP -7-, 4x45cm REF CV73980x4 HSRG 50 (1/2c. cutting taper, 50mm) USP -7-, 4x75cm
- lot. 41 -PTFE Pledgets Multipack 5x round firm pledgets 3x3x1.5mm per envelope REF PRF3315x5
- lot. 48 AssuCryl® MonoSlow (PDO) TS 17-17mm USP 5-0 75cm violet REF MS4542
- lot. 49 AssuCryl® MonoSlow (PDO) TS 12-12mm USP 5-0 75cm violet REF MS4522
- lot. 52 Astralen/Polyester 2xHR 20-20mmUSP 2-0 75cm green REF 38755
- lot. 53 Astralen/Polyester 2xHR 20-20mm USP 3-0 75cm green REF 38754
- lot. 58 AssuCryl® Lactin (PGLA) HSR 38-38mm USP 3-0, 75cm violet REF L4384
- lot. 59 AssuCryl® Lactin (PGLA) HS 17-17mm USP 3-0, 75cm violet REF L4674
- lot. 64 Silk black braided HR 25-25mm USP -0-, 75cm black (USP -0-/Metric 3.5) REF 62456
- lot. 66 Silk black braided HS 27-27mm USP 3-0, 45cm black REF 6704F
- lot.139 Silk black braided HS 27-27mm USP 3-0, 75cm black REF 6704
- lot. 146 Silk black braided TS 40-40mm USP 2-0, 75cm black REF 65935

Assut Medical Sàrl

Assut Medical Sàrl

Case postate 5 1009 Pully / Switzerland

Marc Baerfuss
Marketing & Sales Director

Pully, 14th September 2021

Headquarters:

Av. de Rochettaz 57


P.O. Box 5

1009 Pully

Switzerland

CHE - 106.829.894





Assut sutures of Switzerland



www.assutsutures.com



Introduction

Assut Medical Sarl, with factory located since 1962 in the famous Swiss region of the watch-industry and fine metal technology, is specialized in the manufacturing of atraumatic surgical needles and sterile surgical sutures.

Constantly adapting and enlarging its range of products to meet modern surgery requirements, Assut sutures are designed and made for all surgical specialties and renown world-wide. Assut sutures meet the surgeon's requirements in all surgical procedures.

With a long history providing surgical sutures of the highest quality, you can count on a team of dedicated Personnel, Technicians and Specialists.

The way our products are shown and described hereafter will make it easy for you to choose and order your sutures. Our company is EN ISO 9001/EN ISO 13485 certified. Our production and products are in compliance with the requirements according to the European medical device directive 93/42/EEC and all our sutures are CE-marked.

Assut Medical Sàrl

AT THE SERVICE OF SURGERY

Contents

	Page
Box of 1 dozen and 3 dozen	2
Suture package	4
Suture materials	5
Labelling and REF	6
Needle shapes	7
Needle - chart	8-9
Assortment	10-51
Specialties	52-53


Assut sutures of Switzerland





Suture Materials and Colour Codes —

Absorbable




AssuCryl® synthetic absorbable

Braided, coated synthetic absorbable PGA. Predictable absorption time. High initial tensile strength. Easy and secure knotting. Excellent knot sliding and smooth to handle. Violet and undyed (white). Absorption essentially complete between 60 and 90 days.

AssuCryl® Rapid synthetic absorbable

Braided, coated synthetic absorbable PGA. Predictable shorter absorption time. High initial tensile strength. Easy and secure knotting with excellent knot sliding, smooth to handle. Undyed (white) only. Absortion essentially complete between 40 to 45 days.



AssuCryl® Lactin synthetic absorbable

Braided, coated synthetic absorbable PGLA. Predictable absorption time. High initial tensile strength. Easy and secure knotting. Excellent knot sliding and smooth to handle. Violet and undyed (white). Absorption essentially complete between 56 and 70 days.

AssuCryl® MonoSlow synthetic absorbable

Monofilament synthetic absorbable PDO (Polydioxanone), violet. High initial tensile strength, easy to handle and smooth passage through tissue. Absortion essentially complete between 180 to 210 days.






AssuCryl® MonoRapid synthetic absorbable

Monofilament synthetic absorbable PGCL (Poliglecaprone). Available in violet or undyed. Easy to handle and smooth passage through tissue. Absorption essentially complete between 90 to 120 days.

Non - Absorbable



Polyester coated/Astralen

Green braided polyester with improved tensile strength and knot security, siliconized. A modern braiding technique gives the strand a smooth and uniform surface that minimizes the trauma.

Polypropylene

Blue monofilament polypropylene is flexible and ties securely. Extremely well tolerated, its smooth and uniform surface allows easy passage through tissue with minimum trauma.







Silk

Black braided surgical silk on twisted core for greater tensile strength. Wax treatment and new braiding technique render the silk uniform and smooth and facilitate its handling.

Supramid

Black monofilament polyamide with supersoft core, resulting in superior pliability and knot security. The uniform and smooth surface permits effortless passage through tissue with minimum trauma. Supramid is extremely well tolerated.





Monofil Nylon/Polyamide

Blue monofilament polyamide with high tensile strength. The uniform and smooth surface permits effortless passage through tissue with minimum trauma. Extremely well tolerated.

Surgical Steel

Monofilament stainless steel with very high tensible strength and excellent knot security. This strand causes minimum tissue reaction.



Information on Labelling

Symbol

Meaning







STERILE E0

STERILE | R



 $(\in xxxx$

REF







Do not re-use. Disposable product

Expiry-date. Use until year/month

Lot Number

Sterilized with Ethylene Oxide

Sterilized with Gamma-Irradiation

See instructions for use

CE Mark of the Notified Body

Product Number

Maximum Temperature °C

Do not use if packaging is damaged

Do not re-sterilize

Information on REF

Each Assut product has a REF (Prod.No.) with either 3, 4 or more digits. The prefix or suffix letter(s), if any, refer to the suture material, such as:

Prefix

M	Monofilament
R	Rapid
S	Slow
В	Reel

Lactin

Suffix


TH	30 cm long strand
THF	35 cm long strand
TE	38 cm long strand
F	45 cm long strand
S	60 cm long strand
	75 cm long strand
Ε	80 cm long strand
N	90 cm long strand
Н	100 cm long strand
HT	120 cm long strand
HF	150 cm long strand
HE	180 cm long strand
Т	200 cm long strand
TF	240 cm long strand
W	White (or undyed)


Needle shape and cross-section

Logical needle codes

The shape, cross-section and length of needles are given by the needle codes, for example TS 60. The first letter refers to the shape of the needle, the second to the cross-section. The number stands for the needle length along the body (mm).








Needle Code	Needle Sha	pe C	Pross-section		Symbol
HR	H ½ circle	R	Round-Bodied (taper)		<u>.</u>
HRG	H ½ circle	R	Round-Bodied (taper)	G heavy	0
HRM	H ½ circle	R	Round-Bodied (taper)	M Micropoint	\bigcirc
HS	H ½ circle	S	Cutting		\square
HSG	H ½ circle	S	Cutting	G heavy	\square
HSP	H ½ circle	SP	Spatula		
HSR	H ½ circle	SR	Cutting taper		
HSRG	H ½ circle	SR	Cutting taper	G heavy	
KSP	K 1/4 circle	SP	Spatula		
TR	T 3/8 circle	R	Round-Bodied (taper)		\odot
TRM	T 3/8 circle	R	Round-Bodied (taper)	M Micropoint	\bigcirc
TS	T 3/8 circle	S	Cutting		\bigvee
TSP	T 3/8 circle	SP	Spatula		
TS-P	T 3/8 circle	S	Cutting	P Precision Point	\bigvee
TSR	T 3/8 circle	SR	Cutting taper		
RR	R straight	R	Round-Bodied (taper)		\odot
RS	R straight	S	Cutting		
FR	F 5/8 circle	R	Round-Bodied (taper)		\odot
HTT	H ½ circle	TT	Blunt-Point		
HMR	HM straight-o		Round-Bodied (taper)		\odot
HMS	HM straight-o	curved S	Cutting		
SKT	SK straight-o	curved T	Cutting		

Needle-chart HR-needles () ½ circle, Round-Bodied (taper) TTT-needle 3/8 circle, Round-Bodied, Blunt point HR-13 **TTT-60** HR-17 RR-needles straight, Round-Bodied (taper) HR-20 **TTT-85 RR-22** HR-22 **RR-30** HR-25 RR-45 HTT-needle $\frac{1}{2}$ circle, Round-Bodied, Blunt point **RR-50** HR-27 HTT-50 **RR-60** HR-30 HRG-needles ½ circle, Round-Bodied (taper) heavy HR-32 TR-needles **HRG-22** 3/8 circle, Round-Bodied (taper) HR-35 **HRG-27** TR-13 HR-38 **HRG-32** TR-17 **HRG-38** HR-40 TR-22 HRG-40 HR-45 TR-27 **HRG-50** HR-50 TR-32 **HRG-65** HR-55 **TR-38** HR-65 FR-needles (·) TR-45 5/8 circle, Round-Bodied (taper) FR-27 HR-70 TR-55 FR-38 TR-65 FR-40



AssuCryl® (PGA) braided, coated, synthetic absorbable						
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF	
		½ circle taper (Round-Bodied)	Suffix W	e, undyed		
75 cm	undyed	HR-13	6 -0	0.7	4201W	
75 cm	undyed		5 - 0	1	4202W	
75 cm	undyed		4 - 0	1.5	4203W	
75 cm	violet	HR-17	5 - 0	1	4232	
75 cm	violet		4 - 0	1.5	4233	
75 cm	violet		3 - 0	2	4234	
75 cm	violet		2 - 0	3	4235	
75 cm	violet	HR-20	4 - 0	1.5	42353	
75 cm	violet		3 - 0	2	42354	
75 cm	violet	HR-22	4 - 0	1.5	4243	
75 cm	violet		3 - 0	2	4244	
75 cm	violet		2 - 0	3	4245	
75 cm	violet	HR-25	4 - 0	1.5	42453	
75 cm	violet		3 - 0	2	42454	
75 cm	violet		2 - 0	3	42455	
90 cm	violet		2 - 0	3	42455N	
75 cm	violet	HR-27	4 - 0	1.5	4253	
75 cm	violet		3 - 0	2	4254	
75 cm	violet		2 - 0	3	4255	
90 cm	violet		2 - 0	3	4255N	
75 cm	violet		0	3.5	4256	
75 cm	violet	HR-30	3 - 0	2	42554	
75 cm	violet		2 - 0	3	42555	
75 cm	violet		0	3.5	42556	
75 cm	violet		1	4	42557	
75 cm	violet	HR-35	3 - 0	2	42654	
75 cm	violet		2 - 0	3	42655	
75 cm	violet		0	3.5	42656	
75 cm	violet		1	4	42657	
75 cm 75 cm 75 cm 90 cm 90 cm 75 cm	violet violet violet violet violet violet	HR-38	3 - 0 2 - 0 0 0 1 2	2 3.5 3.5 4 5	4274 4275 4276 4276N 4277N 4278	
75 cm 90 cm 75 cm 90 cm 75 cm 90 cm 75 cm 90 cm	violet violet violet violet violet violet violet violet	HR-40	2 - 0 2 - 0 0 0 1 1 2 2	3 3.5 3.5 4 4 5	4285 4285N 4286 4286N 4287 4287N 4288 4288N	
75 cm 90 cm 75 cm 90 cm 75 cm 90 cm	violet violet violet violet violet violet	HR-45	0 0 1 1 2 2	3.5 3.5 4 4 5	42856 42856N 42857 42857N 42858 42858N	

Longeth Ti LO L Noodle Code and Longeth in your							
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF		
		½ circle taper (Round-Bodied)					
75 cm	violet	HR-50	2 - 0	3	4295		
75 cm	violet		0	3.5	4296		
90 cm	violet		0	3.5	4296N		
75 cm	violet		1	4	4297		
90 cm	violet		1	4	4297N		
75 cm	violet		2	5	4298		
90 cm	violet		2	5	4298N		
75 cm	violet	HR-65	2 - 0	3	42985		
75 cm	violet		0	3.5	42986		
75 cm	violet		1	4	42987		
		½ circle taper (Round-Bodied), heavy					
75 cm	violet	HRG-27	3 - 0	2	4334		
75 cm	violet		2 - 0	3	4335		
75 cm	violet		0	3.5	4336		
75 cm	violet		1	4	4337		
75 cm	violet	HRG-30	2 - 0	3	43325		
75 cm	violet		0	3.5	43326		
75 cm	violet		1	4	43327		
75 cm	violet	HRG-35	2 - 0	3	43365		
75 cm	violet		0	3.5	43366		
90 cm	violet		0	3.5	43366N		
90 cm	violet		1	4	43367N		
75 cm 90 cm 75 cm 90 cm 75 cm 90 cm 75 cm 90 cm	violet violet violet violet violet violet violet violet violet	HRG-38		3 3.5 3.5 4 4 5	4345 4345N 4346 4346N 4347 4347N 4348 4348N		
75 cm	violet	HRG-40	0	3.5	43416		
90 cm	violet		0	3.5	43416N		
75 cm	violet		1	4	43417		
90 cm	violet		1	4	43417N		
75 cm	violet		2	5	43418		
90 cm	violet		2	5	43418N		
75 cm	violet	HRG-45	0	3.5	43426		
75 cm	violet		1	4	43427		
75 cm	violet		2	5	43428		
75 cm 90 cm 75 cm 90 cm 75 cm 90 cm	violet violet violet violet violet violet	HRG-50	0 0 1 1 2 2	3.5 3.5 4 4 5	43436 43436N 43437 43437N 43438 43438N		
90 cm	violet	HRG-80	1	4	43487N		
100 cm	violet		1	4	43487H		

AssuCryl® (PGA) braided, coated, synthetic absorbable							
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF		
		½ circle reverse cutting					
45 cm	violet	HS-17	5 - 0	1	4672F		
75 cm	violet		4 - 0	1.5	4673		
45 cm	violet		4 - 0	1.5	4673F		
45 cm	undyed		4 - 0	1.5	4673WF		
45 cm	violet		3 - 0	2	4674F		
45 cm	violet		2 - 0	3	4675F		
45 cm	violet	HS-21	4 - 0	1.5	46843F		
45 cm	violet		3 - 0	2	46844F		
75 cm 75 cm	violet violet	HS-24	3 - 0 2 - 0	2	4694 4695		
75 cm	violet	HS-27	3 - 0	2	4704		
75 cm	violet		2 - 0	3	4705		
75 cm	violet		0	3.5	4706		
75 cm	violet	HS-30	2 - 0	3	4715		
75 cm	violet		0	3.5	4716		
75 cm	violet		1	4	4717		
75 cm	violet	HS-35	2 - 0	3	47015		
75 cm	violet		0	3.5	47016		
75 cm	violet		1	4	47017		
75 cm	violet	HS-40	0	3.5	4736		
75 cm	violet		1	4	4737		
75 cm	violet		2	5	4738		
75 cm	violet	HS-45	0	3.5	47326		
75 cm	violet		1	4	47327		
75 cm	violet		2	5	47328		
90 cm	violet	HS-48	1	4	47347N		
90 cm	violet		2	5	47348N		
75 cm	violet	HS-52	0	3.5	4746		
90 cm	violet		0	3.5	4746N		
75 cm	violet		1	4	4747		
90 cm	violet		1	4	4747N		
75 cm	violet		2	5	4748		
90 cm	violet		2	5	4748N		

AssuCryl® (PGA) braided, coated, synthetic absorbable							
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF		
		½ circle cutting taper					
75 cm	violet	HSR-18	5 - 0	1	4362		
75 cm	violet		4 - 0	1.5	4363		
75 cm	violet		3 - 0	2	4364		
75 cm	violet		2 - 0	3	4365		
75 cm 75 cm	violet violet	HSR-22	3 - 0 2 - 0	2	43624 43625		
75 cm	violet	HSR-25	4 - 0	1.5	43663		
75 cm	violet		3 - 0	2	43664		
75 cm	violet		2 - 0	3	43665		
75 cm	violet	HSR-27	3 - 0	2	4374		
75 cm	violet		2 - 0	3	4375		
75 cm	violet		0	3.5	4376		
75 cm	violet		1	4	4377		
75 cm	violet	HSR-30	3 - 0	2	43784		
75 cm	violet		2 - 0	3	43785		
75 cm	violet		0	3.5	43786		
75 cm	violet	HSR-35	0	3.5	43796		
75 cm	violet		1	4	43797		
75 cm	violet		2	5	43798		
75 cm	violet	HSR-38	2 - 0	3	4385		
90 cm	violet		2 - 0	3	4385N		
75 cm	violet		0	3.5	4386		
90 cm	violet		0	3.5	4386N		
		½ circle cutting taper, heavy					
75 cm	violet	HSRG-27	2 - 0	3	43755		
75 cm	violet		0	3.5	43756		
75 cm	violet		1	4	43757		
75 cm	violet	HSRG-35	1	4	43807		
90 cm	violet		1	4	43807N		
75 cm	violet		2	5	43808		
75 cm 90 cm 75 cm 90 cm 75 cm 90 cm	violet violet violet violet violet	HSRG-38	0 0 1 1 2 2	3.5 3.5 4 4 5	43856 43856N 43857 43857N 43858 43858N		
75 cm	violet	HSRG-40	1	4	43867		
75 cm	violet		2	5	43868		
75 cm	undyed		1	4	43867W		
75 cm	undyed		2	5	43868W		
75 cm	violet	HSRG-45	2 - 0	3	43955		
75 cm	violet		0	3.5	43956		
75 cm	violet		1	4	43957		
75 cm	violet		2	5	43958		

Assı	AssuCryl® (PGA) braided, coated, synthetic absorbable							
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF			
		3/8 circle taper (Round-Bodied)						
45 cm 45 cm 75 cm	violet violet violet	TR-13	5 - 0 4 - 0 4 - 0	1 1.5 1.5	4422F 4423F 4423			
75 cm 75 cm 75 cm	violet violet violet	TR-17	5 - 0 4 - 0 3 - 0	1 1.5 2	4432 4433 4434			
75 cm	violet	TR-30	2 - 0	3	44555			
75 cm	violet	TR-50	1	4	44757			
		3/8 circle, blunt point						
75 cm 100 cm	violet violet	TTT-65	1	4 4	46427 46427H			
75 cm 100 cm 75 cm	violet violet violet	TTT-85	1 1 2	4 4 5	46467 46467H 46468			
		5/8 circle taper (Round-Bodied)						
75 cm	violet	FR-27	2 - 0	3	4905			
75 cm	violet	FR-38	2 - 0	3	4925			
75 cm	violet	FR-40	0	3.5	4936			

Assu	AssuCryl® (PGA) braided, coated, synthetic absorbable						
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF		
		3/8 circle, reverse cutting	Suffix W	e, undyed			
45 cm	undyed	TO 40	6 - 0	0.7	4521WF		
45 cm	undyed	TS-12	5 - 0	1	4522WF		
45 cm	undyed		4 - 0	1.5	4523WF		
75 cm	violet		6 - 0	0.7	4531		
75 cm	violet		5 - 0	1	4532		
75 cm	violet	TS-15	4 - 0	1.5	4533		
45 cm	undyed		6 - 0	0.7	4531WF		
45 cm	undyed		5 - 0	1	4532WF		
45 cm	undyed		4 - 0	1.5	4533WF		
45 cm	undyed		5 - 0	1	4542WF		
75 cm 45 cm	undyed	TS-17	5 - 0 4 - 0	1	4542W		
75 cm	undyed		4 - 0 4 - 0	1.5 1.5	4543WF 4543W		
45 cm	undyed		3 - 0	2	4544WF		
75 cm	undyed undyed		3 - 0	2	4544W		
45 cm			4 - 0	1.5	4553WF		
45 cm	undyed undyed	TS-19	3 - 0	1.5	4554WF		
75 cm	violet		4 - 0	1.5	4553		
75 cm	violet		3 - 0	2	4554		
75 cm	undyed		4 - 0	1.5	4563W		
75 cm	undyed		3 - 0	2	4564W		
75 cm	undyed	TS-24	2 - 0	3	4565W		
75 cm	violet		4 - 0	1.5	4563		
75 cm	violet		3 - 0	2	4564		
75 cm	violet		2 - 0	3	4565		
75 cm	undyed		4 - 0	1.5	4573W		
75 cm	undyed	TS-27	3 - 0	2	4574W		
75 cm	undyed		2 - 0	3	4575W		
75 cm 75 cm	violet		3 - 0 2 - 0	2	4574 4575		
75 cm	violet		3 - 0	2	4575 4584W		
75 cm	undyed undyed	TS-30	2-0	3	4584W 4585W		
75 cm	violet		3 - 0	2	4584		
75 cm	violet		2 - 0	3	4585		
75 cm	violet		3 - 0	2	4594		
75 cm	violet	∖ TS-38 //	2 - 0	3	4595		
75 cm	violet		0	3.5	4596		
75 cm	violet		1	4	4597		
75 cm	violet		2	5	4598		
75 cm	violet	TS-45 //	2 - 0	3	4605		
75 cm	violet		0	3.5	4606		
75 cm	violet		1	4	4607		
75 cm	violet		2	5	4608		
		3/8 circle, reverse cutting, precision point					
45 cm	undyed	TS-12P	6 - 0	0.7	45201WF		
45 cm	undyed		5 - 0	1	45202WF		
45 cm	undyed	\TS-15P _∥	5 - 0	1	45302WF		
45 cm	undyed		4 - 0	1.5	45303WF		
45 cm	undyed	<u> </u>	3 - 0	2	45304WF		
45 cm 45 cm	undyed	\ TS-19P _{//}	5 - 0 4 - 0	1 1.5	45502WF 45503WF		
45 cm 45 cm	undyed undyed		4 - 0 3 - 0	1.5	45503VVF 45504WF		
45 cm	undyed		4 - 0	1.5	45603WF		
45 cm	undyed	TS-24P	3 - 0	2	45604WF		
45 cm	undyed		2 - 0	3	45605WF		
45 cm	undyed	\ T0 0-D //	4 - 0	1.5	45703WF		
45 cm	undyed	TS-27P	3 - 0	2	45704WF		
45 cm	undyed		2 - 0	3	45705WF		
		straight cutting					
45 cm	undvod	RS-45	4 0	1.5	4823WF		
75 cm	undyed		4 - 0 3 - 0				
75 cm 75 cm	undyed undyed	De so	3 - 0 2 - 0	2	4844W 4845W		
75 cm	violet	RS-58	3 - 0	2	4844		
75 cm	violet		2 - 0	3	4845		
. 5 5	710101	ı					

AssuCryl® (PGA) braided, coated, synthetic absorbable								
Number of Strands x Length	Thread Colour	USP	EP	REF				
I am a constant and a constant		t sutures without						
1 x 140 cm	violet	5 - 0	1	40052				
1 x 140 cm	violet	4 - 0	1.5	40053				
1 x 140 cm	violet	3 - 0	2	40054				
1 x 140 cm	violet	2 - 0	3	40055				
1 x 140 cm	violet	0	3.5	40056				
1 x 140 cm	violet	1	4	40057				
1 x 140 cm	violet	2	5	40058				
1 x 150 cm	violet	5 - 0	1	40032				
1 x 150 cm	violet	4 - 0	1.5	40033				
1 x 150 cm	violet	3 - 0	2	40034				
1 x 150 cm	violet	2 - 0	3	40035				
1 x 150 cm	violet	0	3.5	40036				
1 x 150 cm	violet	1	4	40037				
1 x 150 cm	violet	2	5	40038				
6 x 45 cm	violet	4 - 0	1.5	40093				
6 x 45 cm	violet	3 - 0	2	40094				
6 x 45 cm	violet	2 - 0	3	40095				
6 x 45 cm	violet	0	3.5	40096				
6 x 45 cm	violet	1	4	40097				
12 x 45 cm	violet	4 - 0	1.5	40523				
12 x 45 cm	violet	3 - 0	2	40524				
12 x 45 cm	violet	2 - 0	3	40525				
12 x 45 cm	violet	0	3.5	40526				
12 x 45 cm	violet	1	4	40527				
		ures without nee						
1 x 150 cm	violet	5 - 0	1	B40032				
1 x 150 cm	violet	4 - 0	1.5	B40033				
1 x 150 cm	violet	3 - 0	2	B40034				
1 x 150 cm	violet	2 - 0	3	B40035				
1 x 150 cm	violet	0	3.5	B40036				
1 x 150 cm	violet	1	4	B40037				
1 x 150 cm	violet	2	5	B40038				
1 x 250 cm	violet	5 - 0	1	B4092				
1 x 250 cm	violet	4 - 0	1.5	B4093				
1 x 250 cm	violet	3 - 0	2	B4094				
1 x 250 cm	violet	2 - 0	3	B4095				
1 x 250 cm	violet	0	3.5	B4096				
1 x 250 cm	violet	1	4	B4097				
1 x 250 cm	violet	2	5	B4098				

Ophthalmic sutures

Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF
30 cm	violet	2 x TSP 6 Curved, 6,2 mm long, spatula, 150 microns, double-armed	8 - 0	0.4	484568
45 cm	violet		8 - 0	0.4	484588
30 cm	violet	2 x TSP 7 Curved, 6,4 mm long, spatula, 200 microns, double-armed	8 - 0	0.4	486668
45 cm	violet		8 - 0	0.4	486688
45 cm	violet		7 - 0	0.5	486687
30 cm	violet		7 - 0	0.5	486667
45 cm 45 cm 45 cm 45 cm 45 cm	violet violet violet violet violet	2 x KSP 8 200 Mi 230 Mi 300 Mi 350 Mi 1/4 circle, 8mm long, spatula, double-armed 350 Mi	7 - 0 7 - 0 6 - 0 6 - 0 5 - 0	0.5 0.5 0.7 0.7	432687 432787 432986 432086 432085

Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF
<u>-engui</u>	Thread Colodi	½ circle taper (Round-Bodied)		Suffix W: White,	
75 cm	undyed	HR-13	6 -0	0.7	L4201W
75 cm	undyed		5 - 0	1	L4202W
75 cm	undyed		4 - 0	1.5	L4203W
75 cm	violet	HR-17	5 - 0	1	L4232
75 cm	violet		4 - 0	1.5	L4233
75 cm	violet		3 - 0	2	L4234
75 cm	violet		2 - 0	3	L4235
75 cm	violet	HR-20	4 - 0	1.5	L42353
75 cm	violet		3 - 0	2	L42354
75 cm	violet	HR-22	4 - 0	1.5	L4243
75 cm	violet		3 - 0	2	L4244
75 cm	violet		2 - 0	3	L4245
75 cm	violet	HR-25	4 - 0	1.5	L42453
75 cm	violet		3 - 0	2	L42454
75 cm	violet		2 - 0	3	L42455
90 cm	violet		2 - 0	3	L42455N
75 cm	violet	HR-27	4 - 0	1.5	L4253
75 cm	violet		3 - 0	2	L4254
75 cm	violet		2 - 0	3	L4255
90 cm	violet		2 - 0	3	L4255N
75 cm	violet		0	3.5	L4256
75 cm	violet	HR-30	3 - 0	2	L42554
75 cm	violet		2 - 0	3	L42555
75 cm	violet		0	3.5	L42556
75 cm	violet		1	4	L42557
75 cm	violet	HR-35	3 - 0	2	L42654
75 cm	violet		2 - 0	3	L42655
75 cm	violet		0	3.5	L42656
75 cm	violet		1	4	L42657
75 cm	violet	HR-38	3 - 0	2	L4274
75 cm	violet		2 - 0	3	L4275
75 cm	violet		0	3.5	L4276
90 cm	violet		0	3.5	L4276N
90 cm	violet		1	4	L4277N
75 cm	violet		2	5	L4278
75 cm 90 cm 75 cm 90 cm 75 cm 90 cm 75 cm 90 cm	violet violet violet violet violet violet violet violet	HR-40	2 - 0 2 - 0 0 0 1 1 2 2	3 3.5 3.5 3.5 4 4 5	L4285 L4285N L4286 L4286N L4287 L4287N L4288 L4288N
75 cm	violet	HR-45	0	3.5	L42856
90 cm	violet		0	3.5	L42856N
75 cm	violet		1	4	L42857
90 cm	violet		1	4	L42857N
75 cm	violet		2	5	L42858
90 cm	violet		2	5	L42858N

Assı	AssuCryl® Lactin (PGLA) braided, coated, synthetic absorbable							
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF			
		½ circle taper (Round-Bodied)						
75 cm 75 cm 90 cm 75 cm 90 cm 75 cm 90 cm	violet violet violet violet violet violet	HR-50	2 - 0 0 0 1 1 2 2	3 3.5 3.5 4 4 5	L4295 L4296 L4296N L4297 L4297N L4298 L4298N			
75 cm 75 cm 75 cm	violet violet violet	HR-65	2 - 0 0 1	3 3.5 4	L42985 L42986 L42987			
		½ circle taper (Round-Bodied), heavy						
75 cm 75 cm 75 cm 75 cm	violet violet violet violet	HRG-27	3 - 0 2 - 0 0 1	2 3 3.5 4	L4334 L4335 L4336 L4337			
75 cm 75 cm 75 cm	violet violet violet	HRG-30	2 - 0 0 1	3 3.5 4	L43325 L43326 L43327			
75 cm 75 cm 90 cm 90 cm	violet violet violet violet	HRG-35	2 - 0 0 0 1	3 3.5 3.5 4	L43365 L43366 L43366N L43367N			
75 cm 90 cm 75 cm 90 cm 75 cm 90 cm 75 cm 90 cm	violet violet violet violet violet violet violet violet violet	HRG-38	2 - 0 2 - 0 0 0 1 1 2 2	3 3.5 3.5 4 4 5	L4345 L4345N L4346 L4346N L4347 L4347N L4348 L4348N			
75 cm 90 cm 75 cm 90 cm 75 cm 90 cm	violet violet violet violet violet	HRG-40	0 0 1 1 2 2	3.5 3.5 4 4 5	L43416 L43416N L43417 L43417N L43418 L43418N			
75 cm 75 cm 75 cm	violet violet violet	HRG-45	0 1 2	3.5 4 5	L43426 L43427 L43428			
75 cm 90 cm 75 cm 90 cm 75 cm 90 cm	violet violet violet violet violet violet	HRG-50	0 0 1 1 2 2	3.5 3.5 4 4 5	L43436 L43436N L43437 L43437N L43438 L43438N			
90 cm 100 cm	violet violet	HRG-80	1	4 4	L43487N L43487H			

AssuCryl® Lactin (PGLA) braided, coated, synthetic absorbable Needle Code and Length in mm Length **Thread Colour USP** ΕP **REF** \bigvee ½ circle reverse cutting 45 cm violet 5 - 0 1 L4672F 4 - 0 1.5 75 cm violet L4673 **HS-17** 45 cm violet 4 - 0 1.5 L4673F 45 cm undyed 4 - 0 L4673WF 1.5 45 cm violet 3 - 0 2 L4674F 45 cm violet 2 - 0 3 L4675F HS-21 violet L46843F 45 cm 4 - 0 1.5 45 cm violet 3 - 0 2 L46844F **HS-24** 75 cm violet 3 - 0 2 L4694 75 cm violet 2 - 0 3 L4695 violet **HS-27** 3 - 0 2 L4704 75 cm 75 cm violet 2 - 0 3 L4705 75 cm violet 0 3.5 L4706 HS-30 75 cm violet 2 - 0 3 L4715 0 3.5 75 cm violet L4716 75 cm violet 1 L4717 **HS-35** 75 cm violet 2 - 0 3 L47015 3.5 75 cm violet 0 L47016 75 cm violet 4 L47017 1 **HS-40** 75 cm violet 0 3.5 L4736 75 cm violet 1 4 L4737 2 5 75 cm violet L4738 **HS-45** 75 cm violet 0 3.5 L47326 75 cm violet 1 4 L47327 75 cm 2 5 violet L47328 **HS-48** 90 cm violet 4 L47347N 1 violet 2 5 L47348N 90 cm 75 cm violet 3.5 0 L4746 L4746N violet 3.5 90 cm 0 75 cm violet 4 L4747 1 90 cm violet 1 4 L4747N 75 cm violet 2 5 L4748 2 90 cm violet 5 L4748N

Assu	AssuCryl® Lactin (PGLA) braided, coated, synthetic absorbable							
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF			
		½ circle cutting taper						
75 cm	violet	HSR-18	5 - 0	1	L4362			
75 cm	violet		4 - 0	1.5	L4363			
75 cm	violet		3 - 0	2	L4364			
75 cm	violet		2 - 0	3	L4365			
75 cm 75 cm	violet violet	HSR-22	3 - 0 2 - 0	2	L43624 L43625			
75 cm	violet	HSR-25	4 - 0	1.5	L43663			
75 cm	violet		3 - 0	2	L43664			
75 cm	violet		2 - 0	3	L43665			
75 cm	violet	HSR-27	3 - 0	2	L4374			
75 cm	violet		2 - 0	3	L4375			
75 cm	violet		0	3.5	L4376			
75 cm	violet		1	4	L4377			
75 cm	violet	HSR-30	3 - 0	2	L43784			
75 cm	violet		2 - 0	3	L43785			
75 cm	violet		0	3.5	L43786			
75 cm	violet	HSR-35	0	3.5	L43796			
75 cm	violet		1	4	L43797			
75 cm	violet		2	5	L43798			
75 cm	violet	HSR-38	2 - 0	3	L4385			
90 cm	violet		2 - 0	3	L4385N			
75 cm	violet		0	3.5	L4386			
90 cm	violet		0	3.5	L4386N			
		½ circle cutting taper , heavy						
75 cm	violet	HSRG-27	2 - 0	3	L43755			
75 cm	violet		0	3.5	L43756			
75 cm	violet		1	4	L43757			
75 cm	violet	HSRG-35	1	4	L43807			
90 cm	violet		1	4	L43807N			
75 cm	violet		2	5	L43808			
75 cm 90 cm 75 cm 90 cm 75 cm 90 cm	violet violet violet violet violet	HSRG-38	0 0 1 1 2 2	3.5 3.5 4 4 5	L43856 L43856N L43857 L43857N L43858 L43858N			
75 cm	violet	HSRG-40	1	4	L43867			
75 cm	violet		2	5	L43868			
75 cm	undyed		1	4	L43867W			
75 cm	undyed		2	5	L43868W			
75 cm	violet	HSRG-45	2 - 0	3	L43955			
75 cm	violet		0	3.5	L43956			
75 cm	violet		1	4	L43957			
75 cm	violet		2	5	L43958			

AssuCryl® Lactin (PGLA) braided, coated, synthetic absorbable							
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF		
		3/8 circle taper (Round-Bodied)					
45 cm 45 cm 75 cm	violet violet violet	TR-13	5 - 0 4 - 0 4 - 0	1 1.5 1.5	L4422F L4423F L4423		
75 cm 75 cm 75 cm	violet violet violet	TR-17	5 - 0 4 - 0 3 - 0	1 1.5 2	L4432 L4433 L4434		
75 cm	violet	TR-30	2 - 0	3	L44555		
75 cm	violet	TR-50	1	4	L44757		
		3/8 circle, blunt point					
75 cm 100 cm	violet violet	TTT-65	1 1	4 4	L46427 L46427H		
75 cm 100 cm 75 cm	violet violet violet	TTT-85	1 1 2	4 4 5	L46467 L46467H L46468		
		5/8 circle taper (Round-Bodied)					
75 cm	violet	FR-27	2 - 0	3	L4905		
75 cm	violet	FR-38	2 - 0	3	L4925		
75 cm	violet	FR-40	0	3.5	L4936		

Longth	Thread Colour	Noodle Code and Langth in man	USP	EP	REF
Length	Inread Colour	Needle Code and Length in mm 3/8 circle, reverse cutting			e, undyed
45 om	undyed	1			L4521WF
45 cm 45 cm	undyed	TS-12	6 - 0 5 - 0	0.7	L4521WF L4522WF
45 cm	violet		4 - 0	1.5	L4522VVI
75 cm	violet		6 - 0	0.7	L4531
75 cm	violet		5 - 0	1	L4532
75 cm	violet	TS-15	4 - 0	1.5	L4533
45 cm	undyed		6 - 0	0.7	L4531WF
45 cm	undyed		5 - 0	1	L4532WF
45 cm	undyed		4 - 0	1.5	L4533WF
45 cm	undyed		5 - 0	1 1	L4542WF
75 cm	undyed	TS-17	5 - 0	1 1	L4542W
45 cm 75 cm	undyed		4 - 0 4 - 0	1.5 1.5	L4543WF L4543W
45 cm	undyed		3 - 0	2	L4544WF
75 cm	undyed undyed		3 - 0	2	L4544W
45 cm	undyed		4 - 0	1.5	L4553WF
45 cm	undyed	TS-19	3 - 0	2	L4554WF
75 cm	violet		4 - 0	1.5	L4553
75 cm	violet		3 - 0	2	L4554
75 cm	undyed		4 - 0	1.5	L4563W
75 cm	undyed	T0.04	3 - 0	2	L4564W
75 cm	undyed	TS-24	2 - 0	3	L4565W
75 cm	violet		4 - 0	1.5	L4563
75 cm	violet		3 - 0	2	L4564
75 cm	violet		2 - 0	3	L4565
75 cm 75 cm	undyed	 -	4 - 0 3 - 0	1.5	L4573W L4574W
75 cm	undyed undyed	TS-27	2-0	3	L4574VV L4575W
75 cm	violet		3 - 0	2	L4573VV
75 cm	violet		2 - 0	3	L4575
75 cm	undyed	T0.00	3 - 0	2	L4584W
75 cm	undyed	TS-30	2 - 0	3	L4585W
75 cm	violet		3 - 0	2	L4584
75 cm	violet		2 - 0	3	L4585
75 cm	violet	T0.00	3 - 0	2	L4594
75 cm	violet	TS-38	2 - 0	3	L4595
75 cm	violet violet		0	3.5	L4596
75 cm 75 cm	violet		1 2	4 5	L4597 L4598
75 cm	violet		2 - 0	3	L4605
75 cm	violet	TS-45	0	3.5	L4605 L4606
75 cm	violet		1	4	L4607
75 cm	violet		2	5	L4608
		3/8 circle, reverse cutting, precision point			
45 cm	undyed	TS-12P	6 - 0	0.7	L45201WI
45 cm	undyed		5 - 0	1	L45202WF
45 cm	undyed	TO 45D	5 - 0	1	L45302WF
45 cm	undyed	TS-15P	4 - 0	1.5	L45303WI
45 cm	undyed		3 - 0	2	L45304WI
45 cm	undyed	∖ TS-19P //	5 - 0	1	L45502WI
45 cm	undyed		4 - 0	1.5	L45503WI
45 cm	undyed undyed		3 - 0	1.5	L45504WI
45 cm 45 cm	undyed undyed	▼ TS-24P	4 - 0 3 - 0	1.5	L45603WI L45604WI
45 cm	undyed		2-0	3	L45605WI
45 cm	undyed		4 - 0	1.5	L45703WI
45 cm	undyed	TS-27P	3 - 0	2	L45704W
45 cm	undyed		2 - 0	3	L45705W
	-	straight cutting		•	
45 cm	undyed	RS-45	4 - 0	1.5	L4823WF
75 cm	undyed		3 - 0	2	L4844W
75 cm	undyed	RS-58	2 - 0	3	L4845W
75 cm	violet		3 - 0	2	L4844
75 cm	violet		2 - 0	3	L4845

AssuCryl® Lactin (PGLA) braided, coated, synthetic absorbable										
Number of Strands x Length	Thread Colour	USP	EP	REF						
Pre-cut sutures without needle										
1 x 140 cm	violet	5 - 0	1	L40052						
1 x 140 cm	violet	4 - 0	1.5	L40053						
1 x 140 cm	violet	3 - 0	2	L40054						
1 x 140 cm	violet	2 - 0	3	L40055						
1 x 140 cm	violet	0	3.5	L40056						
1 x 140 cm	violet	1	4	L40057						
1 x 140 cm	violet	2	5	L40058						
1 x 150 cm	violet	5 - 0	1	L40032						
1 x 150 cm	violet	4 - 0	1.5	L40033						
1 x 150 cm	violet	3 - 0	2	L40034						
1 x 150 cm	violet	2 - 0	3	L40035						
1 x 150 cm	violet	0	3.5	L40036						
1 x 150 cm	violet	1	4	L40037						
1 x 150 cm	violet	2	5	L40038						
6 x 45 cm	violet	4 - 0	1.5	L40093						
6 x 45 cm	violet	3 - 0	2	L40094						
6 x 45 cm	violet	2 - 0	3	L40095						
6 x 45 cm	violet	0	3.5	L40096						
6 x 45 cm	violet	1	4	L40097						
12 x 45 cm	violet	4 - 0	1.5	L40523						
12 x 45 cm	violet	3 - 0	2	L40524						
12 x 45 cm	violet	2 - 0	3	L40525						
12 x 45 cm	violet	0	3.5	L40526						
12 x 45 cm	violet	1	4	L40527						
	Pre-cut sut	ures without nee	edle on reel							
1 x 150 cm	violet	5 - 0	1	BL40032						
1 x 150 cm	violet	4 - 0	1.5	BL40033						
1 x 150 cm	violet	3 - 0	2	BL40034						
1 x 150 cm	violet	2 - 0	3	BL40035						
1 x 150 cm	violet	0	3.5	BL40036						
1 x 150 cm	violet	1	4	BL40037						
1 x 150 cm	violet	2	5	BL40038						

Ophthalmic sutures

5 - 0

4 - 0

3 - 0

2 - 0

0

2

1

1.5

2

3

3.5

4

5

BL4092 BL4093

BL4094

BL4095

BL4096

BL4097

BL4098

violet

violet

violet

violet

violet

violet

violet

1 x 250 cm

Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF
45 cm	violet	2 x KSP 8 300 Mi 350 Mi 350 Mi 350 Mi	6 - 0	0.7	L432986
45 cm	violet		6 - 0	0.7	L432086
45 cm	violet		5 - 0	1	L432085

Assı	uCryl® R	apid (PGA) braided, coated, sy	yntheti	c ab	sorbable
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF
		½ circle taper (Round-Bodied)			
75 cm	undyed	HR-17	5 - 0	1	R4232W
75 cm	undyed		4 - 0	1.5	R4233W
75 cm	undyed		3 - 0	2	R4234W
75 cm	undyed	HR-22	4 - 0	1.5	R4243W
75 cm	undyed		3 - 0	2	R4244W
75 cm	undyed		2 - 0	3	R4245W
75 cm	undyed	HR-25	4 - 0	1.5	R42453W
75 cm	undyed		3 - 0	2	R42454W
75 cm	undyed		2 - 0	3	R42455W
75 cm	undyed	HR-27	4 - 0	1.5	R4253W
75 cm	undyed		3 - 0	2	R4254W
75 cm	undyed		2 - 0	3	R4255W
75 cm	undyed		0	3.5	R4256W
75 cm	undyed	HR-30	3 - 0	2	R42554W
75 cm	undyed		2 - 0	3	R42555W
75 cm	undyed		0	3.5	R42556W
75 cm	undyed		1	4	R42557W
		½ circle taper (Round-Bodied), heavy			
90 cm	undyed	HRG-38	0	3.5	R4346WN
90 cm	undyed		1	4	R4347WN
75 cm	undyed	HRG-40	0	3.5	R43416W
90 cm	undyed		0	3.5	R43416WN
75 cm	undyed		1	4	R43417W
90 cm	undyed		1	4	R43417WN
75 cm	undyed		2	5	R43418W
90 cm	undyed		2	5	R43418WN
75 cm	undyed	HRG-50	2 - 0	3	R43435W
90 cm	undyed		2 - 0	3	R43435WN
90 cm	undyed		0	3.5	R43436WN
90 cm	undyed		1	4	R43437WN
		½ circle reverse cutting			
45 cm	undyed	HS-21	4 - 0	1.5	R46843WF
45 cm	undyed		3 - 0	2	R46844WF
75 cm	undyed	HS-24	3 - 0	2	R4694W
75 cm	undyed	HS-27	2 - 0	3	R4705W
		½ circle cutting taper			
90 cm 90 cm	undyed undyed	HSR-25	3 - 0 2 - 0	2 3	R43664WN R43665WN
120 cm	undyed	HSR-35	2 - 0	3	R43795WHT
90 cm	undyed		2 - 0	3	R43795WN
90 cm	undyed		0	3.5	R43796WN
90 cm	undyed		1	4	R43797WN
90 cm	undyed	HSR-40	2 - 0	3	R43885WN
90 cm	undyed	HSR-45	2 - 0	3	R43895WN
90 cm	undyed		0	3.5	R43896WN

3/8 circle, reverse cutting 45 cm undyed 475 c	.ength	Thread Colour	Needle Code and Length in mm	USP	EP	REF
## ## ## ## ## ## ## ## ## ## ## ## ##						
## ## ## ## ## ## ## ## ## ## ## ## ##	45 cm	undved		6 - 0	0.7	R4521WF
## 15 cm	45 cm	undyed	TS-12	5 - 0		R4522WF
T5-cm	75 cm	undyed		4 - 0	1.5	R4523W
T5-cm	45 cm	undyed		4 - 0	1.5	R4543WF
75 cm	75 cm		TS-17	4 - 0		R4543W
75 cm undyed TS-27	45 cm			3 - 0	2	R4544WF
175 cm	75 cm	undyed		3 - 0	2	R4544W
175 cm	75 cm	undyed	TS.19	4 - 0	1.5	R4553W
15 cm	75 cm					
75 cm undyed undyed	75 cm			2 - 0		
75 cm undyed undyed	75.cm	undvod	70.04	4 - 0	1.5	D4563W
TS-27			18-24			
75 cm undyed und						
TS-cm	. 5 5111	anayou		1	<u> </u>	1.100011
TS-30	75 cm	undyed	TS-27		2	
3/8 circle, reverse cutting, precision point 45 cm	75 cm					R4575W
3/8 circle, reverse cutting, precision point 45 cm			T0.00	1		
3/8 circle, reverse cutting, precision point TS-12P TS-13P TS-19P TS-19P TS-19P TS-24P TS-24P TS-27P	75 cm		18-30			
## Precision point ## cm	75 cm	undyed		0	3.5	R4586W
## Precision point ## cm			2/9 sirals, reverse sutting			
TS-12P						
45 cm undyed 4 - 0 1.5 R45203W 75 cm undyed undyed 2 - 0 3 R45504W 75 cm undyed undyed 2 - 0 3 R45605W 75 cm undyed undyed 2 - 0 3 R45704W 75 cm undyed undyed 2 - 0 3 R45705W 75 cm undyed undyed 2 - 0 3 R45705W 75 cm undyed undyed 2 - 0 3 R45865W 75 cm undyed undyed 2 - 0 3 R45865W 75 cm undyed undyed 2 - 0 3 R45865W 75 cm undyed undyed 2 - 0 3 R45865W 75 cm undyed undyed 2 - 0 3 R45865W 75 cm undyed 3 - 0 2 R45865W 75 cm undyed 3 - 0 2 R45865W 75 cm undyed 3 - 0 1.5 R43913W 75 cm undyed 3 - 0 2 R43914W 8traight cutting 75 cm undyed 3 - 0 2 R4848WF 75 cm undyed 88-58 3 - 0 2 R4844W			processor point			
75 cm undyed undyed undyed	45 cm		TS-12P			R45202W
75 cm undyed undyed	45 cm	undyed		4 - 0	1.5	R45203W
75 cm undyed undyed						
75 cm undyed und	75 cm		TS-19P			R45503W
75 cm undyed undyed	75 cm	undyed		3 - 0	2	R45504W
75 cm undyed undyed						
75 cm undyed undyed undyed	75 cm		TS-24P			R45604W
75 cm undyed	75 cm	undyed		2 - 0	3	R45605W
75 cm undyed						
75 cm undyed undyed 3 - 0 2 R45864W 75 cm undyed 2 - 0 3 R45865W 3/8 circle, cutting taper 75 cm undyed undyed TSR-18 4 - 0 1.5 R43913W 75 cm undyed straight cutting 45 cm undyed RS-45 4 - 0 1.5 R4823WF 75 cm undyed RS-58 3 - 0 2 R4844W	75 cm		TS-27P			R45704W
3-0 2 R45864W	/5 cm	undyed		2-0	3	K45705W
3-0 2 R45864W			1 TC.25D ^			
3/8 circle, cutting taper TSR-18 undyed undyed straight cutting RS-45 undyed RS-45 undyed RS-58 3/8 circle, cutting taper 4 - 0	75 cm		13-35F			R45864W
75 cm undyed undyed	75 cm	undyed		2 - 0	3	R45865W
75 cm undyed undyed				+		
75 cm undyed 3 - 0 2 R43914W straight cutting 45 cm undyed RS-45			3/8 circle, cutting taper			
75 cm undyed 3 - 0 2 R43914W straight cutting 45 cm undyed RS-45	75.cm	undved	TSR-18	4 - 0	1.5	B\\3013\\\
45 cm undyed RS-45 4 - 0 1.5 R4823WF 75 cm undyed RS-58 3 - 0 2 R4844W	75 cm			1		R43914W
45 cm undyed RS-45 4 - 0 1.5 R4823WF 75 cm undyed RS-58 3 - 0 2 R4844W		-				
75 cm undyed RS-58 3 - 0 2 R4844W			straight cutting			
75 cm undyed RS-58 3 - 0 2 R4844W				+		
	45 cm	undyed	RS-45	4 - 0	1.5	R4823WF
				+		
TE LUMBER OF THE TENT OF THE T			RS-58			

Assu(AssuCryl® MonoSlow (PDO) monofilament, synthetic absorbable							
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF			
		½ circle taper (Round-Bodied)						
45 cm	violet	HR-13	5 - 0	1	MS4202F			
45 cm	violet		4 - 0	1.5	MS4203F			
75 cm	violet		5 - 0	1	MS4232			
90 cm	violet	, HR-17 ,	5 - 0	1	MS4232N			
75 cm	violet violet		4 - 0	1.5	MS4233			
90 cm 75 cm	violet		4 - 0 3 - 0	1.5	MS4233N MS4234			
75 cm	violet		4 - 0	1.5	MS42353			
75 cm	violet	(HR-20)	3 - 0	2	MS42354			
75 cm	violet		2 - 0	3	MS42355			
75 cm	violet		0	3.5	MS42356			
75 cm	violet violet	│ HR-22 <i> </i>	4 - 0	1.5	MS4243			
75 cm 75 cm	violet		3 - 0 2 - 0	2 3	MS4244 MS4245			
75 cm	violet		4 - 0	1.5	MS42453			
75 cm	violet	(HR-25	3 - 0	2	MS42454			
75 cm	violet	III-23	2 - 0	3	MS42455			
75 cm	violet		0	3.5	MS42456			
75 cm	violet		1	4	MS42457			
75 cm	violet	│ HR-27	3 - 0	2	MS4254			
75 cm 75 cm	violet violet		2 - 0 0	3.5	MS4255 MS4256			
90 cm	violet		3 - 0	2	MS42554N			
75 cm	violet	(\ HR-30	3-0	2	MS42554N MS42554			
75 cm	violet	nn-su	2-0	3	MS42555			
75 cm	violet		0	3.5	MS42556			
75 cm	violet		1	4	MS42557			
75 cm	violet	\\ HR-40	2 - 0	3	MS4285			
75 cm 75 cm	violet violet	1111-40	0 1	3.5	MS4286 MS4287			
75 cm	violet		2	5	MS4288			
		½ circle taper (Round-Bodied) double-armed						
		2 x HR-13						
75 cm	violet		6 - 0	0.7	MS4861			
75 cm	violet	\\ \frac{1}{2} \\ \fr	5 - 0	1	MS4862			
		1/ : 1 / (D 1D 1 1 1						
75		½ circle taper (Round-Bodied) , heavy 🕥			1404005			
75 cm 75 cm	violet violet	HRG-27	2 - 0 0	3 3.5	MS4335 MS4336			
75 cm	violet		1	4	MS4337			
90 cm	violet	\ HRG-38	0	3.5	MS4346N			
90 cm	violet		1	4	MS4347N			
90 cm	violet		2	5	MS4348N			
75 cm	violet		0	3.5	MS43416			
90 cm	violet		0	3.5	MS43416N			
150 cm loop	violet	HRG-40	0	3.5	MS43416HF			
75 cm	violet violet		1	4	MS43417			
90 cm 150 cm loop	violet		1 1	4 4	MS43417N MS43417HF			
75 cm	violet		2	5	MS43418			
90 cm	violet		2	5	MS43418N			
90 cm	violet	HRG-45	1	4	MS43427N			
90 cm	violet	HDC EO II	0	3.5	MS43436N			
150 cm loop	violet	HRG-50	0	3.5	MS43436HF			
90 cm	violet		1	4	MS43437N			
150 cm loop 90 cm	violet violet		1 2	4 5	MS43437HF MS43438N			
90 CIII	VIOIGE			ن	NIOCHCHOIN			

Assu	AssuCryl® MonoSlow (PDO) monofilament, synthetic absorbable						
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF		
		½ circle, reverse cutting					
45 cm 45 cm	violet violet	HS-21	3 - 0 2 - 0	2	MS46844F MS46845F		
75 cm 75 cm 75 cm	violet violet violet	HS-30	2 - 0 0 1	3 3.5 4	MS4715 MS4716 MS4717		
90 cm 90 cm 90 cm	violet violet violet	HS-40	0 1 2	3.5 4 5	MS4736N MS4737N MS4738N		
90 cm 90 cm 90 cm	violet violet violet	HS-52	0 1 2	3.5 4 5	MS4746N MS4747N MS4748N		
		½ circle cutting taper					
75 cm 75 cm	violet violet	HSR-25	3 - 0 2 - 0	2 3	MS43664 MS43665		
75 cm 75 cm	violet violet	HSR-27	3 - 0 2 - 0	2 3	MS4374 MS4375		
75 cm 90 cm 90 cm	violet violet violet	HSR-35	2 - 0 0 1	3 3.5 4	MS43795 MS43796N MS43797N		
75 cm 90 cm 75 cm 90 cm	violet violet violet violet	HSR-38	0 0 1 1	3.5 3.5 4 4	MS4386 MS4386N MS4387 MS4387N		
		½ circle cutting taper, heavy					
90 cm 90 cm	violet violet	HSRG-35	0 1	3.5 4	MS43806N MS43807N		
90 cm 90 cm	violet violet	HSRG-40	0 1	3.5 4	MS43866N MS43867N		
		3/8 circle taper (Round-Bodied) double-armed			-		
75 cm 75 cm	violet violet	2 x TR-13	6 - 0 5 - 0	0.7	MS4991 MS4992		

Assı	AssuCryl® MonoSlow (PDO) monofilament, synthetic absorbable						
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF		
		3/8 circle reverse cutting					
45 cm	violet	TS-12	6 - 0	0.7	MS4521F		
45 cm	violet		5 - 0	1	MS4522F		
45 cm	violet		4 - 0	1.5	MS4523F		
75 cm	violet	TS-15	6 - 0	0.7	MS4531		
75 cm	violet		5 - 0	1	MS4532		
75 cm	violet		4 - 0	1.5	MS4533		
45 cm	violet	TS-17	4 - 0	1.5	MS4543F		
75 cm	violet		4 - 0	1.5	MS4543		
45 cm	violet		3 - 0	2	MS4544F		
75 cm	violet		3 - 0	2	MS4544		
45 cm	violet	TS-19	4 - 0	1.5	MS4553F		
75 cm	violet		4 - 0	1.5	MS4553		
45 cm	violet		3 - 0	2	MS4554F		
75 cm	violet		3 - 0	2	MS4554		
75 cm	violet	TS-24	4 - 0	1.5	MS4563		
75 cm	violet		3 - 0	2	MS4564		
75 cm	violet		2 - 0	3	MS4565		
75 cm	violet	TS-27	3 - 0	2	MS4574		
75 cm	violet		2 - 0	3	MS4575		
75 cm	violet	TS-30	3 - 0	2	MS4584		
75 cm	violet		2 - 0	3	MS4585		
75 cm	violet		0	3.5	MS4586		
75 cm	violet	TS-38	3 - 0	2	MS4594		
75 cm	violet		2 - 0	3	MS4595		
75 cm	violet		0	3.5	MS4596		
		Straight, cutting					
75 cm	violet	RS-58	3 - 0	2	MS4844		
75 cm	violet		2 - 0	3	MS4845		
75 cm	violet		0	3.5	MS4846		
		3/8 circle reverse cutting Precision Point					
45 cm	violet	TS-12P	6 - 0	0.7	MS45201F		
45 cm	violet		5 - 0	1	MS45202F		
45 cm	violet		4 - 0	1.5	MS45203F		
45 cm	violet	TS-15P	5 - 0	1	MS45302F		
45 cm	violet		4 - 0	1.5	MS45303F		
45 cm	violet		3 - 0	2	MS45304F		
45 cm	violet	TS-19P	4 - 0	1.5	MS45503F		
45 cm	violet		3 - 0	2	MS45504F		
45 cm	violet	TS-24P	4 - 0	1.5	MS45603F		
45 cm	violet		3 - 0	2	MS45604F		
45 cm	violet	TS-27P	3 - 0	2	MS45704F		
45 cm	violet	TS-35P	2 - 0	3	MS45865F		

Astralen / Polyester braided, coated						
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF	
		½ circle taper (Round-Bodied)				
75 cm	green	HR-13	5 - 0	1	3202	
75 cm	green		4 - 0	1.5	3203	
75 cm	green		3 - 0	2	3204	
75 cm	green	HR-17	5 - 0	1	3232	
75 cm	green		4 - 0	1.5	101	
75 cm	green		3 - 0	2	102	
75 cm	green		2 - 0	3	3235	
75 cm	green	HR-22	4 - 0	1.5	3243	
75 cm	green		3 - 0	2	3244	
75 cm	green		2 - 0	3	3245	
75 cm	green	HR-27	4 - 0	1.5	103	
75 cm	green		3 - 0	2	104	
75 cm	green		2 - 0	3	105	
75 cm	green		0	3.5	3256	
75 cm	green	HR-32	3 - 0	2	3264	
75 cm	green		2 - 0	3	3265	
75 cm	green		0	3.5	3266	
75 cm	green		1	4	3267	
75 cm	green	HR-38	3 - 0	2	3274	
75 cm	green		2 - 0	3	106	
75 cm	green		0	3.5	107	
75 cm	green		1	4	3277	
75 cm	green		2	5	108	
75 cm	green	HR-40	2 - 0	3	3285	
75 cm	green		0	3.5	3286	
75 cm	green		1	4	3287	
½ circle taper, h		½ circle taper, heavy				
75 cm	green	HRG-27	2 - 0	3	3335	
75 cm	green		0	3.5	3336	
75 cm	green		1	4	3337	
75 cm	green		2	5	3338	
75 cm	green	HRG-38	2 - 0	3	3345	
75 cm	green		0	3.5	3346	
		½ circle taper, double-armed				
75 cm 90 cm 75 cm 90 cm 75 cm 90 cm	green green green green green	2 x HR-17	4 - 0 4 - 0 3 - 0 3 - 0 2 - 0 2 - 0	1.5 1.5 2 2 3 3	901 901N 902 902N 3875 3875N	
75 cm	green & white	Multipack 4 sutures per envelope - 2 green & 2 white braided sutures	4 - 0	1.5	CV 901x4	
75 cm	green	2 x HR-25	3 - 0	2	38854	
90 cm	green		3 - 0	2	38854N	
75 cm	green		2 - 0	3	38855	
90 cm	green		2 - 0	3	38855N	
90 cm	green	2 x HR-35	2 - 0	3	38975N	

Astralen / Polyester braided, coated						
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF	
		½ circle, reverse cutting				
75 cm 75 cm 75 cm 75 cm	green green green green	HS-17	6 - 0 5 - 0 4 - 0 3 - 0	0.7 1 1.5 2	3671 3672 3673 3674	
75 cm 75 cm 75 cm	green green green	HS-19	4 - 0 3 - 0 2 - 0	1.5 2 3	3683 3684 3685	
75 cm 75 cm 75 cm 75 cm	green green green green	HS-24	4 - 0 3 - 0 2 - 0 0	1.5 2 3 3.5	3693 3694 3695 3696	
75 cm	green	HS-27	2 - 0	3	160	
75 cm 75 cm 75 cm	green green green	HS-30	2 - 0 0 1	3 3.5 4	3715 3716 3717	
75 cm 75 cm 75 cm 75 cm	green green green green	HS-38	2 - 0 0 1 2	3 3.5 4 5	3725 3726 3727 3728	
		½ circle, cutting taper				
75 cm 75 cm 75 cm 75 cm	green green green green	HSR-18	5 - 0 4 - 0 3 - 0 2 - 0	1 1.5 2 3	3362 3363 3364 3365	
75 cm 75 cm	green green	HSR-27	3 - 0 2 - 0	2	3374 3375	
75 cm 75 cm	green green	HSR-38	0	3.5 4	3386 3387	

Astralen / Polyester braided, coated						
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF	
		½ circle, cutting taper, double-armed				
90 cm 90 cm 90 cm 90 cm	green green green green	2 x HSR-18	5 - 0 4 - 0 3 - 0 2 - 0	1 1.5 2 3	3942N 3943N 3944N 3945N	
90 cm	green & white	Multipack 4 sutures per envelope - 2 green & 2 white braided sutures	2 - 0	3	3945Nx4	
75 cm 90 cm	green green	2 x HSR-25	2 - 0 2 - 0	3 3	39485 39485N	
		3/8 circle taper (Round-Bodied)				
75 cm 75 cm 75 cm 75 cm	green green green green	TR-17	5 - 0 4 - 0 3 - 0 2 - 0	1 1.5 2 3	123 124 125 3435	
75 cm 75 cm 75 cm 75 cm 75 cm	green green green green green	TR-22	5 - 0 4 - 0 3 - 0 2 - 0	1 1.5 2 3 3.5	3442 3443 3444 3445 3446	
75 cm 75 cm 75 cm 75 cm	green green green green	TR-27	2 - 0 0 1 2	3 3.5 4 5	3455 3456 3457 3458	
75 cm 75 cm 75 cm 75 cm 75 cm	green green green green green	TR-32	2 - 0 0 1 2 3	3 3.5 4 5 6	3465 3466 3467 3468 3469	
75 cm 75 cm 75 cm 75 cm 75 cm	green green green green green	TR-38	2 - 0 0 1 2 3	3 3.5 4 5 6	3475 3476 3477 3478 3479	
		3/8 circle taper (Round-Bodied), double-armed				
75 cm 75 cm 75 cm	green green green	2 x TR-13	6 - 0 5 - 0 4 - 0	0.7 1 1.5	906 907 3993	
75 cm 75 cm	green green	2 x TR-22	5 - 0 4 - 0	1 1.5	31252 31253	

Astralen / Polyester braided, coated						
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF	
		3/8 circle, reverse cutting				
45 cm 45 cm 45 cm 75 cm	green green green green	TS-12	6 - 0 5 - 0 4 - 0 4 - 0	0.7 1 1.5 1.5	132F 133F 134F 134	
45 cm 75 cm 75 cm	green green green	TS-17	5 - 0 5 - 0 4 - 0	1 1 1.5	135F 135 136	
75 cm 75 cm 75 cm 75 cm 75 cm 75 cm	green green green green green	TS-19	6 - 0 5 - 0 4 - 0 3 - 0 2 - 0	0.7 1 1.5 2 3 3.5	3551 137 138 139 3555 3556	
75 cm 75 cm 75 cm 75 cm	green green green green	TS-24	4 - 0 3 - 0 2 - 0 0	1.5 2 3 3.5	140 141 142 3566	
75 cm 75 cm 75 cm 75 cm	green green green green	TS-27	4 - 0 3 - 0 2 - 0 0	1.5 2 3 3.5	143 144 145 3576	
75 cm 75 cm 75 cm 75 cm	green green green green	TS-30	3 - 0 2 - 0 0 1	2 3 3.5 4	146 147 3586 3587	
75 cm 75 cm 75 cm 75 cm 75 cm 75 cm	green green green green green green	TS-38	3 - 0 2 - 0 0 1 2	2 3 3.5 4 5 6	148 149 3596 3597 3598 3599	
75 cm 75 cm 75 cm 75 cm	green green green green	TS-45	0 1 2 3	3.5 4 5 6	3606 3607 3608 3609	
100 cm	green	TS-90	1	4	36257H	
		straight cutting				
75 cm 75 cm 75 cm 75 cm 75 cm	green green green green green	RS-50	3 - 0 2 - 0 0 1 2	2 3 3.5 4 5	3834 3835 3836 3837 3838	
75 cm	green	RS-58	2 - 0	3	3845	

Astralen / Polyester braided, coated

Ophthalmic sutures

Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF
45 cm 45 cm	green white	2 x HSP 8	5 - 0 5 - 0	1	322085 322085W
		½ Circle, 8 mm long, spatula, 350 Microns, double-armed			
45 cm 45 cm	green white	2 x KSP 8 1/4 Circle, 8 mm long, spatula, 350 Microns, double-armed	5 - 0 5 - 0	1	332085 332085W

Astralen

Polyester braided white and green, coated, for valve replacement

½ circle taper (Round-Bodied), double-armed							
Needle Code	Thread Colour	USP	EP	Length	REF		
	green & white	2 - 0 5 green & 5 v	3 white braided s	75 cm utures with 3x7x1.	CV 3875-37x10 5mm oval firm pledget		
2 x HR-17	green & white	2 - 0 5 green & 5 v	3 white braided s	75 cm sutures with 3x5x1.	CV 3875-35x10 5mm oval firm pledget		
	green & white	2 - 0 5 green & 5 v	3 white braided s	75 cm outures with 3x3x1.	CV 3875-33x10 5mm oval firm pledget		
	green & white	2 - 0 5 green & 5 v	3 white braided s	75 cm utures	CV 3875x10		
۸ 2 x HR-25 ش	green & white	2 - 0 5 green & 5	3 white braided s	75 cm outures with 3x7x1.	CV 38855-37x10 5mm oval firm pledget		
<u></u>	green & white	2 - 0 5 green & 5 v	3 white braided s	75 cm utures	CV 38855x10		
	green & white	2 - 0 5 green & 5 wh	3 ite braided suti	90 cm ures	CV 38855Nx10		
3	½ circle, cutt	ting taper, dou	uble-armed	(
Needle Code	Thread Colour	USP	EP	Length	REF		
	green & white	2 - 0 5 green & 5 v	3 white braided s	75 cm sutures with 3x7x1.	CV 3945-37x10 5mm oval firm pledget		
2 x HSR-18	green & white	2 - 0 5 green & 5 v	3 white braided s	75 cm outures with 3x3x1.	CV 3945-33x10 5mm oval firm pledget		
	green & white	2 - 0 3 green & 3 v	3 white braided s	75 cm utures with 2x4x1.	CV 3945-24x6 5mm rectangular firm pledget		
	green & white	2 - 0 5 green & 5 v	3 white braided s	75 cm utures	CV 3945x10		
2 x HSR-25_	green & white	2 - 0 5 green & 5 v	3 white braided s	75 cm sutures with 3x7x1.	CV 39485-37x10 5mm oval firm pledget		
	green & white	2 - 0 5 green & 5	3 white braided s	75 cm sutures	CV 39485x10		

Silk	black bra	ided			
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF
		1/2 circle taper (Round-Bodied)			
75 cm	black	HR-13	5 - 0	1	601
75 cm	black		4 - 0	1.5	602
75 cm	black	HR-17	6 - 0	0.7	6231
75 cm	black		5 - 0	1	603
75 cm	black		4 - 0	1.5	604
75 cm	black		3 - 0	2	605
75 cm	black		2 - 0	3	6235
75 cm	black	HR-20	4 - 0	1.5	62353
75 cm	black		3 - 0	2	62354
75 cm	black		2 - 0	3	62355
75 cm 75 cm 75 cm 75 cm 75 cm 75 cm	black black black black black black	HR-22	6 - 0 5 - 0 4 - 0 3 - 0 2 - 0	0.7 1 1.5 2 3 3.5	6241 6242 606 607 6245 6246
75 cm	black	HR-25	4 - 0	1.5	62453
75 cm	black		3 - 0	2	62454
75 cm	black		2 - 0	3	62455
75 cm	black	HR-27	4 - 0	1.5	608
75 cm	black		3 - 0	2	609
75 cm	black		2 - 0	3	610
75 cm	black		0	3.5	6256
75 cm	black		1	4	6257
75 cm	black		2	5	6258
75 cm	black	HR-30	3 - 0	2	62554
75 cm	black		2 - 0	3	62555
75 cm	black		0	3.5	62556
75 cm	black		1	4	62557
75 cm 75 cm 75 cm 75 cm 75 cm 75 cm	black black black black black black	HR-32	3 - 0 2 - 0 0 1 2 3	2 3.5 4 5	6264 6265 6266 6267 6268 6269
75 cm	black	HR-35	2 - 0	3	62655
75 cm	black		0	3.5	62656
75 cm	black		1	4	62657
75 cm 75 cm 75 cm 75 cm 75 cm 75 cm	black black black black black black	HR-38	3 - 0 2 - 0 0 1 2 3	2 3.5 4 5	611 612 613 6277 6278 6279

Silk	black brai	ided			
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF
		1/2 circle taper (Round-Bodied)			
75 cm 75 cm 75 cm 75 cm	black black black black	HR-40	2 - 0 0 1 2	3 3 3 3	6285 6286 6287 6288
75 cm 75 cm 75 cm 75 cm	black black black black	HR-50	2 - 0 0 1 2	3 3.5 4 5	6295 6296 6297 6298
100 cm 100 cm	black black	HR-55	2 - 0 0	3 3.5	62955H 62956H
75 cm 75 cm 75 cm	black black black	HR-65	1 2 3	4 5 6	62987 62988 62989
		1/2 circle taper (Round-Bodied), heavy			
75 cm	black	HRG-32	1	4	63357
75 cm 75 cm 75 cm 75 cm	black black black black	HRG-38	2 - 0 0 1 2	3 3.5 4 5	6345 6346 6347 6348
		½ circle, reverse cutting			
45 cm 45 cm	black black	HS-12	5 - 0 4 - 0	1 1.5	6652F 6653F
75 cm 75 cm 75 cm 75 cm	black black black black	HS-17	5 - 0 4 - 0 3 - 0 2 - 0	1 1.5 2 3	6672 6673 6674 6675
75 cm 75 cm 75 cm 75 cm	black black black black	HS-19	5 - 0 4 - 0 3 - 0 2 - 0	1 1.5 2 3	6682 6683 6684 6685
75 cm 75 cm 45 cm 75 cm	black black black black	HS-21	4 - 0 3 - 0 3 - 0 2 - 0	1.5 2 2 3	66843 66844 66844F 66845
75 cm 45 cm	black black	HS-22	3 - 0 3 - 0	2	66864 66864F
75 cm	black	HS-23	3 - 0	2	66904

Silk	black bra	ided			
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF
		½ circle, reverse cutting			
75 cm 75 cm 75 cm 75 cm 75 cm	black black black black black	HS-24	5 - 0 4 - 0 3 - 0 2 - 0	1 1.5 2 3 3.5	6692 6693 6694 6695 6696
75 cm 75 cm 75 cm 75 cm	black black black black	HS-30	3 - 0 2 - 0 0 1	2 3 3.5 4	6714 6715 6716 6717
75 cm 75 cm 75 cm 75 cm 75 cm	black black black black black	HS-38	2 - 0 0 1 2 3	3 3.5 4 5 6	6725 6726 6727 6728 6729
75 cm 75 cm	black black	HS-52	0 1	3.5 4	6746 6747
		½ circle cutting taper			
75 cm 75 cm 75 cm	black black black	HSR-18	5 - 0 4 - 0 3 - 0	1 1.5 2	621 622 623
75 cm 75 cm 75 cm	black black black	HSR-27	4 - 0 3 - 0 2 - 0	1.5 2 3	624 625 626
		½ circle cutting taper, heavy			
75 cm	black	HSRG-27	2 - 0	3	63755
		3/8 circle taper (Round-Bodied)			
75 cm 75 cm 75 cm 75 cm	black black black black	TR-13	6 - 0 5 - 0 4 - 0 3 - 0	0.7 1 1.5 2	632 633 6423 6424

Silk	black bra	ided			
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF
		3/8 circle, taper (Round-Bodied)			
75 cm	black	TR-17	5 - 0	1	634
75 cm	black		4 - 0	1.5	635
75 cm	black		3 - 0	2	636
75 cm	black		2 - 0	3	6435
75 cm	black	TR-22	5 - 0	1	6442
75 cm	black		4 - 0	1.5	6443
75 cm	black		3 - 0	2	6444
75 cm	black		2 - 0	3	6445
75 cm	black		0	3.5	6446
75 cm	black	TR-27	3 - 0	2	6454
75 cm	black		2 - 0	3	6455
75 cm	black		0	3.5	6456
75 cm	black		1	4	6457
75 cm	black	TR-32	3 - 0	2	6464
75 cm	black		2 - 0	3	6465
75 cm	black		0	3.5	6466
75 cm	black		1	4	6467
75 cm	black		2	5	6468
75 cm	black	TR-38	2 - 0	3	6475
75 cm	black		0	3.5	6476
75 cm	black		1	4	6477
75 cm	black		2	5	6478
		3/8 circle, reverse cutting			
45 cm	black	TS-12	6 - 0	0.7	643F
45 cm	black		5 - 0	1	644F
75 cm	black		5 - 0	1	644
45 cm	black		4 - 0	1.5	645F
75 cm	black		4 - 0	1.5	645
75 cm	black	TS-15	6 - 0	0.7	6531
75 cm	black		5 - 0	1	6532
75 cm	black		4 - 0	1.5	6533
75 cm	black		3 - 0	2	6534
75 cm	black		2 - 0	3	6535
75 cm	black	TS-17	6 - 0	0.7	659
75 cm	black		5 - 0	1	660
75 cm	black		4 - 0	1.5	6543
75 cm	black		3 - 0	2	6544
75 cm	black		2 - 0	3	6545
75 cm	black	TS-19	5 - 0	1	646
75 cm	black		4 - 0	1.5	647
75 cm	black		3 - 0	2	648
75 cm	black		2 - 0	3	6555
75 cm	black	TS-22	3 - 0	2	65544
75 cm	black	TS-24	4 - 0	1.5	649
75 cm	black		3 - 0	2	650
75 cm	black		2 - 0	3	651
75 cm	black		0	3.5	6566

Silk	black bra	ided			
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF
		3/8 circle, reverse cutting			
75 cm	black	TS-27	4 - 0	1.5	652
75 cm	black		3 - 0	2	653
75 cm	black		2 - 0	3	654
75 cm	black		0	3.5	6576
75 cm	black		1	4	6577
75 cm 75 cm 75 cm 75 cm 75 cm	black black black black black	TS-30	4 - 0 3 - 0 2 - 0 0	1.5 2 3 3.5 4	6583 655 656 6586 6587
75 cm	black	TS-35	3 - 0	2	65854
75 cm	black		2 - 0	3	65855
75 cm	black		0	3.5	65856
75 cm	black		1	4	65857
75 cm	black	TS-38	3 - 0	2	657
75 cm	black		2 - 0	3	658
75 cm	black		0	3.5	6596
75 cm	black		1	4	6597
75 cm	black	TS-45	0	3.5	6606
75 cm	black		1	4	6607
75 cm	black		2	5	6608
75 cm	black	TS-60	0	3.5	6626
75 cm	black		1	4	6627
75 cm	black		2	5	6628
100 cm	black	TS-90	2 - 0	3	66255H
100 cm	black		0	3.5	66256H
100 cm	black		1	4	66257H
100 cm	black		2	5	66258H
		3/8 circle reverse cutting, double-armed \forall			
45 cm	black	2 x TS-12	6 - 0	0.7	947F
45 cm	black		5 - 0	1	948F
45 cm	black		4 - 0	1.5	949F
38 cm	black	2 x TS-17	5 - 0	1	6152TE
38 cm	black		4 - 0	1.5	6153TE
38 cm	black		3 - 0	2	6154TE

Silk	Silk black braided								
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF				
		straight cutting							
75 cm	black	RS-50	4 - 0	1.5	6833				
75 cm	black		3 - 0	2	6834				
75 cm	black		2 - 0	3	6835				
75 cm	black		0	3.5	6836				
75 cm	black	RS-58	2 - 0	3	6845				
75 cm	black		0	3.5	6846				
75 cm	black		1	4	6847				
100 cm	black	RS-75	2 - 0	3	6855H				
100 cm	black		0	3.5	6856H				
100 cm	black		1	4	6857H				

——— Ophthalmic sutures ——— Micropoint-Spatula needles on Blue Virgin Silk

Length	Thread Colour	Needle Code and Lenght in mm	USP	EP	REF
30 cm	blue	2 x TSP 6 Curved, 6,2 mm long, spatula, 150 microns, double-armed	8 - 0	0.4	684568
45 cm	blue	2 x TSP 7 Curved, 6,4 mm long, spatula, 200 microns, double-armed	8 - 0	0.4	686688
30 cm	blue	2 x HSP 8 2 x HSP 8 2 x HSP 8 2 x HSP 8	8 - 0	0.4	622668



Silk black braided				
			Pre-cut sut	ures without needle
Number of Strands x Length	Thread Colour	USP	EP	REF
1 x 100 cm 1 x 100 cm	black black black black black black black black black	6 - 0 5 - 0 4 - 0 3 - 0 2 - 0 0 1 2	0.7 1 1.5 2 3 3.5 4 5	691 692 693 694 695 696 697 698 699
1 x 150 cm 1 x 150 cm 1 x 150 cm	black black black	3 - 0 2 - 0 0	2 3 3.5	60034 60035 60036
1 x 180 cm 1 x 180 cm 1 x 180 cm 1 x 180 cm 1 x 180 cm	black black black black black	4 - 0 3 - 0 2 - 0 0 1	1.5 2 3 3.5 4	60043 60044 60045 60046 60047
5 x 75 cm 5 x 75 cm 5 x 75 cm 5 x 75 cm 5 x 75 cm	black black black black black	4 - 0 3 - 0 2 - 0 0 1	1.5 2 3 3.5 4	681 682 683 684 685
17 x 50 cm 17 x 50 cm	black black black black black black black	5 - 0 4 - 0 3 - 0 2 - 0 0 1 2	1 1.5 2 3 3.5 4 5	671 672 673 674 675 676
13 x 60 cm 13 x 60 cm	black black black black black black black black	6 - 0 5 - 0 4 - 0 3 - 0 2 - 0 0 1 2	0.7 1 1.5 2 3 3.5 4 5	60001 60002 60003 60004 60005 60006 60007 60008

of Switzerland

Monofil Nylon / Polyamide blue								
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF			
		½ circle taper (Round-Bodied)						
75 cm 75 cm 75 cm 100 cm 100 cm 100 cm	blue blue blue blue blue blue	HR-30	2 - 0 0 1 2 - 0 0	3 3.5 4 3 3.5 4	52555 52556 52557 52555H 52556H 52557H			
100 cm	blue	HR-32	2 - 0	3	5265H			
100 cm	blue		0	3.5	5266H			
100 cm	blue		1	4	5267H			
100 cm	blue	HR-38	0	3.5	5276H			
100 cm	blue		1	4	5277H			
75 cm	blue	HR-40	0	3.5	5286			
75 cm	blue		1	4	5287			
100 cm	blue		0	3.5	5286H			
100 cm	blue		1	4	5287H			
75 cm	blue	HR-45	0	3.5	52856			
75 cm	blue		1	4	52857			
100 cm	blue		0	3.5	52856H			
100 cm	blue		1	4	52857H			
100 cm 100 cm	blue blue	HR-50	1 2	4 5	5297H 5298H			
		½ circle taper (Round-Bodied), heavy						
150 cm Loop	blue	HRG-32	2 - 0	3	53355HF			
150 cm Loop	blue		0	3.5	53356HF			
150 cm Loop	blue	HRG-38	2 - 0	3	5345HF			
150 cm Loop	blue		0	3.5	5346HF			
150 cm Loop	blue		1	4	5347HF			
150 cm Loop	blue	HRG-40	2 - 0	3	53415HF			
150 cm Loop	blue		0	3.5	53416HF			
150 cm Loop	blue		1	4	53417HF			
150 cm Loop	blue	HRG-50	0	3.5	53436HF			
150 cm Loop	blue		1	4	53437HF			

Mor	Monofil Nylon / Polyamide blue							
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF			
		½ circle, reverse cutting						
75 cm	blue	HS-17	5 - 0	1	5672			
75 cm	blue		4 - 0	1.5	5673			
75 cm	blue		3 - 0	2	5674			
75 cm	blue	HS-19	4 - 0	1.5	5683			
75 cm	blue		3 - 0	2	5684			
75 cm	blue	HS-21	4 - 0	1.5	56843			
75 cm	blue		3 - 0	2	56844			
45 cm	blue		3 - 0	2	56844F			
75 cm	blue		2 - 0	3	56845			
75 cm 75 cm	blue blue	HS-24	3 - 0 2 - 0	2 3	5694 5695			
75 cm	blue	HS-30	3 - 0	2	5714			
75 cm	blue		2 - 0	3	5715			
75 cm	blue		0	3.5	5716			
75 cm	blue	HS-35	3 - 0	2	57014			
75 cm	blue		2 - 0	3	57015			
75 cm	blue		0	3.5	57016			
75 cm	blue	HS-38	3 - 0	2	5724			
75 cm	blue		2 - 0	3	5725			
75 cm	blue		0	3.5	5726			
75 cm	blue		1	4	5727			
75 cm	blue	HS-40	0	3.5	5736			
100 cm	blue		1	4	5737H			
100 cm	blue		2	5	5738H			
100 cm	blue	HS-52	0	3.5	5746H			
100 cm	blue		1	4	5747H			

Mon	ofil Nylor	n / Polyamide blue			
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF
		3/8 circle, reverse cutting			
45 cm	blue	TS-12	6 - 0	0.7	501F
45 cm	blue		5 - 0	1	502F
45 cm	blue		4 - 0	1.5	503F
45 cm	blue	TS-15	6 - 0	0.7	5531F
75 cm	blue		6 - 0	0.7	5531
75 cm	blue		5 - 0	1	5532
75 cm	blue		4 - 0	1.5	5533
75 cm	blue	TS-17	6 - 0	0.7	5541
75 cm	blue		5 - 0	1	504
75 cm	blue		4 - 0	1.5	505
75 cm	blue		3 - 0	2	5544
75 cm	blue		2 - 0	3	5545
75 cm	blue	TS-19	5 - 0	1	506
75 cm	blue		4 - 0	1.5	507
45 cm	blue		4 - 0	1.5	507F
75 cm	blue		3 - 0	2	508
75 cm	blue		2 - 0	3	5555
75 cm	blue	TS-24	4 - 0	1.5	509
75 cm	blue		3 - 0	2	510
75 cm	blue		2 - 0	3	5565
75 cm	blue	TS-27	4 - 0	1.5	511
75 cm	blue		3 - 0	2	512
45 cm	blue		3 - 0	2	512F
75 cm	blue		2 - 0	3	5575
75 cm	blue	TS-30	3 - 0	2	513
75 cm	blue		2 - 0	3	514
75 cm	blue		0	3.5	5586
75 cm	blue	TS-38	3 - 0	2	515
75 cm	blue		2 - 0	3	516
75 cm	blue		0	3.5	5596
75 cm	blue		1	4	5597
75 cm	blue	TS-45	2 - 0	3	517
100 cm	blue		2 - 0	3	517H
75 cm	blue		0	3.5	5606
75 cm	blue		1	4	5607
75 cm	blue	TS-60	2 - 0	3	5625
100 cm	blue		2 - 0	3	5625H
75 cm	blue		0	3.5	5626
75 cm	blue		1	4	5627
100 cm	blue	TS-90	2 - 0	3	56255H
100 cm	blue		0	3.5	56256H
100 cm	blue		1	4	56257H
100 cm	blue		2	5	56258H

Mor	Monofil Nylon / Polyamide blue								
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF				
		3/8 circle cutting, double-armed							
100 cm 100 cm	blue blue	2 x TS-90	0 1	3.5 4	51796H 51797H				
		straight cutting							
75 cm 75 cm 75 cm	blue blue blue	RS-50	3 - 0 2 - 0 0	2 3 3.5	5834 5835 5836				
75 cm 75 cm 100 cm 75 cm	blue blue blue blue	RS-58	3 - 0 2 - 0 2 - 0 0	2 3 3 3.5	5844 5845 5845H 5846				

Ophthalmic sutures

Black Monofilament Nylon

Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF
30 cm	black	2 x TSP 6 Curved, 6,2 mm long, spatula 150 microns, double armed	10 - 0	0.2	584560
30 cm 30 cm	black black	2 x TSP 7 Curved, 6,4 mm long, spatula 200 microns, double armed	10 - 0 9 - 0	0.2 0.3	586660 586669

Microsurgical sutures

Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF
13 cm	black	TRM 4 Curved, chord 3 mm, 4 mm long, taper 100 microns, Micropoint	10 - 0	0.2	541320
13 cm	black	TRM 5 Curved, chord 3 mm, 5 mm long, taper 100 microns, Micropoint	10 - 0	0.2	543320
13 cm	black	RRM 4 Straight, 4 mm long, taper 75 microns, Micropoint	10 - 0	0.2	535220

Sup	ramid b	lack			
Length	Thread Colour	Needle Code and Length in mm	USP	EP	REF
		½ circle, reverse cutting			
75 cm	black	HS-17	4 - 0	1.5	8673
75 cm	black		3 - 0	2	8674
75 cm	black		2 - 0	3	8675
75 cm	black	HS-19	4 - 0	1.5	8683
75 cm	black		3 - 0	2	8684
75 cm	black		2 - 0	3	8685
75 cm	black		0	3.5	8686
75 cm	black	HS-24	4 - 0	1.5	8693
75 cm	black		3 - 0	2	8694
75 cm	black		2 - 0	3	8695
75 cm	black		0	3.5	8696
75 cm	black	HS-30	3 - 0	2	8714
75 cm	black		2 - 0	3	8715
75 cm	black		0	3.5	8716
75 cm	black		1	4	8717
75 cm	black	HS-38	3 - 0	2	8724
75 cm	black		2 - 0	3	8725
75 cm	black		0	3.5	8726
75 cm	black		1	4	8727
		3/8 circle, reverse cutting			
75 cm	black	TS-17	6 - 0	0.7	8541
75 cm	black		5 - 0	1	834
75 cm	black		4 - 0	1.5	835
45 cm	black		4 - 0	1.5	835F
75 cm 75 cm 45 cm 75 cm 45 cm 75 cm 75 cm	black black black black black black black	TS-19	5 - 0 4 - 0 4 - 0 3 - 0 3 - 0 2 - 0	1 1.5 1.5 2 2 3 3.5	836 837 837F 838 838F 8555
75 cm	black	TS-24	4 - 0	1.5	839
75 cm	black		3 - 0	2	840
75 cm	black		2 - 0	3	841
75 cm	black		0	3.5	8566
75 cm	black	TS-27	5 - 0	1	8572
75 cm	black		4 - 0	1.5	842
75 cm	black		3 - 0	2	843
75 cm	black		2 - 0	3	844
75 cm	black		0	3.5	8576
75 cm	black	TS-30	3 - 0	2	845
75 cm	black		2 - 0	3	846
75 cm	black		0	3.5	8586
75 cm	black		1	4	8587

Surgical

Assut sutures

of Switzerland

www.assutsutures.com

STERNOTOMYMonofilament Surgical Steel

Needle Code	USP	EP	Length	Multipack	Prod. No.
	5	7	45 cm	4 Sutures	CV 7601x4
	6	8	45 cm	4 Sutures	CV 7624x4
1 x HCS-50	7	9	45 cm	4 Sutures	CV 7605x4
½ circle, conventional cutting 50 mm	5 5 5 5	7 7 7 7	75 cm 45 cm 75 cm 45 cm	2 Sutures 6 Sutures 4 Sutures 5 Sutures	CV 7802x2 CV 7620x6 CV 7621x4 CV 7908x5
	6 6	8 8	45 cm 75 cm	6 Sutures 4 Sutures	CV 7622x6 CV 7623x4
1 x TCS-50	5 5	7 7	45 cm 45 cm	4 Sutures 6 Sutures	CV 7501x4 CV 7502x6
3/8 circle, conventional cutting 50 mm	6 6	8	45 cm 45 cm	4 Sutures 6 Sutures	CV 7503x4 CV 7504x6

Special feature - 360° Rotating Needle:

Needle Code	USP	EP	Length	Multipack	Prod. No.
↑ 1 x HCS-50	5	7	45 cm	4 Sutures	CV 7601x4 - 360°
	6	8	45 cm	4 Sutures	CV 7624x4 - 360°
½ circle, conventional cutting 50 mm	7	9	45 cm	4 Sutures	CV 7605x4 - 360°

Specialties

Astralen white tape

	ı			
Length	Suggested Specialty	Needle Code and Length in mm		REF
30 cm	Incompetent Cervix	2 x HTT-65 1/2 circle, double-armed, Blunt Point	5 mm wide	5 - 905
30 cm	Incompetent Cervix	2 x HTT-50 1/2 circle, double-armed, Blunt Point	3 mm wide	3 - 911
30 cm	Incompetent Cervix	2 x HRG-50 1/2 circle taper (Round-Bodied), double-armed	5 mm wide	5 - 950
75 cm	Umbilical Tape	WITHOUT NEEDLE	3 mm wide	3 - 901
35 cm	Umbilical Tape	WITHOUT NEEDLE	3 mm wide	3 - 902

of Switzerland

Assut Medical Sàrl P.O. Box 5 CH-1009 Pully-Lausanne Switzerland

Tel: ++ 41-21 - 728.64.35


Fax:++ 41-21 - 728.64.49

e-mail: info@assutsutures.com

www.assutsutures.com

of Switzerland

Vascular & Cardiovascular Sutures



A leading Swiss brand, well-known worldwide

Astralen/Polyester coated

The sterile Assut Astralen/Polyester coated suture consists of braided polyester with a fine and uniform coating of medical grade polyester. A modern braiding technique and a special coating process provide a soft and easy to handle suture material with high tensile strength and knot security. Non-absorbable and available in green and white, single and multipack version; a special assortment is pre-threaded with pledgets.





Astralen/polyester braided coated

½ CIRCLE -	TAPER	POINT	(ROUN	ID-BODIED), DOUBLE - ARMED .		
Needle code	USP	EP	СМ	Product No. (REF)		
	2-0	3	75	CV 3875-37x10		
	5 gre	en & 5	white I	braided sutures with 3x7x1.5mm oval firm pledget		
	2-0	3	75	CV 3875-35x10		
2 x HR-17	5 gre	en & 5	white	braided sutures with 3x5x1.5mm oval firm pledget		
	2-0	3	75	CV 3875-33x10		
	5 gre	en & 5	white	braided sutures with 3x3x1.5mm oval firm pledget		
	2-0	3	75	CV 3875x10		
	5 gree	en & 5	white I	oraided sutures		
	2-0	3	75	CV 38855-37x10		
2 x HR-25	5 gre	en & 5	white	braided sutures with 3x7x1.5mm oval firm pledget		
2 X IIK-23	2-0	3	75	CV 38855x10		
	5 gre		white I	braided sutures		
	2-0	3	90	CV 38855Nx10		
	5 gre	en & 5	white I	braided sutures		
	1/2	CIRCLE	- CUTI	TING TAPER, DOUBLE - ARMED		
Needle code	USP	EP	СМ	Product No. (REF)		
	2-0	3	75	CV 3945-37x10		
2 x HSR-18	5 gree	en & 5	white I	oraided sutures with 3x7x1.5mm oval firm pledge		
	2-0	3	75	CV 3945-33x10		
	5 green & 5 white braided sutures with 3x3x1.5mm oval firm pledge					
	2-0	3	75	CV 3945x10		
	5 gre	en & 5	white	braided sutures		
2 × HCB 25	2-0	3	75	CV 39485-37x10		
2 x HSR-25	5 gre	en & 5	white	braided sutures with 3x7x1.5mm oval firm pledget		
	2-0	3	75	CV 39485x10		

5 green & 5 white braided sutures

Astralen/Polyester coated





Needle code	USP	EP	СМ	Product No. (REF)
½ CIRCLE - TAPE	R POINT (RC	UND-BODI	 Ed), double - Ar <i>n</i>	led •
	5 - 0	1	75 (green)	3872
	4 - 0	1.5	75 (green)	901
	4 - 0	1.5	90 (green)	901N
2 x HR-17	3 - 0	2	75 (green)	902
	3 - 0	2	90 (green)	902N
	2 - 0	3	75 (green)	3875
	2 - 0	3	90 (green)	3875N
	4 - 0	1.5	75 (green)	901x4
			(green & white)	
2 x HR-25	3 - 0	4 sutures per	envelope - 2 green & 2 v 75 (green)	38854
2 X HK-23	3 - 0	2	90 (green)	38854N
	2 - 0	3	75 (green)	38855
	2 - 0	3	90 (green)	38855N
2 x HR-35			70 (g. 00. 1)	
2 X HK-35	2 - 0	3	90 (green)	38975N
1/2	CIRCLE - C	UTTING TAP	ER, DOUBLE - ARM	ED 💮
	5 - 0	1	90 (green)	3942N
2 x HSR-18	4 - 0	1.5	90 (green)	3943N
2 A 113K-10	3 - 0	2	90 (green)	3944N
	2 - 0	3	90 (green)	3945N
	2 - 0	3	90 (green & white)	3945Nx4
		·	envelope - 2 green & 2 v	vhite braided sutures
2 x HSR-25	2 - 0	3	75 (green)	39485
	2 - 0	3	90 (green)	39485N
³/ ₈ C	IRCLE TAPE	R (ROUND-	BODIED), DOUBLE-AR	MED ·
2 x TR-17.	3 - 0	2	90 (green)	3124N
2 x TR-22 ()	5 - 0	1	75 (green)	31252
2 1 18-22	4 - 0	1,5	75 (green)	31253
	3 - 0	2	75 (green)	

Surgical Stainless Steel (Sternotomy)

A special stainless steel monofilament made for the approximation of the sternum, very smooth and flexible with high tensile strength. The sterile Assut sternum wire is available with different needles on diameters USP -4-, -5-, -6- & -7-. Most modern packaging system for easy OR-handling.



Surgical Stainless steel monofilament

Needle code	USP	EP	CM	Multipack	Product No. (REF)
	-5-	7	45	4 Sutures	CV 7601x4
	-6-	8	45	4 Sutures	CV 7624x4
HCS-50	-7-	9	45	4 Sutures	CV 7605x4
	-5-	7	75	2 Sutures	CV 7802x2
	-5-	7	45	6 Sutures	CV 7620x6
½ circle, conventional cutting 50 mm	-5-	7	75	4 Sutures	CV 7621x4
	-5-	7	45	5 Sutures	CV 7908x5
	-6-	8	45	6 Sutures	CV 7622x6
	-6-	8	75	4 Sutures	CV 7623x4
TCS-50	-5-	7	45	4 Sutures	CV 7501x4
	-5-	7	45	6 Sutures	CV 7502x6
% circle, conventional	-6-	8	45	4 Sutures	CV 7503x4
cutting 50 mm	-6-	8	45	6 Sutures	CV 7504x6
HSG-50 //2 circle, reverse cutting, heavy, 50 mm	-7-	9	45	4 Sutures	CV 772607x4
HSRG-50	-4-	6	45	4 Sutures	CV 73979x4
½ circle, cutting taper, heavy, 50 mm	-5-	7	45	4 Sutures	CV 739705x4



Surgical Stainless Steel (Sternotomy)

Special feature - 360° Rotating Needle:



Surgical Stainless steel monofilament

Needle code	USP	EP	СМ	Multipack	Product No. (REF)
HCS-50	-5-	7	45	4 Sutures	CV 7601x4 - 360°
	-6-	8	45	4 Sutures	CV 7624x4 - 360°
½ circle, conventional cutting 50 mm	-7-	9	45	4 Sutures	CV 7605x4 - 360°
HSG-55					
	-5-	7	75	1 Suture	CV 774505 - 360°
	-5-	7	75	2 Sutures	CV 774505x2 - 360°
½ circle, reverse cutting, heavy, 55 mm					

Assut sutures

of Switzerland



of Switzerland

Assut Medical Sàrl P.O. Box 5 CH - 1009 Pully-Lausanne Switzerland

Tel. ++41-21-728.64.35

Fax. ++41-21-728.64.49

Email: info@assutsutures.com www.assutsutures.com

Specialties - Spécialités - Spezialitäten

PTFE Pledgets

Description Description Beschreibung	Unit per envelope Unité par sachet Einheit per Beutel	Product N° Produit N° Produkt N°	Additional information Information complémentaire Zusatzinformation
7x3x1.5mm oval firm pledgets tampons ovales 7x3x1.5mm ovales Pledget 7x3x1.5mm	6 5	POF7315x6 POF7315x5	
9x5x1.5mm oval firm pledgets tampons ovales 9x5x1.5mm ovales Pledget 9x5x1.5mm	6	POF9515x6	
7x3x1.5mm rectangular firm pledgets tampons rectangulaires 7x3x1.5mm Rechteckiges Pledget 7x3x1.5mm	6 5	PRF7315x6 PRF7315x5	
9x5x1.5mm rectangular firm pledgets tampons rectangulaires 9x5x1.5mm Rechteckiges Pledget 9x5x1.5mm	6	PRF9515x6	

Assut Medical Sàrl P.O. Box 5 CH-1009 Pully-Lausanne Switzerland

Tel: ++ 41-21 - 728.64.35

Fax:++ 41-21 - 728.64.49

e-mail: info@assutsutures.com

www.assutsutures.com



TECHNICAL SPECIFICATION / PRODUCT DESCRIPTION



PTFE Pledget

The Assut Pledgets are made of undyed non-absorbable polytetrafluorethylene (PTFE) polymers fibers. They are pre-punched and available in various sizes and shapes.

Name of the product	Assut Pledget
Manufacturer	Assut Medical Sàrl Av. De Rochettaz 57 CH-1009 Pully Switzerland
Factory location	CH-2606 Corgémont, Switzerland
Description of the product	PTFE Pledget – non-absorbable pre-punched
Composition	Polytetrafluorethylene (PTFE)
General characteristics	The Assut Pledgets are made of undyed non-absorbable polytetrafluorethylene (PTFE) polymers fibers. The Assut Pledgets are sold in packs or directly fixed to a sterile surgical suture. Refer to the catalogue for details.
Application	The Assut Pledgets are commonly used as a patch, a buttress for sutures, when non-absorbable sutures are used. The Assut Pledgets to be used are selected in accordance with the patient's condition, the surgeon's experience, the surgical procedure and the size of the wound.
Sterility	By ethylene oxide gas (EO)
Packaging	Primary packaging & Secondary packaging: Double envelope made in PET/PE Tyvek
Sizes	Available in various sizes and shapes including oval, round and rectangular
Shelf-life	5 years
Storing	Keep in a dry place away from direct heat.
CE Mark	CE-0344



TECHNICAL SPECIFICATION / PRODUCT DESCRIPTION

SURGICAL STEEL



Monofilament stainless steel with very high tensile strength and excellent knot security. This strand causes minimum tissue reaction.

Name of the product	Surgical Steel
Manufacturer	Assut Medical Sàrl, Po Box 5,
	Av. De Rochettaz 57,
	CH-1009 Pully Switzerland
Factory location	CH-2606 Corgémont, Switzerland
Description of the product	Surgical Steel is a metallic, monofilament, non-absorbable suture made of Stainless steel.
Colour	Natural (Steel)
Chemical Composition	Stainless steel type 316 LVM compliant with ISO 5832-1
General characteristics	Assut Surgical Steel is a metallic, monofilament, non-absorbable suture made of Stainless steel, with very high tensile strength and excellent knot security. This strand causes minimum tissue reaction. Steel sutures are the most inert among all suture materials and provide maximum tensile strength. Tensile strength remains permanent.
Application	Steel sutures are indicated for use in sternal closure
Absorption	Non absorbable
Sterility	By ethylene oxide gas (EO) or by gamma irradiation (R)
Packaging	envelope made in PET/PE Tyvek
Sizes	E.P. 6 to 9 USP -4- to -7-
Shelf-life	5 years
Storing	Keep in a dry place away from direct heat.
CE Mark	CE-0344
Other	Surgical Steel is available in different thicknesses and lengths with stainless-steel needles
	in various types and sizes See general "Assut sutures" catalogue