

# CITYBAC®

## 1100L FL



**SULO®**

# Citybac® 1100L Flat Lid



## PRODUCT DETAILS



- 1 Flat Lid
- 2 Handle / recessed grip
- 3 Lid handles lateral 2x
- 4 Handles with handle bar, rear 2x
- 5 Marking areas

- A Body reinforced with beads
- B DIN comb lifting system, double stage
- C Stacking ribs
- D SULO sticker / Marking areas
- E Ergonomic handles lateral 4x
- F Chip nest as standard
- G Lifting trunnion
- H Functional castors 2x
- I Double stop break 2x
- J Castors 2x



**FLAT LID****Dimensions (mm)**

<b>A</b> Height total ~	1330
<b>B</b> Upper comb edge ~	1205
<b>C</b> Bin depth ~	1075
<b>D</b> Width total ~	1370

**Weights**

Nominal volume (L)	1100
Empty weight (kg) ~	46
Max. filling weight(kg) ~	440
Max. total weight (kg) ~	510

**FLAT LID WITH LID-IN-LID****Dimensions (mm)**

<b>A</b> Height total ~	1330
<b>B</b> Upper comb edge ~	1205
<b>C</b> Bin depth ~	1075
<b>D</b> Width total ~	1370

**Weights**

Nominal volume (L)	1100
Empty weight (kg) ~	46
Max. filling weight(kg) ~	440
Max. total weight (kg) ~	510

# Citybac® 1100L Flat Lid

## PRODUCT DETAILS

### COLOURING

**Bin bodies** made from 100 % recycled material with a minimum of 60 % post-consumer recycled material.



GREY  
**RAL 7021**  
AT

ECO FRIENDLY   
■ ■ ■ ■ ■

Perfectly set in scene with coloured **lids** for fraction identification



GREY  
**RAL 7021**  
AT



GREEN  
**RAL 6011**  
VJ



BROWN  
**RAL 8025**  
MR



BLUE  
**RAL 5023**  
BN



YELLOW  
**RAL 1018**  
JA



ORANGE  
**RAL 2008**  
OF



RED  
**RAL 3000**  
RN

### ALTERNATIVE COLOURS FOR THE BIN BODY



GREEN  
**RAL 6011**  
VJ

ECO FRIENDLY   
■ ■ ■ ■ ■



BROWN  
**RAL 8025**  
MR

ECO FRIENDLY   
■ ■ ■ ■ ■



BLUE  
**RAL 5023**  
BN

ECO FRIENDLY   
■ ■ ■ ■ ■



YELLOW  
**RAL 1018**  
JA

ECO FRIENDLY   
■ ■ ■ ■ ■

Colours may vary due to production. The colour values given according to RAL are guide colours.

# + OPTIONS

## LID-IN-LID



front lid available  
in the colours



Lid-in-Lid

## LID SLOT SYSTEMS

Glass




Round slot with  
rubber rosette  
Ø 150 mm

Paper



Opening Slots  
530 x 95 mm



Paper Inlet Hood  
**BLUE**

## LIFTING SYSTEMS



Fork lift device



Lifting trunnions



Lateral handles 2x

## HANDLES

## TRANSPORT



Towing system

## LID OPENING



Lid opening device,  
foot execution

## NOISE REDUCTION SYSTEMS



Lid Opening Noise  
Reduction



Lid closing damper

## CHASSIS



Plastic rim,  
Rubber wheel  
Ø 200 mm



Plastic rim,  
Rubber wheel  
Ø 200 mm,  
non-marking



Steel rim,  
ball bearing,  
Rubber wheel  
Ø 200 mm



Double stop (DS)



Central locking  
device (ZF)



Steering lock

## LOCKING SYSTEMS



Triangular Locks



Padlock Fixtures



Cylinder lock with  
automatic function



Cylinder lock without  
automatic function

# Citybac® 4-Wheel

## TECHNICAL INFORMATION

1.100 LITRE FL

### MATERIAL OPTIONS

Extra UV protection

■

### COLOURS

Standard colours

■

Other colours

■

### LID SYSTEMS

Flat lid

■

Flat lid with Lid-in-Lid (LiL)

■

Dome lid

Dome lid with Lid-in-Lid (LiL)

### LIFTING SYSTEMS

EN 840 / DIN Comb

■

Lifting trunnions

■

Lifting handles 2x

■

Rear handles

Fork lift device

■

### WATER DRAIN

Water drain

■

Without water drain

■

### TRANSPORT

Towing system with or without bar

■

### LID SLOT SYSTEMS

#### Glass

2 x Round slot with rubber rosette Ø 150 mm

■

#### Paper

Opening slot: 530 x 95 mm

■

Paper Inlet Hood Blue

■

### LID OPENING

Lid opening device, foot execution

■

### NOISE REDUCTIONS SYSTEMS

Lid opening noise reduction

■

Lid closing damper

■

### CHILD SAFETY

Comfort

Basic

Light

**CHASSIS**

Plastic rim, Rubber wheel Ø 200 mm	■
Plastic rim, Rubber wheel Ø 200 mm, non-marking	■
Steel rim, ball bearing	■
Castor	■
Double stop (DS)	■
Central locking device (ZF)	■
Steering lock	■

**LOCKING SYSTEMS**

Padlock device 1x	■
Padlock device 2x	■
<b>Triangular Lock</b>	
with open position	■
without open position	■
<b>Cylinder lock without automatic function</b>	
same key locking	■
group key locking	■
different key locking	■
<b>Cylinder lock with automatic function</b>	
same key locking	■
group key locking	■
different key locking	■

**CHIP INSTALLATION**

RFID chip, installation without barcode sticker	■
RFID chip, installation with barcode sticker	■

**RFID CHIP**

Transponder 134kHz HDX + HID Inlay casted	■
Transponder 134kHz FDX casted	■
Transponder 134kHz FDX riveted	■
Transponder 134kHz HDX + glass	■
Transponder 125kHz FDX casted	■
Transponder 125kHz FDX riveted	■
Transponder 13,56 MHz	■

**LABELLING****Body**

SULO sticker	■
Customer sticker	■
Hot foil stamping	■
Running numbers (colourless / black / white)	■

**Lid**

SULO sticker	■
Screen printing	
Hot foil stamping	■
Running numbers (colourless / black / white)	■
Embossing insert	■

- Standard
- Option

**sulo.com**

DATA-CITYBAC-1100L-FL-HF-EN-1-0-021221

**SULO®**