

NAILING SYSTEM
IMPLANTS & INSTRUMENTS



Implants



◦ 392 | PFN-2 Nail 125°

MATERIAL - Titanium / Stainless Steel
 DIAMETER - 9mm, 10mm, 11mm, 12mm
 LENGTH - 170mm, 200mm, 240mm



◦ 393 | PFN-2 Nail 130°

MATERIAL - Titanium / Stainless Steel
 DIAMETER - 9mm, 10mm, 11mm, 12mm
 LENGTH - 170mm, 200mm, 240mm



◦ 394 | PFN-2 Nail 135°

MATERIAL - Titanium / Stainless Steel
 DIAMETER - 9mm, 10mm, 11mm, 12mm
 LENGTH - 170mm, 200mm, 240mm



◦ 393 | Long PFN-2 Nail 130° (Left & Right)

MATERIAL - Titanium / Stainless Steel
 DIAMETER - 9mm, 10mm, 11mm
 LENGTH - 320mm, 340mm, 360mm, 380mm, 400mm, 420mm



◦ 394 | Long PFN-2 Nail 135° (Left & Right)

MATERIAL - Titanium / Stainless Steel
 DIAMETER - 9mm, 10mm, 11mm
 LENGTH - 320mm, 340mm, 360mm, 380mm, 400mm, 420mm



◦ 353 | 4.9mm Interlocking Bolt

MATERIAL - Titanium / Stainless Steel
 LENGTH - 28mm to 50mm (2mm Increment)



◦ 395 | PFN-2 Blade Screw

MATERIAL - Titanium / Stainless Steel
 LENGTH - 75mm to 120mm (5mm Increment)



- **811.001** | Insertion Handle For PFNA



- **811.002** | Aiming Arm 125* For PFNA
- **811.003** | Aiming Arm 130* For PFNA
- **811.004** | Aiming Arm 135* For PFNA



- **811.005A** | Aiming Arm For Dynamic Locking
- **811.005B** | Aiming Arm For Static Locking



- **811.006** | Connecting Bolt



- **811.007** | Buttress Compression Nut For PFNA Blade
- **811.008** | Protection Sleeve 16 x 11mm For PFNA Blade
- **811.009** | Drill Sleeve 11 x 3.2mm For PFNA Blade
- **811.010** | Trocar 3.2mm For PFNA Blade



- **811.011** | Protection Sleeve 11 x 8mm
- **811.012** | Drill Sleeve 8 x 4mm
- **811.013** | Trocar 4mm



- **811.014** | Protection Sleeve With Handle 20 x 17mm



- **811.015** | Sleeve 17 x 3.2mm For Guide Wire
- **811.039** | Pointer for Sleeve 17 x 3.2mm



• **811.016** | Inspector For PFNA Blade



• **811.017** | Extraction Screw For PFNA Blade



• **811.018** | Hammer Guide For PFNA Blade



• **811.019** | Pin Wrench L & Key Type



• **811.020A** | Radiographic Ruler For PFNA 125°
 • **811.020B** | Radiographic Ruler For PFNA 130°
 • **811.020C** | Radiographic Ruler For PFNA 135°



• **811.021** | Direct Measuring Device For 3.2mm Guide Wire



• **811.022** | Key For PFNA Blade With Combination Wrench 11mm



• **811.023** | Measuring Device For Locking Bolt

Instruments



• **804.010** | Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Bolt



• **811.025** | Starting Reamer 16.5mm For PFNA Nail



• **811.026** | Reamer 10.3mm For PFNA Blade Screw



• **811.027** | Drill bit 10.3mm For PFNA Blade Screw



• **811.029** | Guide Wire 2.8 x 460mm With Hook



• **811.030** | Guide Wire 3mm For PFNA Blade



• **811.031** | Guide Wire 3 x 450mm With Eye



• **811.032** | Hammer Guide



• 811.033 | Connector For Hummer Guide



• 811.034 | 8mm Hexagonal Shaft With Spherical Head



• 811.035 | Awl For PFNA



• 811.036 | Slotted Hammer with Handle



• 811.037 | T Handle Cannulated



• 811.038 | Connecting Bolt For PFNA Aiming Arm



• 724.001 | Flexible Reaming Shaft



• 724 | Bit for Flexible Reaming Shaft
LENGTH - 8mm, 8.5mm, 9mm, 9.5mm, 10mm, 10.5mm, 11mm, 11.5mm, 12mm

AGC.48 PFN-2 Nail Instrument Set in Graphic Case




Instruments

811.001	Insertion Handle For PFNA	1 Each
811	Aiming Arm For PFNA 125*, 130*, 135*	1 Each
811.005A	Aiming Arm For Dynamic Locking	1 Each
811.005B	Aiming Arm For Static Locking	1 Each
811.006	Connecting Bolt	1 Each
811.007	Buttress Compression Nut For PFNA Blade	1 Each
811.008	Protection Sleeve 16 x 11mm For PFNA Blade	1 Each
811.009	Drill Sleeve 11 x 3.2mm For PFNA Blade	1 Each
811.010	Trocar 3.2mm For PFNA Blade	1 Each
811.011	Protection Sleeve 11 x 8mm	1 Each
811.012	Drill Sleeve 8 x 4mm	1 Each
811.013	Trocar 4mm	1 Each
811.014	Protection Sleeve With Handle 20 x 17mm	1 Each
811.015	Sleeve 17 x 3.2mm For Guide Wire	1 Each
811.016	Inspector For PFNA Blade	1 Each
811.017	Extraction Screw For PFNA Blade	1 Each
811.018	Hammer Guide For PFNA Blade	1 Each
811.019	Pin Wrench L & Key Type	1 Each
811.020	Radiographic Ruler For PFNA 125°, 130°, 135°	1 Each
811.021	Direct Measuring Device For 3.2mm Guide Wire	1 Each

Instruments

811.022	Key For Pfna Blade With Combination Wrench 11mm	1 Each
811.023	Measuring Device For Locking Bolt	1 Each
804.010	Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Bolt	1 Each
811.025	Starting Reamer 16.5mm For PFNA Nail	1 Each
811.026	Reamer 10.3mm For PFNA Blade Screw	1 Each
811.027	Drill bit 10.3mm For PFNA Blade Screw	1 Each
811.029	Guide Wire 2.8 x 460mm With Hook	1 Each
811.030	Guide Wire 3mm For PFNA Blade	1 Each
811.031	Guide Wire 3 x 450mm With Eye	1 Each
811.032	Hammer Guide	1 Each
811.033	Connector For Hummer Guide	1 Each
811.034	8mm Hexagonal Shaft With Spherical Head	1 Each
811.035	Awl For PFNA	1 Each
811.036	Slotted Hammer with Handle	1 Each
811.037	T Handle Cannulated	1 Each
811.038	Connecting Bolt For PFNA Aiming Arm	1 Each
724.001	Flexible Reaming Shaft	1 Each
724	Bit for Flexible Reaming Shaft 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm, 10.5mm, 11.0mm, 11.5mm, 12.0mm	1 Each
811.039	Pointer for Sleeve 17 x 3.2mm	1 Each

AGC.49 PFN-2 Nail Implant Set in Graphic Case



Implants

393	PFN-2 Nail 9.0mm,10.0mm,11.0mm,12.0mm x170mm Length 130°	1 Each
393	PFN-2 Nail 9.0mm,10.0mm,11.0mm,12.0mm x200mm Length 130°	1 Each
393	PFN-2 Nail 9.0mm,10.0mm,11.0mm,12.0mm x240mm Length 130°	1 Each
394	PFN-2 Nail 9.0mm,10.0mm,11.0mm,12.0mm x170mm Length 135°	1 Each

Implants

394	PFN-2 Nail 9.0mm,10.0mm,11.0mm,12.0mm x200mm Length 135°	1 Each
394	PFN-2 Nail 9.0mm,10.0mm,11.0mm,12.0mm x240mm Length 135°	1 Each
395	PFN-2 Blade Screw 75mm,80mm,85mm,90mm, 95mm,100mm,105mm,110mm,115mm,120mm	1 Each
353	4.9mm Interlocking Bolt 28mm,30mm,32mm, 34mm,36mm,38mm,40mm,42mm,44mm,46mm, 48mm, 50mm	1 Each

PHOTO NOT AVAILABLE

Implants

393	Long PFN-2 Nail 9mm x 320mm,340mm,360mm,380mm,400mm,420mm 130°	1 Each
393	Long PFN-2 Nail 10mm x 320mm,340mm,360mm,380mm,400mm,420mm 130°	1 Each
393	Long PFN-2 Nail 11mm x 320mm,340mm,360mm,380mm,400mm,420mm 130°	1 Each
393	Long PFN-2 Nail 9mm x 320mm,340mm,360mm,380mm,400mm,420mm 135°	1 Each
393	Long PFN-2 Nail 10mm x 320mm,340mm,360mm,380mm,400mm,420mm 135°	1 Each
393	Long PFN-2 Nail 11mm x 320mm,340mm,360mm,380mm,400mm,420mm 135°	1 Each
395	PFN-2 Blade Screw 75mm,80mm,85mm,90mm,95mm,100mm,105mm,110mm,115mm,120mm	1 Each
353	4.9mm Interlocking Bolt 28mm,30mm,32mm,34mm,36mm,38mm,40mm,42mm,44mm,46mm,48mm,50mm	1 Each

PHOTO NOT AVAILABLE

Implants

394	Long PFN-2 Nail 9mm x 320mm,340mm,360mm,380mm,400mm,420mm 130°	1 Each
394	Long PFN-2 Nail 10mm x 320mm,340mm,360mm,380mm,400mm,420mm 130°	1 Each
394	Long PFN-2 Nail 11mm x 320mm,340mm,360mm,380mm,400mm,420mm 130°	1 Each
394	Long PFN-2 Nail 9mm x 320mm,340mm,360mm,380mm,400mm,420mm 135°	1 Each
394	Long PFN-2 Nail 10mm x 320mm,340mm,360mm,380mm,400mm,420mm 135°	1 Each
394	Long PFN-2 Nail 11mm x 320mm,340mm,360mm,380mm,400mm,420mm 135°	1 Each
395	PFN-2 Blade Screw 75mm,80mm,85mm,90mm,95mm,100mm,105mm,110mm,115mm,120mm	1 Each
353	4.9mm Interlocking Bolt 28mm,30mm,32mm,34mm,36mm,38mm,40mm,42mm,44mm,46mm,48mm,50mm	1 Each

Implants



◦ 361 | Long Proximal Femoral Nail 130° (Left & Right)

MATERIAL - Titanium / Stainless Steel
 DIAMETER - 9mm, 10mm, 11mm
 LENGTH - 340mm, 360mm, 380mm, 400mm, 420mm, 440mm



◦ 391 | Long Proximal Femoral Nail 135° (Left & Right)

MATERIAL - Titanium / Stainless Steel
 DIAMETER - 9mm, 10mm, 11mm
 LENGTH - 340mm, 360mm, 380mm, 400mm, 420mm, 440mm



◦ 364 | Proximal Femoral Nail 130°

MATERIAL - Titanium / Stainless Steel
 DIAMETER - 9.0mm, 10.0mm, 11.0mm, 12.0mm
 LENGTH - 250mm



◦ 397 | Proximal Femoral Nail 135°

MATERIAL - Titanium / Stainless Steel
 DIAMETER - 9.0mm, 10.0mm, 11.0mm, 12.0mm
 LENGTH - 250mm



◦ 376 | Trochanteric Femoral Nail 130°

MATERIAL - Titanium / Stainless Steel
 DIAMETER - 9.0mm, 10.0mm, 11.0mm, 12.0mm
 LENGTH - 170mm



◦ 396 | Trochanteric Femoral Nail 135°

MATERIAL - Titanium / Stainless Steel
 DIAMETER - 9.0mm, 10.0mm, 11.0mm, 12.0mm
 LENGTH - 170mm



◦ 353 | 4.9mm Interlocking Bolt

MATERIAL - Titanium / Stainless Steel
 LENGTH - 22mm to 60mm (2 Increment)
 65mm to 80mm (5 Increment)



◦ 354 | 6.2mm Interlocking Bolt

MATERIAL - Titanium / Stainless Steel
 LENGTH - 55mm to 120mm (5 Increment)

Implants



o 365 | 8.0mm Proximal Femoral Screw

MATERIAL - Titanium / Stainless Steel

LENGTH - 55mm, 60mm, 65mm, 70mm, 75mm, 80mm,
85mm, 90mm, 95mm, 100mm, 105mm, 110mm,
115mm, 120mm

Instruments



• 807.016 | Insertion Handle For Pfn



• 807.018 | Aiming Arm 130* For Pfn
 • 807.019 | Aiming Arm 135* For Pfn



• 807.020 | Aiming Arm For Dynamic Locking



• 807.021 | Threaded Conical Bolt For Pfn Nail



• 807.003 | Protection Sleeve 12.0/10.0mm Long
 • 807.004 | Protection Sleeve 10.0/8.0mm Long



• 807.005 | Guide Wire Sleeve 10.0/2.0mm for 12mm Sleeve



• 807.006 | Guide Wire Sleeve 8.0/2.0mm for 10mm Sleeve



• 807.007 | Drill Sleeve 8.0/4.0mm Long

Instruments



• 811.038 | Connecting Bolt For Pfna Aiming Arm



• 807.014 | Protection Sleeve with Handle



• 804.010 | Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Screw



• 807.012 | Cannulated Screw Driver Long for P.F.N Screws



• 811.023 | Measuring Device For Locking Bolt



• 811.037 | T Handle Cannulated



• 807.025 | 15mm Starting Reamer for PFN Nail with Q/C



• 811.032 | Hammer Guide

Instruments



- 807.024 | 6.2mm Step Drill Bits with Q/C for P.F.N Screw
- 807.023 | 8.0mm Step Drill Bits with Q/C for P.F.N Screw



- 807.022 | Radiographic Ruler For Pfn



- 811.034 | 8mm Hexagonal Shaft With Spherical Head



- 802.002 | Tissue Protector



- 811.036 | Slotted Hammer 400gm



- 804.011 | Medullary Tube



- 811.035 | Awl For Pfna



- 811.033 | Connector For Hammer Guide

Instruments



- 807.026 | Guide wire pointer 6.2mm
- 807.027 | Guide wire pointer 8.0mm



- 807.028 | Guide wire Sleeve for Protection Sleeve with Handle



- 811.022 | Key For Pfna Blade With Combination Wrench 11mm



- 724.001 | Flexible Reaming Shaft



- 724 | Bit for Flexible Reaming Shaft 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm, 10.5mm, 11.0mm, 11.5mm, 12.0mm




- 807.015 | Guide Wire 2.0mm x 405mm With Threaded Tip



- 807.013 | Guide Wire Simple 2.0mm Length 405mm



- 602.015 | Drill Bits 4.0 mm Length 250mm for Jacobs Chuck



Instruments

807.016	Insertion Handle For Pfn	1 Each
807.018	Aiming Arm 130* For Pfn	1 Each
807.019	Aiming Arm 135* For Pfn	1 Each
807.020	Aiming Arm For Dynamic Locking	1 Each
807.021	Threaded Conical Bolt For Pfn Nail	1 Each
807.003	Protection Sleeve 12.0/10.0mm Long	1 Each
807.004	Protection Sleeve 10.0/8.0mm Long	1 Each
807.005	Guide Wire Sleeve 10.0/2.0mm for 12mm Sleeve	1 Each
807.006	Guide Wire Sleeve 8.0/2.0mm for 10mm Sleeve	1 Each
807.007	Drill Sleeve 8.0/4.0mm Long	1 Each
811.038	Connecting Bolt For Pfna Aiming Arm	1 Each
807.014	Protection Sleeve with Handle	1 Each
804.010	Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Screw	1 Each
807.012	Cannulated Screw Driver Long for P.F.N Screws	1 Each
811.023	Measuring Device For Locking Bolt	1 Each
811.037	T Handle Cannulated	1 Each
807.025	15mm Starting Reamer for PFN Nail with Q/C	1 Each
811.032	Hammer Guide	1 Each
807.024	6.2mm Step Drill Bits with Q/C for P.F.N Screw	1 Each
807.023	8.0mm Step Drill Bits with Q/C for P.F.N Screw	1 Each
807.022	Radiographic Ruler For Pfn	
811.034	8mm Hexagonal Shaft With Spherical Head	1 Each
802.002	Tissue Protector	1 Each
811.036	Slotted Hammer 400gm	1 Each
804.011	Medullary Tube	1 Each
811.035	Awl For Pfna	1 Each
811.033	Connector For Hammer Guide	1 Each
807.015	Guide Wire 2.0mm x 405mm With Threaded Tip	1 Each
807.013	Guide Wire Simple 2.0mm Length 405mm	1 Each
602.015	Drill Bits 4.0 mm Length 250mm for Jacobs Chuck	1 Each
724.001	Flexible Reaming Shaft	1 Each
724	Bit for Flexible Reaming Shaft 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm, 10.5mm, 11.0mm, 11.5mm, 12.0mm	1 Each
807.026	Guide wire pointer 6.2mm	1 Each
807.027	Guide wire pointer 8.0mm	1 Each
807.028	Guide wire Sleeve for Protection Sleeve with Handle	1 Each
811.022	Key For Pfna Blade With Combination Wrench 11mm	1 Each

Implant

364	Proximal Femoral Nail 9.0mm, 10.0mm, 11.0mm, 12.0 x 250mm 130°	1 Each
397	Proximal Femoral Nail 9.0mm, 10.0mm, 11.0mm, 12.0 x 250mm 135°	1 Each
376	Trochanteric Femoral Nail 9.0mm, 10.0mm, 11.0mm, 12.0mm x 170mm 130°	1 Each
396	Trochanteric Femoral Nail 9.0mm, 10.0mm, 11.0mm, 12.0mm x 170mm 135°	1 Each
353	4.9mm Interlocking Bolt 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 52mm, 54mm, 56mm, 58mm, 60mm, 65mm, 70mm, 75mm, 80mm	2 Each
365	6.2mm Hip Locking Bolt 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm	2 Each
353	8.0mm Proximal Femoral Screw 55mm, 60mm, 65mm, 70mm, 75mm, 80mm, 85mm, 90mm, 95mm, 100mm, 105mm, 110mm, 115mm, 120mm	2 Each

AGC.10 Long Proximal Femoral Nail 130° & 135° (Left) Set in Graphic Case

PHOTO NOT AVAILABLE

Implants

361D	Long Proximal Femoral Nail 9.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 130°	1 Each
361E	Long Proximal Femoral Nail 10.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 130°	1 Each
361F	Long Proximal Femoral Nail 11.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 130°	1 Each
391D	Long Proximal Femoral Nail 9.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 135°	1 Each
391E	Long Proximal Femoral Nail 10.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 135°	1 Each
391F	Long Proximal Femoral Nail 11.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 135°	1 Each

AGC.11 Long Proximal Femoral Nail 130° & 135° (Right) Set in Graphic Case

PHOTO NOT AVAILABLE

Implants

361D	Long Proximal Femoral Nail 9.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 130°	1 Each
361E	Long Proximal Femoral Nail 10.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 130°	1 Each
361F	Long Proximal Femoral Nail 11.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 130°	1 Each
391D	Long Proximal Femoral Nail 9.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 135°	1 Each
391E	Long Proximal Femoral Nail 10.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 135°	1 Each
391F	Long Proximal Femoral Nail 11.0mm x 340mm, 360mm, 380mm, 400mm, 420mm, 440mm 135°	1 Each

Implants



- **358C** | XL Interlocking Nail Tibia 8.0mm - LENGTH - 285mm to 390mm (15mm Increment) - MATERIAL - Titanium / Stainless Steel
- **358D** | XL Interlocking Nail Tibia 9.0mm - LENGTH - 285mm to 390mm (15mm Increment) - MATERIAL - Titanium / Stainless Steel
- **358E** | XL Interlocking Nail Tibia 10.0mm - LENGTH -285mm to 390mm (15mm Increment) - MATERIAL - Titanium / Stainless Steel



- **369C** | XL Interlocking Nail (Distal Tip) 8.0mm - LENGTH - 275mm to 380mm (15mm Increment)
MATERIAL - Titanium / Stainless Steel
- **369D** | XL Interlocking Nail (Distal Tip) 9.0mm - LENGTH - 275mm to 380mm (15mm Increment)
MATERIAL - Titanium / Stainless Steel
- **369E** | XL Interlocking Nail (Distal Tip) 10.0mm - LENGTH - 275mm to 380mm (15mm Increment)
MATERIAL - Titanium / Stainless Steel



- **359D** | XL Interlocking Nail Femoral 9.0mm - LENGTH - 345mm to 435mm (15mm Increment)
MATERIAL - Titanium / Stainless Steel
- **359E** | XL Interlocking Nail Femoral 10.0mm - LENGTH - 345mm to 435mm (15mm Increment)
MATERIAL - Titanium / Stainless Steel
- **359F** | XL Interlocking Nail Femoral 11.0mm - LENGTH - 345mm to 435mm (15mm Increment)
MATERIAL - Titanium / Stainless Steel



- **352** | 3.9mm Interlocking Bolt
18mm to 50mm (2mm Increment)



- **353** | 4.9mm Interlocking Bolt
22mm to 60mm (2mm Increment)
65mm to 80mm (5mm Increment)

Instruments



- 805A.001 | Proximal Gig for Tibia XL Nail
- 805B.001 | Proximal Gig for Femoral XL Nail



- 805.002 | Threaded Conical Bolt for Tibia / Femoral XL Nail



- 805.003 | Starting Reamer for Tibia / Femoral 12mm



- 804A.003 | Protection Sleeve 10.0/8.0mm for Tibia / Femoral XL Nail



- 804A.004 | Drill Sleeve 8.0/3.2mm for Tibia / Femoral XL Nail
- 804A.005 | Drill Sleeve 8.0/4.0mm for Tibia / Femoral XL Nail



- 804A.006 | Pointer 8.0mm for Tibia / Femoral XL Nail



- 804.007 | Extractor-Impactor Rod with Hammer (Set of Two)



- 804.008 | Depth Gauge (Extra Long)

Instruments



- **804.009** | Hexagonal Screw Driver 2.5mm
Tip Long for 3.9mm Bolt
- **804.010** | Hexagonal Screw Driver 3.5mm
Tip Long for 4.9mm Bolt



- **804.011** | Medullary Tube



- **804.012** | Stopper Guide Wire 2.5mm Length 950mm



- **804.013** | Guide Wire 2.5mm Length 950mm



- **804.014** | Head For Threaded Conical Bolt



- **802.001C** | Canulated Bone Awl Diamond Pointed



- **802.002** | Tissue Protector



- **602.011** | Drill Bits 3.2mm Length 250mm for Jacobs Chuck
- **602.015** | Drill Bits 4.0mm Length 250mm for Jacobs Chuck

Instruments



◦ 724.001 | Flexible Reaming Shaft



◦ 724 | Bit for Flexible Reaming Shaft 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm, 10.5mm, 11.0mm, 11.5mm, 12.0mm



◦ 895.019 | Spanner 19mm



◦ 805.004 | Distal locking Device for Tibia with Holding Bolt
◦ 805.005 | Distal locking Device for Femoral with Holding Bolt

AGC.04 XL Interlocking Tibia Nail with Tray in Graphic Case




- 358C** XL Interlocking Nail Tibia 8.0mm
Length : 285mm, 300mm, 315mm, 330mm, 345mm, 360mm, 375mm, 390mm, **1 Each**
- 358D** XL Interlocking Nail Tibia 9.0mm
Length : 285mm, 300mm, 315mm, 330mm, 345mm, 360mm, 375mm, 390mm **1 Each**
- 358E** XL Interlocking Nail Tibia 10.0mm
Length : 285mm, 300mm, 315mm, 330mm, 345mm, 360mm, 375mm, 390mm **1 Each**

AGC.05 XL Interlocking Femoral Nail with Tray in Graphic Case



- 359D** XL Interlocking Nail Femoral 9.0mm
Length : 345mm, 360mm, 375mm, 390mm, 405mm, 420mm, 435mm **1 Each**
- 359E** XL Interlocking Nail Tibia 10.0mm
Length : 345mm, 360mm, 375mm, 390mm, 405mm, 420mm, 435mm **1 Each**
- 359F** XL Interlocking Nail Tibia 11.0mm
Length : 345mm, 360mm, 375mm, 390mm, 405mm, 420mm, 435mm **1 Each**

AGC.56 Distal Instrument XL Interlocking Tibia & Femoral Nail with locking Bolt in Graphic Case



Instruments

- 805A.001** Proximal Gig for Tibia XL Nail **1 Each**
- 805B.001** Proximal Gig for Femoral XL Nail **1 Each**
- 805.002** Threaded Conical Bolt for Tibia / Femure XL Nail **1 Each**
- 805.003** Reamer for Neck of Nail with Handle 12mm **1 Each**
- 804.003** Protection Sleeve 10.0/8.0mm **1 Each**
- 804.004** Drill Sleeve 8.0/3.2mm **1 Each**
- 804.005** Drill Sleeve 8.0/4.0mm **1 Each**
- 804.006** Pointer 8.0mm **1 Each**
- 804.007** Extractor-Impactor Rod with Hammer (Set of Two) **1 Each**
- 804.008** Depth Gauge (Extra Long) **1 Each**
- 804.009** Hexagonal Screw Driver 2.5mm Tip Long for 3.9mm Bolt **1 Each**
- 804.010** Hexagonal Screw Driver 3.5mm Tip Long for 4.9mm Bolt **1 Each**
- 804.011** Medullary Tube **1 Each**
- 804.012** Stopper Guide Wire 2.5mm Length 950mm **1 Each**
- 804.013** Guide Wire 2.5mm Length 950mm **1 Each**
- 804.014** Head For Threaded Conical Bolt **1 Each**
- 802.001C** Canulated Bone Awl Diamond Pointed **1 Each**
- 802.002** Tissue Protector **1 Each**
- 602.011** Drill Bits 3.2mm Length 250mm for Jacobs Chuck **1 Each**
- 602.015** Drill Bits 4.0 mm Length 250mm for Jacobs Chuck **1 Each**

Instruments

- 724.001** Flexible Reaming Shaft **1 Each**
- 724** Bit for Flexible Reaming Shaft 8.0mm, 8.5mm, 9.0mm, 9.5mm, 10.0mm, 10.5mm, 11.0mm, 11.5mm, 12.0mm
- 895.019** Spanner 19mm **2 Each**
- 805.004** Distal locking Device for Tibia **1 Each**
- 805.005** Distal locking Device for Femoral **1 Each**
- 352** 3.9mm Interlocking Bolt 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm **2 Each**
- 353** 4.9mm Interlocking Bolt 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 42mm, 44mm, 46mm, 48mm, 50mm, 52mm, 54mm, 56mm, 58mm, 60mm, 65mm, 70mm, 75mm, 80mm **2 Each**

Humeral Implant



• **363A** | Humeral Nail 6.0mm

MATERIAL - Titanium / Stainless Steel

LENGTH - 180mm to 300mm (20mm Increment)



• **363B** | Humeral Nail 7.0mm

MATERIAL - Titanium / Stainless Steel

LENGTH - 180mm to 300mm (20mm Increment)



• **363C** | Humeral Nail 8.0mm

MATERIAL - Titanium / Stainless Steel

LENGTH - 180mm to 300mm (20mm Increment)



• **350** | 2.9mm Interlocking Bolt

MATERIAL - Titanium / Stainless Steel

LENGTH - 14mm to 40mm (2mm Increment)
45mm to 50mm (5mm Increment)



• **351** | 3.4mm Interlocking Bolt

MATERIAL - Titanium / Stainless Steel

LENGTH - 14mm to 40mm (2mm Increment)
45mm to 50mm (5mm Increment)

Humeral Instrument



• 809.001 | Proximal Gig for Humeral



• 809.002 | Threaded Conical bolt for Humeral Nail



• 809.003 | Sleeve For Compression Device



• 809.004 | Compression Device



• 809.005 | Starting Reamer for Humeral Nail with Q/C 8.0mm



• 804.003 | Protection Sleeve 10.0/8.0mm



• 809.006 | Drill Sleeve 8.0/2.7mm

• 809.007 | Drill Sleeve 8.0/2.5mm



• 804.006 | Pointer 8.0mm

Humeral Instrument



• **804.007** | Extractor-Impactor Rod with Hammer (Set of Two)



• **804.008** | Depth Gauge Long



• **804.009** | Hexagonal Screw Driver Long 2.5mm Tip for 2.9 & 3.4mm Bolt



• **809.008** | Guide Wire 1.8mm Length 750mm



• **803.006** | Bone Awl With Handle Small



• **602** | Drill Bits 2.5mm, 2.7mm x 180mm for Jacobs Chuck



• **809.009** | Starting Reamer for Humeral Nail Fix T Handal 8.0mm



• **895.019** | Spanner 19mm

Instruments

809.001	Proximal Gig for Humeral	1 Each
809.002	Threaded Conical bolt for Humeral Nail	1 Each
809.003	Sleeve For Compression Device	1 Each
809.004	Compression Device	1 Each
809.005	Starting Reamer for Humeral Nail with Q/C 8.0mm	1 Each
804.003	Protection Sleeve 10.0/8.0mm	1 Each
809	Drill Sleeve 8.0/2.7mm, 2.5mm	1 Each
804.006	Pointer 8.0mm	1 Each
804.007	Extractor-Impactor Rod with Hammer (Set of Two)	1 Each
804.008	Depth Gauge Long	1 Each
804.009	Hexagonal Screw Driver Long 2.5mm Tip for 2.9 & 3.4mm Bolt	1 Each
809.008	Guide Wire 1.8mm Length 750mm	1 Each
803.006	Bone Awl With Handle Small	1 Each
602	Drill Bits 2.5mm, 2.7 x 180mm for Jacobs Chuck	1 Each
809.009	Starting Reamer for Humeral Nail Fix T Handal 8.0mm	1 Each
895.019	Spanner 19mm	1 Each

Implats

363A	Humeral Nail 6.0mm x 180mm, 200mm, 220mm, 240mm, 260mm, 280mm, 300mm	1 Each
363B	Humeral Nail 7.0mm x 180mm, 200mm, 220mm, 240mm, 260mm, 280mm, 300mm	1 Each
363C	Humeral Nail 8.0mm x 180mm, 200mm, 220mm, 240mm, 260mm, 280mm, 300mm	1 Each
350	2.9mm Interlocking Bolt 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm	2 Each
351	3.4mm Interlocking Bolt 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 34mm, 36mm, 38mm, 40mm, 45mm, 50mm	2 Each

- **374** | Elastic Nail 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm x 440mm

MATERIAL - Titanium / Stainless Steel

Instrument



◦ 810.001 | Elastic Nail Inserter/Extractor with SS Chuck



◦ 810.002 | Hammer Guide



◦ 810.003 | Slide Hammer



◦ 810.004 | F - Tool



◦ 810.005 | Pliers For Elastic Nail



◦ 810.006 | Pin Wrench



◦ 810.007 | Rod Cutter



◦ 810.008 | Oblique Temp

Instrument



- **810** | Standard Temp 2.5mm, 3.0mm, 3.5mm, 4.0mm



- **803.006** | Small Bone Awl Diamond Pointed



- **602.007** | Drill Bits 2.7mm x 95mm for Jacobs Chuck
- **602.009** | Drill Bits 3.2mm x 130mm for Jacobs Chuck
- **602.016** | Drill Bits 4.5mm x 130mm for Jacobs Chuck



- **605.045** | Double Drill Sleeve 4.5/3.2mm

PHOTO NOT AVAILABLE

Implats

374	Elastic Nail 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4.0mm x 440mm	1 Each
810.001	Elastic Nail Inserter/Extractor with SS Chuck	1 Each
810.002	Hammer Guide	1 Each
810.003	Slide Hammer	1 Each
810.004	F - Tool	1 Each
810.005	Pliers For Elastic Nail	1 Each
810.006	Pin Wrench	1 Each
810.007	Rod Cutter	1 Each
810.008	Oblique Temp	1 Each
810	Standred Temp 2.5mm, 3.0mm, 3.5mm, 4.0mm	1 Each
803.006	Small Bone Awl Diamond Pointed	1 Each
602.007	Drill Bits 2.7mm x 95mm for Jacobs Chuck	1 Each
602.009	Drill Bits 3.2mm x 130mm for Jacobs Chuck	1 Each
602.016	Drill Bits 4.5mm x 130mm for Jacobs Chuck	1 Each
605.045	Double Drill Sleeve 4.5/3.2mm	1 Each



House of Ortho Tools

Plot No. G-2041/42/A, Kishan Gate, Lodhika G.I.D.C.,
Kalawad Road, Metoda, RAJKOT-360 021, (INDIA).

info@hardikinternational.com | www.hardikinternational.com

☎ : +91 95740 01818 | 📞 : hardikinternational

Follow Us :     