

**THE NETHERLANDS
(N E D E R L A N D)****COMMUNICATION**

Concerning ⁽¹⁾:

- ~~approval granted~~
- approval extended
- ~~approval refused~~
- ~~approval withdrawn~~
- ~~production definitely discontinued~~

of a type of tyre for motor vehicles pursuant to Regulation number 54.

Approval number: E4*54R00/24*33425*10

1. Manufacturer's name and address : Shandong Changfeng Tyres Co., Ltd.
High-tech Development Zone, Guangrao County,
Dongying City, Shangdong Province, 257335
China (PRC)
2. Tyre type designation ⁽²⁾ :
- 2.1. Brand name(s)/trademark(s) : CHANGFENG or SUNFULL or RUIFULAI or
FESITE or Green dragon or Agate or CRYSTAL
or TORQUE or HIFLY or OVATION or
ECOVISION or MIRAGE or MIGEER or
ONYX or NISON or PETROMAX or
TUFFSTONE or CACHLAND or GALLANT or
PRIMEWAY or SAYAN or TEXXAN or
SUNTRAC or CRISTONE or XBRI or WOSEN
or ROADWING or DERUIBO or NORMAKS or
ETERNITY or Satoya or nison or NORTEC

2.2. Trade description (s)/Commercial name(s)/

: ST011 or HF702 or CS716 or TQ702 or HH301 or VI-702 or MG702 or HM301 or HO301 or NS501 or PT501 or TF801 or HF606 or CS504 or TQ606 or HH104 or VI-606 or MG606 or HM104 or HO104 or NS702 or TF803 or HF706 or CS717 or TQ706 or HH306 or VI-706 or MG706 or HM306 or HO306 or HF707 or TQ707 or HH317 or VI-707 or MG707 or HM317 or HO317 or PT539 or HF708 or CS368 or TQ708 or HH105 or VI-708 or MG708 or HM105 or HO105 or TF802 or HF307 or TQ307 or HH307 or VI-307 or MG307 or HM307 or HO307 or HF303 or TQ303 or HH303 or VI-303 or MG303 or HM303 or HO303 or HF313 or TQ313 or HH313 or VI-313 or MG313 or HM313 or HO313 or HF701 or CS555 or TQ701 or HH311 or VI-701 or MG701 or HM311 or HO311 or HF599 or TQ599 or HH599 or VI-599 or MG599 or HM599 or HO599 or GD599 or NS704 or TF805 or HF599+ or TQ599+ or HH599+ or VI-599+ or MG599+ or HM599+ or GD599+ or NS704+ or TF805+ or HF768 or CS820 or TQ768 or HH302 or VI-768 or MG768 or HM302 or HO302 or GD768 or PT564 or HF729 or CS770 or TQ729 or HH329 or VI-729 or MG729 or HM329 or HO329 or HF929 or TQ929 or HH929 or VI-929 or MG929 or HM929 or HO929 or 168CDL or 368CDO or 767CAR or 768CDM or 168CAL or GAC168 or GAC551 or NDO238 or GDM238 or GDO238 or HAM517 or EAM517 or SAM517 or NAM517 or FAM517 or GAM517 or GDM768 or GDM252 or HDM768 or EDM768 or SDM768 or NDM768 or FDM768 or CH8207 or GAM207 or CH8707 or GAO707 or CH8867 or GDM867 or CH8606 or GSC606 or CH8607 or GDM607 or CH8107 or GDM107 or CH8927 or GDM927 or HO599+ or CH8807 or GAM807 or CH8703 or GAM703 or CH8303 or GDM303 or CH8313 or GDM313 or HF702+ or HH702+ or MG702+ or VI-702+ or HO702+ or PW01 or SA695 or TX222 or NS505 or NS621 or ST102 or CT716 or GL901 or ECOMIX B1 or TX965 or WS118 or WS648 or WS128 or WS678 or NU702 or EXA777 or DRB862 or DRB588 or DRB559 or SU-022 or DRB882 or DRB606 or WS606 or DRB706 or WS668 or DRB552 or WS808 or DRB307 or WS307 or HF158 or MG158 or VI-158 or HH358 or HO358 or TQ158 or CH8851 or DRB892 or WS138 or HF616 or MG616 or VI-616 or HH616 or HO616 or TQ616 or CH8616 or DRB616 or WS616 or HF666 or MG666 or VI-666 or HH666 or HO666 or TQ666 or CH8666 or DRB666 or WS666 or HF335 or MG335 or VI-335 or HH335 or



HO335 or TQ335 or CH8533 or DRB618 or
 WS618 or HF569 or MG569 or VI-569 or
 HH569 or HO569 or TQ569 or CH8965 or
 DRB569 or WS638 or NU918 or RSHF572 or
 RSMG572 or RSVI-572 or RSHH572 or
 RSHO572 or RSTQ572 or RSCH-572 or
 RSDRB572 or RSWS572 or ND918 or CF702 or
 CF158 or CF313 or HF595 or MG595 or VI-595
 or HH595 or HO595 or TQ595 or CH8595 or
 CF595 or DRB595 or WS595 or HF399 or
 MG399 or VI-399 or HH399 or HO399 or
 TQ399 or CH8993 or DRB399 or WS399 or
 HF901es or HH901es or MG901es or VI-901es
 or HO901es or TQ901es or WS901es or
 DRB901es or DRB801 or HF901 or DRB817 or
 HF917 or DRB816 or HF916 or DRB818 or
 HF918 or HF614 or HH614 or MG614 or VI-614
or HO614 or TQ614 or DRB614 or CH8416 or
CF614 or WS614 or SU-304 or TR All Steel 304
or SU-142BM

3. If applicable, name and address of the manufacturer's representative : Not applicable
4. Summarized description:
- 4.1. Tyre-size designation : 12.00R20
- 4.2. Category of use : ~~normal~~/snow/~~special~~⁽¹⁾
- 4.3. Structure : ~~diagonal (bias ply)~~/radial⁽¹⁾
- 4.4. Tyre class : ~~C2~~/C3⁽¹⁾
- 4.5. Speed category symbol:
- 4.5.1. nominal : K
- 4.5.2. additional (if applicable) : ---
- 4.6. Load-capacity indices:
- 4.6.1. Corresponding to nominal speed:
- single : 156
- twinned (dual) : 153
- 4.6.2. Corresponding to additional speed:
- single : ---
- twinned (dual) : ---



Approval number: E4*54R00/24*33425*10

5. Technical service and, where applicable, test laboratory approved for purposes of approval or of verification of conformity : TÜV SÜD Auto Service GmbH
Westendstraße 199
D-80686 München
6. Date of report issued by that service : 2021-12-15;
2022-05-06;
2022-07-08
7. Number of report issued by that service : 86-R54-3602/21-00;
22-00478-CX-SHA-01;
22-00478-CX-SHA-02
8. Reason(s) for extension (if applicable) : Addition of trademark and tread pattern
9. Any remarks : ---
10. Place : Zoetermeer
11. Date : 14 July 2022
12. Signature :



R. R. van der Spek

13. Annexed to this communication is a list of documents in the approval file deposited at the administrative service having delivered the approval and which can be obtained upon request.
- Application form relating to ECE approval for a pneumatic tyre pursuant to Regulation number 54.
 - The drawing of the tyre's sidewalls, tread and dimensioned cross-section.
 - The test report as mentioned in item 7.

⁽¹⁾ Strike out what does not apply.

⁽²⁾ A list of brand name(s)/trademark(s) or Trade description(s)/ Commercial name(s) may be annexed to this communication.