



INTUBATION
TRACHEOSTOMY
CATHETERS



SUMI is one of the leading manufacturers of disposable medical equipment in Poland. Company focuses on providing complete solutions for airway management. Offer is addressed for intensive care units, emergency care, as well as homecare.

More than 30 years of experience in medical business covers: product development, manufacture, quality assurance, global sales and marketing as well as customer service and support. Company is constantly growing, improving products, introducing new solutions and offering special services like OEM manufacturing. Over time gathered knowledge and know-how, turned into successful cooperation with renowned Polish clinics, leading Institutes and University Hospitals within EU, Middle East and Asia.

SUMI products are CE approved in accordance with Council Directive 93/42/EEC. Quality management system is certified according to EN ISO 13485:2012.





Products offered:

- tracheal tubes and accessories
- · bronchial tubes
- tracheostomy tubes and accessories
- tracheostomy tubes with inner cannulas
- stylets and introducers
- laryngeal masks
- suction handles
- feeding, stomach and duodenal tubes
- closed suction systems
- · tubing and connectors



For more information, please contact the Company or your local distributor. All data current at time of printing. Subject to changes and improvements without prior notice.



Table of contents

	Tracheal tubes		Tracheostomy tubes	
	Tracheal tube with low pressure cuff	p. 4	•	. 30
	Tracheal tube with low pressure cuff	p. 4		. 30
	Tracheal tube with low pressure cuff, with stylet	p. 5	·	. 31
	Tracheal tube with extra high volume low pressure cuff	p. 5	·	. 31
	Tracheal tube without cuff	p. 6	·	. 32
	Tracheal tube without cuff, soft	p. 6		. 32
	Reinforced tracheal tube without cuff	p. 7		. 33
	Reinforced tracheal tube with low pressure cuff	p. 7	, , , , , , , , , , , , , , , , , , , ,	. 33
	Tracheal tube with suction lumen	p. 8		. 34
	Microlaryngeal tracheal tube	p. 8		. 34
	Preformed tracheal tube, nasal soft	p. 0 p. 9		. 35
	Preformed tracheal tube, nasal	p. 9	·	. 35
	Preformed tracheal tube, oral	p. 10		. 37
	Preformed tracheal tube, oral – forehead	p. 10 p. 10		. 37
	Freioffied tractical tube, oral – forefread	p. 10		. 38
				. 38
			Somini neonate tracheostomy tube without cuit p.	. 30
	Bronchial tubes		KAN tracheostomy tubes	
	Double lumen bronchial tube – left sided	p. 11	KAN tracheostomy tube without cuff p.	. 40
	Double lumen bronchial tube – left sided, set	p. 11		. 41
	Double lumen bronchial tube - right sided	p. 12	KAN tracheostomy tube with cuff p.	. 42
	Double lumen bronchial tube – right sided, set	p. 12	KAN tracheostomy tube with cuff, fenestrated p.	. 43
	Tracheostomy double lumen bronchial tube - left sided	p. 13	KAN laryngectomy tube p.	. 44
	Tracheostomy double lumen bronchial tube - right sided	p. 13	KAN laryngectomy tube, fenestrated p.	. 45
	Single lumen bronchial tube - left sided	p. 14	KAN tracheostomy tube with suction lumen p.	. 46
	Single lumen bronchial tube - right sided	p. 14	Heat and moisture exchanger p.	. 47
	Bronchial tube connectors set	p. 15	New Accessories for KAN and tracheostomy tubes p. 48	3-49
	Masks, airway and accessories		Suction handles, tubing, catheters	
	Silicone laryngeal mask, reusable	p. 16	· •	. 51
New	Silicone laryngeal mask, single use	p. 16 p. 16	Suction handles – various types and sets p. 51	
C.L.	Laryngeal mask, single use	p. 16	Connecting tubes p. 54	
	Nasopharyngeal airway	р. 10 р. 17		. 56
	Guedel airway	p. 17 p. 17		. 57
	Tracheal intubation stylet	•		. 58
	,	p. 18		. 59
	Tracheal tube guide Tracheal tube introducer	p. 18		
		p. 19		. 59
	Tracheal tube introducer for infants	p. 19		. 59
	Tracheal tube guide with ventilation lumen	p. 20		. 60
	Bite blocks for tracheal tubes	p. 20	•	. 60
	Tracheal tube holder, two-piece	p. 21	•	. 61
New	Tracheal tube holder, one-piece	p. 21	Urology catheters p.	. 61
	Disconnecting wedge	p. 21		
	Extendible catheter mounts	p. 22		
	Corrugated catheter mounts	p. 23		
	Smooth bore catheter mounts	p. 24		
	Double swivel elbow connectors	p. 25		
	Tracheal tube connectors set	p. 25		
	Silicone corrugated breathing tube	p. 25		
	Closed suction system 24h, 72h	p. 26		
	Closed suction system 24h, 72h, pediatric	p. 27		



Tracheal tubes

SUMI offers wide range of disposable products for airway management.


Among them there are many different endotracheal tubes: standard, reinforced, microlaryngeal, with suction lumen. Special attention shall be paid to bronchial tubes which are great appreciated by many professionals worldwide.

Endotracheal range includes also many useful accessories such us: introducers, stylets, holders as well as Guedel airway, nasopharyngeal airway, laryngeal mask.

SUMI endotracheal tubes are made of medical thermosensitive PVC, latex free and phthalate free. Majority of our products are available in siliconised version. This improves wall smoothness and gives anti-adhesive properties.

Starting from precise design, best material and great performance, we finally give variety of top quality airway management products in widest size choice.

Main features of SUMI tracheal tubes:





Tracheal tube with low pressure cuff



- oral nasal
- Murphy type
- made of thermosentitive PVC
- transparent
- high volume low pressure cuff
- X-ray line
- clear tube markings
- marked pilot balloon
- transparent 15 mm connector
- wide black ring depth mark
- latex free
- sterile, single use

size	O.D.	Ø cuff	reference	e number
I.D. [mm]	[mm]	[mm]	PVC	PVC siliconised
3,0	4,2	12,0	02-3000	02-3010
3,5	4,9	12,0	02-3500	02-3510
4,0	5,5	14,0	02-4000	02-4010
4,5	6,2	14,0	02-4500	02-4510
5,0	6,9	17,0	02-5000	02-5010
5,5	7,5	17,0	02-5500	02-5510
6,0	8,2	20,0	02-6000	02-6010
6,5	8,8	20,0	02-6500	02-6510
7,0	9,6	25,0	02-7000	02-7010
7,5	10,2	25,0	02-7500	02-7510
8,0	10,9	26,0	02-8000	02-8010
8,5	11,5	26,0	02-8500	02-8510
9,0	12,1	28,0	02-9000	02-9010
9,5	12,7	28,0	02-9500	02-9510
10,0	13,6	28,0	02-1000	02-1010

Tracheal tube with low pressure cuff




- improved tube flexibility
- oral nasal
- Murphy type
- made of thermosensitive PVC, siliconised
- transparent
- high volume low pressure cuff
- X-ray line
- clear tube markings
- marked pilot balloon
- different types of depth markings, available
- latex free, phthalate free
- sterile, single use

size I.D. [mm]	O.D. [mm]	Ø cuff [mm]	reference number
2,0	3,0	7,0	02-2012
2,5	3,5	8,0	02-2512
3,0	4,2	8,0	02-3012
3,5	4,8	10,0	02-3512
4,0	5,4	10,0	02-4012
4,5	6,0	12,0	02-4512
5,0	6,9	14,0	02-5012
5,5	7,5	17,0	02-5512
6,0	8,2	20,0	02-6012
6,5	8,8	20,0	02-6512
7,0	9,7	23,0	02-7012
7,5	10,3	25,0	02-7512
8,0	11,0	26,0	02-8012
8,5	11,7	27,0	02-8512
9,0	12,3	29,0	02-9012
9,5	13,0	29,0	02-9512
10,0	13,7	32,0	02-1012




Tracheal tube with low pressure cuff, with stylet



- oral nasal
- Murphy type
- made of thermosensitive PVC, siliconised
- transparent
- extra high volume low pressure cuff
- X-ray line
- clear tube markings
- marked pilot balloon
- different types of depth markings, available
- pre-inserted stylet
- latex free, phthalate free
- sterile, single use

size I.D. [mm]	O.D. [mm]	Ø cuff [mm]	reference number
2,5	3,5	8,0	02-2514
3,0	4,2	8,0	02-3014
3,5	4,8	10,0	02-3514
4,0	5,4	10,0	02-4014
4,5	6,0	12,0	02-4514
5,0	6,9	14,0	02-5014
5,5	7,5	17,0	02-5514
6,0	8,2	20,0	02-6014
6,5	8,8	20,0	02-6514
7,0	9,7	23,0	02-7014
7,5	10,3	25,0	02-7514
8,0	11,0	26,0	02-8014
8,5	11,7	27,0	02-8514
9,0	12,3	29,0	02-9014
9,5	13,0	29,0	02-9514
10,0	13,7	32,0	02-1014

Tracheal tube with extra high volume low pressure cuff



- oral nasal
- Murphy type
- made of thermosensitive PVC, siliconised
- transparent
- extra high volume low pressure cuff with thin walls
- recommended for long term ventilation
- X-ray line
- clear tube markings
- marked pilot balloon
- latex free, phthalate free
- sterile, single use




size I.D. [mm]	O.D. [mm]	Ø cuff [mm]	reference number
5,0	6,9	20,0	08-5095
5,5	7,5	20,0	08-5595
6,0	8,2	25,0	08-6095
6,5	8,8	25,0	08-6595
7,0	9,7	28,0	08-7095
7,5	10,3	28,0	08-7595
8,0	11,0	30,0	08-8095
8,5	11,7	30,0	08-8595
9,0	12,3	34,0	08-9095
9,5	13,0	34,0	08-9595
10,0	13.7	34.0	08-1095



Tracheal tube without cuff





- oral nasal
- Murphy type
- made of thermosensitive PVC
- transparent
- X-ray line
- clear tube and depth markings
- double graduation mark at each cm
- latex free, phthalate free
- sterile, single use

size	0.0		reference number	
I.D.	O.D. [mm]	PVC	PVC	PVC siliconised
[mm]	[]	PVC	siliconised	with stylet
2,0	3,0	04-2000	04-2010	-
2,5	3,5	04-2500	04-2510	04-2514
3,0	4,2	04-3000	04-3010	04-3014
3,5	4,8	04-3500	04-3510	04-3514
4,0	5,4	04-4000	04-4010	04-4014
4,5	6,0	04-4500	04-4510	04-4514
5,0	6,9	04-5000	04-5010	04-5014
5,5	7,5	04-5500	04-5510	04-5514
6,0	8,2	04-6000	04-6010	04-6014
6,5	8,8	04-6500	04-6510	04-6514
7,0	9,7	04-7000	04-7010	04-7014
7,5	10,3	04-7500	04-7510	04-7514
8,0	11,0	04-8000	04-8010	04-8014
8,5	11,7	04-8500	04-8510	04-8514
9,0	12,3	04-9000	04-9010	04-9014
9,5	13,0	04-9500	04-9510	04-9514
10,0	13,7	04-1000	04-1010	04-1014

Tracheal tube without cuff, soft



- oral nasal
- Murphy type
- made of thermosensitive PVC, siliconised
- transparent
- recommended for long term ventilation
- X-ray line
- clear tube and depth markings
- double graduation mark at each cm
- extra soft
- latex free, phthalate free
- sterile, single use

size I.D. [mm]	O.D. [mm]	reference number	
2,0	3,3	07-2010	
2,5	4,0	07-2510	
3,0	4,5	07-3010	
3,5	5,1	07-3510	
4,0	5,8	07-4010	
4,5	6,5	07-4510	
5,0	7,3	07-5010	
5,5	8,0	07-5510	
6,0	8,6	07-6010	
6,5	9,2	07-6510	
7,0	9,7	07-7010	
7,5	10,3	07-7510	
8,0	11,0	07-8010	
8,5	11,7	07-8510	
9,0	12,3	07-9010	
9,5	13,0	07-9510	
10,0	13,7	07-1010	



Reinforced tracheal tube without cuff



- oral nasal
- Murphy type
- made of thermosensitive PVC
- reinforcement made of stainless steel
- kink resistant
- curved shape
- clear tube markings
- glued-in connector
- available with stylet
- latex free, phthalate free
- sterile, single use

size	0.0	1	eference nun	nber
I.D.	O.D.	D) (C	PVC	PVC siliconised
[mm]	[mm]	PVC	siliconised	with stylet
2,0	3,5	14-2000	14-2010	-
2,5	4,2	14-2500	14-2510	14-2514
3,0	4,8	14-3000	14-3010	14-3014
3,5	5,4	14-3500	14-3510	14-3514
4,0	6,0	14-4000	14-4010	14-4014
4,5	6,9	14-4500	14-4510	14-4514
5,0	7,5	14-5000	14-5010	14-5014
5,5	8,2	14-5500	14-5510	14-5514
6,0	8,8	14-6000	14-6010	14-6014
6,5	9,7	14-6500	14-6510	14-6514
7,0	10,2	14-7000	14-7010	14-7014
7,5	11,0	14-7500	14-7510	14-7514
8,0	11,6	14-8000	14-8010	14-8014
8,5	12,3	14-8500	14-8510	14-8514
9,0	12,9	14-9000	14-9010	14-9014
9,5	13,7	14-9500	14-9510	14-9514
10,0	14,2	14-1000	14-1010	14-1014

Reinforced tracheal tube with low pressure cuff



The same of the sa

- oral nasal
- Murphy type
- made of thermosensitive PVC
- high volume low pressure cuff
- reinforcement made of stainless steel
- kink resistant
- curved shape
- clear tube markings
- glued-in connector
- available with stylet
- marked pilot balloon
- latex free, phthalate free
- sterile, single use

size	0.0	~ "	ı	reference nun	nber
I.D. [mm]	O.D. [mm]	Ø cuff [mm]	PVC	PVC siliconised	PVC siliconised with stylet
2,5	4,2	8,0	12-2500	12-2510	12-2514
3,0	4,8	8,0	12-3000	12-3010	12-3014
3,5	5,4	10,0	12-3500	12-3510	12-3514
4,0	6,0	10,0	12-4000	12-4010	12-4014
4,5	6,9	12,0	12-4500	12-4510	12-4514
5,0	7,5	14,0	12-5000	12-5010	12-5014
5,5	8,2	17,0	12-5500	12-5510	12-5514
6,0	8,8	20,0	12-6000	12-6010	12-6014
6,5	9,7	20,0	12-6500	12-6510	12-6514
7,0	10,2	23,0	12-7000	12-7010	12-7014
7,5	11,0	25,0	12-7500	12-7510	12-7514
8,0	11,6	26,0	12-8000	12-8010	12-8014
8,5	12,3	27,0	12-8500	12-8510	12-8514
9,0	12,9	29,0	12-9000	12-9010	12-9014
9,5	13,7	29,0	12-9500	12-9510	12-9514
10,0	14,2	32,0	12-1000	12-1010	12-1014



Tracheal tube with suction lumen



- oral nasal
- Murphy type
- made of thermosensitive PVC, siliconised
- transparent
- high volume low pressure cuff
- allows suctioning of secretions from above the cuff, minimizing the risk of infection
- suction lumen ended with universal connector
- X-ray line
- clear tube markings
- marked pilot balloon
- recommended for long term ventilation
- latex free, phthalate free
- sterile, single use

size	O.D.	Ø cuff	reference	number
I.D. [mm]	[mm]	[mm]	without stylet	with stylet
5,0	7,6	20,0	06-5011	06-5014
5,5	8,3	23,0	06-5511	06-5514
6,0	9,0	23,0	06-6011	06-6014
6,5	9,7	23,0	06-6511	06-6514
7,0	10,4	26,0	06-7011	06-7014
7,5	11,0	27,0	06-7511	06-7514
8,0	11,7	30,0	06-8011	06-8014
8,5	12,2	32,0	06-8511	06-8514
9,0	12,8	36,0	06-9011	06-9014
9,5	13,4	36,0	06-9511	06-9514
10,0	14,2	36,0	06-1011	06-1014

Microlaryngeal tracheal tube




- oral nasal
- elongate length of the tube
- Murphy type
- made of thermosensitive PVC, siliconised
- transparent
- extra high volume low pressure cuff with thin walls
- X-ray line
- clear tube markings
- marked pilot balloon
- latex free, phthalate free
- sterile, single use

size	O.D.	Ø cuff	length	reference	number
I.D. [mm]	[mm]	[mm]	[mm]	non-reinforced	reinforced
4,0	5,4	20,0	368	05-4010	05-4012
5,0	6,9	25,0	368	05-5010	05-5012
6.0	8.2	28.0	368	05-6010	05-6012



Preformed tracheal tube, nasal, soft



- nasal
- Murphy type
- made of thermosensitive PVC, siliconised
- milky, non-transparent
- with high volume low pressure cuff or without cuff
- flexible, with thicker walls, non kinking
- curved towards the forehead
- designated for surgeries in head and neck area
- X-ray line
- clear tube markings
- marked pilot balloon
- latex free, phthalate free
- sterile, single use

size I.D.	O.D. Ø cuff		reference number		
[mm]	[mm]	[mm]	with cuff	without cuff	
3,0	4,5	8,0	27-3014	28-3014	
3,5	5,1	10,0	27-3514	28-3514	
4,0	6,0	10,0	27-4014	28-4014	
4,5	6,7	12,0	27-4514	28-4514	
5,0	7,3	14,0	27-5014	28-5014	
5,5	8,0	17,0	27-5514	28-5514	
6,0	8,8	20,0	27-6014	28-6014	
6,5	9,4	20,0	27-6514	28-6514	
7,0	10,2	23,0	27-7014	28-7014	
7,5	10,8	25,0	27-7514	28-7514	
8,0	11,6	26,0	27-8014	28-8014	

Preformed tracheal tube, nasal






- nasal
- Murphy type
- made of thermosensitive PVC, siliconised
- transparent
- with high volume low pressure cuff or without cuff
- extra soft
- curved towards the forehead
- designated for surgeries in head area
- X-ray line
- clear tube markings
- marked pilot balloon
- latex free, phthalate free
- sterile, single use

size I.D.	I O D	Ø cuff [mm]	reference number		
[mm]	[mm]		with cuff	without cuff	
3,0	4,2	8,0	27-3010	28-3010	
3,5	4,8	10,0	27-3510	28-3510	
4,0	5,4	10,0	27-4010	28-4010	
4,5	6,0	12,0	27-4510	28-4510	
5,0	6,9	14,0	27-5010	28-5010	
5,5	7,5	17,0	27-5510	28-5510	
6,0	8,2	20,0	27-6010	28-6010	
6,5	8,8	20,0	27-6510	28-6510	
7,0	9,7	23,0	27-7010	28-7010	
7,5	10,2	25,0	27-7510	28-7510	
8,0	11,0	26,0	27-8010	28-8010	



Preformed tracheal tube, oral



- oral
- Murphy type
- made of thermosensitive PVC, siliconised
- transparent
- with high volume low pressure cuff or without cuff
- curved towards the chin
- designated for surgeries in head area
- X-ray line
- clear tube markings
- marked pilot balloon
- latex free
- sterile, single use

size I.D.	O.D.	Ø cuff	reference	e number
[mm]	[mm]	[mm]	with cuff	without cuff
3,0	4,2	8,0	25-3010	26-3010
3,5	4,8	10,0	25-3510	26-3510
4,0	5,4	10,0	25-4010	26-4010
4,5	6,0	12,0	25-4510	26-4510
5,0	6,9	14,0	25-5010	26-5010
5,5	7,5	20,0	25-5510	26-5510
6,0	8,2	20,0	25-6010	26-6010
6,5	8,8	20,0	25-6510	26-6510
7,0	9,7	23,0	25-7010	26-7010
7,5	10,2	25,0	25-7510	26-7510
8,0	11,0	26,0	25-8010	26-8010
8,5	11,6	27,0	25-8510	26-8510
9,0	12,3	29,0	25-9010	26-9010

Preformed tracheal tube, oral – forehead





- oral
- Murphy type
- made of thermosensitive PVC, siliconised
- transparent
- with high volume low pressure cuff or without cuff
- curved towards the forehead
- designated for surgeries in head area
- X-ray line
- clear tube markings
- marked pilot balloon
- latex free, phthalate free
- sterile, single use

size I.D.	O.D.	Ø cuff	reference	e number
[mm]	[mm]	[mm]	with cuff	without cuff
3,0	4,2	-	-	26-3037
3,5	4,8	-	-	26-3537
4,0	5,4	-	-	26-4037
4,5	6,0	-	-	26-4537
5,0	6,9	14,0	25-5037	26-5037
5,5	7,5	20,0	25-5537	26-5537
6,0	8,2	20,0	25-6037	26-6037
6,5	8,8	20,0	25-6537	26-6537
7,0	9,7	23,0	25-7037	26-7037
7,5	10,3	25,0	25-7537	26-7537
8,0	11,0	26,0	25-8037	26-8037
8,5	11,7	27,0	25-8537	26-8537
9,0	12,3	29,0	25-9037	26-9037



Double lumen bronchial tube - left sided



- made of thermosensitive PVC, siliconised
- two delicate high volume low pressure cuffs
- smooth walls preventing gathering of secretion
- atraumatic, rounded tip and smooth cuff welding
- X-ray line along the tube, additional X-ray marks assisting in accurate positioning of the tube
- stylet covered with medical plastic
- marked pilot balloons
- graduation mark
- two 15 mm connectors conforming to ISO 5356-1
- latex free, phthalate free
- sterile, single use

			unfaun ac	numahau
size	Ø _R cuff	Ø _⊤ cuff	reference	
[CH/FG]		[mm]	_	with carina
,	[]	[]		hook
24	12,0	14,0	21-2410	-
26	15,0	20,0	21-2610	-
28	16,0	20,0	21-2810	-
32	16,0	21,0	21-3210	21-3241
35	18,0	23,0	21-3510	21-3541
37	18,0	25,0	21-3710	21-3741
39	20,0	30,0	21-3910	21-3941
41	22,0	32,0	21-4110	21-4141

Double lumen bronchial tube - left sided, set



- bronchial tube, left sided
- connectors set, with or without clamps
- 4 control valve suction catheters

			reference number				
-!	~ ~	~ ~	bronchial tube				
size [CH/FG]	Ø _в cuff [mm]	Ø _⊤ cuff [mm]	connectors without clamps	connectors with clamps	carina hook, connectors with clamps		
24	12,0	14,0	21-2420	21-2422	-		
26	15,0	20,0	21-2620	21-2622	-		
28	16,0	20,0	21-2820	21-2822	-		
32	16,0	21,0	21-3220	21-3222	21-3245		
35	18,0	23,0	21-3520	21-3522	21-3545		
37	18,0	25,0	21-3720	21-3722	21-3745		
39	20,0	30,0	21-3920	21-3922	21-3945		
41	22,0	32,0	21-4120	21-4122	21-4145		



Double lumen bronchial tube - right sided



- made of thermosensitive PVC, siliconised
- two delicate high volume low pressure cuffs
- smooth walls preventing gathering of secretion
- atraumatic, rounded tip and smooth cuff welding
- X-ray line along the tube, additional X-ray marks assisting in accurate positioning of the tube
- stylet covered with medical plastic
- marked pilot balloons
- graduation mark
- two 15 mm connectors conforming to ISO 5356-1
- latex free, phthalate free
- sterile, single use

size Ø _R cuff		Ø _⊤ cuff	reference	e number
[CH/FG]		[mm]	-	with carina hook
24	12,0	14,0	22-2410	-
26	15,0	20,0	22-2610	-
28	16,0	20,0	22-2810	-
32	16,0	21,0	22-3210	22-3241
35	18,0	23,0	22-3510	22-3541
37	18,0	25,0	22-3710	22-3741
39	20,0	30,0	22-3910	22-3941
41	22,0	32,0	22-4110	22-4141

Double lumen bronchial tube - right sided, set



- bronchial tube, right sided
- connectors set, with or without clamps
- 4 control valve suction catheters

			reference number				
size	~ ~	~ ~	bronchial tube				
[CH/F	G] Ø _β cuff [mm]	Ø _⊤ cuff [mm]	connectors without clamps	connectors with clamps	carina hook, connectors with clamps		
24	12,0	14,0	22-2420	22-2422	-		
26	15,0	20,0	22-2620	22-2622	-		
28	16,0	20,0	22-2820	22-2822	-		
32	16,0	21,0	22-3220	22-3222	22-3245		
35	18,0	23,0	22-3520	22-3522	22-3545		
37	18,0	25,0	22-3720	22-3722	22-3745		
39	20,0	30,0	22-3920	22-3922	22-3945		
41	22,0	32,0	22-4120	22-4122	22-4145		



Tracheostomy double lumen bronchial tube - left sided



- made of thermosensitive PVC, siliconised
- two delicate high volume low pressure cuffs
- smooth walls preventing gathering of secretion
- atraumatic, rounded tip and smooth cuff welding
- X-ray line along the tube
- stylet covered with medical plastic
- adjustable flange
- marked pilot balloons
- graduation mark
- two 15 mm connectors conforming to ISO 5356-1
- latex free, phthalate free
- sterile, single use

Set contains:

- bronchial tube, left sided
- connectors set, with or without clamps
- 4 control valve suction catheters

size/length	Ø _R cuff	Ø _⊤ cuff	reference	number	
[CH/mm]	[mm]	[mm]	left-sided tube	set	
35/60	18,0	23,0	21-3560	21-3561	
35/70	18,0	23,0	21-3570	21-3571	
35/80	18,0	23,0	21-3580	21-3581	
37/70	18,0	25,0	21-3770	21-3771	
37/80	18,0	25,0	21-3780	21-3781	
37/90	18,0	25,0	21-3790	21-3791	
39/70	20,0	30,0	21-3970	21-3971	
39/80	20,0	30,0	21-3980	21-3981	
39/90	20,0	30,0	21-3990	21-3991	

Tracheostomy double lumen bronchial tube - right sided



- made of thermosensitive PVC, siliconised
- two delicate high volume low pressure cuffs
- smooth walls preventing gathering of secretion
- atraumatic, rounded tip and smooth cuff welding
- X-ray line along the tube
- stylet covered with medical plastic
- adjustable flange
- marked pilot balloons
- graduation mark
- two 15 mm connectors conforming to ISO 5356-1
- latex free, phthalate free
- sterile, single use

- bronchial tube, right sided
- connectors set, with or without clamps
- 4 control valve suction catheters

size/length	Ø _R cuff	Ø _⊤ cuff	reference number		
[CH/mm]	[mm]	[mm]	right-sided tube	set	
35/60	18,0	23,0	22-3560	22-3561	
35/70	18,0	23,0	22-3570	22-3571	
35/80	18,0	23,0	22-3580	22-3581	
37/70	18,0	25,0	22-3770	22-3771	
37/80	18,0	25,0	22-3780	22-3781	
37/90	18,0	25,0	22-3790	22-3791	
39/70	20,0	30,0	22-3970	22-3971	
39/80	20,0	30,0	22-3980	22-3981	
39/90	20,0	30,0	22-3990	22-3991	



Single lumen bronchial tube - left sided



- made of thermosensitive PVC, siliconised
- two delicate high volume low pressure cuffs
- smooth walls preventing gathering of secretion
- atraumatic, rounded tip and smooth cuff welding
- X-ray line along the tube
- stylet covered with medical plastic
- marked pilot balloons
- graduation mark
- 15 mm connector conforming to ISO 5356-1
- latex free, phthalate free
- sterile, single use

Set contains:

- bronchial tube, left sided
- 2 double swivel elbow connectors
- 4 control valve suction catheters

size	Ø. cuff	reference number			
I.D. [mm]	[mm]		left-sided tube	set	
6,5	18,0	25,0	21-6510	21-6520	
7,0	18,0	28,0	21-7010	21-7020	
7,5	18,0	28,0	21-7510	21-7520	
8,0	20,0	30,0	21-8010	21-8020	
8,5	20,0	30,0	21-8510	21-8520	

Single lumen bronchial tube - right sided



- made of thermosensitive PVC, siliconised
- two delicate high volume low pressure cuffs
- smooth walls preventing gathering of secretion
- atraumatic, rounded tip and smooth cuff welding
- X-ray line along the tube
- stylet covered with medical plastic
- marked pilot balloons
- graduation mark
- 15 mm connector conforming to ISO 5356-1
- latex free, phthalate free
- sterile, single use

- bronchial tube, right sided
- 2 double swivel elbow connectors
- 4 control valve suction catheters

size	$\emptyset_{\mathbb{R}}$ cuff $\emptyset_{\mathbb{T}}$ cuff		reference number		
I.D. [mm]		[mm]	right-sided tube	set	
6,5	18,0	25,0	22-6510	22-6520	
7,0	18,0	28,0	22-7010	22-7020	
7,5	18,0	28,0	22-7510	22-7520	
8,0	20,0	30,0	22-8010	22-8020	
8,5	20,0	30,0	22-8510	22-8520	



Bronchial tube connectors set



- transparent extension tubes
- two swivel elbow connectors with soft seal and double port
- connector Y 15 mm
- sterile, single use

reference number 19-0100

Bronchial tube connectors set with clamps



- transparent extension tubes
- two swivel elbow connectors with soft seal and double port
- connector Y 15 mm
- clamps on each arm
- sterile, single use

type	reference number
single swivel	19-0101
double swivel	19-0102

Y connector



- parallel wye connector
- 2 x 15F patient connections
- 1 x 15M tubing connection
- no ports

reference number 19-0110



Silicone laryngeal mask, reusable



- made of medical grade silicone
- transparent tube and soft silicone cuff
- anatomic shape for easy, gentle insertion and optimal placement
- size, weight and cuff volume indicated on tube
- 15 mm connector
- reusable up to 40 times
- latex free, phthalate free
- sterile

size	patient weight [kg]	cuff volume [ml]	reference number
1,0	0-5	4	42-1000
1,5	5-10	7	42-1500
2,0	10-20	10	42-2000
2,5	20-30	14	42-2500
3,0	30-50	20	42-3000
4,0	50-70	30	42-4000
5,0	70-100	40	42-5000

Silicone laryngeal mask, single use



- made of medical grade silicone
- transparent tube and soft silicone cuff
- anatomic shape for easy, gentle insertion and optimal placement
- size, weight and cuff volume indicated on tube
- colour coded
- 15 mm connector
- latex free, phthalate free
- sterile, single use

size	aalauu	patient weight	cuff volume	reference number	
size	colour [kg]	[ml]	standard	reinforced	
1,0		0-5	4	42-1010	42-1012
1,5		5-10	7	42-1510	42-1512
2,0		10-20	10	42-2010	42-2012
2,5		20-30	14	42-2510	42-2512
3,0		30-50	20	42-3010	42-3012
4,0		50-70	30	42-4010	42-4012
5,0		70-100	40	42-5010	42-5012

Available in set with syringe and lubricating jelly under reference number with "J" at the end, for example "42-40103."

Laryngeal mask, single use



- made of medical grade PVC
- transparent tube and soft cuff
- anatomic shape for easy, gentle insertion and optimal placement
- size, weight and cuff volume indicated on tube
- colour coded
- 15 mm connector
- latex free, phthalate free
- sterile, single use


size	colour	patient weight [kg]	cuff volume [ml]	reference number
1,0		0-5	4	42-1050
1,5		5-10	7	42-1550
2,0		10-20	10	42-2050
2,5		20-30	14	42-2550
3,0		30-50	20	42-3050
4,0		50-70	30	42-4050
5,0		70-100	40	42-5050



Nasopharyngeal airway



- safeguard to avoid tuck into the epipharynx
- siliconised
- latex free, phthalate free
- sterile, single use



size I.D. [mm]	O.D. [mm]	reference number
2,5	3,5	41-2500
3,0	4,2	41-3000
3,5	4,8	41-3500
4,0	5,4	41-4000
4,5	6,0	41-4500
5,0	6,9	41-5000
5,5	7,5	41-5500
6,0	8,2	41-6000
6,5	9,4	41-6500
7,0	9,6	41-7000
7,5	10,3	41-7500
8,0	11,0	41-8000
8,5	11,7	41-8500
9,0	12,3	41-9000

Guedel airway



- colour coded bite-blocks
- smoothly rounded edges
- integrated bite-block
- individually packed
- latex free, phthalate free
- sterile, single use




size	colour	length [mm]	reference number
000		30	40-1003
000		40	40-1004
00		50	40-1005
0		60	40-1006
1		70	40-1107
2		80	40-1208
2		90	40-1209
3		100	40-1310
4		110	40-1411
6		120	40-1612




Tracheal intubation stylet

- metal alloy covered with medical plastic
- soft tip
- latex free, phthalate free
- sterile, single use



size O.D. [mm]	length [mm]	reference number	for tubes size I.D. [mm]
1,9	230	09-1923	2,0 ÷ 3,0
2,0	230	09-2023	2,5 ÷ 3,0
2,2	230	09-2223	2,5 ÷ 3,5
3,0	340	09-3034	3,5 ÷ 5,0
4,0	340	09-4034	5,0 ÷ 8,0
4,0	600	09-4060	5,0 ÷ 8,0
5,0	370	09-5037	6,0 ÷ 11,0
5,0	600	09-5060	6,0 ÷ 11,0

Tracheal tube guide




- flexible reinforcement along the guide
- marked at each cm
- straight tip
- single use or reusable
- supplied inside a rigid pack
- latex free
- sterile

size	length	reference number		
O.D. [mm]	[mm]	single use	reusable	
3,3	600	09-3610	09-3620	
3,3	800	09-3810	09-3820	
3,3	1000	09-3110	09-3120	
5,0	800	09-5810	09-5820	
5,0	1000	09-5110	09-5120	



Tracheal tube introducer



- "Bougie" type introducer
- flexible reinforcement
- graduation mark at each cm
- angled tip for ease of intubation
- made of plastic facilitating easy insertion and withdrawal
- single use or reusable
- supplied inside a rigid pack
- latex free
- sterile

size O.D.	length	reference number		
[mm]	[mm]	single use	reusable	
3,3	600	09-3617	09-3627	
3,3	700	09-3717	09-3727	
3,3	800	09-3817	09-3827	
3,3	1000	09-3117	09-3127	
5,0	600	09-5617	09-5627	
5,0	700	09-5717	09-5727	
5,0	800	09-5817	09-5827	
5,0	1000	09-5117	09-5127	

Tracheal tube introducer for infants




- flexible introducer
- straight distal tip made of soft, elastic material that eliminates the risk of delicate tissue damage
- depth graduation mark
- available in two diameters: 1,6 mm and 2,0 mm
- designated for tubes size 2,0; 2,5; 3,0
- latex free, phthalate free
- sterile, single use

size O.D. [mm]	length [mm]	reference number
1,6	600	09-1610
2,0	600	09-2010



Tracheal tube guide with ventilation lumen



- flexible reinforcement along the guide
- with inner lumen for oxygenation during intubation and tube exchange
- in set with 15 mm connector: with or without Luer-Lock
- available straight or angled tip
- latex free, phthalate free
- sterile, single use

size O.D.	longth	I.D.	reference	e number
[mm]	[mm]	[mm]	straight tip	angled tip
2,6	600	1,2	09-2610	-
3,3	830	1,7	09-3910	09-3917
5,0	830	2,6	09-5910	09-5917
6,0	830	3,0	09-6910	09-6917

Bite blocks for tracheal tubes



- designated for fixation on tracheal tubes
- soft material protects teeth from damage
- protects tube from accidental biting
- available in 4 sizes, depending on tracheal tube size
- colour coded
- handle for easier manipulation
- latex free
- single use

tracheal tubes size (mm)	colour	reference number
6,0 - 6,5		19-6065
7,0 - 7,5		19-7075
8,0 - 8,5		19-8085
9,0 - 9,5		19-9095



Tracheal tube holder, two-piece



- laminated hook and loop fastener for sure grip
- adjustable for different neck size
- ultra soft material to avoid skin irritation
- hypoallergenic, latex free

Set contains:

- neck band
- 3 tube holders

size	reference number
for adult	19-0001

Tracheal tube holder, one-piece



- one-piece design
- length: 87 cm
- soft material preventing ulcers
- laminated hook and loop fastener for sure grip
- latex free

Set components:

- 10 one-piece tube holders
- 10 tracheal tube fixations

size	reference number
universal	19-0002



Disconnecting wedge



- facilitates easy disconnection of tracheal and tracheostomy tube from breathing circuits
- prevents tear on tube during disconnection

size	reference number
universal	19-0006

Extendible catheter mount with double swivel elbow connector



- double swivel elbow connector
- extendible, shape memorising
- compatible with tracheal tubes and other equipment
- connectors 22F 22M/15F
- dead space volume 20-50 ml
- length 8-13 cm
- sterile, single use

reference number 19-1110

Extendible catheter mount with double swivel elbow connector and double port



- double swivel elbow connector
- extendible, shape memorising
- compatible with tracheal tubes and other equipment
- with double port for suctioning and bronchoscope
- connectors 22F 22M/15F
- dead space volume 20-50 ml
- length 8-13 cm
- sterile, single use

reference number	
19-1120	



Corrugated catheter mount with double swivel elbow connector



- double swivel elbow connector
- corrugated
- compatible with tracheal tubes and other equipment
- connectors 22F 22M/15F
- dead space volume 42 ml
- length 15 cm
- sterile, single use

reference number

19-2110

Corrugated catheter mount with double swivel elbow connector and double port



- double swivel elbow connector
- corrugated
- compatible with tracheal tubes and other equipment
- with double port for suctioning and bronchoscope
- connectors 22F 22M/15F
- dead space volume 42 ml
- length 15 cm
- sterile, single use

reference number

19-2120

Corrugated catheter mount, straight



- corrugated
- compatible with tracheal tubes and other equipment
- connectors 15M 22M/15F
- dead space volume 35 ml
- length 15 cm
- sterile, single use

reference number

19-2201



Smooth bore catheter mount with double swivel elbow connector and double port



- double swivel elbow connector
- smooth bore with anti-kinking reinforcement
- compatible with tracheal tubes and other equipment
- with double port for suctioning and bronchoscope
- connectors 22F 22M/15F
- dead space volume 35 ml
- length 15 cm
- sterile, single use

reference number 19-3120

Smooth bore catheter mount with double swivel elbow connector and double port



- double swivel elbow connector
- smooth bore with anti-kinking reinforcement
- compatible with tracheal tubes and other equipment
- with double port for suctioning and bronchoscope
- connectors 15M 22M/15F
- dead space volume 35 ml
- length 15 cm
- sterile, single use

reference number 19-3220

Smooth bore catheter mount, straight



- smooth bore with anti-kinking reinforcement
- compatible with tracheal tubes and other equipment
- connectors 15M 22M/15F
- dead space volume 31 ml
- length 15 cm
- sterile, single use

reference number 19-3200



Double swivel elbow connector



- double port for suctioning and bronchoscope
- swivels 360°
- sterile, single use

type	reference number
without port	19-0201
with port	19-0200

Tracheal tube connector set



- 15 mm connectors made of plastic
- pack includes 16 pieces
- size from 2,5 to 10,0 mm, steps 0,5 mm
- non-sterile

reference number

Silicone corrugated breathing tube



- reusable, autoclavable
- non-sterile
- medical grade silicone
- individually packed

size	length [mm]	reference number
	300	18-2030
connector 22 mm/22 mm	600	18-2060
	800	18-2080
	900	18-2090
	1200	18-2120
	1500	18-2150
	600	18-1060
connector 10 mm/10 mm	850	18-1085
	1100	18-1110
	450	18-3045
connector 10 mm/22 mm	600	18-3060
	850	18-3085



Closed suction system 72h



- mechanical push block system, sealing off access to the patient
- double swivel elbow connector
- MDI port for quick and effective drug delivery
- one-way valve for catheter rinsing
- transparent and durable sleeve securing suction catheter
- catheter with clearly visible graduation and rounded tip to minimize the risk of trachea mucosa damaging
- double black markings of catheter withdrawal
- colour coded sizes of suction catheter
- suction control button with built-in locking system to prevent accidental pressing
- sterile, phthalate free, latex free

Set includes

- closed suction catheter
- extendible tube
- disconnecting wedge
- day sticker

size		tracheal		tracheostomy		
[CH/FG]	colour	length [mm]	reference	length [mm]	reference	
10		540	73-1071	360	74-1071	
12		540	73-1271	360	74-1271	
14		540	73-1471	360	74-1471	
16		540	73-1671	360	74-1671	
18		540	73-1871	360	74-1871	

Closed suction system 24h



- double swivel elbow connector
- MDI port for quick and effective drug delivery
- one-way valve for catheter rinsing
- catheter with clearly visible graduation and rounded tip to minimize the risk of trachea mucosa damaging
- transparent and durable sleeve securing suction
- double black markings of catheter withdrawal
- colour coded sizes of suction catheter
- suction control button with built-in locking system to prevent accidental pressing
- sterile, phthalate free, latex free

Set includes

- closed suction catheter
- extendible tube
- disconnecting wedge
- day sticker

size		tracheal			
[CH/FG]	colour	length [mm]	reference		
10		540 73-1023			
12		540 73-1223			
14		540 73-1423			
16		540 73-1623			
18		540 73-1823			



Closed suction system 72h, paediatric




- mechanical push block system, sealing off access to the patient
- MDI port for quick and effective drug delivery
- one-way valve for catheter rinsing
- transparent and durable sleeve securing suction catheter
- catheter with clearly visible graduation and rounded tip to minimize the risk of trachea mucosa damaging
- colour coded sizes of suction catheter
- double black markings of catheter withdrawal
- sterile, phthalate free, latex free

Set includes

- closed suction catheter
- connectors for different tube size
- day sticker

size [CH/FG]	colour	length [mm]	reference
5		320	75-0572
6		320	75-0672
7		320	75-0772
8		360	75-0872
10		415	75-1072

Closed suction system 24h, paediatric



- MDI port for quick and effective drug delivery
- one-way valve for catheter rinsing
- catheter with clearly visible graduation and rounded tip to minimize the risk of trachea mucosa damaging
- transparent and durable sleeve securing suction catheter
- double black markings of catheter withdrawal
- colour coded sizes of suction catheter
- suction control button with built-in locking system to prevent accidental pressing
- sterile, phthalate free, latex free

Set includes

- closed suction catheter
- connectors for different tube size
- day sticker

size [CH/FG]	colour	length [mm]	reference
5		320	75-0520
6		320	75-0620
7		320	75-0720
8		360	75-0820
10		415	75-1020






Tracheostomy tubes

Tracheostomy tubes are significant part of SUMI production.

We offer comprehensive range of sophisticated tracheostomy product which meet different patient needs. Introduced and maintained high quality standards, workmanship, proper design of SUMI tubes ensures safety of use and confidence for both clinician and patient.

Tracheostomy tubes are produced from best thermosensitive medical PVC, latex free and phthalate free. These properties of polymer provide patient comfort – adapting to patient airway shape and minimize risk of allergic reactions and other complications.

Main features of SUMI tracheostomy tubes:





Tracheostomy tubes

SUMI experience in manufacturing resulted in reliable, high quality products, in variety of types and sizes. Offer includes following products, all siliconised:


- tracheostomy tubes with cuff fixed or adjustable flange, different shapes and lengths
- tubes with fenestration holes, facilitate speaking
- tracheostomy tubes with double cuff, help to prevent tracheal trauma
- tubes without cuff for both children and adults
- reinforced tracheostomy tubes with or without cuff, accurately flexible while maintaining extraordinary kinking resistance
- tracheostomy tubes with suction lumen, to prevent risk of VAP

We can also manufacture custom made tubes with individual dimensions.

26 26

30

84



10

10

17

40

40

11,0


11,7

12.3 13,0


9,0

32 34


36




	35-XX10, 36-XX10, 37-XX10, 38-XX10, 39-XX11						
	I.D. [mm]	O.D. [mm]	A [mm]	B _{max} [mm]	C [mm]	L _{max} [mm]	C.D. [mm]
П	5,0	6,9	23	12	23	58	15
	5,5	7,5	24	14	24	62	15
ч	6,0	8,2	25	15	32	72	18
	6,5	8,9	26	17	34	77	18
	7,0	9,7	27	21	37	85	22
	7,5	10,3	30	25	38	93	22
	8,0	11,0	32	26	40	98	26
	8,5	11,7	34	28	40	102	26
	9,0	12,3	36	29	40	105	30
	9,5	13,0	38	31	41	110	30
	10,0	13,7	38	31	42	111	32
	11,0	14,8	39	31	42	112	34



Tracheostomy tube with double cuff, siliconised 32-XX10						
I.D. [mm]	O.D. [mm]	A [mm]	B [mm]	C [mm]	L [mm]	C.D. [mm]
5,0	6,9	33	2	23	58	15
6,0	8,2	33	2	32	67	15
6,5	8,9	33	2	34	69	18
7,0	9,7	38	4	37	79	18
7,5	10,3	38	6	38	82	22
8,0	11,0	42	10	40	92	22
8,5	11,7	42	10	40	92	25
9,0	12,3	50	17	40	107	25
9,5	13,0	50	18	41	109	25
10,0	13,7	55	18	42	115	29
				-		-



	Tracheostomy tube with double cuff and adjustable flange, siliconised 32-XX40						
	I.D. [mm]	O.D. [mm]	A [mm]	B _{max} [mm]	C [mm]	L _{max} [mm]	C.D. [mm]
Γ	5,0	6,9	33	12	23	68	15
	6,0	8,2	33	15	32	80	15
	6,5	8,9	33	16	34	83	18
ı	7,0	9,7	38	24	37	99	18
	7,5	10,3	38	30	38	106	22
ı	8,0	11,0	42	31	40	113	22
	8,5	11,7	42	34	40	116	25
ı	9,0	12,3	50	28	40	118	25
	9,5	13,0	50	29	41	120	25
	10,0	13,7	55	29	42	126	29



distal length

proximal length

_{ax} – max. proximal length

– radial length

L – total tube length, A+C+B

L_{max} - max. effective total tube length A+C+B_{max}

Θ - bending angle 100°

I.D. – internal diameter

O.D. - outer diameter

C.D. - cuff diameter



Tracheostomy tube with high volume low pressure cuff



- made of thermosensitive PVC, siliconised
- high volume low pressure cuff
- with or without fenestration
- X-ray line
- soft, smooth, transparent flange
- obturator
- 2 neck tapes
- marked pilot balloon
- latex free, phthalate free
- sterile, single use

size	0.0	length	referen	ce number
I.D. [mm]	O.D. [mm]	L [mm]	standard	fenestrated
3,0	4,2	35	31-3010	-
3,5	4,8	37	31-3510	-
4,0	5,4	40	31-4010	-
4,5	6,0	46	31-4510	-
5,0	6,9	48	31-5010	31-5055
5,5	7,5	50	31-5510	31-5555
6,0	8,2	59	31-6010	31-6055
6,5	8,9	62	31-6510	31-6555
7,0	9,7	68	31-7010	31-7055
7,5	10,3	74	31-7510	31-7555
8,0	11,0	82	31-8010	31-8055
8,5	11,7	84	31-8510	31-8555
9,0	12,3	93	31-9010	31-9055
9,5	13,0	97	31-9510	31-9555
10,0	13,7	98	31-1010	31-1055

Tracheostomy tube with double cuff



- made of thermosensitive PVC, siliconised
- two low pressure cuffs
- X-ray line
- soft, smooth, transparent flange fixed or adjustable
- obturator
- 2 neck tapes
- marked pilot balloon
- latex free, phthalate free
- sterile, single use

size	O.D.	refere	nce number	reference number		
[mm]	length L [mm]	with fixed flange	length L _{max} [mm]	with adjustable flange		
5,0	6,9	58	32-5010	68	32-5040	
6,0	8,2	67	32-6010	80	32-6040	
7,0	9,7	79	32-7010	99	32-7040	
7,5	10,3	82	32-7510	106	32-7540	
8,0	11,0	92	32-8010	113	32-8040	
8,5	11,7	92	32-8510	116	32-8540	
9,0	12,3	107	32-9010	118	32-9040	
9,5	13,0	109	32-9510	120	32-9540	
10,0	13,7	115	32-1010	126	32-1040	



Tracheostomy tube without cuff



- made of thermosensitive PVC, siliconised
- X-ray line
- soft, smooth, transparent flange
- obturator in tube with connector
- 2 neck tapes
- latex free, phthalate free
- sterile, single use

size I.D.	O.D.	length	reference number		
[mm]	[mm]	L [mm]	with connector	without connector	
3,0	4,2	35	33-3010	34-3010	
3,5	4,8	37	33-3510	34-3510	
4,0	5,4	40	33-4010	34-4010	
4,5	6,0	46	33-4510	34-4510	
5,0	6,9	48	33-5010	34-5010	
5,5	7,5	50	33-5510	34-5510	
6,0	8,2	59	33-6010	34-6010	
6,5	8,9	62	33-6510	34-6510	
7,0	9,7	68	33-7010	34-7010	
7,5	10,3	74	33-7510	34-7510	
8,0	11,0	82	33-8010	34-8010	
8,5	11,7	84	33-8510	34-8510	
9,0	12,3	93	33-9010	34-9010	
9,5	13,0	97	33-9510	34-9510	
10,0	13,7	98	33-1010	34-1010	

Tracheostomy tube without cuff, fenestrated



- made of thermosensitive PVC, siliconised
- fenestrated
- X-ray line
- soft, smooth, transparent flange
- obturator
- 2 neck tapes
- latex free, phthalate free
- sterile, single use

size I.D.	O.D.	length	re	eference numb	er
[mm]	[mm]	L [mm]	1 hole	2 holes	5 holes
3,0	4,2	35	33-3051	33-3052	33-3055
3,5	4,8	37	33-3551	33-3552	33-3555
4,0	5,4	40	33-4051	33-4052	33-4055
4,5	6,0	46	33-4551	33-4552	33-4555
5,0	6,9	48	33-5051	33-5052	33-5055
5,5	7,5	50	33-5551	33-5552	33-5555
6,0	8,2	59	33-6051	33-6052	33-6055
6,5	8,9	62	33-6551	33-6552	33-6555
7,0	9,7	68	33-7051	33-7052	33-7055
7,5	10,3	74	33-7551	33-7552	33-7555
8,0	11,0	82	33-8051	33-8052	33-8055
8,5	11,7	84	33-8551	33-8552	33-8555
9,0	12,3	93	33-9051	33-9052	33-9055
9,5	13,0	97	33-9551	33-9552	33-9555
10,0	13,7	98	33-1051	33-1052	33-1055



Tracheostomy tube with adjustable flange



- adjustable flange facilitate tube length adjustment
- made of thermosensitive PVC, siliconised
- with high volume low pressure cuff or without cuff
- X-ray line
- soft, smooth, transparent, adjustable flange
- obturator
- 2 neck tapes
- marked pilot balloon
- graduation mark
- latex free, phthalate free
- sterile, single use

size	U.D.		reference number		
I.D. [mm]	[mm]	[mm] L _{max} [mm]	with cuff	without cuff	
5,0	6,9	58	35-5010	36-5010	
5,5	7,5	62	35-5510	36-5510	
6,0	8,2	72	35-6010	36-6010	
6,5	8,9	76	35-6510	36-6510	
7,0	9,7	84	35-7010	36-7010	
7,5	10,3	92	35-7510	36-7510	
8,0	11,0	97	35-8010	36-8010	
8,5	11,7	102	35-8510	36-8510	
9,0	12,3	104	35-9010	36-9010	
9,5	13,0	109	35-9510	36-9510	
10,0	13,7	110	35-1010	36-1010	
11,0	14,8	110	35-1110	36-1110	

Tracheostomy tube with adjustable flange, long



- extended proximal and distal length
- adjustable flange facilitate tube length adjustment
- made of thermosensitive PVC, siliconised
- with high volume low pressure cuff or without cuff
- X-ray line
- soft, smooth, transparent, adjustable flange
- obturator
- 2 neck tapes
- marked pilot balloon
- graduation mark
- latex free, phthalate free
- sterile, single use

size	O.D. length		reference number		
I.D. [mm]	[mm]	L _{max} [mm]	with cuff	without cuff	
7,0	9,7	100	35-7017	36-7017	
8,0	11,0	116	35-8017	36-8017	
9,0	12,3	122	35-9017	36-9017	
10,0	13,7	128	35-1017	36-1017	



Reinforced tracheostomy tube with adjustable flange



- adjustable flange facilitate tube length adjustment
- made of thermosensitive PVC, siliconised
- with high volume low pressure cuff or without cuff
- reinforcement made of stainless steel, kink-resistant
- soft, smooth, transparent, adjustable flange
- obturator
- 2 neck tapes
- marked pilot balloon
- graduation mark
- latex free, phthalate free
- sterile, single use

size	O.D.	length	reference	e number
I.D. [mm]	[mm]		with cuff	without cuff
5,0	6,9	58	37-5010	38-5010
5,5	7,5	62	37-5510	38-5510
6,0	8,2	72	37-6010	38-6010
6,5	8,9	76	37-6510	38-6510
7,0	9,7	84	37-7010	38-7010
7,5	10,3	92	37-7510	38-7510
8,0	11,0	97	37-8010	38-8010
8,5	11,7	102	37-8510	38-8510
9,0	12,3	104	37-9010	38-9010
9,5	13,0	109	37-9510	38-9510
10,0	13,7	110	37-1010	38-1010
11,0	14,8	110	37-1110	38-1110

Reinforced tracheostomy tube with adjustable flange, long





- extended proximal and distal length
- adjustable flange facilitate tube length adjustment
- made of thermosensitive PVC, siliconised
- with high volume low pressure cuff or without cuff
- reinforcement made of stainless steel, kink-resistant
- soft, smooth, transparent, adjustable flange
- obturator
- 2 neck tapes
- marked pilot balloon
- graduation mark
- latex free, phthalate free
- sterile, single use

size	O.D. length		reference number		
I.D. [mm]	[mm]	L _{max} [mm]	with cuff	without cuff	
7,0	9,7	100	37-7017	38-7017	
8,0	11,0	116	37-8017	38-8017	
9,0	12,3	122	37-9017	38-9017	
10,0	13,7	128	37-1017	38-1017	



Reinforced tracheostomy tube, straight



- flexible for better adjustment to patient trachea
- straight and long, non-preformed
- adjustable flange facilitate tube length adjustment
- made of thermosensitive PVC, siliconised
- with high volume low pressure cuff or without cuff
- reinforcement made of stainless steel, kink-resistant
- soft, smooth, transparent, adjustable flange
- obturator
- 2 neck tapes
- marked pilot balloon
- graduation mark
- latex free, phthalate free
- sterile, single use

size I.D.	0.D.	length	reference number		
[mm]	[mm]	[mm]	with cuff	without cuff	
7,0	9,7	100	37-7018	38-7018	
8,0	11,0	116	37-8018	38-8018	
9,0	12,3	122	37-9018	38-9018	
10,0	13,7	128	37-1018	38-1018	

Reinforced tracheostomy tube, extra long, arced



- flexible for better adjustment to patient trachea
- extra long, arced
- adjustable flange facilitate tube length adjustment
- made of thermosensitive PVC, siliconised
- with high volume low pressure cuff or without cuff
- reinforcement made of stainless steel, kink-resistant
- soft, smooth, transparent, adjustable flange
- obturator
- 2 neck tapes
- marked pilot balloon
- graduation mark
- latex free, phthalate free
- sterile, single use

size I.D.	O.D. length		reference number		
[mm]	[mm]	L _{max} [mm]	with cuff	without cuff	
6,0	8,2	155	37-6020	38-6020	
7,0	9,7	155	37-7020	38-7020	
7,5	10,3	155	37-7520	38-7520	
8,0	11,0	155	37-8020	38-8020	
8,5	11,7	155	37-8520	38-8520	
9,0	12,3	155	37-9020	38-9020	
9,5	13,0	155	37-9520	38-9520	
10,0	13,7	155	37-1020	38-1020	
10,5	14,2	155	37-1520	38-1520	
11,0	14,8	155	37-1120	38-1120	



Tracheostomy tube with suction lumen



- made of thermosensitive PVC, siliconised
- very usefull for long-term ventilation
- allows suctioning of secretions from above the cuff
- suction lumen ended with universal connector
- high volume low pressure cuff
- X-ray line
- soft, smooth, transparent flange fixed or adjustable
- obturator
- 2 neck tapes
- marked pilot balloon
- latex free, phthalate free
- sterile, single use

size	O.D.	refe	rence number	refe	reference number	
I.D. [mm]	[mm]	length L [mm]	fixed flange	length L _{max} [mm]	adjustable flange	
5,0	6,9	48	39-5041	58	39-5011	
5,5	7,5	50	39-5541	62	39-5511	
6,0	8,2	59	39-6041	72	39-6011	
6,5	8,9	62	39-6541	77	39-6511	
7,0	9,7	68	39-7041	85	39-7011	
7,5	10,3	74	39-7541	93	39-7511	
8,0	11,0	82	39-8041	98	39-8011	
8,5	11,7	84	39-8541	102	39-8511	
9,0	12,3	93	39-9041	105	39-9011	
9,5	13,0	97	39-9541	110	39-9511	
10,0	13,7	98	39-1041	111	39-1011	

Montandon type tube



- made of thermosensitive PVC, siliconised
- special shape for tracheostomy intubation
- high volume low pressure cuff
- X-ray line
- marked pilot balloon
- latex free, phthalate free
- sterile, single use

size I.D.	Ø cuff	non rei	nforced	reinforced	
[mm]	[mm]	O.D. [mm]	ref.	O.D. [mm]	ref.
7,0	23,0	9,7	29-7010	10,2	29-7012
8,0	26,0	11,0	29-8010	11,6	29-8012
9,0	30,0	12,3	29-9010	12,9	29-9012
10,0	32,0	13,7	29-1010	14,2	29-1012



SUMINI tracheostomy tube

We present the highest quality tracheostomy tubes for children.

Line of SUMINI tracheostomy tubes is intended for newborn babies, infants and small children.


Tubes are designed and developed to fit their specific needs.


SUMINI are made of soft, flexible and thermosensitive medical grade Polymer, free of latex and DEHP.

Very soft and special shaped flange minimizes pressure on patient neck and at the same time prevents skin from injury.

SUMINI tracheostomy tubes are available in 2 versions: for neonates and paediatric. The main difference between them is size of flange and length of tube.

Both versions are suitable for long term mechanical ventilation.







SUMINI paediatric tracheostomy tube with cuff





- made of highest quality medical material, flexible and adapting to patient anatomy
- high volume low pressure cuff
- soft, flexible and special shaped flange facilitate firm fastening and minimizes skin irritation
- perfectly matched obturator
- neck tape for fastening
- visible in X-rays
- rounded, atraumatic tip
- latex free, phthalate free
- sterile, single use

_				
size I.D. [mm]	O.D. [mm]	length L [mm]	Ø cuff [mm]	reference number
2,5	4,0	32	8,0	2P-2500
3,0	4,5	35	9,0	2P-3000
3,5	5,1	39	10,0	2P-3500
4,0	5,8	43	12,0	2P-4000
4,5	6,5	47	12,0	2P-4500
5,0	7,1	49	15,0	2P-5000
5,5	7,6	54	15,0	2P-5500
6,0	8,3	60	18,0	2P-6000

SUMINI paediatric tracheostomy tube without cuff





- made of highest quality medical material, flexible and adapting to patient anatomy
- soft, flexible and special shaped flange facilitate firm fastening and minimizes skin irritation
- perfectly matched obturator
- neck tape for fastening
- visible in X-rays
- rounded, atraumatic tip
- latex free, phthalate free
- sterile, single use

size I.D. [mm]	O.D. [mm]	length L [mm]	reference number
2,5	4,0	32	3P-2500
3,0	4,5	35	3P-3000
3,5	5,1	39	3P-3500
4,0	5,8	43	3P-4000
4,5	6,5	47	3P-4500
5,0	7,1	49	3P-5000
5,5	7,6	54	3P-5500
6,0	8,3	60	3P-6000



SUMINI neonate tracheostomy tube with cuff





- made of highest quality medical material, flexible and adapting to patient anatomy
- high volume low pressure cuff
- soft, flexible and special shaped flange facilitate firm fastening and minimizes skin irritation
- perfectly matched obturator
- neck tape for fastening
- visible in X-rays
- rounded, atraumatic tip
- latex free, phthalate free
- sterile, single use

size I.D. [mm]	O.D. [mm]	length L [mm]	Ø cuff [mm]	reference number
2,5	4,0	30	8,0	2N-2500
3,0	4,5	31	9,0	2N-3000
3,5	5,1	33	10,0	2N-3500
4,0	5,8	35	12,0	2N-4000

SUMINI neonate tracheostomy tube without cuff





- made of highest quality medical material, flexible and adapting to patient anatomy
- soft, flexible and special shaped flange facilitate firm fastening and minimizes skin irritation
- perfectly matched obturator
- neck tape for fastening
- visible in X-rays
- rounded, atraumatic tip
- latex free, phthalate free
- sterile, single use

size I.D. [mm]	O.D. [mm]	length L [mm]	reference number
2,5	4,0	30	3N-2500
3,0	4,5	31	3N-3000
3,5	5,1	33	3N-3500
4,0	5,8	35	3N-4000



SUMI presents high quality KAN tracheostomy tubes with changeable inner cannulas

KAN tracheostomy tubes, offered in wide range of types can be used in many health facilities: hospitals (laryngology and intensive care units), hospices, medical care facilities as well as home care.


KAN tubes are recommended for long - term tracheostomy. They are made of highest quality thermosensitive PVC, right shaped to best fit patient anatomy.

The most important feature of KAN tubes are reusable inner cannulas, which may be removed for cleaning or change, without necessity of outer tube removal.

Tubes range is complemented by many useful accessories, supplied in set.

circular fenestration holes placed over large surface bayonet joints facilitate easy and safe mounting of inner cannula soft flange with joint hitch ensures comfort during head motions smooth, rounded and atraumatic distal end printed tube marking

KAN tubes dimensions:



I.D. - cannula inside diameter / size


I.D., - tube inside diameter

O.D. - tube outside diameter

C.D. - cuff diameter

_ - tube length

 Θ - bending angle






KAN tracheostomy tube without cuff

Set I






- KAN tube without cuff (1)
- obturator (2)
- 1 inner cannula with 15 mm connector (3)
- 2 inner cannulas with collar (4)
- soft tracheostomy tube holder (5)
- 15 mm connector (6)
- connecting plug (7)
- decannulation cap (8)
- protective plug (9)



I.D. [mm]	colour	tube O.D. [mm]	cannula I.D. [mm]	length L [mm]	tube I.D. ₁ [mm]	bending angle Θ [°]	ref.
5,0		9,1	5,0	62	6,5	115	47-5000
6,0		10,2	6,0	70	7,5	110	47-6000
7,0		11,2	7,0	72	8,5	105	47-7000
8,0		12,2	8,0	80	9,5	100	47-8000
9,0		13,1	9,0	82	10,5	95	47-9000
10,0		14,3	10,0	84	11,5	90	47-1000



- KAN tube made of thermosensitive PVC
- perfectly matched transparent tube and inner cannulas
- soft flanges with joint hitch
- bayonet joint
- colour coded
- facilitates cleaning and disinfection of cannulas
- obturator
- phthalate free, latex free
- sterile







- KAN tube without cuff (1)
- obturator (2)
- 2 inner cannulas with collar (3)
- soft tracheostomy tube holder (4)
- connecting plug (5)



size I.D. [mm]	colour	tube O.D. [mm]	cannula I.D. [mm]	length L [mm]	tube I.D. ₁ [mm]	bending angle Θ [°]	ref.
5,0		9,1	5,0	62	6,5	115	47-5001
6,0		10,2	6,0	70	7,5	110	47-6001
7,0		11,2	7,0	72	8,5	105	47-7001
8,0		12,2	8,0	80	9,5	100	47-8001
9,0		13,1	9,0	82	10,5	95	47-9001
10,0		14,3	10,0	84	11,5	90	47-1001




KAN tracheostomy tube without cuff, fenestrated

Set I



Set components:

- KAN tube without cuff, fenestrated (1)
- obturator (2)
- 1 inner cannula with 15 mm connector fenestrated (3)
- 1 inner cannula with 15 mm connector, non-fenestrated (4)
- 1 inner cannula with collar, fenestrated (5)
- soft tracheostomy tube holder (6)
- 15 mm connector (7)
- speaking valve (8)
- connecting plug (9)
- decannulation cap (10)
- protective plug (11)



I.D. [mm]	colour	tube O.D. [mm]	cannula I.D. [mm]	length L [mm]	tabe 1.2. ₁	bending angle Θ [°]	ref.
5,0		9,1	5,0	62	6,5	115	47-5010
6,0		10,2	6,0	70	7,5	110	47-6010
7,0		11,2	7,0	72	8,5	105	47-7010
8,0		12,2	8,0	80	9,5	100	47-8010
9,0		13,1	9,0	82	10,5	95	47-9010
10,0		14,3	10,0	84	11,5	90	47-1010




- KAN tube made of thermosensitive PVC
- perfectly matched transparent tube and inner cannulas
- concentric fenestrated holes
- soft flanges with joint hitch
- bayonet joint
- KAN tracheostomy tube without cuff, fenestrated colour coded facilitates cleaning and disinfection of cannulas
 - obturator
 - phthalate free, latex free
 - sterile





Set components:

- KAN tube without cuff, fenestrated (1)
- obturator (2)
- 2 inner cannulas with collar, fenestrated (3)
- soft tracheostomy tube holder (4)
- speaking valve (5)



size I.D. [mm]	colour	tube O.D. [mm]	cannula I.D. [mm]	length L [mm]	tube I.D. ₁	bending angle Θ [°]	ref.
5,0		9,1	5,0	62	6,5	115	47-5011
6,0		10,2	6,0	70	7,5	110	47-6011
7,0		11,2	7,0	72	8,5	105	47-7011
8,0		12,2	8,0	80	9,5	100	47-8011
9,0		13,1	9,0	82	10,5	95	47-9011
10,0		14,3	10,0	84	11,5	90	47-1011



KAN tracheostomy tube with cuff

Set I





- KAN tube with cuff (1)
- obturator (2)
- 2 inner cannulas with 15 mm connector (3)
- 1 inner cannula with collar (4)
- soft tracheostomy tube holder (5)
- 15 mm connector (6)
- connecting plug (7)
- decannulation cap (8)
- protective plug (9)



(5)	(6)	(7)	(8)	(9)

size I.D. [mm]	colour	tube O.D. [mm]	cannula I.D. [mm]	length L [mm]	tube I.D. ₁ [mm]	bending angle Θ [°]	ref.
5,0		10,6	5,0	62	6,5	115	48-5000
6,0		11,7	6,0	70	7,5	110	48-6000
7,0		12,8	7,0	72	8,5	105	48-7000
8,0		13,8	8,0	80	9,5	100	48-8000
9,0		14,8	9,0	82	10,5	95	48-9000
10,0		15,8	10,0	84	11,5	90	48-1000

- KAN tube made of thermosensitive PVC
- perfectly matched transparent tube and inner cannulas
- high volume cylindrical-shape cuff with thin walls
- soft flanges with joint hitch
- bayonet joint
- colour coded
- facilitates cleaning and disinfection of cannulas
- obturator with perforation for Seldinger guide
- phthalate free, latex free
- sterile

KAN tracheostomy tube with cuff

Set II





- KAN tube with cuff (1)
- obturator (2)
- 2 inner cannulas with 15 mm connector (3)
- soft tracheostomy tube holder (4)



size I.D. [mm]	colour	tube O.D. [mm]	cannula I.D. [mm]	length L [mm]	tube I.D. ₁ [mm]	bending angle Θ [°]	ref.
5,0		10,6	5,0	62	6,5	115	48-5001
6,0		11,7	6,0	70	7,5	110	48-6001
7,0		12,8	7,0	72	8,5	105	48-7001
8,0		13,8	8,0	80	9,5	100	48-8001
9,0		14,8	9,0	82	10,5	95	48-9001
10,0		15,8	10,0	84	11,5	90	48-1001



KAN tracheostomy tube with cuff, fenestrated

Set I



Set components:

- KAN tube with cuff, fenestrated (1)
- obturator (2)
- 1 inner cannula with 15 mm connector fenestrated (3)
- 1 inner cannula with 15 mm connector, non-fenestrated (4)
- 1 inner cannula with collar, fenestrated (5)
- soft tracheostomy tube holder (6)
- 15 mm connector (7)
- speaking valve (8)
- connecting plug (9)
- decannulation cap (10)
- protective plug (11)



size I.D. [mm]	colour	tube O.D. [mm]	cannula I.D. [mm]	length L [mm]	tube I.D. ₁ [mm]	bending angle Θ [°]	ref.
5,0		10,6	5,0	62	6,5	115	48-5010
6,0		11,7	6,0	70	7,5	110	48-6010
7,0		12,8	7,0	72	8,5	105	48-7010
8,0		13,8	8,0	80	9,5	100	48-8010
9,0		14,8	9,0	82	10,5	95	48-9010
10,0		15,8	10,0	84	11,5	90	48-1010

- (11) KAN tube made of thermosensitive PVC
 - perfectly matched transparent tube and inner cannulas
 - high volume cylindrical-shape cuff with thin walls
 - concentric fenestrated holes
 - soft flanges with joint hitch
 - bayonet joint
 - colour coded
 - facilitates cleaning and disinfection of cannulas
 - obturator with perforation for Seldinger guide
 - phthalate free, latex free
 - sterile

KAN tracheostomy tube with cuff, fenestrated Set II



Set components:

- KAN tube with cuff (1)
- obturator (2)
- 2 inner cannulas with 15 mm connector (3)
- soft tracheostomy tube holder (4)




size I.D. [mm]	colour	tube O.D. [mm]	cannula I.D. [mm]	length L [mm]	tube I.D., [mm]	bending angle Θ [°]	ref.
5,0		10,6	5,0	62	6,5	115	48-5011
6,0		11,7	6,0	70	7,5	110	48-6011
7,0		12,8	7,0	72	8,5	105	48-7011
8,0		13,8	8,0	80	9,5	100	48-8011
9,0		14,8	9,0	82	10,5	95	48-9011
10,0		15,8	10,0	84	11,5	90	48-1011





KAN laryngectomy tube

Set I



(6)

(7)


- KAN tube short (1)
- obturator (2)
- 1 inner cannula with 15 mm connector (3)
- 2 inner cannulas with collar (4)
- soft tracheostomy tube holder (5)
- 15 mm connector (6)
- connecting plug (7)
- protective plug (8)

size I.D. [mm]	colour	tube O.D. [mm]	cannula I.D. [mm]	length L [mm]	tube I.D., [mm]	bending angle Θ [°]	ref.
5,0		9,1	5,0	45	6,5	130	47-5020
6,0		10,2	6,0	47	7,5	130	47-6020
7,0		11,2	7,0	49	8,5	125	47-7020
8,0		12,2	8,0	51	9,5	125	47-8020
9,0		13,1	9,0	53	10,5	120	47-9020
10,0		14,3	10,0	55	11,5	120	47-1020



Set II

(5)



- KAN tube made of thermosensitive PVC
- short tube for stoma keeping
- perfectly matched transparent tube and inner cannulas
- soft flanges with joint hitch
- bayonet joint
- colour coded
- facilitates cleaning and disinfection of cannulas
- obturator
- phthalate free, latex free
- sterile

Set components:


- KAN tube short (1)
- obturator (2)
- 2 inner cannulas with collar (3)
- soft tracheostomy tube holder (4)
- connecting plug (5)

size I.D. [mm]	colour	tube O.D. [mm]	cannula I.D. [mm]	length L [mm]	tube I.D. ₁ [mm]	bending angle Θ [°]	ref.
5,0		9,1	5,0	45	6,5	130	47-5021
6,0		10,2	6,0	47	7,5	130	47-6021
7,0		11,2	7,0	49	8,5	125	47-7021
8,0		12,2	8,0	51	9,5	125	47-8021
9,0		13,1	9,0	53	10,5	120	47-9021
10.0		14.3	10.0	55	11.5	120	47-1021



KAN laryngectomy tube, fenestrated

Set I



Set components:

- KAN tube short, fenestrated (1)
- obturator (2)
- 1 inner cannula with 15 mm connector, fenestrated (3)
- 1 inner cannula with 15 mm connector, non-fenestrated (4)
- 1 inner cannula with collar, fenestrated (5)
- soft tracheostomy tube holder (6)
- 15 mm connector (7)
- speaking valve (8)
- connecting plug (9)
- decannulation cap (10)
- protective plug (11)

size I.D. [mm]	colour	tube O.D. [mm]	cannula I.D. [mm]	length L [mm]	tube I.D. ₁ [mm]	bending angle Θ [°]	ref.
5,0		9,1	5,0	45	6,5	130	47-5030
6,0		10,2	6,0	47	7,5	130	47-6030
7,0		11,2	7,0	49	8,5	125	47-7030
8,0		12,2	8,0	51	9,5	125	47-8030
9,0		13,1	9,0	53	10,5	120	47-9030
10,0		14,3	10,0	55	11,5	120	47-1030

• KAN tube made of thermosensitive PVC

• perfectly matched transparent tube and inner cannulas

• facilitates cleaning and disinfection of cannulas

short tube for stoma keeping

• soft flanges with joint hitch

• phthalate free, latex free

 bayonet joint colour coded

obturator

sterile



(8)

(9)

(2)

(6)

KAN laryngectomy tube, fenestrated Set II

(7)

- Set components:

(10)

(11)

- KAN tube short, fenestrated (1)
- obturator (2)
- 2 inner cannulas with collar, fenestrated (3)
- soft tracheostomy tube holder (4)
- speaking valve (5)

6			
10	(3)	10	(3)
1	4		
(4)		(5)	
1			

size I.D. [mm]	colour	tube O.D. [mm]	cannula I.D. [mm]	length L [mm]	tube I.D. ₁ [mm]	bending angle Θ [°]	ref.
5,0		9,1	5,0	45	6,5	130	47-5031
6,0		10,2	6,0	47	7,5	130	47-6031
7,0		11,2	7,0	49	8,5	125	47-7031
8,0		12,2	8,0	51	9,5	125	47-8031
9,0		13,1	9,0	53	10,5	120	47-9031
10,0		14,3	10,0	55	11,5	120	47-1031




KAN tracheostomy tube with suction lumen

Set I



Set components:

- KAN tube with suction lumen (1)
- obturator (2)
- 2 inner cannulas with 15 mm connector (3)
- 1 inner cannula with collar (4)
- soft tracheostomy tube holder (5)
- 15 mm connector (6)
- connecting plug (7)
- decannulation cap (8)
- protective plug (9)



(6)

I.D. [mm]	colour	tube O.D. [mm]		length L [mm]	1	bending angle Θ [°]	ref.
7,0		12,8	7,0	72	8,5	105	49-7010
8,0		13,8	8,0	80	9,5	100	49-8010
9,0		14,8	9,0	82	10,5	95	49-9010

- KAN tube made of thermosensitive PVC
- perfectly matched transparent tube and inner cannulas
- high volume cylindrical-shape cuff with thin walls
- soft flanges with joint hitch
- bayonet joint
- colour coded
- facilitates cleaning and disinfection of cannulas
- obturator with perforation for Seldinger guide
- phthalate free, latex free
- sterile

Tracheostomy tube holder

Tracheostomy tube holder

(9)

(8)

(7)



• one-piece design

(5)

- possibility of length adjustment
- skin-friendly, comfortable
- sterile, single use
 - ref. type
 45-0001 adults
 45-0005 children
- two-pieces with stretchy section for patient comfort
- pleasantly soft, delicate and flexible
- non-sterile, single use

ref.	type
45-0002	adults
45-0003	children

Tracheostomy pad



- very soft and delicate
- prevents skin from irritation
- highly absorbent
- sterile, single use

ref.	type
45-0093	adults
45-0094	children



Heat and moisture exchanger "artificial nose"



- body made of medical plastic
- 2 paper filters
- oxygen port
- 15 mm connector
- available with connecting tube 16CH/2100 cm
- suction port
- latex free, phthalate free
- sterile, single use

ref.	type
45-0050	heat and moisture exchanger
45-0055	HME with oxygen connecting tube

Heat and moisture exchanger "artificial nose" MINI with bayonet connector



- body made of medical plastic
- filter made of PU foam
- oxygen port
- bayonet connector
- available with connecting tube 14CH/2100 cm
- latex free, phthalate free
- sterile, single use

ref.	type
45-0051	heat and moisture exchanger MINI
45-0057	HME with oxygen connecting tube

Heat and moisture exchanger "artificial nose" MINI



- body made of medical plastic
- filter made of PU foam
- oxygen port
- 15 mm connector
- available with connecting tube 14CH/2100 cm
- latex free, phthalate free
- sterile, single use

ref.	type
45-0053	heat and moisture exchanger MINI
45-0056	HME with oxygen connecting tube



KAN tracheostomy tube accessories



ref.	name
45-XX00	cannula with 15 mm connector, size 5-10



ref.	name
45-XX01	cannula with 15 mm connector fenestrated, size 5-10



ref.	name
45-XX10	cannula with collar, size 5-10



ref.	name
45-XX11	cannula with collar fenestrated,




ref.	name
45-XX02	short cannula with 15 mm connector, size 5-10



ref.	name
45-XX03	short cannula with 15 mm connector fenestrated, size 5-10







ref.	name
45-XX13	short cannula with collar fenestrated, size 5-10



ref.	name
45-XX20	15 mm connector



ref.	name
45-0021	15 mm connector, universal size



ref.	name
45-0028	connecting plug



ref.	name
45-0030	speaking valve for bayonet connection
45-0031	speaking valve for 15mm connector



KAN tracheostomy tube accessories



ref.	name
45-0035	speaking valve with oxygen port



ref.	name
45-0040	decannulation cap



ref.	name
45-0041	decannulation plug







ref.	name
45-0004	neck strap



ref.	name
45-0052	laryngectomy filter







ref.	cleaning brush
45-1561	straight 15 mm
45-1563	angled 15 mm


ref.	name
45-0072	cleaning swabs large
45-0071	cleaning swabs small




Suction handles, tubing, catheters

SUMI Yankauer suction handles are used in operating rooms of general surgery, laryngology, neurology, urology, orthopedics, children surgery, facial-skull, thoracosurgery. They are characterized by high usage properties. Our flexibility allows us to offer standard products as well as custom made orders with parameters required at the moment. Available are just suction handles or in set with tubing, ready to use from the moment of opening the package, sterile, single use, in double packing.

Handles are made of rigid transparent material. They are perfectly smooth inside to minimize the flow resistance. Length range from 150 to 290 mm.



Tubing is flexible and has a kink-resistant protection ensured by reinforcing stripes along outer surface of tube. It is smooth inside to minimize the flow resistance. Available are many ending options allowing tight connection to each suctioning device: kink-resistant connector with or without cutting possibility, finger-tip or funnel, as well as straight ending without connectors.





Suction handle with filter, set



- ergonomic handle
- replaceable filter inside the handle blocking bone chips, cement, mucus, etc.
- spare filter for exchange during a treatment
- 3 interchangeable tips: short, long angled, long straight
- available in set with connecting tube with anti-kinking connectors reinforced along its length
- recommended for use during treatments with large amount of debris, for e.g. orthopaedic, gynecologic
- made of transparent rigid material
- double packing
- sterile, single use

Set components:

- straight tip, 260 mm
- angled tip, 220 mm
- angled tip, 160 mm
- spare filter
- suction handle with pre-inserted filter

suction Set handle with		Sec With tabing				
Set			25CH/3000 mm	30CH/2100 mm	30CH/3000 mm	
ref.	77-5100	77-5220	77-5320	77-5230	77-5330	

Suction handle Yankauer type

	Yankauer standard, angled	Yankauer standard, straight	Yankauer bulb tip, angled	Yankauer sump, angled
Туре				
without suction control	78-2100	78-2102	78-1100	78-0100
with suction control	78-2101	78-2103	78-1101	78-0101



Suction handle Yankauer type

78-3100L	78-3102L 78-3103L	78-9100 78-9101	78-9102 78-9103
78-3102 78-3103	78-3102 78-3100L 78-3103 78-3101L		

Suction handle

	Poole angled	Poole straight	large flow 10 mm, Yankauer type	large flow 7 mm, Yankauer type	flat, Yankauer type	miniature with handle, angled, Yankauer type
Туре						
without suction control	78-4100	78-4102	78-5100	78-6100	78-7100	78-8100
with suction control	78-4101	78-4103	78-5101	78-6101	78-7101	78-8101



Suction handle Yankauer type with connecting tube, set

			Yankauer standard, angled	Yankauer standard, straight	Yankauer, bulb tip, angled	Yankauer, sump, angled
Connec tub		Туре				
		without suction control	78-2220	78-2222	78-1220	78-0220
		with suction control	78-2221	78-2223	78-1221	78-0221
		without suction control	78-2320	78-2322	78-1320	78-0320
		with suction control	78-2321	78-2323	78-1321	78-0321
		without suction control	78-2230	78-2232	78-1230	78-0230
		with suction control	78-2231	78-2233	78-1231	78-0231
30 CH/ 30	000 mm	without suction control	78-2330	78-2332	78-1330	78-0330
		with suction control	78-2331	78-2333	78-1331	78-0331

 $[\]mathsf{C}-\mathsf{set}$ with connecting tube with kink-resistant connector to cut, for example $\mathsf{78}\text{-}\mathsf{2220C}$

Suction handle Yankauer type with connecting tube, set

		miniature short, 12CH, angled	miniature short, 12CH, straight	miniature short, 16CH, angled	miniature short, 16CH, straight	miniature long, 12CH, angled	miniature long, 12CH, straight
Connecting tube	Туре	II	II	II	II	II	II
	without suction control		78-3262	78-3260L	78-3262L	78-9260	78-9262
	with suction control	78-3261	78-3263	78-3261L	78-3263L	78-9261	78-9263
	without suction control		78-3362	78-3360L	78-3362L	78-9360	78-9362
20 CH/ 3000 mm	with suction control	78-3361	78-3363	78-3361L	78-3363L	78-9361	78-9363



Suction handle with connecting tube, set

		Poole angled	Poole straight	large flow 10 mm, Yankauer type	large flow 7 mm, Yankauer type	flat, Yankauer type	miniature with handle, angled, Yankauer type
Connecting tube	Туре						
	without suction control		78-4222	-	78-6220	-	78-8220
	with suction control without suction control	78-4221 78-4320	78-4223 78-4322	-	78-6221 78-6320	-	78-8221 78-8320
,	with suction control	78-4320 78-4321	78- 4 322 78-4323	-	78-6320 78-6321	-	78-8320 78-8321
	without suction control	78-4230	78- 4 323 78- 4 232	- 78-5230	78-6230	- 78-7230	70-0321
,	with suction control	78- 4 231	78- 4 232 78-4233	78-5230 78-5231	78-6231	78-7231	_
	without suction control		78- 4 332	78-5330	78-6330	78-7330	_
	with suction control	78-4331	78-4333	78-5331	78-6331	78-7331	-
	without suction control		-	78-5250	-	78-7250	-
,	with suction control	-	-	78-5251	-	78-7251	-
'	without suction control	-	-	78-5350	-	78-7350	-
	with suction control	-	-	78-5351	-	78-7351	-

Connecting tubes, draines



- made of medical PVC
- kink-resistant, reinforced lengthwise
- different types of endings
- smooth inside
- double packing
- latex free
- sterile, single use

size I.D./O.D.	5 mm/8 mm		6 mm/9 mm		7 mm/10 mm	
ending type length	2100 mm	3000 mm	2100 mm	3000 mm	2100 mm	3000 mm
funnel-funnel	94-0021	94-0031	94-9021	94-9031	94-7021	94-7031
funnel- finger-tip	94-0024	94-0034	94-9024	94-9034	94-7024	94-7034
funnel- straight end	93-0021	93-0031	93-9021	93-9031	93-7021	93-7031
bulb end- bulb end	94-0027	94-0037	94-9027	94-9037	94-7027	94-7037



Connecting tubes, draines

size O.D.	20	CH	25	СН	30	CH	35	CH
ending type length	2100 mm	3000 mm						
funnel-funnel	94-6021	94-6031	94-2021	94-2031	94-3021	94-3031	94-5021	94-5031
kink-resistant connector- kink-resistant connector	-	-	94-2020	94-2030	94-3020	94-3030	94-5020	94-5030
kink-resistant connector to cut - kink-resistant connector	-	-	94-2022	94-2032	94-3022	94-3032	94-5022	94-5032
kink-resistant connector-finger-tip	-	-	94-2025	94-2035	94-3025	94-3035	-	1
funnel-straight end	93-6021	93-6031	93-2021	93-2031	93-3021	93-3031	93-5021	93-5031
kink-resistant connector- straight end	-	-	93-2020	93-2030	93-3020	93-3030	93-5020	93-5030
kink-resistant connector- male connector	94-6026	94-6036	94-2026	94-2036	94-3026	94-3036	94-5026	94-5036



Tubing



- made of medical PVC
- transparent, kink-resistant
- possible individual orders for dimensions from 1,3 mm do 14,0 mm

I.D. [mm]	O.D. [mm]	length of coil [m]	reference number
2,7	4,0	100	96-2740
3,1	4,7	100	96-3140
3,6	5,3	100	96-3650
4,2	6,0	100	96-4260
4,7	6,7	50	96-4765
5,3	7,3	50	96-5375
6,0	9,0	50	96-6095
6,2	8,3	50	96-6285
6,6	9,3	50	96-6695
7,0	10,0	50	96-7005
7,4	10,0	50	96-7405
8,0	11,0	50	96-8015
9,0	12,0	50	96-9015
10,0	13,0	50	96-1015

Bubble tubing



- bulb steps 1 m
- made of medical PVC
- transparent, kink-resistant

I.D. [mm]	O.D. [mm]	length of coil [m]	reference number
3,1	4,7	30	97-3143
5,0	8,0	30	97-5083
6,0	9,0	30	97-6093
7,0	10,0	30	97-7003
8,0	11,0	30	97-8013
9,0	12,0	30	97-9013
10,0	13,0	30	97-1013

Silicone tubing



- made of medical grade silicone
- transparent, kink-resistant

I.D. [mm]	O.D. [mm]	length of coil [m]	reference number
4,0	8,0	25	96-S4080
5,0	8,0	25	96-S5080
6,0	9,0	25	96-S6090
6,0	10,0	25	96-S6010
6,0	12,0	25	96-S6012
7,0	10,0	25	96-S7010
8,0	11,0	25	96-S8011
8,0	12,0	25	96-S8012
8,0	14,0	25	96-S8014
10,0	14,0	25	96-S1014
10,0	16,0	25	96-S1016



Tubing connectors

- number coded sizes marked on the connector
- conical or stepped connectorsmade of medical plastic



T-connectors						
mark O.D. [mm]	O.D.	I.D.	reference number			
	[mm]	sterile	non-sterile			
1	7	5	9T-0710	9T-0700		
2	9	6	9T-0910	9T-0900		
3	11	9	9T-1110	9T-1100		
4	13	10	9T-1310	9T-1300		
5	18	14	9T-1810	9T-1800		



Universal connector						
O.D.	I.D.	reference number				
[mm]	[mm]	sterile	non-sterile			
15	6	9P-1510	9P-1500			



Finger-tip connector						
O.D.	I.D.	reference number				
[mm]	[mm]	sterile	non-sterile			
10	6	9F-0610	9F-0600			




Y-connectors							
mark	O.D.	D. I.D.	reference number				
ina k	[mm]	[mm]	sterile	non-sterile			
1	7	5	9Y-0710	9Y-0700			
2	9	6	9Y-0910	9Y-0900			
3	11	9	9Y-1110	9Y-1100			
4	13	10	9Y-1310	9Y-1300			
5	16	13	9Y-1610	9Y-1600			
6	18	15	9Y-1810	9Y-1800			



Straight connectors						
mark	O.D.	I.D.	referer	nce number		
[mm]	[mm]	sterile	non-sterile			
1	6	5	9P-0510	9P-0500		
2	8	6	9P-0610	9P-0600		
3	10	9	9P-0910	9P-0900		
4	12	10	9P-1010	9P-1000		





Adaptors									
	I.D. [mm]	O.D.	[mm]	O.D. [mm]			reference number		
mark		► min.	max 🛦	▲max	▲ min.	I.D. [mm]	sterile	non-sterile	
1	3	4	6	5	3	2	9R-0310	9R-0300	
2	7	8	11	5	3	2	9R-0710	9R-0700	
3	8	10	13	10	8	6	9R-0810	9R-0800	
4	10	12	15	11	8	7	9R-1010	9R-1000	
5	14	16	20	11	8	7	9R-1410	9R-1400	





HiCapno is a high concentration oxygen mask with possibility to connect CO2 sampling line for capnometry measurements.

It has a built-in unique solution, making possible to take samples of exhaled air for capnometry. This gives immediate view on patients respiratory capacity and enables quick action in case of any abnormalities.

HiCapno oxygen mask has wide variety of uses: emergency care, intensive care units, operating rooms as well as neurosurgeries.



- made of medical, soft transparent PVC
- allows for up to 98% oxygen concentrations
- innovative valve facilitating CO2 sampling for capnometry from exhaled air
- perfectly adheres to face shape, very good seal
- fine packing protecting tube from deformation
- single use

Set components:

- HiCapno oxygen mask with rebreathing bag
- oxygen supply line 2100 mm
- antibacterial filter
- CO2 sampling line with Luer-Lock

type	reference number		
set with filter	43-0020		



Nasal oxygen set



- made of medical PVC
- soft nasal prongs
- kink-resistant
- available versions: standard, regulated, pediatric
- possible different length of drain
- latex free
- sterile, single use

Тур	length [mm]	reference number
	1500	43-1000F
	2100	43-1021F
	3000	43-1030
standard	4000	43-1040
phthalate free	5000	43-1050
'	7000	43-1070
	10000	43-1100
	15000	43-1150
standard	1500	43-1000
	2100	43-1021
regulated	1500	43-2000
phthalate free	2100	43-2021
paediatric	1500	43-3000
phthalate free	2100	43-3021

Oxygen connecting tube



- made of medical PVC
- kink-resistant
- possible different length
- latex free
- sterile, single use

length [mm]	reference number
2100	92-1020
3000	92-1030
4000	92-1040
5000	92-1050
7000	92-1070

Oxygen connecting tube connector





- designated for connection of oxygen connecting tubes and nasal oxygen sets
- latex free
- sterile, single use

type	reference number
non-sterile	9P-0700
sterile	9P-0710



Feeding tube



- made of medical PVC
- frosted surface
- colour coded female Luer caps
- marked, two side eyes
- soft, rounded tip
- with graduation and X-ray line
- latex free
- phthalate free
- sterile, single use

size [CH/FG]	colour	length [mm]	reference number
4		400	50-0400
5		400	50-0500
6		400	50-0600
8		400	50-0800
10		400	50-1000
12		400	50-1200
4		1000	51-0400
5		1000	51-0500
6		1000	51-0600
8		1000	51-0800
10		1000	51-1000
12		1000	51-1200

Control valve suction catheter



- made of medical PVC
- frosted surface
- colour coded connectors
- two side opposite eyes
- latex free
- sterile, single use

type	size [CH/FG]	colour	length [mm]	reference number
	6		400	71-0600
	8		400	71-0800
straight	10		600	71-1000
	12	'	600	71-1200
	14		600	71-1400
	16		600	71-1600
	18		600	71-1800
	4		400	71-0420
	5		400	71-0520
	6		400	71-0620
straight,	8		400	71-0820
graduation	10		600	71-1020
mark	12		600	71-1220
	14		600	71-1420
	16		600	71-1620
	18		600	71-1820
	8		400	71-0880
	10		600	71-1080
curved, graduation	12		600	71-1280
mark	14		600	71-1480
IIIaik	16		600	71-1680
	18		600	71-1880



Stomach tube



- made of medical PVC
- frosted surface
- colour coded connectors
- two side eyes
- latex free, phthalate free
- sterile, single use

	colour	reference number			
size		800 mm 1000		0 mm	
[CH/FG]		-	-	introducer	
8		55-0800	56-0800	-	
10		55-1000	56-1000	-	
12		-	56-1200	56-1260	
14		-	56-1400	56-1460	
16	16		56-1600	56-1660	
18		-	56-1800	56-1860	
20		-	56-2000	56-2060	
22		-	56-2200	56-2260	
25		-	56-2500	56-2560	
28		-	56-2800	-	
30		-	56-3000	-	
32		-	56-3200	-	
35		-	56-3500	-	

Duodenal tube



- made of medical PVC
- frosted surface
- colour coded connectors
- four lateral eyes
- length 1250 mm
- available versions:
- with introducer and X-ray line
- with central opening and X-ray line
 with olive and X-ray line
- latex free, phthalate free
- sterile, single use

size	colour	reference number					
[CH/FG]		-	introducer	central opening	olive		
8		60-0800	-	61-0800	62-0800		
10		60-1000	-	61-1000	62-1000		
12		60-1200	60-1260	61-1200	62-1200		
14		60-1400	60-1460	61-1400	62-1400		
16		60-1600	60-1660	61-1600	62-1600		
18		60-1800	60-1860	61-1800	62-1800		
20		60-2000	60-2060	61-2000	62-2000		
22		60-2200	60-2260	61-2200	-		
25		60-2500	60-2560	61-2500	-		

Urology catheters



- made of medical PVC
- soft, rounded tip
- colour coded connectors latex free
- frosted surface
- sterile, single use

size	colour	length [mm]	reference number				
[CH/FG]	Coloui		female Nelaton	Nelaton	Tiemann	Couvelaire	
6		180	80-0600				
8		180	80-0800				
10		180	80-1000				
12		180	80-1200				
14		180	80-1400				
16		180	80-1600				
18		180	80-1800				
6		400		81-0600	82-0600	-	
8		400		81-0800	82-0800	83-0800	
10		400		81-1000	82-1000	83-1000	
12		400		81-1200	82-1200	83-1200	
14		400		81-1400	82-1400	83-1400	
16		400		81-1600	82-1600	83-1600	
18		400		81-1800	82-1800	83-1800	
20		400		81-2000	82-2000	83-2000	
22		400		81-2200	82-2200	83-2200	
25		400		81-2500	82-2500	83-2500	



SUMI was founded in 1988. The plant is located in the environmentally clean area in Sulejówek 20 km nearby Warsaw. Factory is equipped with many modern machines and technical devices, what helps to maintain highest standards of production.



Our well-educated, skilled and experienced professionals guarantee highest standards at every stage of the process from design, manufacture, packing to delivery, marketing and after-sales service.



Individual approach to every client is somehing what makes us special. Serving medical market over the world, we are recognized as proffessional and trustworthy supplier.







SUMI spółka z ograniczoną odpowiedzialnością sp. k.

05-070 Sulejówek, Drobiarska Street 35 Poland tel. +48 22 783 30 23, fax +48 22 783 30 25 e-mail: sumi@sumi.com.pl http://www.sumi.com.pl