

Formularul ofertei (F3.1)

Data depunerii ofertei: " 06 " Iunie 2019

Licitația Nr.: ocds-b3wdpl-MD-1558004101070

Alternativa Nr.: -

Către : **Universitatea Agrară de Stat din Moldova**

"TrioMAC" SRL

declară că:

a) Au fost examinate și nu există rezervări față de documentele de atribuire, inclusiv modificările nr. _____

[introduceți numărul și data fiecărei modificări, dacă au avut loc]

b) TrioMAC SRL se angajează să furnizeze/presteze, în conformitate cu documentele de atribuire și condițiile stipulate în specificațiile tehnice și preț, următoarele bunuri și/sau servicii **Achiziționarea Echipamentului din cadrul Proiectului „ Fostering university-enterprise cooperation and entrepreneurship of students via smart caffes - SMART ”**

c) Suma totală a ofertei fără TVA constituie:

Lot 3. i3TOUCH **107500.00 (una suta sapte mii cinci sute lei 00 bani)**

Lot 6. Colour Laser AllIn-One A4 MFP **10900.00 (zece mii noua sute lei 00 bani)**

Lot 9. 10.5" tablet **75040.00 (saptezeci si cinci mii patruzeci lei 00 bani)**

Lot 10. Router **4500.00 (patru mii cinci sute lei 00 bani)**

Lot 16. 8-Port Desktop Gigabit Ethernet Switch **720.00 (sapte sute douazeci lei 00 bani)**

Lot 17. 2.5" SATA III 6Gb/s SSD **2600.00 (doua mii sase sute lei 00 bani)**

Lot 19 ATcGIS for Desktop Basic CCU Lab kit **33000.00 (treizeci si trei mii lei 00 bani)**

d) Suma totală a ofertei cu TVA constituie:

Lot 3. i3TOUCH **129000.00 (una suta douazeci si noua mii lei 00 bani)**

Lot 6. Colour Laser AllIn-One A4 MFP **13080.00 (treizeprezece mii optzeci lei 00 bani)**

Lot 9. 10.5" tablet **90048.00 (nouazeci mii patruzeci si opt lei 00 bani)**

Lot 10. Router **5400.00 (cinci mii patru sute lei 00 bani)**

Lot 16. 8-Port Desktop Gigabit Ethernet Switch **864.00 (opt sute sasezeci si patru lei 00 bani)**

Lot 17. 2.5" SATA III 6Gb/s SSD **3120.00 (trei mii una suta douazeci lei 00 bani)**

Lot 19 Lot 19 ATcGIS for Desktop Basic CCU Lab kit **39600.00 (treizeci si noua mii sase sute lei)**

e) Prezenta ofertă va rămâne valabilă pentru perioada de timp specificată în **FDA4.8.**, începând cu data-limită pentru depunerea ofertei, în conformitate cu **FDA5.2.**, va rămâne obligatorie și va putea fi acceptată în orice moment până la expirarea acestei perioade;

f) În cazul acceptării prezentei oferte, "TrioMAC" SRL

[denumirea ofertantului]

se angajează să obțină o Garanție de bună execuție în conformitate cu **FDA7.** pentru executarea corespunzătoare a contractului de achiziție publică.

g) Nu sîntem în nici un conflict de interese, în conformitate cu punctul **IPO5.4.**



- h) Compania semnatară, afiliații sau sucursalele sale, inclusiv fiecare partener sau subcontractor ce fac parte din contract, nu au fost declarate neeligibile în baza prevederilor legislației în vigoare sau a regulamentelor cu incidență în domeniul achizițiilor publice, în conformitate cu punctul **IPO5.5**.

Semnat: [Signature]

Nume: Alexandru Constantin

În calitate de: Director

Ofertantul: "TrioMAC" SRL

Adresa: Orhei, str Stefan cel Mare 3, ap 16

Data: "06" Iunie 2018



1

[illegible]

	1
	of
	pl
	-p
	CA
	id
	tin
	re
	16
	n
	z
	/ /
	dil
	(8)
	@
	.3
	m
	ed
	ure
	in
	ou
	eo
	3.
	pu
	pu



			Digital audio output audio output 1x digital coax (RCA connector) USB data ports 2x USB 3.0 2x USB 2.0 Integrated PC slot OPS-PC slot (JAE TX24 connector) Control input 1x COM DE-9 (RS-232 standard) Network LAN: RJ-45 connector (100 Mbit/sec) Wi-Fi: 2.4 / 5 GHz (802.11 a/b/g/n/ac) Bluetooth: 4.0 Integrated loudspeakers 2 x 12 Watt OPERATIONAL FEATURES Operating System Android™ >=7.0 Architecture CPU: ARM CORTEX Dual Core A73 (2.8 GHz) GPU: ARM MALL-450 RAM: >=2 GB ROM: >=16 GB Interactive touch Technology: V-Sense Infrared Touch recognition Input Detection: 20 touch inputs Touch Connection: 1x USB-B Recognition: Finger or passive stylus (size ≥ 3 mm) Response time: < 4 ms (regular touch), < 25 ms (max touch inputs) Accuracy: ± 1 mm Supported Compatibility Windows, Android, Macintosh OS X, Linux, Chrome OS Maximum operating hours 18 hours / day Languages English, French, German, Romanian, Russian PHYSICAL PROPERTIES Product dimensions 1763 x 1016 x 100 mm 69.41" x 40.00" x 3.94" Mounting Pattern 800 x 400 Accessories: Power cable, USB cable (> 5m), HDMI cable (> 5m), Remocon + Battery, PEN 2 x, User Manual, Wall mount, Wifi dongle, Floor lift on wheels for Interactive touch display 75" VESA Mount: 800 x 400 WARRANTY Standard warranty 5 years Analog: i3Tech E1075R Interactive display 75" 4K 20 touch + Floorlift on wheels 02 (https://assets.touchboards.com/assets/1/26/i3-Techologies-i3Touch-E1075R-Data-Sheet.pdf)	Digital audio output audio output 1x digital coax (RCA connector) USB data ports 2x USB 3.0 2x USB 2.0 Integrated PC slot OPS-PC slot (JAE TX24 connector) Control input 1x COM DE-9 (RS-232 standard) Network LAN: RJ-45 connector (100 Mbit/sec) Wi-Fi: 2.4 / 5 GHz (802.11 a/b/g/n/ac) Bluetooth: 4.0 Integrated loudspeakers 2 x 12 Watt OPERATIONAL FEATURES Operating System Android™ 7.0 Architecture CPU: ARM CORTEX Dual Core A73 (2.8 GHz) GPU: ARM MALL-450 RAM: >=2 GB ROM: >=16 GB Interactive touch Technology: V-Sense Infrared Touch recognition Input Detection: 20 touch inputs Touch Connection: 1x USB-B Recognition: Finger or passive stylus (size ≥ 3 mm) Response time: < 4 ms (regular touch), < 25 ms (max touch inputs) Accuracy: ± 1 mm Supported Compatibility Windows, Android, Macintosh OS X, Linux, Chrome OS Maximum operating hours 18 hours / day Languages English, French, German, Romanian, Russian PHYSICAL PROPERTIES Product dimensions 1763 x 1016 x 100 mm 69.41" x 40.00" x 3.94" Mounting Pattern 800 x 400 Accessories: Power cable, USB cable (> 5m), HDMI cable (> 5m), Remocon + Battery, PEN 2 x, User Manual, Wall mount, Wifi dongle, Floor lift on wheels for Interactive touch display 75" VESA Mount: 800 x 400 WARRANTY Standard warranty 5 years	
--	--	--	--	--	--



Lot 6. Colour Laser All-in-One A4 MFP	MFP Canon i-SENSYS MF735Cx	Canon	Colour Laser All-In-One A4 MFP Available functions: Print, Copy, Scan and Fax Printer: Print speed: Single sided: Up to 27 ppm (A4), Up to 49 ppm(A5-Landscape), Double sided: Up to 21.9 ipm (Aa) Printing method: Colour laser beam printing, Print quality: Up to 1200 x 1200 dpi, Print Resolution: 600 x 600 dpi, Warm-up Time: -13 seconds or less from power on, First Print Out Time: Colour approx.: 8.6 seconds or less, Mono approx.: 8.3 seconds or less Printer languages: UFRIL, PCL 5c, PCL6, PostScript, Fonts: 93 PCL fonts, 136 PostScript fonts, Print margins: 5 mm-top, bottom, left and right, 10 mm-top, bottom, left and right (Envelope). Toner saver mode: Yes Advanced printing f-features: Secure Print, Print from USB memory key (JPEG/TIFF/PDF), Barcode Print, Touch & Print (NFC), Google Cloud Print Ready, iOS: AirPrint, Canon PRINT Business app, Android; Copier: Copy Speed: Single sided (Aa): Up to 27 ppm, Double sided (A4): Up to 21.9 ipm, First Copy Output Time (FCOT), ADF (A4):, Colour Approx. 12.0 seconds or less, Mono Approx. 10.2 seconds or less, Platen (A4):, Colour Approx. 11.3 seconds or less, Mono Approx. 9'8 seconds or less, Copy resolution: Up to 600 x 600 dpi, Copy modes: Text/Photo/Map (Default), Text/Photo/Map (quality), Printed Image, Text, Double sided copying: 2-sided to 2-sided (Automatic), Multiple Copy: Up to 999 copies, Reduction/Enlargement: 25- 400%in 1olo increments, Other features: Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy Scanner: Type: Colour, Scan Resolution: Optical: Up to 600 x 600 dpi, Enhanced: Up to 9600 x	MFP Canon i-SENSYS MF735Cx Colour Laser All-In-One A4 MFP Available functions: Print, Copy, Scan and Fax Printer: Print speed: Single sided: Up to 27 ppm (A4), Up to 49 ppm(A5-Landscape), Double sided: Up to 21.9 ipm (Aa) Printing method: Colour laser beam printing, Print quality: Up to 1200 x 1200 dpi, Print Resolution: 600 x 600 dpi, Warm-up Time: -13 seconds or less from power on, First Print Out Time: Colour approx.: 8.6 seconds or less, Mono approx.: 8.3 seconds or less Printer languages: UFRIL, PCL 5c, PCL6, PostScript, Fonts: 93 PCL fonts, 136 PostScript fonts, Print margins: 5 mm-top, bottom, left and right, 10 mm-top, bottom, left and right (Envelope). Toner saver mode: Yes Advanced printing f-features: Secure Print, Print from USB memory key (JPEG/TIFF/PDF), Barcode Print, Touch & Print (NFC), Google Cloud Print Ready, iOS: AirPrint, Canon PRINT Business app, Android; Copier: Copy Speed: Single sided (Aa): Up to 27 ppm, Double sided (A4): Up to 21.9 ipm, First Copy Output Time (FCOT), ADF (A4):, Colour Approx. 12.0 seconds or less, Mono Approx. 10.2 seconds or less, Platen (A4):, Colour Approx. 11.3 seconds or less, Copy resolution: Up to 600 x 600 dpi, Copy modes: Text/Photo/Map (Default), Text/Photo/Map (quality), Printed Image,



			9600 dpi, Scan speed: Single sided mono: 27ipm (300x600dpi), Single sided colour: 14ipm (300x600dpi), Double sided mono: 47ipm (300x600dpi), Double sided colour: 27ipm (300x600dpi), Colour scanning depth: 24 bit/24 bit (input/output), Greyscales : 25 6 levels, Compatibility : TWAIN, WIA, ICA, Max. scan width: 216mm, Scan to E-mail: TTF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to PC: TTF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to USB: TTF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to FiP: TTF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to Cloud: TTF/JPEG/PDF/PNG Media handling: Scanner Type: Platen, 2-sided ADF (single pass), Paper input (Standard): 250-sheet cassette, 50-sheet multi-purpose tray, 50-sheet ADF, Paper output: 150-sheet, Media types: Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Glossy paper, Label, Post card, Envelope, Media sizes: Cassette (Standard): A4, A5, A5 (Landscape), 85, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, MOFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Envelope (COM10, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 215.9 x 355.6 mm., Multi-purpose tray: A4, A5, A5 (Landscape), 85, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mm Max 215.9 x 355.6 mm., ADF: A4, A5, 85, Legal, Letter, Statement, Custom sizes: Min' 128 x 139.7 mm Max 215.9 x 355.6 mm, Media weights: Cassette (standard and optional): 52 to 163 g/m' (UP	Text, Double sided copying: 2-sided to 2-sided (Automatic), Multiple Copy: Up to 999 copies, Reduction/Enlargement: 25- 400% in 100 increments, Other features: Frame Erase, Collate, 2 on 1, 4 on 1, ID card copy Scanner: Type: Colour, Scan Resolution: Optical: Up to 600 x 600 dpi, Enhanced: Up to 9600 x 9600 dpi, Scan speed: Single sided mono: 27ipm (300x600dpi), Single sided colour: 14ipm (300x600dpi), Double sided mono: 47ipm (300x600dpi), Double sided colour: 27ipm (300x600dpi), Colour scanning depth: 24 bit/24 bit (input/output), Greyscales : 25 6 levels, Compatibility : TWAIN, WIA, ICA, Max. scan width: 216mm, Scan to E-mail: TTF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to PC: TTF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to USB: TTF, JPEG, PDF, Compact PDF, Searchable PDF, Scan to Cloud: TTF/JPEG/PDF/PNG Media handling: Scanner Type: Platen, 2-sided ADF (single pass), Paper input (Standard): 250-sheet cassette, 50-sheet multi-purpose tray, 50-sheet ADF, Paper output: 150-sheet, Media types: Plain paper, Recycled paper, Heavy Paper, Thin paper, Colour paper, Glossy paper, Label, Post card, Envelope, Media sizes: Cassette (Standard): A4, A5, A5 (Landscape), 85, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, MOFFICIO, A
--	--	--	--	---



			to 200 g/m² with Glossy paper), Manual purpose tray: 60 to 176 g/m² (Up to 200 g/m² with Glossy paper), ADF: 50 to 105 Double Sided Printings: Automatic, Cassette; , A4 B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, MOFFICIO, GLTR, GLGL, Foolscap, 16K, Custom size - Min. 176 x 250 mm Max. 215.9 x 355.6 mm, 60 to 163 g/m² Interface & Software: Interface type: USB 2.0 HiSpeed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection, Operating System compatibility: Windows, Mac OS X version 10.7.5 & up, Linux, Network protocols: Print, LPD, RAW, WSD-Print (IPv4, IPv6), Scan; , Email, SMB, WSD-Scan(IPv4, IPv6), FTP-Scan, iFAX, TCP/IP Application Services; Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4, IPv6), DHCP, ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6), Management; , SNMPv1, SNMPv3 (IPv4, IPv6), Security (wired); , IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPPS), Security (wireless); , WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(AES) General features: Recommended Monthly Print Volume: 750 - 4,000 pages per month, Duty cycle: Max. 50,000 pages per month, Processor Speed: 800MHz x 2, Memory: 1GB, Control Panel: 12.7 cm LCD Colour Touch Screen, Operating Environment: Temperature: 10 to 30oC, Humidity: 20 to 80%o RH (no condensation), Power Source: 220-240V (+10%) 50/60Hz (+2Hz), Power Consumption: Maximum: Approx. 1,400 W, Standby: Approx. 17.7 W, Sleep mode: Approx. 0.8 W, Typical Electricity Consumption (TEC): 1.0 kWh/week (230V), Noise Level: Sound	GLTR, GLGL, Foolscap, 16K, Post card, Envelope (COM10, DL, C5), Custom sizes: Min. 100 x 148 mm Max. 215.9 x 355.6 mm., Multi-purpose tray; A4, A5, A5 (Landscape), 85, Legal, Letter, Executive, Statement, OFFICIO, B-OFFICIO, M-OFFICIO, GLTR, GLGL, Foolscap, 16K, Post card, Indexcard, Envelope (COM10, DL, C5, Monarch), Custom sizes: Min 76.2 x 127 mmMax.215.9 x 355.6 mm., ADF; , A4, A5, 85, Legal, Letter, Statement, Custom sizes: Min' 128 x 139.7 mm Max 215.9 x 355.6 mm, Media weights: Cassette (standard and optional): 52 to 163 g/m² (Up to 200 g/m² with Glossy paper), Manual purpose tray: 60 to 176 g/m² (Up to 200 g/m² with Glossy paper), ADF: 50 to 105 Double Sided Printings: Automatic, Cassette; , A4 B5, Legal, Letter, Executive, OFFICIO, B-OFFICIO, MOFFICIO, GLTR, GLGL, Foolscap, 16K, Custom size - Min. 176 x 250 mm Max. 215.9 x 355.6 mm, 60 to 163 g/m² Interface & Software: Interface type: USB 2.0 HiSpeed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection, Operating System compatibility: Windows, Mac OS X version 10.7.5 & up, Linux, Network protocols: Print; , LPD, RAW, WSD-Print (IPv4, IPv6), Scan; , Email, SMB, WSD-Scan(IPv4, IPv6), FTP-Scan, iFAX, TCP/IP Application Services; Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4, IPv6), DHCP,
--	--	--	---	--



			Pressure: Active: 48 dB, Standby: 29 dB, Sound Power; Active: 62dB or less, Standby: 42dB or less Warranty: 36 months	ARP+PING, Auto IP, WINS (IPv4), DHCPv6 (IPv6), Management; SNMPv1, SNMPv3 (IPv4,IPv6), Security (wired); IP/Mac address filtering, IEEE802.1X, SNMPv3, SSL (HTTPS, IPS), Security (wireless); WEP(64/128 bit), WPA-PSK(TKIP/AES), WPA2-PSK(AES) General features: Recommended Monthly Print Volume: 750 - 4,000 pages per month, Duty cycle: Max. 50,000 pages per month, Processor Speed: 800MHz x 2, Memory: 1GB, Control Panel: 12.7 cm LCD Colour Touch Screen, Operating Environment: Temperature: 10 to 30oC, Humidity: 20 to 80% RH (no condensation), Power Source: 220-240V (+10%) 50 I 60Hz (+2Hz), Power Consumption: Maximum: Approx. 1,400 W, Standby: Approx. 17.7 W, Sleep mode: Approx. 0.8 W, Typical Electricity Consumption (TEC): 1.0 kWh/week (230V), Noise Level: Sound Pressure: Active: 48 dB, Standby: 29 dB, Sound Power; Active: 62dB or less, Standby: 42dB or less Warranty: 36 months	
Lot 9.	Galaxy Tab S4 SM-T835	Samsung	10.5" tablet Procesor: Yitezd CPU2.35GHz,1.9GHz, Tip CPU: Octa-Core Ecran: Dimensiune: 10.5" (267.2mm), Rezoluție: 2560 x 1600 (WQXGA), Tehnologie: Super AMOLED, Numlr de culori: 16M, SuPort S Pen: Da Camera: Rezoluție camerd principali:13.0 MP, Focalizare automattr camerl principaltr: Da, Rezoluție camerii frontal6-: 8.0 MP, Bliț camerb principaltr: Da, Rezoluție inregistrare Video: UHD 4K (3840 x 2160) @30fps Memorie: RAM-Size (GB):4, Memorie ROM	Galaxy Tab S4 SM-T835 CPU Speed2.35GHz, 1.9GHz CPU TypeOcta Core Display Size (Main Display)10.5" (267.2mm) Colour Depth (Main Display)16M Resolution (Main Display)2560 x 1600 (WQXGA) S Pen SupportYes	



			(GB): 64, Suport memorie externi: MicroSD (pdnd la 400GB) Rețea Puritor date mobile: 2G GSM: GSM850, GSM900, DCS1800, PCS1900, 3G UMTS: B1(2100), 82(1900), B4(AWS), 85(850), B8(900), 4G FDD LTE: B1(2100), 82(1900), B3(1800), B4(AWS), B5(850), B7(2600), 88(900), B12(700), B13(700), B17(700), 820(800), 828(700), B66(AWS-3), 4G TDD LTE: 838(2600), 840(2300), 841(2500) Conectivitate: ANT+: Da, Versiune USB: USB 3.1 Gen I, Igl no „Irg, I” de localizare: _C p5, C t onast, ge idol 7 buc L2t 942,91 Will be used by SMART CAFE users in all the activities related to idea generation, StartUp creation, communication with other stakeholders and help students and young researchers to create, develop, promote and commercialize their own innovative ideas. Processing of research results, communication with partners, documentation management, preparation of presentation s. Preparati on of business plans for deliverine to investors. 9 Galileo, Conector cigiti: 3.5mm Stereo, Wi-Fi: 802.11 albl glnl ac 2.4G+ 5GHz, VHT80 MU-MIMO, Wi-Fi Direct: Da, Versiune Bluetooth: v5.0 (LE up to 2 Mbps), Profile Bluetooth: A2DP, AVRCp, DI, HFP, HID, HOGP, HSP, MAP, OPP, PAN, PBAP Sistem Opera re: Android Informații generale: Forml dispozitiv: Tableta, Senzori: Accelerometru, Senzor miigare, Senzor geomagnetic, Hall Sensor, Iris Sensor, Senzor Lumind RGB, Senzor de proximitate Specificafii fizice: Dimensiune (HxWxD, mm)z 249.3 x 164.3 x 7.1, Greutate (g): 483 Baterie: Durat5 utilize Internet (LTE) (3G) (Ore): Pdnd la 9, Durati utilize Internet (LTE) (Ore): Pdnd la 10, Duratl utilize Internet (Wi-Fi)	Technology (Main Display)SUPER AMOLED Camera Main Camera - Resolution13.0 MP Main Camera – FlashYes Video Recording ResolutionUHD 4K (3840 x 2160) @30fps Main Camera - Auto FocusYes Front Camera - Resolution8.0MP Memory RAM_Size (GB)4 External Memory SupportMicroSD (Up to 400GB) ROM Size (GB)256 Available Memory Size * (GB)228.1. Garantie 24 luni	
--	--	--	---	---	--



			(Ore): Pdn6la 10, Timp redare video (Ore): Pdn1 la 16, Capacitate standard baterie (mAh): 7300, Timp redare audio (Ore): Pdn1 la 195, Timp convorbiri(3G WCDMA) (Ore): Pdn1 la 50 Audio Ei Video: Format redare videoclip: MP4, M4V, 3GP, 3G2, WMV, ASF, AVI, FLV, MKV, WEBM, Rezoluție redare videoclip: UHD 4K (3840 x 2160)@60fps, Format redare audio: MP3, M4A, 3GA, AAC, OGG, OGA, WAV, WMA, AMR, AWB, FLAC, MID, MIDI, XMF, MXMF, IMY, RTTTL, RTX, OTA Warranty: 24 months Analos; Galaxy Tab 54 SM-TS3SNZ(AROM Black	
Lot 10. Router	RB4011iGS+5HacQ2Hnd-IN	MikroTik	10xGigabit port router with a Quad-core 1.4Ghz CPU, 1GB RAM, SFP+ 10Cbps cage' dual band 2. 4GHz/1 SGHz 4x4 MIMO 802.11 a/b/g/n/ac wireless and desktop case Specifications: CPU core count: 4, CPU nominal frequency: 1.4 GHz Dimensions: -228 x 120 x 30 mm Size of RAM: 1 GB, Storage size: 512 MB, Storage type: NAND Tested ambient temperature: -40°C to 45°C Powering: PoE in: Passive PoE, PoE out: Passive PoE up to 57V, PoE in input Voltage: 18-57V, Number of DC inputs: 2 (DC jack, PoE-IN), DC jack input Voltage: 12-57 V, Max out per port output (input > 30 V): 420 mA, Max out per port output (input < 30 V): 600 mA Max total out (A): 600 mA, Max power consumption: 44 W, Max power consumption without attachments: 23 W Wireless: Wireless 5 GHz number of chains: 4, Wireless 5 GHz standards: 802.11ac MU-MIMO, Antenna gain dBi for 5 GHz: 3, Wireless 2.4 GHz number of chains: 2. Wireless 2.4 GHz standards: 802.11b/g/n, Antenna gain dBi for 2.4 GHz Ethernet: 10/100/1000 Ethernet ports: 10, Fiber: SFP+ ports: 1 Peripherals: MiniPCI-e	RB4011iGS+5HacQ2Hnd-IN MikroTik RouterBOARD 4011iGS+5HacQ2Hnd with Annapurna Alpine AL21400 Cortex A15 CPU (4-cores, 1.4GHz per core), 1GB RAM, 10xGbit LAN, 1xSFP+ port, built-in 5Ghz 802.11ac four chain wireless with external 10xGigabit port router with a Quad-core 1.4Ghz CPU, 1GB RAM, SFP+ 10Cbps cage' dual band 2. 4GHz/1 SGHz 4x4 MIMO 802.11 a/b/g/n/ac wireless and desktop case Specifications: CPU core count: 4, CPU nominal frequency: 1.4 GHz Dimensions: -228 x 120 x 30 mm Size of RAM: 1 GB, Storage size: 512 MB, Storage type: NAND Tested ambient temperature: -40°C to 45°C Powering: PoE in: Passive PoE, PoE out: Passive PoE up to 57V, PoE in input Voltage: 18-57V, Number of DC inputs: 2 (DC jack, PoE-IN), DC jack input Voltage: 12-57 V, Max out per port output (input > 30 V): 420 mA



			slots: 1, Serial port: RJ45 Other: PCB temperature monitor: Yes, Voltage Monitor: Yes Warranty: 24 months Analogs: RB40t IIGS+SHACO2Hnd-IN	Max out per port output (input < 30 V): 600 mA Max total out (A): 600 mA, Max power consumption: 44 W, Max power consumption without attachments: 23 W Wireless: Wireless 5 GHz number of chains: 4, Wireless 5 GHz standards: 802.11ac MU-MIMO, Antenna gain dBi for 5 GHz: 3, Wireless 2.4 GHz number of chains: 2, Wireless 2.4 GHz standards: 802.11b/g/n, Antenna gain dBi for 2.4 GHz Ethernet: 10/100/1000 Ethernet ports: 10, Fiber: SFP+ ports: 1 Peripherals: MiniPCI-e slots: 1, Serial port: RJ45 Other: PCB temperature monitor: Yes, Voltage Monitor: Yes	
Lot 16. 8-Port Desktop Gigabit Ethernet Switch	TL-SG1008D 8-port Desktop Gigabit Switch	1p-link	8-Port Desktop Gigabit Ethernet Switch with Portbased QoS support System Specifications: Standard: IEEE 802.3 10BASE-T Ethernet, IEEE 802.3u 100BASE-TX Fast Ethernet, IEEE 802.3ab 1000BASET Gigabit Ethernet, IEEE 802.3 Nway auto-negotiation, IEEE 802.3x full duplex operation and flow control, IEEE 802.3az Energy Efficient Ethernet Performance: Data transfer rate (half duplex/full duplex): Ethernet: 10/20 Mbps, Fast Ethernet: 100/200 Mbps, Gigabit Ethernet: 1000/2000 Mbps, MAC address table: 4K, Memory buffer: 128 KB, Switching fabric (non-blocking) : 16 Gbps, Features : Auto-MDI/MDIX in all ports, Transmission method: Store-and-forward architecture, Port-based QoS support, Jumbo frame support up to 9 KB Hardware Specifications: Interface: Eight RJ-45 10/100/1000 Mbps Ethernet	TL-SG1008D 8-port Desktop Gigabit Switch.	Interface 8 10/100/1000Mbps RJ45 Ports AUTO Negotiation/AUTO MDI/MDIX External Power Supply External Power Adapter (Output: 9VDC / 0.6A) Switching Capacity 16 Gbps Dimensions (W x D x H) 7.1 x 3.5 x 1.0 in. (180 x 90 x 26 mm) Environment Operating Temperature: 0°C~40°C (32°F~104°F)



			ports with auto MDI/MDIX support, QoS Ports: Two high-priority QoS ports and two medium-priority QoS ports, LED Indicator, PWR: Power, Per port: Link/Activity, Amber: 10/100 Mbps, Green: 1000 Mbps Power Supply: Input: 100V-240V AC, Output: 5V DC, 1A, Power Consumption: 3.0 watt max. Physical Specifications, Item dimensions (WxDxH):- 155 x 85 x 26 mm. Item weight: - 325e 2buc 1 002.82 As the second package of actions of SMART is related to creating, equipping and connecting the SMART CHANNEL, joint creative centers (SMART Caffes), this devices will be used to interconnect the all the devices to the local network. 1) Environmental Specifications: Operating Environment, Temperature: 0oC to 40°C (32°F to 104°F), Humidity: 10% to 90% (Non-condensing), Storage Environment, Temperature: -40°C to 70°C (-40°F to 158°F), Humidity: 10% to 95% (Non-condensing) Certification, CE, FCC Class B, BSMI Package Contents, Gigabit switch, Power adapter, Quick start guide Warranty: 24 months	Storage Temperature: -40°C~70°C (-40°F~158°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing. Garantie 24 luni	
Lot 17. 2.5" SATA III 6Gb/s SSD			2.5" SATA III 6Gb/s SSD Storage: Flash Type: MLC NAND flash, Capacity: 1 TB Operating Environment: Operating Temperature: 0oC - 70oC, Operating Voltage: 5V+5% Performance: Read Speed (Max.) 560 MB/s, Write Speed (Max.) 460 MB/s, Terabytes Written (Max.) 408 TB. Appearance: Dimensions (Max.): 100 mm x 69.85 mm x 6,8 mm (3.94" x 2.75" x 0.28"), Weight (Max.) 63 g, Ultra-slim 7mm form factor. 3.5 Bracket. Aluminum case Warranty: 36 months Analog: 2.5" SSD 1TB Transcend Premium 370 Series SATA III	2.5" SSD 1.0TB Western Digital Blue , 6 GB/s, SATA III, Read: 560 MB/s, Write: 530 MB/s, NAND TLC 3D, "WDS100T2B0A"	



	Lot 19. ATcGIS for Desktop Basic CCU Lab kit			ATcGIS for Desktop Basic CCU Lab kit (12 machines), (technical support for one year included)	ArcGIS for Desktop Basic CCU Lab kit (12 machines), (technical support for one year included)	
--	---	--	--	--	---	--



Specificații de preț (F4.2)

Numărul licitației: oeds-b3wdpl-MD-1558004101070	Data: 06.06.2019	Alternativa nr.: _____
Denumirea licitației: Achiziționarea Echipamentului din cadrul Proiectului „Fostering university-enterprise cooperation and entrepreneurship of students via smart cafes - SMART”	Lot:	Pagina: 1 din 1

Cod CPV	Denumirea serviciilor	Unitatea de măsură	Cantitatea	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma fără TVA	Suma cu TVA	Termenul de prestare
1	2	3	4	5	6	7	8	9
	Servicii:							
30231320-6	Lot 3, i3TOUCH	buc	1	107500.00	129000.00	107500.00	129000.00	
30200000-1	Lot 6, Colour Laser AllIn-One A4 MFP	buc	1	10900.00	13080.00	10900.00	13080.00	
30200000-1	Lot 9, 10.5" tablet	buc	7	10720.00	12864.00	75040.00	90048.00	
30200000-1	Lot 10, Router	buc	1	4500.00	5400.00	4500.00	5400.00	
30200000-1	Lot 16, 8-Port Desktop Gigabit Ethernet Switch	buc	2	360.00	432.00	720.00	864.00	
30200000-1	Lot 17, 2.5" SATA III 6Gb/s SSD	buc	1	2600.00	3120.00	2600.00	3120.00	
30200000-1	Lot 19, ATcGIS for Desktop Basic CCU Lab kit	buc	1	33000.00	39600.00	33000.00	39600.00	
Total						234260.00	281112.00	



Semnat: Orhei Numele, Prenumele Constantin Alexandru în calitate de: director

Oferantul: Triomac SRL

Adresa: Orhei, str Stefan cel Mare 3. ap 16





I.P. "AGENȚIA SERVICII PUBLICE"

Departamentul înregistrare și licențiere a unităților de drept

EXTRAS

din Registrul de stat al persoanelor juridice

nr. 8658 din 06.06.2018

Denumirea completă: **Societatea Comercială «TRIOMAC» S.R.L.**

Denumirea prescurtată: **S.C. «TRIOMAC» S.R.L.**

Forma juridică de organizare: **Societate cu Răspundere Limitată.**

Numărul de identificare de stat și codul fiscal: **1006606001224.**

Data înregistrării de stat: **03.03.2006.**

Sediul: **MD-3501, str. Ștefan cel Mare, 3, ap.(of.) 16, r-l Orhei, Republica Moldova.**

Modul de constituire: **nou creată.**

Obiectul principal de activitate:

- 1 Prestarea serviciilor în domeniul informaticii;
- 2 Comerțul cu amănuntul al articolelor și aparatelor electrice de uz casnic și aparatelor de radio;
- 3 Alte tipuri de comerț cu amănuntul în magazine specializate;
- 4 Activitatea de desfacere a alimentelor gata;
- 5 Publicitate;
- 6 Comerțul cu ridicata al cărnii și produselor din carne;
- 7 Comerțul cu ridicata al peștelui și produselor din pește;
- 8 Comerțul cu ridicata al aparatelor electrice de uz casnic și aparatelor de radio;
- 9 Activități de consultare pentru afaceri și management;
- 10 Cultura pomușoarelor, fructelor, nucilor și altor culturi fructifere;
- 11 Cultura cartofului și a materialului săditor;
- 12 Cultura strugurilor;
- 13 Cultura legumelor, pomicultura și creșterea producției de pepinieră;
- 14 Comerțul cu ridicata al cartofilor, legumelor și fructelor;
- 15 Comerțul cu ridicata al cerealelor, semințelor și furajelor pentru animale;
- 16 Comerț cu amănuntul al calculatoarelor, unităților periferice și software-lui în magazine specializate;
- 17 Comerț cu amănuntul al echipamentului pentru telecomunicații în magazine specializate;
- 18 Comerț cu amănuntul al echipamentelor audio/video în magazine specializate;
- 19 Comerț cu amănuntul al mobilei, al articolelor de iluminat și al articolelor de uz casnic n.c.a., în magazine specializate;
- 20 Comerț cu ridicata al calculatoarelor, echipamentelor periferice și software-lui;
- 21 Comerț cu ridicata de componente și echipamente electronice și de telecomunicații;
- 22 Comerț cu ridicata al altor bunuri de uz gospodăresc.

Capitalul social: **5400 lei.**

Administrator: **ALEXANDRU CONSTANTIN, IDNP 0981003279250.**


Asociați:

1. **MALAIRĂU SERGIU**, IDNP 0991706275978, cota 2700.00 lei, ce constituie 50 %
2. **ALEXANDRU CONSTANTIN**, IDNP 0981003279250, cota 2700.00 lei, ce constituie 50 %.



Prezentul extras este eliberat în temeiul art. 34 al Legii nr. 220-XVI din 19 octombrie 2007 privind înregistrarea de stat a persoanelor juridice și a întreprinzătorilor individuali și confirmă datele din Registrul de stat la data de: 06.06.2018.

Specialist coordonator
tel. 022-207-839



Martnos Tatiana

EB 0321173

CERTIFICAT
privind lipsa sau existența restanțelor față de bugetul public național

Nr.
№ A1922817

din
от 30.05.2019

1. Destinația / Назначение

Pentru participarea la proceduri de achiziții

2. Date despre contribuabil / Информация о налогоплательщике

Denumirea Наименование	Codul fiscal / Numărul de identificare Фискальный код / Идентификационный номер
S.C. TRIOMAC S.R.L.	1006606001224
Adresa sediului de bază (strada, numărul) Адрес основного месторасположения (улица, номер)	Codul - Denumirea localității Код - Наименование населенного пункта
Stefan cel Mare nr.3 of.16	6401-OR.ORHEI

3. Atestarea lipsei sau existenței restanțelor conform datelor Sistemului Informațional Automatizat /
Подтверждение отсутствия или наличия недоимки согласно данных Информационной автоматизированной системы

La data emiterii prezentului certificat restanța față de bugetul public național constituie/ На дату выдачи данной справки недоимка перед национальным публичным бюджетом составляет:
0,00 lei/лей.

4. Valabil pînă la / Действителен до 14.06.2019

5. Autentificarea Serviciului Fiscal de Stat / Подтверждение Государственной налоговой службы



[Signature]
Semnătură/Подпись

Natalia ARVAT

Numele și prenumele/Фамилия и имя



[Signature]

Este extras din Sistemul Informațional al SFS STA „Contul curent al contribuabilului”// 30.05.2019 ora 10:25:58
cu aplicarea prevederilor pct. 82-83 Ordin IFPS nr.400 din 14.03.2014 (Monitorul Oficial 72-77/399, 28.03.2014)

NOTA (21.058.20)

ORDIN DE PLATA NR.: 470

TIP.DOC. 1

DATA EMITERII: 6 iunie 2019

PLATITI: 660-00

LEI: Sase Sute Sasezeci lei 00 bani

PLATITOR: (R) S.C. "Triomac" S.R.L.

CONTUL DE PLATI/CODUL IBAN

MD49ML000000002251609230

CODUL FISCAL : 1006606001224 /

PRESTATORUL PLATITOR

BC "Moldindconbank" S.A. suc. "Centru" Chisinau

CODUL BANCII:

: MOLDMD2X309

BENEFICIAR (R) Universitatea Agrara De Stat din Moldova

CONTUL DE PLATI/CODUL IBAN

MD36AG0000000022512442426

CODUL FISCAL : 1007600002710 /

PRESTATORUL BENEFICIAR

BC "MOLDOVA-AGROINDBANK" S.A.

CODUL BANCII:

: AGRNMD2X

DESTINATIA PLATII: Garantia pentru oferta:

TIPUL TRANSFERULUI

la procedura de achizitie ocde-b3wdpl-M:

NORMAL/URGENT

D-1558004101070 din 06.06.2019

CODUL TRANZACTIEI: 001:

DATA PRIMIRII: 06/06/2019

DATA EXECUTARII:

SEMNAATURILE

EMITENTULUI



CONDUCTOR: Web SC "Triomac" SRL Director

MIIGaAYJKoZIhvcNAQcCoIIIGWTCCBlUCAQEExCzAJBgUrDgMCGGUAMAsGCSqGSIb3:
 DQEHAaCCBHEwggRtMIIDVaADAgECAhNHAABSzdmURcxdfY3AAAAAFLNMAOGCSqG:
 SIb3DQEBcwUAMCIXIDAeBgNVBAMTFONFULQxLUNBLU1vbGRpbmRjb25iYW5rMB4X:
 DTE4MDkyNjEwMTA0NVoxDTIwMDkyNjEwMjA0NVowgaQxQzAJBgNVBAYTAk1EMRMw:
 YDVQIIEwpsLiBNb2xkb3ZHMQ4wDAYDVQQHEwVPCmhlaTEQMA4GA1UEChMHVHJp

(semnatura electronica)

CONTABIL-SEF: Web SC "Triomac" SRL Contabil sef

MIIGXgYJKoZIhvcNAQcCoIIIGTzCCBksCAQEExCzAJBgUrDgMCGGUAMAsGCSqGSIb3:
 DQEHAaCCBGcwggRjMIIDS6ADAgECAhNHAABSzt3PFM4R5hLiAAAAAFLNMAOGCSqG:
 SIb3DQEBcwUAMCIXIDAeBgNVBAMTFONFULQxLUNBLU1vbGRpbmRjb25iYW5rMB4X:
 DTE4MDkyNjEwMTExMloXDTIwMDkyNjEwMjExMlowgZoxCzAJBgNVBAYTAk1EMRMw:
 YDVQIIEwpsLiBNb2xkb3ZHMQ4wDAYDVQQHEwVPCmhlaTEQMA4GA1UEChMHVHJp

L.S.

(semnatura electronica)

CONDUCTOR:

(semnatura manuala)

CONTABIL-SEF:

(semnatura manuala)

SEMNAATURA PRESTATORUL

L.S.

MOTIVUL REFUZULUI

L.S.

ORDIN DE PLATA NR.: 469

TIP.DOC. 1

DATA EMITERII: 6 iunie 2019

PLATITI: 4025-20
i 20 bani

LEI: Patru Mii Douazeci si Cinci le

PLATITOR: (R) S.C. "Triom
ac" S.R.L.

CONTUL DE PLATI/CODUL IBAN

MD49ML000000002251609230

CODUL FISCAL : 1006606001224 /

PRESTATORUL PLATITOR

BC"Moldindconbank"S.A. suc."Centru" Chisinau

CODUL BANCII:

:MOLDMD2X309:

BENEFICIAR (R) Universitat
ea Agrara De Stat din Moldova

CONTUL DE PLATI/CODUL IBAN

MD36AG0000000022512442426

CODUL FISCAL : 1007600002710 /

PRESTATORUL BENEFICIAR

BC"MOLDOVA-AGROINDBANK"S.A.

CODUL BANCII:

:AGRNMD2X

DESTINATIA PLATII:Garantia pentru oferta:
la procedura de achizitie ocds-b3wdpl-M:
D-1558004101070 din 06.06.2019

TIPUL TRANSFERULUI

NORMAL/URGENT :N:

CODUL TRANZACTIEI: 001

DATA PRIMIRII: 06/06/2019

DATA EXECUTARII:

SEMNATURILE

EMITENTULUI



CONDUCTATOR: Web SC "Triomac" SRL Director

MIIGaAYJKoZIHvcNAQcCoIIGWTCCBlUCAQEXCzAJBgUrDgMCGGUAMAsGCSqGSIb3:
DQEHAaCCBHEwggRtMIIDVaADAgECAhNHAABSzdmURcxdfY3AAAAAFLNMA0GCSqG:
SIB3DQEBCwUAMCIxIDAeBgNVBAMTFONFUIQxLUNBLU1vbGRpbmRjb25iYW5rMB4X:
DTE4MDkyNjEwMTA0NVoxDTIwMDkyNjEwMjA0NVowgaQxCzAJBgNVBAYTAk1EMRMw:
YDVQOIEwpsLiBNb2xkb3ZhMQ4wDAYDVQQHEwVPCmhlaTEQMA4GA1UEChMHVHJp

(semnatura electronica)

CONTABIL-SEF: Web SC "Triomac" SRL Contabil sef

MIIGXgYJKoZIHvcNAQcCoIIGTzCCBksCAQEXCzAJBgUrDgMCGGUAMAsGCSqGSIb3:
DQEHAaCCBGcwggRjMIIDS6ADAgECAhNHAABSz3PFM4R5hLiAAAAFLOMA0GCSqG:
SIB3DQEBCwUAMCIxIDAeBgNVBAMTFONFUIQxLUNBLU1vbGRpbmRjb25iYW5rMB4X:
DTE4MDkyNjEwMTExMloXDTIwMDkyNjEwMjEwlowgZoxCzAJBgNVBAYTAk1EMRMw:
YDVQOIEwpsLiBNb2xkb3ZhMQ4wDAYDVQQHEwVPCmhlaTEQMA4GA1UEChMHVHJp

L.S.

(semnatura electronica)

CONDUCTATOR:

(semnatura manuala)

CONTABIL-SEF:

(semnatura manuala)

SEMNATURA PRESTATORUL

L.S.

MOTIVUL REFUZULUI

L.S.

Formular informativ despre ofertant (F3.3)

Data: "06" iunie 2019

Licitația Nr.: ocds-b3wdp1-MD-1558004101070

Pagina 1 din 3

A. Ofertanți individuali

1.	Informații generale	
1.1.	Numele juridic al ofertantului	<i>TrioMAC SRL</i>
1.2.	Adresa juridică a ofertantului în țara înregistrării	Orhei, str Stefan cel Mare 3, ap 16
1.3.	Statutul juridic al ofertantului	
	• <i>Proprietate</i>	
	• <i>Formă de organizare juridică</i>	<i>SRL</i>
	• <i>Altele</i>	
1.4.	Anul înregistrării ofertantului	<i>2006</i>
1.5.	Statutul de afaceri al ofertantului	
	• <i>Agent local/Distribuitor al producătorului străin</i>	<i>Agent local/Distribuitor al producătorului străin</i>
	• <i>Intermediar</i>	
	• <i>Companie de antrepozit</i>	
	• <i>Altele</i>	
1.6.	Informația despre reprezentantul autorizat al ofertantului	
	• <i>Numele</i>	<i>Constantin Alexandru</i>
	• <i>Locul de muncă și funcția</i>	<i>TrioMAC SRL, director</i>
	• <i>Adresa</i>	<i>Orhei, str Stefan cel Mare 3, ap 16</i>
	• <i>Telefon / Fax</i>	<i>Tel: +373 69147914</i>
	• <i>E-mail</i>	<i>constantin.alexandru@scop.md</i>
1.7.	Numărul de înregistrare pentru TVA	7400782



1.8.	Numărul de identitate al ofertantului pentru impozitul pe venit (pentru ofertanții străini)	
1.9.	Ofertantul va anexa copiile următoarelor documente:	<i>În conformitate cu FDA3.</i>
2.	Informații de calificare	
2.1.	Numărul de ani de experiență generală a ofertantului în livrări de bunuri și servicii	12
2.2.	Numărul de ani de experiență specifică a ofertantului în livrarea/prestarea bunurilor și/sau serviciilor similare	7
2.3.	Valoarea monetară a livrărilor de bunuri/prestarea serviciilor similare	<i>"Nu se aplică"</i>
2.4.	Disponibilitate de resurse financiare (bani lichizi sau capital circulant, sau de resurse creditare, extras din cont bancar etc.). Enumerați și anexați copiile documentelor justificative	<i>"Nu se aplică"</i>
2.5.	Detalii privind capacitatea de producere / echipamente disponibile	<i>"Nu se aplică"</i>
3.	Informații financiare	
3.1.	Rapoarte financiare sau extrase din bilanțul financiar, sau declarații de profit / pierderi, sau rapoartele auditorilor pentru ultimul an de activitate. Enumerați mai jos și anexați copii: <i>"Nu se aplică"</i>	
3.2.	Denumirea, adresa, numerele de telefon, telex și fax ale băncilor care pot oferi caracteristici despre ofertant în cazul contactării de către autoritatea contractantă: Denumirea: <i>FinComBank SA</i> Adresa: <i>mun. Chisinau, str. Puskin 26</i> Telefon: <i>+37322 269 900</i> Fax: <i>+373 22 237 308</i>	
3.3.	Informație privind litigiile în care ofertantul este sau a fost implicat:	
	a) Orice proces pe parcursul ultimilor 3 ani:	
	Cauza litigiului	Rezultatul sau sentința și suma implicată



	b) Procese curente, pe parcursul anului fiscal curent:	
	Cauza litigiului	Situația curentă a procesului
Notă: Alte cerințe și detalii pot fi adăugate de către autoritatea contractantă, după caz		



CONTRACT DE VÎNZARE-CUMPĂRARE

Nr. 334 din 23.12.2015

Preambul

În temeiul Contractului de activitate filantropică nr. 16 din 27.10.2015, încheiat între Fundația Renato Usatîi și Universitatea de Stat „Alec Russo” din Bălți, s-a încheiat prezentul contract de vânzare-cumpărare.

I. PĂRȚILE CONTRACTANTE

1.1. **Universitatea de Stat “Alec Russo” din Bălți**, cu sediul în mun. Bălți, str. Pușkin, nr. 38, înregistrată la Camera Înregistrării de Stat la 24.01.2007, cod fiscal 1007602000972, avînd contul nr. 22512011414, deschis la BC “Moldova Agroindbank” SA, fil. Bălți, codul băncii AGRNMD2X750, reprezentată de Gheorghe Popa, cu funcția de rector, în calitate de CUMPĂRĂTOR, pe de o parte, și

1.2. **“TrioMAC” SRL**, cu sediul în or. Orhei str. Stefan cel Mare, of. 16, cod fiscal 1006606001224, avînd contul nr. 2251609230, deschis la BC “Moldindconbank” SA, cod bancar MOLDMD2X309, reprezentată de directorul Alexandru Constantin, în calitate de VÎNZĂTOR, pe de altă parte,

au convenit să încheie prezentul contract de vânzare-cumpărare, cu respectarea următoarelor clauze:

II. OBIECTUL CONTRACTULUI

2.1. Obiectul contractului este vânzarea-cumpărarea a bunurilor specificate în ANEXA nr. 1 care este parte integrantă a prezentului contract, *din contul donației Fundației Renato Usatîi*, bunuri solicitate de Catedra de filologie engleză și germană, Facultatea de Litere.

2.2. Părțile contractante sunt de acord ca VÎNZĂTORUL să vîndă, și CUMPĂRĂTORUL să cumpere bunurile specificate în ANEXA nr. 1.

III. DURATA CONTRACTULUI ȘI CONDIȚII DE LIVRARE

3.1. Prezentul contract se derulează începînd cu data semnării lui pînă la expirarea termenelor de garanție a tuturor bunurilor specificate în ANEXA nr. 1. Efectele contractului se fac resimțite pe întreaga perioadă de valabilitate a garanției acordate bunurilor.

3.2. Eliberarea bunurilor se va efectua în termen maxim de 10 zile calendaristice de la data semnării contractului.

IV. PREȚUL CONTRACTULUI

4.1. Valoarea totală a contractului este de 30 796,00 (Treizeci mii șapte sute nouăzeci și șase) lei MD.

4.2. Lista cu Specificația bunurilor este anexată la contract.



4.3. Plata se va face în lei, prin virament, la data livrării mărfii.

V. GARANȚII

5.1. VÎNZĂTORUL garantează calitatea și conformitatea bunurilor livrate.

VI. OBLIGAȚIILE PĂRȚILOR

6.1. VÎNZĂTORUL se obligă:

- a) să anunțe CUMPĂRĂTORUL cu cel puțin 3 zile lucrătoare înainte de sosirea mărfii.
- b) să asigure CUMPĂRĂTORULUI livrarea mărfii conform specificației din ANEXA nr. 1.
- c) să asigure la cererea CUMPĂRĂTORULUI transportul bunurilor la sediul acestuia.
- d) să furnizeze CUMPĂRĂTORULUI documente de certificare a calității și conformității bunurilor livrate sau declarații de conformitate pe propria răspundere.

6.2. CUMPĂRĂTORUL se obligă:

- a) să achite contravaloarea bunurilor livrate, conform contractului, în temeiul contului de plată și/sau facturii fiscale în termen de maxim 7 zile din data emiterii contului și/sau facturii fiscale.

VII. FORȚA MAJORĂ

7.1. Nici una dintre părțile contractante nu răspunde de neexecutarea la termen sau/și de executarea în mod necorespunzător - total sau parțial - a oricărei obligații contractuale, dacă neexecutarea sau executarea necorespunzătoare a obligației respective a fost cauzată de forța majoră, așa cum este definită de lege.

VIII. LITIGII

8.1. Prezentului contract îi sînt aplicabile prevederile legale în vigoare la data încheierii contractului.

8.2. Orice neînțelegere izvorîită din prezentul contract va fi soluționată pe cale amiabilă, iar în caz de imposibilitate, părțile se vor adresa instanței competente.

IX. CLAUZE FINALE

9.1. Modificarea prezentului contract se face numai prin act adițional încheiat între părțile contractante.

9.2. ANEXA nr. 1 face parte din prezentul contract de vânzare-cumpărare.

9.3. Contractul poate fi reziliat numai cu acordul scris al ambelor părți.

9.4. Contractul intră în vigoare de la data semnării sale de către VÎNZĂTOR și CUMPĂRĂTOR.

9.5. Prezentul contract a fost încheiat într-un număr de 2 (două) exemplare, avînd aceeași forță juridică, cîte unul pentru fiecare parte.


VÎNZĂTOR

Director Alexandru Constantin



CUMPĂRĂTOR

Rector Gheorghe Popa



SPECIFICAȚIA BUNURILOR:

Nr.	Denumirea bunurilor	Cantitatea	Unit. de măsură	Prețul, lei	Suma totală, lei
1.	Calculator LENOVO E50-00 90BX0064RI	1	buc.	7 850,00	7 850,00
2.	Laptop ACER Aspire ES1-512-C0BA, 15.6 " HD LED backlit LCD Glare, Intel Celeron Processor N2840 (2.16 Ghz, 1 MB), video integrat Intel HD Graphics, 4 GB DDR3 Low Voltage Memory, 500 GB HDD 5400 rpm	1	buc.	7 540,00	7 540,00
3.	Proiector ACER X113PH, DLP 3D, SVGA 800X600, 3000 lumeni, 13.000:1, lampa 6000 ore in eco, Composit, HDMI, S-video, USB, telecomanda, greutate 2.5 kg, culoare negru	1	buc.	7 950,00	7 950,00
4.	Suport pentru videoproiector SBOX PM-101	1	buc.	636,00	636,00
5.	Sopar Manual Projector Screen "PLATINUM" 240x200 cm	1	buc.	5 305,00	5 305,00
6.	Boxe Modecom, MC-XS5	2	buc.	226,00	452,00
7.	Cafetieră HOT POINT ARISTON, rezervor 1,25 l	1	buc.	1 063,00	1 063,00
	Total				30 796,00

VÎNZĂTOR

Director Alexandru Constantin



CUMPĂRĂTOR

Rector Gheorghe Popa



CERTIFICAT DE GARANTIE

Cu deservire tehnica in teritoriu

PRODUS / MODEL/ SERIA TERMEN DE GARANTIE

• NR. DOCUMENT FISCAL


DATA CUMPARARII :

• ADRESA/UNITATILOR SERVICE
Mun.Chisinau, str. Mesager 11

SEMNATURA/STAMPILA

(DISTRIBUITOR IMPORTATOR)



Triomac SRL 

SEMNATURA /STAMPILA

(Cumparator)

SEMNATURA CLIENT

Nr crt	S/N	Descriere PRODUS	Garantie comerciala (luni)	Cantitate (buc)
1	i3TOUCH	E1075 4K	60	1
2	Colour Laser AllIn-One A4 MFP	MFP Canon i-SENSYS MF735Cx	36	1
3	10.5" tablet	Galaxy Tab S4 SM-T835	24	7
4	Router	RB4011iGS+5HacQ2HnD-IN	24	1
5	8-Port Desktop Gigabit Ethernet Switch	TL-SG1008D 8-port Desktop Gigabit Switch	24	2
6	2.5" SATA III 6Gb/s SSD	2.5" SSD 1.0TB Western Digital Blue	36	1

Nr crt	Data solicitare	Data reparatiei	Descriere reparatie	Garantia se prelungeste pina la	Semnatura tehnician	Efectuat proba de functionare Semnatura client



i3TOUCH EXCELLENCE

E1075 4K

Excellent interactive touch display with fast & accurate V-Sense touch technology.

i3 offers an exciting, easy to use and affordable alternative to traditional interactive board solutions. The i3TOUCH E series provide crystal clear, high-definition images. The V-Sense 20-point touch technology operates at the touch of a finger or pen and reacts instantly.

INTERACTIVE

- Up to 20 touch points
- V-sense touch technology: Finger, stylus or any other pen or finger shaped object.


INSPIRING

- Plug & play upwards of windows 7
- Gesture recognition
- Extremely fast
- LED version: 50% energy saving

INTEGRATED

- OPS slot
- Internet browser
- File explorer to open all your Office and PDF files
- Share, connect, explore with integrated WiFi
- 4 mm Anti-Reflection safety glass
- Built-in audio amplifier and speakers
- Professional panel for 24/7 use
- Full range of i3TOUCH displays
- Warranty: 3 years*

*Warranty can be extended to 5 years (free for education after registration) or 7 years.



All i3TOUCH products are compatible
with Windows, MAC and Linux!



The powerful and fast V-Sense 20 point touch recognition allows up to 20 users to simultaneously perform pen and mouse functions, erase ink and manipulate and move objects on the interactive display surface. The system recognizes individual multitouch gestures for each user, whether by finger, stylus or any other object of choice.



i3-TECHNOLOGIES



Model type **i3TOUCH E1075 T10**

PANEL	
Size	75"
Display Ratio	16:09
Native resolution	3840 x 2160
Brightness	350 cd/m ²
Contrast ratio	1200:1
Display Colors	1.07 B colors (10 bit)
Response time	6ms
Display Frame Rate	60Hz
Glass Tempered	Anti-glare Glass 4 mm
Viewing Angle	Hor./Ver. 178°/178°
Speakers	12W x2 stereo
Touch technology	V-Sense 20 touch points
Plug & Play	Upwards Windows 7, Mac 10.6, Android
Inputs	HDMI 2.0 (1), HDMI 1.4 (2), DP (1), VGA (1), AV (1), USB 2.0 (2), USB 3.0 (1), OPS (1)
Outputs	Outputs: HDMI (1), COAX (1)
Audio out	Mini jack
Communication port	RS232, Wifi, RJ45
OPS slot	Included
Power Requirement	100 - 240V AC, 50/60 Hz
MTBF	30,000h
Mounting system	VESA
Regulatory	CE, FCC, EMC, RoHS

FUNCTION

Power Consumption	309 Watt
Power Consumption Sleep Mode	< 0.5 Watt

DIMENSIONS

Dimensions (not incl. stand) mm	1763 x 1016 x 100
Product Weight	57 kgs
VESA Mount	800 x 400
Green Approvals	Lead Free, RoHS compliant

ANDROID SYSTEM

System version	Android 5.1
----------------	-------------

TOUCH TECHNOLOGY

	V-Sense
Touch modus	finger and pen
Touch points	20 simultaneous touches (only in Windows 7 or later)
Connection	USB 2.0 type B (x2)


Accessories

Power cable
VGA cable
HDMI cable
Remocon + Battery
PEN 2 x
User Manual
Wall mount
Wifi dongle

Recommended Computer Configuration


CPU	min i3 processor
RAM	>4G
Hard disk	>100G
Interface	USB2.0 or above
Screen resolution	1280*800
USB power	>4.6V (the power of the USB cable should be more than 4.6V at the i3TOUCH)

TECHNICAL DRAWING



AUTHORISED DISTRIBUTOR

100mm ± 2mm



EU Declaration of Conformity

In accordance with EN ISO 17050-1:2004

Hereby we,

Manufacturer: i3-Technologies NV
Address: Nijverheidslaan 60
Zip Code & City: 8540 Deerlijk
Country: Belgium
Tel. number: +32 70 222 600

Declare that this Declaration of Conformity is issued under our sole responsibility,
and that this product:

i3TOUCH E1075 4K

Trademark: i3TOUCH
Type designation: E1075 4K
Product description: Interactive Touch Display

Complies with the relevant Union harmonization legislations:

2014/30/EU EMC - Electromagnetic Compatibility Directive
2014/35/EU LVD - Low Voltage Directive
2011/65/EU RoHS - Restriction of Hazardous Substances in Electrical and Electronic Equipment

With reference to the following harmonized standards applied:

EN 55032:2012+AC:2013, Class A
EN 55024:2010+A1:2015
EN 61000-3-2:2014
EN 61000-3-3:2013
IEC 61000-4-2:2008
IEC 61000-4-3:2006+A1:2007+A2:2010
IEC 61000-4-4:2012
IEC 61000-4-5:2005
IEC 61000-4-6:2013
IEC 61000-4-11:2004
IEC 60950-1:2005+AM1:2009+AM2:2013
EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013

I hereby declare that the equipment described above has been designed to comply with the relevant sections of the above referenced specifications. The equipment complies with all applicable Essential Requirements of the Directives.

Name: Gert Van Erum
Position: CEO
Date: September 3, 2017



The product carries the CE mark
which was first affixed in 2017



EU Declaration of Conformity

In accordance with EN ISO 17050-1:2004

Hereby we,

Manufacturer: i3-Technologies NV
 Address: Nijverheidslaan 60
 Zip Code & City: 8540 Deerlijk
 Country: Belgium
 Tel. number: +32 70 222 600

Declare that this Declaration of Conformity is issued under our sole responsibility,
 and that this product:

i3FLOORSTAND Floor Lift

Type designation: I3FLOORSTAND Floor Lift 02
 Product description: Height Adjustable Mount for displays.
 Trademark: i3-Technologies


Complies with the relevant Union harmonization legislations:

2014/30/EU EMC - Electromagnetic Compatibility Directive
 2011/56/EU RoHS2 - Restriction of Hazardous Substances in Electrical and Electronic Equipment
 2006/42/EG Machinery Directive

With reference to the following harmonized standards applied:

EN IEC 60204-1 - Safety of Machinery
 EN 60335-1 - Household and similar electrical appliances
 EN 614-1 - Safety of Machinery

I hereby declare that the equipment described above has been designed to comply with the relevant sections of the above referenced specifications. The equipment complies with all applicable Essential Requirements of the Directives.

Name:  Steven Willems
 Position: Product Manager
 Date: September 30, 2015



EU DECLARATION OF CONFORMITY

Manufacturer	CANON INC.
	30-2, Shimomaruko 3-chome, Ohta-ku, Tokyo 146-8501, Japan
Authorized Representative in Europe	CANON EUROPA N.V.
	Bovenkerkerweg 59, 1185 XB Amstelveen, The Netherlands

Declaration of conformity is issued under the sole responsibility of the manufacturer.
I declare that the product(s)

Functional Equipment/ Laser Beam Printer

300 (Sales name: i-SENSYS LBP654Cx, i-SENSYS LBP653Cdw), F170402 (Sales name: i-SENSYS MF735Cx, i-SENSYS MF734Cdw), F170400 (Sales name: i-SENSYS MF732Cdw)

without accessories;

PHONE6(Handset), AW-NM383(Wireless LAN Module)

in conformity with essential requirements of EC Directive(s)

53/EU

applying the following standards

Directive(s)	Reference of standard(s) and amendment(s)
53/EU	EN60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013 EN62311: 2008
	EN55032:2012 ClassB EN55024: 2010 EN61000-3-2: 2014 EN61000-3-3: 2013
	EN 300 328 V2.1.1 EN 301 489-1 V2.1.1 EN 301 489-17 V3 1.1 EN 301 489-3 V2.1.1



1. The quality system covering the production is implemented according to ISO 9001-series (EN 29001-series) or monitored based on appropriate measures.

2. The contents marked with an asterisk are those added to our previous Declaration of Conformity CP16-023-02

SAMSUNG

Declarație de conformitate

Datele produsului

Pentru următoarele

Produs: GSM WCDMA LTE Bluetooth/Wi-Fi Portable Device
Model: SM-T835

Declarație și standarde aplicabile

Prin prezenta, declarăm că produsul de mai sus este conform cu cerințele esențiale ale Directivei pentru echipamente radio (2014/53/EU) prin aplicarea:

Siguranță	EN 50566 : 2017 EN 50663 : 2017 EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013 EN 62311 : 2008	
EMC	Draft EN 301 489-19 V2.1.0 (03-2017) Draft EN 301 489-52 V1.1.0 (11-2016) EN 301 489-17 V3.1.1 (02-2017)	Draft EN 301 489-3 V2.1.1 (03-2017) EN 301 489-1 V2.1.1 (02-2017) EN 55035 : 2017
Radio	EN 300 328 V2.1.1 (11-2016) EN 300 440 V2.1.1 (03-2017) EN 301 893 V2.1.1 (05-2017) EN 301 908-13 V11.1.2 (07-2017) EN 303 413 V1.1.1 (06-2017)	EN 300 330 V2.1.1 (02-2017) EN 301 511 V12.5.1 (03-2017) EN 301 908-1 V11.1.1 (07-2016) EN 301 908-2 V11.1.2 (08-2017)

și cu Directiva (2011/65/EU) privind restricțiile de utilizare a anumitor substanțe periculoase în echipamentele electrice și electronice prin aplicarea EN 50581:2012.

și cu Directiva Eco-Design (2009/125/CE) implementată de Regulamentul (CE) Nr. 1275/2008 pentru consumul de energie electrică în modul de așteptare și modul oprit, și pentru modul așteptare rețea folosind metode de testare de la EN 50564:2011.

Organizația sesizată SGS UNITED KINGDOM LIMITED, 0890 a analizat fișa tehnică a produsului pentru a evalua compatibilitatea produsului cu cerințele RED 2014/53/EU și a emis certificatul de examinare tip EU: 18/0234/KR

Reprezentant în UE

Samsung Electronics Euro QA Lab.
Blackbushe Business Park Saxony Way,
Yateley, Hampshire GU46 6GG, UK*
2018.06.22

Stephen Colclough / EU Representative

(Locul și data eliberării)

(Numele și semnătura persoanei autorizate)

* Aceasta nu este adresa Centrului pentru service Samsung. Pentru adresa sau numărul de telefon al Centrului pentru service Samsung, consultați certificatul de garanție sau contactați distribuitorul de la care ați achiziționat produsul.





DECLARATION OF CONFORMITY

We, **SIA Mikrotiks**
Brivibas gatve 214i
Riga, LV-1039
Latvia

declare that the products declaration of conformity is issued under the sole responsibility

Description: **WLAN 802.11ac/b/g/n**
Model: **RouterBOARD 4011iGS+5HacQ2HnD-IN**
(RB4011iGS+5HacQ2HnD-IN)

to which this declaration refers conforms with the relevant harmonized standards under Directive 2014/53/EU on RED:

Article 3.1.a (RF Exposure): **EN 62311:2008**
Article 3.1.a (Safety): **EN 60950-1:2006+A11:2009+A1:2010+**
A12:2011+A2:2013
EN 60950-22:2017
Article 3.1.b (EMC): **ETSI EN 301 489-1 V2.2.0 (2017-03)**
ETSI EN 301 489-17 V3.2.0 (2017-03)
Article 3.2 (radio): **ETSI EN 300 328 V2.2.0 (2017-11)**
ETSI EN 301 893 V2.1.1 (2017-05)

Safety test report reference No. **006TP18** from SIA Latvian National Metrology Centre, K.Valdemāra 157, LV 1013, Rīga, LV. RF exposure test report reference No. **MIKO69 E4 Rev A** from MiCOM Labs, Inc., EMC test report reference No. **LEITC-TR-18-15** from MiCOM Labs, Inc., Radio test report references No. **MIKO69 E3 Rev A** from MiCOM Labs, Inc (MiCOM Labs, Inc., Pleasanton, CA 94566 USA) and No. **(29.1) PB-97** from EQUIPMENT AND DEVICES ELECTROMAGNETIC COMPATIBILITY CONTROL DIVISION OF COMMUNICATIONS REGULATORY AUTHORITY OF THE REPUBLIC OF LITHUANIA, Zarasų g. 38, LT - 44140 Kaunas, LT.

A copy of the test report will be provided on request.

Notified Body (where applicable): The Notified Body MiCOM Labs, with Notified Body number 2280
EU-type examination certificate: **MIKO69-1 / 24 Aug 2018 / Rev A.**

Riga, 27 August 2018
Edmunds Zvegincevs,

engineer

(signature)

MikroTik



DECLARATION OF CONFORMITY

For the following equipments:

Product Description: **Switch /Broadband Router**

Model No.: **TL-SF1005D /TL-SF1008D /TL-SF1016D /TL-SG1005D /TL-SG1008D /TL-SF1016
/TL-SF1016DS /TL-SF1024 /TL-SF1024D /TL-SF1048 /TL-SL1109 /TL-SL1210
/TL-SL1117 /TL-SL1226 /TL-SL1351 /TL-SG1008 /TL-SG1016 /TL-SG1016D
/TL-SG1024 /TL-SG1024D /TL-SG1048 /TL-SL2210WEB /TL-SL2218WEB
/TL-SL2428WEB /TL-SL2452WEB /TL-SG2109WEB /TL-SG2216WEB
/TL-SG2224WEB /TL-SG3109 /TL-SL3428 /TL-SL3452 /TL-SG3424 /TL-SL5210
/TL-SL5428 /TL-SG5426 /TL-SL5428E /TL-R402M /TL-R460 /TL-R860 /TL-R470T+
/TL-R480T /TL-R480T+ /TL-R488T /TL-R4299G**

Trademark: **TP-LINK**

We declare under our own responsibility that the above products satisfy all the technical regulations applicable to the product within the scope of Council Directives:

Directives 2004 / 108 / EC

The above products are in conformity with the following standards or other normative documents:

EN 55022

EN 55024

EN 61000-3-2

EN 61000-3-3

Directives 2006/95/EC

The above products are in conformity with the following standards or other normative documents:

EN60950-1

Directives 2005/32/EC and 2009/125/EC (For TL-SF1005D /TL-SF1008D /TL-SF1016D

/TL-SG1005D /TL-SG1008D only)

The above products are in conformity with the following commission regulations or other normative documents:

(EC) No 278/2009

(EC) No 1275/2008



The product carries the CE Mark:

These devices are intended for home and office use in all EU countries (and other countries following the EU directive 1999/5/EC). Usage in the following countries might be subject to restrictions: FR, IT, NO. See detail information in product's document of resource CD or <<http://www.tp-link.com>> www.tp-link.com.

Signature: 

Name: Yang Hongliang

Title: Product Manager of International Business

Date of Issue: 2010-08-13

TP-LINK TECHNOLOGIES CO., LTD.

South Building, No.5 Keyuan Road, Central Zone, Science & Technology Park, Nanshan,
Shenzhen, P. R. China

