



**Breathe Cool – Stay Safe**

DRÄGER X-PLORE® 1300  
DRÄGER X-PLORE® 1700  
NIOSH VERSIONS



# The Dräger X-plore® 1300 Series

## Proven comfort, sophisticated ideas, safe respiratory protection

The new Dräger X-plore® 1300 — developed on the basis of several years of intensive market experience by analyzing customer requirements and market demands — sets new standards on comfort levels for particulate respirators. The result: an extremely comfortable, pre-formed dust mask for protection against particles. Its efficient CoolSAFE™ filter material and ergonomic design make the Dräger X-plore® 1300 a disposable dust mask with superior comfort, safety and user acceptance.

### DRÄGER X-PLORE® 1350 N95



Dräger X-plore® 1350 N95  
XS, S/M, M/L



Dräger X-plore® 1350  
N95 V S/M, M/L



Dräger X-plore® 1350  
N95 V Odor S/M, M/L

### DRÄGER X-PLORE® 1360 R95



Dräger X-plore® 1360 R95  
S/M, M/L



Dräger X-plore® 1360  
R95 V S/M, M/L



Dräger X-plore® 1360  
R95 Odor S/M



D-5271-2009



D-17823-2010



D-17462-2010

### CoolSAFE™ filter material

Performance that makes a difference: CoolSAFE™ filter material produced from high-performance filter media combines low breathing resistance and high filter performance in one mask.

Flexible nose clip  
Ensures a great fit in the most critical area.

Nose seal  
Secure sealing in the most critical area: all face pieces are equipped with special nose seal. It is sweat-absorbing, comfortable and most importantly ensures an effective seal around the nose.

Formed mask body:  
Proven, ergonomic, stable  
The special design and shape of the mask body offers a comfortable and secure fit to a wide variety of faces. The interior volume ensures wearing comfort along with easy communication. Additionally, the mask body is specially reinforced and keeps its form, springing back into its original shape, even when crushed. A stable, robust, and comfortable fit over long periods of time.



D-5184-2010

VarioFLEX™ head harness  
with EasyStop  
Easy to don/doff and adjust with a pressure-free fit: This continuous loop head harness is constructed from a robust, tear-proof textile strap. In contrast to other face pieces, no clips are required – preventing uncomfortable pressure and allergic reactions. The head harness can be donned/doffed easily and quickly, and without hair entanglement. Thanks to EasyStop, the head harness can easily be adjusted to fit various head sizes while sitting comfortably and safely.

CoolMAX™ exhalation valve (optional)  
Breathe easy and comfortably with extremely low breathing resistance. The exhalation valve releases humid and warm air, preventing heat build-up inside the mask, allowing you to stay cool while working hard.

Hypoallergenic inner layer  
Comfortable to wear: the hypoallergenic inner layer is easy on your skin and gives the user added comfort even when used for longer periods of time.

### NEW IN THE FAMILY

Extra small size:  
The X-plore® 1350 N95 is also available in an extra small size for smaller faces.



D-5180-2010

### NEW IN THE FAMILY

Additional odor version  
Odor version now also available with protection class R95 in S/M size in addition to X-plore® 1350 N95 in S/M or M/L size.



D-1337-2010

Color coding  
The nose clip and valve of the X-plore® 1300 are differently colored to quickly identify the protection class:  
- N95 dark blue  
- R95 light blue



D-5180-2010 / D-5184-2010





# The Dräger X-plore® 1700 Series

## Breathe easier and work safely

The Dräger X-plore® 1700 series has been developed in cooperation with users for the specific requirements in the areas of industry, specialized trades and services. It sets new standards for comfort and use, performance and protection, along with modern design.

With its CoolSAFE™ filter material, it offers effective protection against particles. A hydrophobic material layer prevents moisture from exhaled air from seeping into the mask, keeping the filter media dry. This means breathing resistance remains consistently low, allowing the user to work easily and without tiring during extended use.

### DRÄGER X-PLORE® 1750 N95



Dräger X-plore® 1750 N95



Dräger X-plore® 1750  
N95 V

### DRÄGER X-PLORE® 1760 R95



Dräger X-plore® 1760 R95 V



D-17959-2010



D-17219-2010



D-17804-2010

#### CoolSAFE™ filter material

Performance that makes a difference: CoolSAFE™ filter material produced from high-performance filter media ideally combines low breathing resistance and high filter performance in one mask.

#### Flexible nose clip

Ensures a great fit, in the most critical area.

#### Soft inner layer

Comfortable to wear: the inner material layer is not only soft and hypoallergenic, but also repels moisture thanks to its hydrophobic properties, keeping breathing resistance consistently low, when used for longer periods of time.



ST-8662-2007

**VarioFLEX™ head harness**  
This continuous loop head harness is constructed from a stable, elastic, textile strap which is easy to don and doff while ensuring a comfortable fit. The soft, tearproof elastic strap fits various sizes of heads and prevents hair entanglement.

**Hygienic individual packaging**  
Each facepiece is individually packed and sealed in a plastic bag, ensuring it stays clean and hygienic.

**CoolMAX™ exhalation valve (optional)**  
Breathe easy and comfortably: thanks to an extremely low breathing resistance. Additionally, the specially engineered CoolMAX™ exhalation valve releases humid and warm exhaled air, preventing heat build-up inside the mask, allowing you to stay cool.

**Folded form**  
All Dräger X-plore® 1700s are flat-folded, saving space and making them easier to transport.

#### Nose pad

Safe sealing in the most critical area: all particulate respirators are equipped with a high-quality, foam nose pad. It is comfortable and ensures a secure seal around the nose.



ST-9494-2007

# Proven respiratory protection with intelligent solutions



## COOLSAFE™ FILTER MATERIAL

The specially engineered CoolSAFE™ filter material combines various high-performance filter media to achieve an excellent filter performance. Coarse and fine particles are effectively stopped in the various filter layers. At the same time, breathing resistance remains very low, allowing the user to work comfortably for longer periods.



## COOLMAX™ EXHALATION VALVE

Small details, big effect: the CoolMAX™ exhalation valve was engineered to optimally guide the exhaled air out of the face piece. The extremely low breathing resistance keeps breathing easy. Effective exhalation of humid and warm air successfully prevents heat build-up under the face piece. The result: the user enjoys the highest levels of breathing comfort.



## EFFECTIVE SEAL

Alongside the material's filter performance, a secure seal without leakage is decisive in how effective the masks' protection really is. Depending on the protection class, the X-plore® 1300 face pieces are equipped with a soft foam nose pad (N95) or a large comfort sealing strip (R95). The X-plore® 1700 series comes standard with a soft foam nose pad. The combination of an inner seal and nose clip holds the mask effectively in place in the critical area around the nose.



## ODOR VERSION

Odor versions are equipped with an activated carbon layer which filters out unpleasant nuisance organic odors.



## NEW IN THE FAMILY - EXTRA SMALL SIZE AND ADDITIONAL ODOR VERSION

The X-plore® 1350 N95 offers an extra small size, especially for those with a small face. The R95 odor version is available in a small/medium size and fits for tasks where nuisance odors are present.



## ORDER INFORMATION

| Dräger X-plore® 1300             | Size | Rating | Pieces per Box | Order No. |
|----------------------------------|------|--------|----------------|-----------|
| Dräger X-plore® 1350             | XS   | N95    | 20             | 39 51 351 |
| Dräger X-plore® 1350             | S/M  | N95    | 20             | 39 51 352 |
| Dräger X-plore® 1350             | M/L  | N95    | 20             | 39 51 353 |
| Dräger X-plore® 1350 V           | S/M  | N95    | 10             | 39 51 355 |
| Dräger X-plore® 1350 V           | M/L  | N95    | 10             | 39 51 356 |
| Dräger X-plore® 1350 V Odor      | S/M  | N95    | 10             | 39 51 358 |
| Dräger X-plore® 1350 V Odor      | M/L  | N95    | 10             | 39 51 359 |
| Dräger X-plore® 1360             | S/M  | R95    | 20             | 39 51 362 |
| Dräger X-plore® 1360             | M/L  | R95    | 20             | 39 51 363 |
| Dräger X-plore® 1360 V           | S/M  | R95    | 10             | 39 51 365 |
| Dräger X-plore® 1360 V           | M/L  | R95    | 10             | 39 51 366 |
| Dräger X-plore® 1360 Odor        | S/M  | R95    | 20             | 39 51 368 |
|                                  |      |        |                |           |
| Dräger X-plore® 1700             |      |        |                |           |
| Dräger X-plore® 1750 Made in USA |      | N95    | 20             | 39 51 329 |
| Dräger X-plore® 1750 V           |      | N95    | 15             | 39 51 321 |
| Dräger X-plore® 1760 V           |      | R95    | 15             | 39 51 326 |

## TECHNICAL DATA

|                 |                                                                                                                                                                                                              |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Filter material | CoolSAFE™ for protection against particles;<br>N-rated for particulate aerosols free of oil, maximum use of one work-shift<br>R-rated for particulate aerosols containing oil, maximum use of one work-shift |
| Odor versions   | With additional activated carbon layer against nuisance organic odors below the limit value                                                                                                                  |
| Approvals       | All versions are approved according to NIOSH 42 CFR Part 84.                                                                                                                                                 |



Not all products, features, or services are for sale in all countries.  
Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to [www.draeger.com/trademarks](http://www.draeger.com/trademarks) to find the current status.

#### **CORPORATE HEADQUARTERS**

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany

[www.draeger.com](http://www.draeger.com)

#### **USA**

Dräger, Inc.  
7256 S. Sam Houston Parkway W.,  
Suite 100  
Houston, TX 77085  
1 800 4DRAGER  
(1 800 437 2437)

#### **CANADA**

Dräger Safety Canada, Ltd.  
2425 Skymark Ave., Unit 1  
Mississauga, Ontario L4W 4Y6  
1 877 DRAGER1  
(1 877 372 4371)

Locate your Regional Sales  
Representative at:  
[www.draeger.com/contact](http://www.draeger.com/contact)

