

Spare Parts For Trucks & Trailers




TruckExpert

www.Lkwexpert.com







Spare Parts For Trucks & Trailers

MAN



Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
26.280	D=Ø120 h=110	Hava Filtre Körüğü	81.96420.0170	120 33 001
				
26.281 26.321	D=Ø130 d=Ø120 h=100	Hava Filtre Körüğü	81.96420.0156	120 33 004
				
26.210 26.240 26.321	D1=Ø68 D2=Ø36 d=Ø13 h=20	Radyatör Takožu	81.96210.0243 81.96210.0248	141 33 006
				
26.281 SR 240 SL 200	D=Ø30 h=20 M=8	Hava Filtre Egsoz Takožu	81.96210.0096 88.96210.0802	400 33 016
				
19.372 19.422 26.270	D=Ø30 h=20 M8x1.25	Radyatör Takožu	81.96210.0289 83.96210.0508	120 33 006
				
520 19.190 20.190	D=Ø40 h=30 8x1.25 A=70	Radyatör Takožu	81.96020.0056 81.96020.7000 51.96210.0002	141 33 001
				







Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
141 33 009 	81.96210.0026	Radyatör Takozu	D=Ø40 h=30 L=22 M 8x1.25	M 2000
141 33 002 	81.96210.0301 81.96210.0052	Radyatör ve Egsoz Takozu	D=Ø40 h=30 M8x1.25 A=55	575 590 26.230
141 33 011 	81.96210.0615	Radyatör ve Egsoz Takozu	D=Ø40 h=30 M 8x23	LION'S CITY LION'S REGIO
469 33 061 	81.96210.0101	Egsoz Askı Takozu	D=Ø50 h=40 M 10x25 A55	19.190 20.190 22.190
469 33 010 	81.96210.0130	Egsoz Askı Takozu	D=Ø50 h=45 M 10 x 34 A70	19.240 26.240
375 33 062 	81.96210.0610	Lastik Takoz	D=Ø50 h=30 M 10 x 20	LION'S CITY SL

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
13.192 15.168 16.168	D=Ø50 h=30 M 10 x 25	Lastik Takoz	81.96210.0602 81.96210.0127 81.96210.0153	469 33 009 
19.422	D=Ø50 h=30 M 10 x 25	Egsoz Takozu	81.96210.0119	469 33 016 
26.240 26.280 32.240	D=Ø50 h=45 M 10x25 A45	Lastik Takoz Basınç Regülatörü	81.96210.0132	400 33 018 
LION'S CITY N 90	D=Ø30 h=15 M 8x22	Lastik Takoz	81.96210.0220	375 33 066 
	D1=Ø40 D2=Ø32 d=Ø25 h=14	Debriyaj Çatal Burcu	81.91710.0314	703 02 005 
	D=Ø50 h=42 M12x1.5	Debriyaj Çatal Makara ve Pimi	81.95801.0175	211 00 101 




Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
211 33 501 	81.91020.0775	Debriyaj Çatal Mili TGA	d=Ø12.5 L=156 Ax=126.5	
211 33 010 	81.30560.6021	Debriyaj Çatal Mili Tamir Tk	Ø40 Ø32 Ø25 14	
211 44 005 	81.30560.6022 81.30560.6019	Debriyaj Çatal Tamir Takımı	Ø40 Ø32 Ø25 14	
242 33 001 	81.96420.0142 81.96420.0308	Vites Körüğü (Büyük)		19.190 22.190 26.281
242 33 005 	81.96420.0324	Vites Körüğü	D=Ø230 d=Ø32	19.372 19.422 26.270
242 33 007 	81.32616.0004 81.32616.0008 81.32616.0011 81.32616.0013	Vites Kolu Toz Lastiği	L=80 M14x1.5	12.153







Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
19.372 19.422 26.230	D=Ø242 h=80	Vites Kolu Toz Lastiği	81.32616.0006 81.32616.0007	242 33 006
	D=Ø32 d=Ø16 h=6	Vites Kolu Bağlantı Lastiği	81.90713.0014	242 33 004
	D=Ø20	Vites Kolu Tamir Takımı	81.32670.6199 81.32605.6085	252 33 006
19.372 19.422 F 2000	D=Ø100 h=73 M 16x1.5	Şanzıman Takozu	81.96210.0388	246 33 004
	L=80 M14x1.5	Planet Taşıyıcı Civatası	81.90010.0067	245 00 007
NL LION'S CITY	Ø50 Ø51 223	Dingil Tamir Takımı	81.44205.6023	298 09 419















Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
298 09 421 	81.44205.6013	Dingil Tamir Takımı	Ø49.5 Ø50 223	16.170 192 / 200 / 240 280 / 281 / 290 291 / 321 / 331 360
298 09 709 	81.44205.6030 81.44205.6037	Dingil Tamir Takımı	D=Ø53 L=235	LIONS CENTROLINER TGA
298 09 712 	81.44205.6033	Dingil Tamir Takımı	D=Ø42 L=202	TGL TGM L 2000
707 01 003 	81.44208.0010	Kapak	D=Ø55 T=5	
707 01 001 	81.90711.0941 81.90711.0870	Kapak	D=Ø58 T=5	
707 01 002 	81.44208.0009	Kapak	D=Ø68 T=5	

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	L=28 M12x1	Ayna Mahruti Civatası (Küçük Defransiyel)	06.02819.0002 81.90001.0165	312 00 117 
	D=Ø26 d=Ø22 h=24.5	İstavroz Mil Sarı Burç (Küçük Defransiyel)	81.93020.0846	312 00 035 
	D=Ø49 d=Ø44 h=35	Beyin Boru Dişli Burcu (Küçük Defransiyel)	81.93020.0679 81.93020.0681	312 00 108 
	D=Ø57 d=Ø50 h=41	Beyin Boru Dişli Burcu (Büyük Defransiyel)	81.93020.0569 81.93020.0574 81.93020.0450	312 00 115 
	D=Ø64 d=Ø60 h=55	Beyin Boru Dişli Burcu (Küçük Defransiyel)	81.93020.0678 81.93020.0680	312 00 116 
	D=Ø75 h=52,5	Beyin Boru Dişli Burcu (Büyük Defransiyel)	81.93020.0573 81.93020.0568	312 00 126 







Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
309 00 004 	81.35710.0045 81.35710.0093 81.35710.0102	Kovan Keçe Yatak	D=Ø145 d=Ø110 h=32	
309 00 005 	81.35710.0044 81.35710.0094	Kovan Keçe Yatak	D=Ø145 d=Ø115 h=32	
309 33 001 	06.56341.4254	Kovan Cer Lastığı	D=Ø255 T=5	
361 33 201 	06.33719.0057 06.33719.0058 06.33719.0061	S Kam Mil Rulmanı	D=Ø52 h=20	
361 77 005 	06.36959.0011 06.36959.0014 06.36959.0018 81.93430.0004	S Kam Mil Rulmanı	D=Ø62 h1=20 h2=25	
348 33 501 	81.51901.6006	S Kam Mil Tamir Takımı	Ø52 Ø42 20	





Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	Ø42 Ø62 20 25	S Kam Mil Tamir Takımı	81.51901.6005	361 33 502 
	D=Ø30 L=102	Fren Pabuç Pimi	81.50212.0032 81.50212.0036	349 00 039 
	D=Ø12 L=72	Fren Pabuç Pimi	83.50211.0000 81.50211.0018 81.50211.0028	349 00 501 
	D=Ø12 L=95	Fren Pabuç Pimi	81.50211.0016 81.50211.0027	349 00 502 
	Ø20 Ø52 39.3 76	Fren Pabucu Makara Seti	81.50213.6006 S 81.50213.6005 S	349 44 009 
	D=Ø30 L=102	Fren Pabucu Perno Tamir Tk	81.50212.0036 S	349 00 021 







Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
372 00 033 	81.43220.6202	Bugi Burcu (Takım)	D=Ø67 d=Ø17 B=43 h=24 Ax=100	F 2000 TGA TGS
372 00 042 	81.43270.6089	Bugi Burcu (Takım)	D=Ø67 d=Ø19 B=47 h=24 Ax=115	F 2000
372 33 050 	81.43220.6335S2	Bugi Burcu (Takım)	D=Ø67 d=Ø80 M14 x 1,5	
372 33 026 	81.43220.6108 81.43220.6132	Bugi Burcu (Takım)	D=Ø72 d=Ø19 B=47 h=30 Ax=130	EL 222 NG 262 NG 312
372 00 013 	81.43230.6051 81.43230.6068 81.43270.6064	Bugi Burcu (Takım)	D=Ø72 d=Ø19 B=47 h=24 Ax=130	F 2000 F 90 M 2000
372 00 034 	81.43220.6244	Bugi Burcu (Takım)	D=Ø75 d=Ø17 B=52 h=24 Ax=115	TGA



Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	D=Ø75 d=Ø19 B=52 h=24 Ax=115	Bugi Burcu (Takım)	81.43270.6119	372 00 049 
416 417 HDH	D=Ø75 d=Ø19 B=48 h=24 Ax=115	Bugi Burcu (Takım)	81.43270.6191	372 44 034 
EL NG NL	D=Ø75 d=Ø19 B=48 h=24 Ax=130	Bugi Burcu (Takım)	81.43230.6061	372 00 016 
M 2000 TGS	D=Ø75 d=Ø19 B=52 h=24 Ax=130	Bugi Burcu (Takım)	85.43220.6002	372 00 043 
F 2000	D=Ø75 d=Ø23 B=52 h=24 Ax=152	Bugi Burcu (Takım)	81.43270.6100	372 00 037 
EL LION'S COACH NG	D=Ø85 d=Ø19 B=58 h=30 Ax=130	Bugi Burcu	81.43220.6055 81.43220.6073 81.95302.0037 81.95302.0059 06.29020.0206	372 00 009 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
372 00 030 	81.43220.6250	Bugi Burcu (Takım)	D=Ø85 d=Ø19 B=58 h=24 Ax=130	TGA 41.360
372 00 048 	81.43270.6127	Bugi Burcu (Takım)	D=Ø85 d=Ø19 B=58 h=30 Ax=130	
372 00 012 	81.43220.6203	Bugi Burcu (Takım)	D=Ø85 d=Ø21 B=54 h=30 Ax=130	LION'S STAR ÜL
372 33 040 	81.95302.0041 81.95302.0042	Bugi Burcu (Takım)	D=Ø85 d=Ø21 h=30 Ax=130	
372 00 032 	81.43270.6126	Bugi Burcu (Takım)	D=Ø85 d=Ø23 B=58 h=24 Ax=130	TGA TGS TGX
372 00 026 	81.43270.6105	Bugi Burcu (Takım)	D=Ø85 d=Ø25 B=58 h=24 Ax=130	F 2000 TGA TGS

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
TGA TGS TGX	D=Ø85 d=Ø25 B=58 h=24 Ax=130	Bugi Burcu (Takım)	81.43220.6285	372 33 033 
	D=Ø85 d=Ø25 B=58 h=24 Ax=152	Bugi Burcu (Takım)	81.43270.6101 81.43270.6109 81.43270.6139	372 44 037 
F 2000	D=Ø85 d=Ø21 d1=Ø26 B=58 h=24 Ax=130	Bugi Burcu (Takım)	81.95302.0077	372 33 010 
	D=Ø85 d=Ø23 Ax=152	Bugi Burcu (Takım)	81.43270.6057S	372 33 035 
F 2000 F90	D=Ø90 d=Ø23 B=58 h=35 Ax=152	Bugi Burcu (Takım)	81.95301.6133	372 33 028 
LION'S COACH LION'S STAR ÜL	D=Ø95 d=Ø19 B=53.5 h=35 Ax=145	Bugi Burcu (Takım)	81.43315.0009 81.43315.6040	375 33 045 







Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
372 00 011 	81.43270.6040 81.43270.6045	Bugi Burcu (Takım)	D=Ø95 d=Ø21 B=61 h=24 Ax=152	SG SL SÜ
372 00 028 	81.43270.6079	Bugi Burcu (Takım)	D=Ø95 d=Ø23 B=61 h=35 Ax=152	TGA
372 00 018 	81.43270.6110	Bugi Burcu (Takım)	D=Ø100 d=Ø25 B=74 h=24 Ax=152	E 2000 F 2000 TGA
372 33 008 	81.43220.6204	Bugi Burcu İçi Konik (Takım)	D=Ø95 B=53.5 h=73 M24x2	S 2000
372 00 020 	81.43220.6108 81.43220.6132	Bugi Burcu (Tamir Takımı)	D=Ø72 d=Ø19 Ax=130	S 2000 19.423
372 00 027 	81.95301.6133 S	Bugi Burcu (Tamir Takımı)	D=Ø90 d=Ø23 Ax=152	16.168 18.220

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
M 2000 M 90	D=Ø72 h=45 M20x1.5	Bugi Burcu (Tamir Takımı)	81.43270.6065	372 00 024 
19.423 19.463 19.464	D=Ø90 h=60 M24x1.5	Bugi Burcu (Tamir Takımı)	81.43270.6080	375 33 040 
14.170 16.168	D=Ø90 d =60 M=24X1.5	Bugi Burcu (Tamir Takımı)	81.95301.6132	372 00 023 
19.422	D=Ø47 d=Ø21 Ax=101	Denge Kolu Burcu	81.96210.0511	400 33 006 
S 2000	D=Ø47.5 d=Ø19 Ax=99	Denge Kolu Burcu	81.96210.0452	375 33 026 
TGA TGS TGX	D=Ø53 d=Ø17 Ax=68	Lastik Metal Burç	81.96210.0609	375 33 087 







Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
375 97 003 	36.96210.0006	Burç	D=Ø64 d=Ø19 Ax=124	
375 33 028 	81.43271.0080	Denge Kolu Burcu	D=Ø65 d=Ø15 Ax=100	F90 Series
375 33 013 	81.43271.0028 81.43271.0087	Denge Kolu Burcu	D=Ø65 d=Ø19 Ax=130	M90 SERIES
375 33 010 	81.43271.0082 81.43281.0027	Denge Kolu Burcu	D=Ø65 d=Ø21 Ax=125	F90 SERIES
375 33 051 	81.43220.6177 81.43220.6179 81.43220.6224	Denge Kolu Burcu	D=Ø67 d=Ø15 Ax=80	S 2000
375 00 020 	81.43635.0003	Denge Kolu Burcu	D=Ø73 d=Ø19 Ax=100	TGA TGS TGX

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	D=Ø75 d=Ø21 Ax=125	Denge Kolu Burcu	81.43271.0046 81.43271.0079 81.43271.0083	375 33 011 
S 2000	D=Ø67 h=83	Denge Kolu Burcu	81.43220.6177	375 33 050 
SL 200 SR 240 SG 220	D=Ø68 d=Ø42 h=68	Ön Takım Burcu	81.43271.0056 81.43271.0074	373 33 002 
SL 200 SL 240 SR 240	D=Ø75 d=Ø55 h=83	Ön Takım Burcu	81.43271.0033	374 33 001 
SG 220 S 2000	D=Ø68 d=Ø58 h=80	Ön Takım Burcu	81.44204.0020 81.44204.0021	373 33 011 
12.153 G 90	D=Ø37.5 d=Ø14 h=51	Denge Kolu Burcu	81.96020.0286	375 33 049 







Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
375 33 088 	85.43722.0007	Lastik Metal Burç	D=Ø42.5 d=Ø14 h=35	TGL TGM
375 33 001 	81.43271.0008 81.43271.0029	Denge Kolu Burcu	D=Ø45 d=Ø16 h=42	16.280 19.280 26.230
375 33 016 	81.43722.0022	Denge Kolu Burcu	D=Ø45 d=Ø16 h=47	19.372 19.422 22.360
375 33 090 	81.96210.0450	Denge Kolu Burcu	D=Ø47 d=16 h=47	22.360 24.242
374 33 003 	81.96210.0618	Denge Kolu Burcu	D=Ø48 d=Ø18 h=40	
375 33 047 	81.43722.0059	Denge Kolu Burcu	D=Ø50 d=Ø16 h=47	S 2000 Fortuna




Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
19.422	D=Ø64 d=Ø24 h=44	Denge Kolu Burcu	81.43722.0047	375 33 036 
19.422 24.462	D=Ø65 d=Ø22 h=62	Denge Kolu Burcu	81.43722.0021	375 33 015 
19.422 19.423 33.423	D=Ø67 d=Ø22 h=62	Denge Kolu Burcu	81.43722.0039	375 33 032 
19.422 19.423 33.423	D=Ø68 d=Ø22 h=62	Denge Kolu Burcu	81.43722.0063	375 33 044 
19.422 24.462 33.272	D=Ø75 d=Ø22 h=62	Denge Kolu Burcu	81.43722.0019 81.43722.6051	375 33 014 
	D=Ø78 d=Ø30 h=78	Ön Takım Burcu	082192400 36.96210.0007	372 97 002 







Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
400 33 017 	81.96210.0063	Şaft Askı Burcu	D=Ø34.5 d=Ø16 h=43	520 19.190 20.190
375 33 085 	81.43722.0085	Denge Kolu Burcu	D=Ø96 d=Ø24 L=95	TGA TGS TGX
374 33 002 	81.43704.0081 81.43704.0094	Denge Kolu Lastigi	D=Ø55 d=Ø35 h=51	
375 33 052 	81.43722.0053	Denge Kolu Lastigi	D=Ø56 d=Ø39 h=60	12.153
375 33 064 	81.43722.0052	Denge Kolu Lastigi	D=Ø56 d=Ø34 h=60	L 2000 M 2000
375 33 089 	85.43704.0005	Denge Kolu Lastigi	d=Ø26 h=66 L=46	

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
TGA TGS LION'S	D=Ø76 d=Ø52 h=50	Denge Kolu Burcu	81.43704.0077	375 33 053 
TGA TGM TGS	D=Ø76 d=Ø46 h=50	Denge Kolu Burcu	81.43704.0078	375 33 057 
TGA	D=Ø75 d=Ø42 h=51	Denge Kolu Burcu	81.43704.0079	375 33 059 
TGA TGS TGX	D=Ø88 d=Ø60 h=60	Denge Kolu Burcu	81.43722.0083	375 33 063 
19.464	D=Ø64 d=Ø45 h=51	Denge Kolu Burcu	81.43704.0074	375 33 038 
S 2000	D=Ø84 d=Ø50 h=72	Denge Kolu Burcu	81.43722.0068 81.43722.0069 81.43722.0080	375 33 039 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
375 33 030 	81.43722.0040 81.43722.0041 81.43722.0042	Denge Kolu Burcu	D=Ø82 d=Ø55 h=70	33.372 F 2000 F 90
375 33 017 	81.43704.0060	Denge Kolu Burcu	D=Ø77 d=Ø55 h=60	19.422
375 33 008 	81.43704.0061	Denge Kolu Burcu	D=Ø78 d=Ø60 h=60	19.422 19.463 F 9024.462
375 00 036 	81.43271.0081	Denge Kolu Burcu	D=Ø93 d=Ø56 h=70	
375 33 022 	81.96210.0479	Denge Kolu Burcu	D=Ø123 h=45	S 2000
375 33 023 	81.43704.0025	Denge Kolu Burcu	D=Ø80 d=Ø55 h=80	19.422

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
G 90 L 2000 M 2000	D=Ø71 d=Ø46 h=80	Denge Kolu Burcu	81.43704.0029	375 33 024 
LION LION'S STAR	D=Ø80 d=Ø55 h=80	Denge Kolu Burcu	81.43704.0026	375 33 025 
	Ø48 Ø18 40	Denge Kol Tamir Takımı	81.96210.0618 S	375 33 501 
	ID=Ø16 h=335 L=939	Denge Kolu	81.43715.0100 81.43715.6064	398 05 854 
	ID=Ø18 D=Ø36 L=112	Denge Kolu	81.43715.0162 81.43715.0165	398 13 233 
		Denge Kolu	81.43715.0102 81.43715.6024 81.43715.6066	398 33 002 







Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
375 33 093 	81.43718.0043	Denge Kepi	$\varnothing 15 \times 87$ 119x54 $\varnothing 70/48$	
375 33 094 	81.43718.0044	Denge Kepi	$\varnothing 15 \times 86,5$ 118,5x53 $\varnothing 69,5/68$	
375 00 026 	81.96210.0552 81.96210.0539 81.96210.0540	Poliüretan Takoz	$D1 = \varnothing 120$ $D2 = \varnothing 100$ $d = \varnothing 15$ $h = 85$ M 12x1.5	TGA TGS TGX
375 33 079 	85.96020.0004	Poliüretan Takoz	$D = \varnothing 53$ $d = \varnothing 22$ $h = 42$	TGA TGS TGX
375 33 082 	85.96210.0025	Poliüretan Takoz	$D = \varnothing 68$ $d = \varnothing 17$ $h = 72$	TGL
375 33 083 	85.96210.0008 85.96210.0009	Poliüretan Takoz	$D = \varnothing 98$ $d = \varnothing 30$ $h = 25$	L 2000

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
TGA TGS TGX	D=Ø52,5 d=Ø22 h=42	Poliüretan Takoz Tamir Takımı	85.96020.0004 S	375 33 084 
19.190	D=Ø42.5 d=Ø24 h=36	Amortisör Lastiği	81.43706.0008	400 33 019 
	D=Ø150 d=Ø121 h=100	Makas Takozu	81.96210.0507 81.96210.0508	372 33 043 
	D=Ø20 h=20	Lastik Takozu	81.96101.0739 81.96101.0690	399 33 024 
19.372 19.472 26.281	D=Ø96 d=Ø19 h=96	Destek Takozu	81.96020.6006 81.96020.0172 81.96020.0136 81.96020.0110	375 00 016 
19.422 33.372	D=Ø100 h=130	Makas Takozu	81.96020.6008 81.96020.0266 83.96020.0501 83.96020.6501	399 33 009 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
399 33 010 	81.43407.0109	Makas Dayama	A=110	19.422
	81.43407.0509	Takozu	B=84	26.281
	81.43407.5003		h=13	
	83.43407.0509			
400 33 005 	81.43400.6484	Makas Dayama	A=80	TGA
	83.96020.0506	Takozu	B=105 h=13	TGS TGX
399 33 017 	85.43407.0004	Makas Takozu	A=90 B=70 h=12	N SERIES
399 44 004 	85.43407.0003	Makas Takozu	A=90 B=70 h=18.5	
400 00 016 	81.41304.0008	Makas Burcu	D=Ø30	
	81.43420.0014		d=Ø25	
	81.41304.0043		L=77	
400 33 042 	81.43420.0000	Makas Burcu	D=Ø30 d=Ø25 L=87	

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	D=Ø36 d=Ø30 L=77	Makas Burcu	81.41304.0032 81.41304.0041	400 33 043 
	D=Ø36 d=Ø30 L=87	Makas Burcu	81.41304.0044	400 33 044 
	D=Ø36 d=Ø30 L=97	Makas Burcu	81.43420.0012 81.43420.0038 81.43420.0040	400 33 045 
	D=Ø42 d=Ø35 L=95	Makas Burcu	81.41304.0000 81.41304.0015	400 33 049 
	D=Ø46 d=Ø40 L=97	Makas Burcu	81.41304.0031 81.41304.0037	400 33 046 
	D=Ø48 d=Ø40 L=95	Makas Burcu	81.41304.0001	400 33 050 







Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
400 33 047 	81.41304.0020	Makas Burcu	D=Ø48 d=Ø42 L=95	
400 33 048 	81.41304.0029 81.41304.0035 81.41304.0050	Makas Burcu	D=Ø48 d=Ø44 L=95	
400 33 004 	81.96020.0231 81.96020.0250 81.96020.0252	Makas Burcu	D=Ø50 d=Ø16 L=95	M 2000 G 90
400 33 007 	81.43722.0051 81.43722.0078 81.43722.0079	Makas Burcu	D=Ø57 d=Ø20 L=84	12.153
400 33 025 	81.43722.0091	Makas Burcu	D=Ø62 d=Ø24 L=95	TGA TGS TGX
400 33 026 	81.43722.0087	Makas Burcu	D=Ø65 d=Ø24 L=100	TGA TGS TGX

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
TGA 410 TGA 460	D=Ø65 d=Ø24 L=95	Makas Burcu	81.43722.0070 81.96210.0616	400 33 008 
E 50 T 01 T 32	D=Ø70 d=Ø24 L=105	Makas Burcu	81.43722.0045 81.43722.0062	400 33 015 
S 2000	D=Ø70 d=Ø24 L=95	Makas Burcu	83.43722.0001 81.43722.0044 81.43722.0061	400 33 014 
	D=Ø25 L=130	Makas Pimi	81.41306.0070 81.41306.0087 81.41306.0090	400 33 028 
	D=Ø25 L=143	Makas Pimi	81.41306.0058 81.41306.0072 81.41306.0081	400 33 029 
	D=Ø25 L=143	Makas Pimi	81.41306.0055 81.41306.0067 81.41306.0071 81.41306.0080 81.41306.0084	400 33 030 


Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
400 33 039	81.41303.0082	Makas Pimi	D=Ø30 L=126	
				
400 33 031	81.41306.0095	Makas Pimi	D=Ø30 L=142	
				
400 33 032	81.41306.0088	Makas Pimi	D=Ø30 L=143	
				
400 33 033	81.41306.0089	Makas Pimi	D=Ø30 L=145	
				
400 33 034	81.41306.0092 81.91001.0453	Makas Pimi	D=Ø30 L=160	
				
400 33 035	81.41306.0001 81.41306.0074 81.41306.0075 81.41306.0085	Makas Pimi	D=Ø30 L=162	
				




Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	D=Ø30 L=162	Makas Pimi	81.41306.0096	400 33 037 
	D=Ø30 L=164	Makas Pimi	81.41306.0097	400 33 036 
	D=Ø40 L=161	Makas Pimi	81.91020.0255 81.91020.0327	400 33 038 
TGA TGX TGS	10 176 152,5	Makas Dayama Takoðu	81.41401.0055	400 33 009 
		Makas Üst Kulađı (Kalın Tırnak)	81.41320.0092	402 33 001 
		Makas Üst Kulađı (İnce Tırnak)	81.41320.0089	402 33 024 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
402 33 002 	81.43240.0099 83.43240.0500	Makas Alt Kulađı		
402 33 003 	81.41320.0065 83.41320.0500 83.41320.0502	Makas Üst Kulađı		
399 33 014 	81.96210.0554 81.96210.0547	Makas Takozu (Sađ)	h=133	TGA
399 33 019 	81.96210.0555 81.96210.0548	Makas Takozu (Sol)	h=133	TGA
400 33 012 	81.96210.0554 S 06.01494.4935 06.01494.4933	Makas Tamir Takımı (Sađ)	L1=260 L2=240 h=133 M 20x2	TGA
400 33 020 	81.96210.0555 S 06.01494.4935 06.01494.4933	Makas Tamir Takımı (Sol)	L1=260 L2=240 h=133 M 20x2	TGA







Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	L=260 M 20x2	Makas Baęlantı Civatası	06.01494.4935	400 33 010
				
	L=240 M 20x2	Makas Baęlantı Civatası	06.01494.4933	400 33 011
				
	L=135 M 24x2	Makas Baęlantı Civatası	06.02839.0025	402 33 057
				
	d=Ø24 L1=185 L2=158 T=14 Ax=115	Makas Baęlantı Kulaęı	81.41303.0080	402 33 055
				
	L1=194 L2=74 T=25.5 Ax=116 M 24x2	Makas Baęlantı Kulaęı	81.41303.0079	402 33 056
				
		Makas Baęlantı Kulaęı Takım	81.41303.0079 S	402 33 058
				







Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
402 33 059 	81.41303.0079 S1	Makas Baęlantı Kulaęı Takım		
375 33 061 	81.96210.0603	Kep Kaldırma Silindir Burcu	D=Ø88 d=Ø60 h=60	
469 33 019 	81.96101.0638	Şoför Mahalli Ayar Plastięi	D=Ø70 d=Ø32 h=4	19.372 19.422
469 33 018 	81.90712.0844 81.90713.0909	Şoför Mahalli Ayar Plastięi	D=Ø65 d=Ø33 h=6	19.372 19.422
469 33 012 	81.96210.0400	Şoför Mahalli Takoðu	D=Ø50 d=Ø16 h=29	19.372 19.422 24.242
469 33 020 	81.96210.0437 81.96210.0424	Şoför Mahalli Takoðu Ön	D=Ø70.5 d=Ø16 h=68	19.422 19.293 19.403

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	D=Ø119 d=Ø25 h=41 L=135 Ax=107	Şoför Mahalli Takoza Ön	81.96210.0393 83.96210.0512	469 33 007 
12.153	22 95	Şoför Mahalli Takoza	85.96210.0007 85.96210.0012	469 33 029 
520 19.190 20.190	D=Ø100 h=56 M 16x1.5	Şoför Mahalli Takoza (Arka)	81.96210.0001 81.96210.0002	469 33 001 
26.281	D=Ø130 h=92 M 16x1.5	Şoför Mahalli Takoza	81.96210.0339 83.96210.0500	469 33 005 
19.372 19.422	D=Ø60 d=Ø15 h=18	Şoför Mahalli Takoza	81.96210.0407 81.96210.0362	469 33 013 
	Ø30 Ø47 18	Kabin Tamir Takımı	06.36950.0210	469 33 054 


Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
375 33 072 	81.96210.0536	Poliüretan	D=Ø50	30.364
		Takoz	h=36	32.310
			M10x1.5	33.464
375 33 091 	81.96210.0515	Poliüretan	D=Ø50	33.373
	81.96210.0482	Takoz	h=37 M10x1.5	
375 33 071 	81.41723.0067	Burç	D=Ø43 d=Ø25.5 h=25	TGA
375 33 041 	85.90710.0014	Dayama Pulu	D=Ø75 d=Ø42 h=51	TGS TGA TGX
469 33 022 	81.96210.0462	Kabin Kilit	D=Ø34	19.372
	81.96210.0369	Takozu	d=Ø14 h=42	19.422 26.230
469 33 044 	81.61851.6023	Kabin Kilit Takozu	D=Ø34 d=Ø16 h=30	

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
	D=Ø57 d=Ø35 h1=22 h2=25	Kabin Rulmanı	81.93430.0016	469 33 201 
	D=Ø47 d=Ø30 h1=18 h2=22	Kabin Rulmanı	81.93430.0008 81.93430.0009 81.93430.0010 06.36950.0510	702 01 010 
12.153	D=Ø53 d=Ø16 h=58	Kabin Takozu	85.96210.0021	469 33 031 
12.153	D=Ø60 d=Ø16 h=80	Kabin Takozu	85.96210.0019	469 33 030 
TGA TGS TGX	D=Ø63.5 D2=Ø60 d=Ø16.5 h=80	Kabin Tamir Takımı	85.96210.0019 S	469 33 064 
TGA 33.362 TGA 33.423 TGA 33.460	D=Ø60 d=Ø16.5 h=80	Kabin Tamir Takımı	81.41715.6014	469 33 039 

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
469 33 087 	81.96210.0407 S	Kabin Tamir Takımı	D=Ø70.5 d=Ø16.5 h=68	
469 33 088 	81.96210.6095	Kabin Tamir Takımı	D=Ø47 d=Ø30 h=18	
469 33 503 	81.41700.6096	Kabin Tamir Takımı	D=Ø57 d=Ø35 h1=22 h2=25	
469 33 032 	81.96210.0437S	Kabin Tamir Takımı	D=Ø70.5 d=Ø16.5 h=68	F 2000 19.273 F 2000 19.293 F 2000 19.314
469 33 035 	81.96210.0400 S1	Kabin Tamir Takımı	D=Ø50 d=Ø16 h=29	F 2000 19.273 F 2000 19.293 F 2000 19.314
469 33 034 	81.96210.0400 S	Kabin Tamir Takımı	D=Ø64 d=Ø16 h=29	F 2000 19.273 F 2000 19.293 F 2000 19.314

Application	Dimension	Description	OEM Nr.	Truckexpert Nr.
TGA TGS TGX	D=Ø60 d=Ø16.5 h=80	Kabin Tamir Takımı	81.41715.6013	469 33 037 
	Ø60 4	Termostad Lastigi	06.56341.2122 51.06901.0109 51.96501.0035 64.96501.0040 85.50001.0230	144 33 001 
26.281 26.230 26.231	A=81 B=62 h=12	Debriyaj Pedal Lastigi	81.30511.0000	208 33 011 
	A=70 B=75 h=11	Pedal Lastiđi	81.48227.0006	469 33 086 
26.240 26.280 26.281	L=125	Akü Kapađı Mandalı	81.97101.0000	463 33 001 
	L=125	Geniř Depo Lastiđi	81.41820.0096	465 00 021 

MAN

Truckexpert Nr.	OEM Nr.	Description	Dimension	Application
463 33 002	81.66410.0226	Çamurluk Lastiđi		TGA 18.410 TGA 18.460
				
375 33 058	81.66440.0192	Çamurluk Lastiđi		TGA TGS TGX
