


accessories for 3KD size 1/2, 3KF size 1, 3KC0 size 1/2, auxiliary switch 1
changeover contact with connecting cable 500 mm



Model	
product brand name	SETRON
product designation	Accessories for switch disconnectors
design of the product	Auxiliary switch
Auxiliary circuit	
number of CO contacts of auxiliary contacts instantaneous contact	1
number of NC contacts for auxiliary contacts instantaneous contact	0
number of NO contacts for auxiliary contacts instantaneous contact	0
operational current of auxiliary contacts	
• at AC-12 at 230 V	5 A
• at AC-15 at 230 V	2 A
• at DC-13 at 230 V	0.2 A
Suitability	
suitability for use	For 3KD sizes 1 and 2
Product details	
product description	1 CO
Connections	
type of electrical connection	with soldered-on cable (finely stranded) 0.75mm ² (AWG18), 50cm long
• for auxiliary and control circuit	Soldering tag connection
Mechanical Design	
fastening method	Can be plugged in and integrated
Net Weight	104 g
Approvals Certificates	
General Product Approval	



[Confirmation](#)



General Product Approval	Test Certificates	Maritime application	other
--------------------------	-------------------	----------------------	-------

[Miscellaneous](#)



[Type Test Certificates/Test Report](#)



[Confirmation](#)

other	Environment	
Miscellaneous	Environmental Confirmations	Environmental Confirmations

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3KD9103-1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3KD9103-1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KD9103-1

CAX-Online-Generator


<https://www.siemens.com/cax>


Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>





-CR

