

Angiographic catheter



An angiographic or diagnostic catheter is intended for use in angiographic procedures.¹ It delivers radiopaque media and therapeutic agents to selected sites in the vascular system.¹ It is also used to lead a guidewire or a catheter into the target site.¹

Radifocus™ Optitorque™, a complete line of coronary diagnostic catheters with optimum torque control and precise placement for smooth angiographic procedures.

Product Characteristics

- High-torque design, precised manipulation¹
- The Tiger and BLK curves enable angiography of right and left coronary arteries using either radial or brachial approach - The single concept decreases procedure and fluoroscopy time²

¹ Terumo data on file. Reference RF55GB-0805MD-I5(0805)E. Measurement of distal rotation angle relative to the proximal rotation angle – comparison single mesh catheters vs Radifocus Optitorque.

² Kim S-M et al. Int J Cardiovasc Imaging 2006;22:295-303.

General specifications

Guidewire Compatibility - Diameter	0.038 in / 0.97 mm
	0.039 in / 0.97 mm
	0.040 in / 0.97 mm

Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
4 Fr 1.4 mm	20 cm	0.041 in 1.03 mm	 Mini Cath-Standard	750 psi	0	RH-BH94102M
4 Fr 1.4 mm	65 cm	0.041 in 1.03 mm	 J-Curve Large	750 psi	0	RH*AD4410GM
4 Fr 1.4 mm	65 cm	0.041 in 1.03 mm	 Straight (without soft tip)	750 psi	6	RH-4ST016GM
4 Fr 1.4 mm	65 cm	0.041 in 1.03 mm	 Shepherd Hook 1.0 cm	750 psi	0	RH-AC4410GM
4 Fr 1.4 mm	65 cm	0.041 in 1.03 mm	 Cobra 2 Middle	750 psi	0	RH*AB5410GM
4 Fr 1.4 mm	65 cm	0.041 in 1.03 mm	 Cobra 2 Middle	750 psi	0	RH-AB5410GM
4 Fr 1.4 mm	65 cm	0.041 in 1.03 mm	 Sidewinder 1	750 psi	0	RH-AE4410GM
4 Fr 1.4 mm	65 cm	0.041 in 1.03 mm	 J Curve Large	750 psi	0	RH-AD4410GM

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order

Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
4 Fr 1.4 mm	65 cm	0.041 in 1.03 mm	 J Curve Small	750 psi	0	RH-AD6410GM
4 Fr 1.4 mm	65 cm	0.041 in 1.03 mm	 Cobra 1 Small	750 psi	0	RH*AB4410GM
4 Fr 1.4 mm	65 cm	0.041 in 1.03 mm	 Cobra 1 Small	750 psi	0	RH-AB4410GM
4 Fr 1.4 mm	65 cm	0.041 in 1.03 mm	 J-Curve Small	750 psi	0	RH*AD6410GM
4 Fr 1.4 mm	65 cm	0.041 in 1.03 mm	 Straight Pigtail	750 psi	6	RH-4SP006GM
4 Fr 1.4 mm	65 cm	0.041 in 1.03 mm	 J Curve Middle	750 psi	0	RH-AD5410GM
4 Fr 1.4 mm	80 cm	0.041 in 1.03 mm	 Cobra 2 Middle	750 psi	0	RH-AB54108M
4 Fr 1.4 mm	80 cm	0.041 in 1.03 mm	 Cobra 2 Middle	750 psi	0	RH*AB54108M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order



Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
4 Fr 1.4 mm	80 cm	0.041 in 1.03 mm	 Sidewinder 1	750 psi	0	RH-AE44108M
4 Fr 1.4 mm	80 cm	0.041 in 1.03 mm	 Cobra 3 Large	750 psi	0	RH-AB64108M
4 Fr 1.4 mm	80 cm	0.041 in 1.03 mm	 Cobra 1 Small	750 psi	0	RH-AB44108M
4 Fr 1.4 mm	80 cm	0.041 in 1.03 mm	 Cobra 1 Small	750 psi	0	RH*AB44108M
4 Fr 1.4 mm	80 cm	0.041 in 1.03 mm	 Straight Pigtail	750 psi	6	RH-4SP0068M
4 Fr 1.4 mm	90 cm	0.041 in 1.03 mm	 Straight (without soft tip)	750 psi	0	RH-4ST0109M
4 Fr 1.4 mm	90 cm	0.041 in 1.03 mm	 Straight Pigtail	750 psi	6	RH-4SP0069M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	-	750 psi	0	RH-BB24110M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Bentson Hanafee Wilson 2	750 psi	0	RH*BE24110M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order





Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Vertebral	750 psi	0	RH*BH14110M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Vertebral	750 psi	0	RH-BH14110M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Bentson Hanafee Wilson 1	750 psi	0	RH*BE14110M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Bentson-Hanafee- Wilson 1	750 psi	0	RH-BE14110M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Sidewinder 3	750 psi	0	RH-BA34110M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 MANI	750 psi	0	RH-BG14110M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Judkins Left 3.5	750 psi	0	RH*4JL3500M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Judkins Left 3.5	750 psi	0	RH-4CL3500M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order



Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Judkins Left 4.0	750 psi	0	RH*4JL4000M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Judkins Left 4	750 psi	0	RH-4CL4000M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Judkins Left 5	750 psi	0	RH-4CL5000M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Multipurpose 2.5	750 psi	2	RH*4MP2520M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Multipurpose 2.5	750 psi	2	RH-4MP2520M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Multipurpose 3.0	750 psi	2	RH-4MP3020M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Multipurpose 3.0	750 psi	2	RH*4MP3020M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Multipurpose 3.5	750 psi	2	RH-4MP3520M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order


Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Multipurpose 4,0	750 psi	2	RH-4MP4020M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Multipurpose 4,0	750 psi	2	RH*4MP4020M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Newton technique 1	750 psi	0	RH-BC14110M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Internal Mammary	750 psi	0	RH-4BPIN00M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Internal Mammary	750 psi	0	RH*4BPIN00M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Sidewinder 1	750 psi	0	RH*BA14110M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Sidewinder 1	750 psi	0	RH-BA14110M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Amplatz Left Middle	750 psi	0	RH-4AL2000M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order

Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Amplatz Left Large	750 psi	0	RH-4AL3000M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Amplatz Left Small	750 psi	0	RH-4AL1000M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Amplatz Left Small	750 psi	0	RH*4AL1000M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Amplatz Right Middle	750 psi	0	RH-4AR2000M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Amplatz Right Small	750 psi	0	RH-4AR1000M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Bentson-Hanafee- Wilson 2	750 psi	0	RH-BE24110M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Judkins Right 3.5	750 psi	0	RH-4CR3500M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Judkins Right 3.5	750 psi	0	RH*4JR3500M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order

Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Judkins Right 3,5	750 psi	0	RH*4CR3500M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Judkins Right 4	750 psi	0	RH*4CR4000M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Judkins Right 4	750 psi	0	RH-4CR4000M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Judkins Right 4	750 psi	0	RH*4JR4000M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Judkins Right 5	750 psi	0	RH-4CR5000M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Jacky Radial	750 psi	2	RH*4BL3520M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Sidewinder 2	750 psi	0	RH-BA24110M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Sidewinder 2	750 psi	0	RH*BA24110M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order



Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Headhunter 1	750 psi	0	RH*BB14110M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Headhunter 1	750 psi	0	RH-BB14110M
4 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Internal Mammary type JP	750 psi	0	RH-4BPJP00M
4 Fr 1.4 mm	110 cm	0.041 in 1.03 mm	-	750 psi	0	RH-ABP4111M
4 Fr 1.4 mm	110 cm	0.041 in 1.03 mm	 Sarah Radial	750 psi	2	RH*4BL4021M
4 Fr 1.4 mm	110 cm	0.041 in 1.03 mm	 Multipurpose 3.5	750 psi	2	RH-4MP3521M
4 Fr 1.4 mm	110 cm	0.041 in 1.03 mm	 Straight (without soft tip)	750 psi	6	RH-4ST0161M
4 Fr 1.4 mm	110 cm	0.041 in 1.03 mm	 Straight Pigtail	750 psi	6	RH-4SP0061M
4 Fr 1.4 mm	110 cm	0.041 in 1.03 mm	 Straight Pigtail	750 psi	6	RH*4SP0061M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order



Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
4 Fr 1.4 mm	110 cm	0.041 in 1.03 mm	 Jacky Radial	750 psi	2	RH*4BL3521M
4 Fr 1.4 mm	110 cm	0.041 in 1.03 mm	 Angled Pigtail 145°	750 psi	6	RH-4AP4561M
4 Fr 1.4 mm	110 cm	0.041 in 1.03 mm	 Angled Pigtail 145°	750 psi	6	RH*4AP4561M
4 Fr 1.4 mm	110 cm	0.041 in 1.03 mm	 Angled Pigtail 155°	750 psi	6	RH-4AP5561M
4 Fr 1.4 mm	110 cm	0.041 in 1.03 mm	 Angled Pigtail Round Type 155°	750 psi	4	RH*4APR241M
4 Fr 1.4 mm	120 cm	0.041 in 1.03 mm	 Sarah Radial	750 psi	2	RH*4BL4022M
5 Fr 1.4 mm	120 cm	0.041 in 1.03 mm	 Jacky Radial	750 psi	2	RH*4BL3522M
5 Fr 1.7 mm	65 cm	0.047 in 1.2 mm	 Shepherd Hook 0.8 cm	1000 psi	0	RH-AC3510GM

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order

Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	65 cm	0,047 in 1.2 mm	 Shepherd Hook 1.0 cm	1000 psi	0	RH-AC4510GM
5 Fr 1.7 mm	65 cm	0,047 in 1.2 mm	 Cobra 2 Middle	1000 psi	0	RH*AB5510GM
5 Fr 1.7 mm	65 cm	0,047 in 1.2 mm	 Cobra 2 Middle	1000 psi	0	RH-AB5510GM
5 Fr 1.7 mm	65 cm	0,047 in 1.2 mm	 Sidewinder 1	1000 psi	0	RH-AE4510GM
5 Fr 1.7 mm	65 cm	0,047 in 1.2 mm	 J Curve Small	1000 psi	0	RH-AD6510GM
5 Fr 1.7 mm	65 cm	0,047 in 1.2 mm	 Cobra 1 Small	1000 psi	0	RH*AB4510GM
5 Fr 1.7 mm	65 cm	0,047 in 1.2 mm	 Cobra 1 Small	1000 psi	0	RH-AB4510GM
5 Fr 1.7 mm	65 cm	0,047 in 1.2 mm	 Straight Pigtail	1000 psi	6	RH-5SP006GM

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order



Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	65 cm	0,047 in 1.2 mm	 J Curve Middle	1000 psi	0	RH-AD5510GM
5 Fr 1.7 mm	65 cm	0,047 in 1.2 mm	 Sidewinder (type S-J)	1000 psi	0	RH-AED510GM
5 Fr 1.7 mm	80 cm	0,047 in 1.2 mm	 UFE Type 1 (19 cm)	1000 psi	0	RH-AUB5108M
5 Fr 1.7 mm	80 cm	0,047 in 1.2 mm	 Judkins Left 2.5	1000 psi	0	RH-5CL2508M
5 Fr 1.7 mm	80 cm	0,047 in 1.2 mm	 Cobra 2 Middle	1000 psi	0	RH-AB55108M
5 Fr 1.7 mm	80 cm	0,047 in 1.2 mm	 Cobra 2 Middle	1000 psi	0	RH*AB55108M
5 Fr 1.7 mm	80 cm	0,047 in 1.2 mm	 Sidewinder 1	1000 psi	0	RH-AE55108M
5 Fr 1.7 mm	80 cm	0,047 in 1.2 mm	 Cobra 3 Large	1000 psi	0	RH*AB65108M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order


Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	80 cm	0.047 in 1.2 mm	 Cobra 3 Large	1000 psi	0	RH-AB65108M
5 Fr 1.7 mm	80 cm	0.047 in 1.2 mm	 Cobra 1 Small	1000 psi	0	RH-AB45108M
5 Fr 1.7 mm	80 cm	0.047 in 1.2 mm	 Cobra 1 Small	1000 psi	0	RH*AB45108M
5 Fr 1.7 mm	80 cm	0.047 in 1.2 mm	 Judkins Right 3.5	1000 psi	2	RH-5CR3528M
5 Fr 1.7 mm	90 cm	0.047 in 1.2 mm	 BPH 19 cm	1000 psi	0	RH-APC5109M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	-	1000 psi	0	RH-5TR4500M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	-	1000 psi	0	RH-AF15110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	-	1000 psi	1	RH*5TIG210M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	-	1000 psi	1	RH*6TIG210M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Bentson Hanafee Wilson 2	1000 psi	0	RH*BE25110M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order


Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Radial TIG	1000 psi	1	RH-5TIG110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Radial TIG	1000 psi	1	RH*5TIG110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Vertebral	1000 psi	0	RH-BH15110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Vertebral	1000 psi	0	RH*BH15110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Bentson Hanafee Wilson 1	1000 psi	0	RH*BE15110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Sidewinder 3	1000 psi	0	RH-BA35110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Sidewinder 3	1000 psi	0	RH*BA35110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Radial BLK	1000 psi	1	RH*5BLK410M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order



Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Radial BLK	1000 psi	1	RH-5BLK410M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 MANI	1000 psi	0	RH-BG15110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Sarah Radial	1000 psi	2	RH*5BL4020M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Amplatz Right AR-JP	1000 psi	0	RH-5ARJP00M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Left 3.5	1000 psi	0	RH-5CL3500M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Left 3.5	1000 psi	0	RH*5CL3500M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Left 3.5	1000 psi	0	RH*5JL3500M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Left 4.5	1000 psi	0	RH-5CL4500M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order





Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Left 4	1000 psi	0	RH*5JL4000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Left 4	1000 psi	0	RH*5CL4000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Left 4	1000 psi	0	RH-5CL4000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Left 5	1000 psi	0	RH-5CL5000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Left 5	1000 psi	0	RH*5JL5000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Left 5	1000 psi	0	RH-5CL5001M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Left 6	1000 psi	0	RH*5CL6000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Left 6	1000 psi	0	RH-5CL6000M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order





Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Multipurpose 2.5	1000 psi	2	RH-5MP2520M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Multipurpose 2.5	1000 psi	2	RH*5MP2520M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Multipurpose 3.0	1000 psi	2	RH*5MP3020M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Multipurpose 3.5	1000 psi	0	RH-5MP3500M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Multipurpose 3.5	1000 psi	2	RH*5MP3520M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Multipurpose 4.0	1000 psi	2	RH-5MP4020M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Multipurpose 4.0	1000 psi	2	RH*5MP4020M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Internal Mammary	1000 psi	0	RH*5BPIN00M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order

Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Internal Mammary	1000 psi	0	RH-5BPIN00M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Internal Mammary	1000 psi	0	RH*5BPIR00M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Radial TIG II 4.0	1000 psi	0	RH*5TR4000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Radial TIG II 4.0	1000 psi	0	RH-5TR4000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Radial TIG II 4.0	1000 psi	1	RH*5TR4010M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Radial TIG II 4.0	1000 psi	1	RH-5TR4010M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Sidewinder 1	1000 psi	0	RH*BA15110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Amplatz Left Middle	1000 psi	0	RH*5AL2000M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order


Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Amplatz Left Middle	1000 psi	0	RH-5AL2000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Amplatz Left Large	1000 psi	0	RH-5AL3000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Amplatz Left Large	1000 psi	0	RH*5AL3000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Amplatz Left Small	1000 psi	0	RH-5AL1000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Amplatz Left Small	1000 psi	0	RH*5AL1000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Amplatz Right Large	1000 psi	0	RH-5AR3000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Amplatz Right Large	1000 psi	0	RH*5AR3000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Amplatz Right Middle	1000 psi	0	RH-5AR2000M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order

Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Amplatz Right Small	1000 psi	0	RH*5AR1000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Amplatz Right Small	1000 psi	0	RH-5AR1000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Backup Left 3.5	1000 psi	0	RH-5BU3500M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Bypass Judkins Left	1000 psi	0	RH*5BPJL00M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Bypass Judkins Left	1000 psi	0	RH-5BPJL00M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Bypass Judkins Right	1000 psi	0	RH-5BPJR00M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Bentson-Hanafee- Wilson 2	1000 psi	0	RH-BE15110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Bentson-Hanafee- Wilson 2	1000 psi	0	RH-BE25110M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order



Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Radial TIG II 5.0	1000 psi	0	RH-5TR5000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Jacky Radial 3.5	1000 psi	2	RH*5BL3520M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Right 3.5	1000 psi	0	RH*5JR3500M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Right 3.5	1000 psi	0	RH-5CR3500M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Right 3.5	1000 psi	0	RH*5CR3500M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Right 4.5	1000 psi	0	RH-5CR4500M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Right 4	1000 psi	0	RH*5CR4000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Right 4	1000 psi	0	RH-5CR4000M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order


Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Judkins Right 5	1000 psi	0	RH-5CR5000M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Radial TIG II 3.5	1000 psi	1	RH-5TR3510M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Radial TIG II 3.5	1000 psi	1	RH*5TR3510M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Sidewinder 2	1000 psi	0	RH-BA25110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Sidewinder 2	1000 psi	0	RH*BA25110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Vertebral (Soft Tip)	1000 psi	0	RH-BHB5110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Headhunter 1	1000 psi	0	RH-BB15110M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Headhunter 1	1000 psi	0	RH*BB15110M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order




Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Internal Mammary (Round tip)	1000 psi	0	RH-5BPIM00M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Internal Mammary (Short tip)	1000 psi	0	RH-5BPIR00M
5 Fr 1.7 mm	100 cm	0.047 in 1.2 mm	 Internal Mammary Type JP	1000 psi	0	RH-5BPJP00M
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	-	1000 psi	0	RH-ABP5111M
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Radial TIG	1000 psi	1	RH-5TIG111M
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Radial BLK	1000 psi	1	RH-5BLK411M
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Sarah Radial	1000 psi	2	RH*5BL4021M
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Judkins Left 4	1000 psi	0	RH-5CL4001M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order


Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Judkins Left 6	1000 psi	0	RH-5CL6001M
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Multipurpose 4.0	1000 psi	0	RH-5MP4001M
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Radial TIG II 4.0	1000 psi	0	RH-5TR4001M
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Radial TIG II 5.0	1000 psi	0	RH-5TR5001M
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Judkins Right 3.5	1000 psi	2	RH-5CR3521M
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Judkins Right 4	1000 psi	0	RH-5CR4001M
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Straight Pigtail	1000 psi	6	RH-5SP0061M
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Jacky Radial	1000 psi	2	RH*5BL3521M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order




Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Angled Pigtail 145°	1000 psi	6	RH*5AP4561M
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Angled Pigtail 155°	1000 psi	4	RH*5APR241M
5 Fr 1.7 mm	110 cm	0.047 in 1.2 mm	 Angled Pigtail 155°	1000 psi	6	RH*5AP5561M
5 Fr 1.7 mm	120 cm	0.047 in 1.2 mm	 Sarah Radial	1000 psi	2	RH*5BL4022M
5 Fr 1.7 mm	120 cm	0.047 in 1.2 mm	 Straight Pigtail	1000 psi	6	RH*5SP0062M
5 Fr 1.7 mm	120 cm	0.047 in 1.2 mm	 Jacky Radial	1000 psi	2	RH*5BL3522M
5 Fr 1.7 mm	125 cm	0.047 in 1.2 mm	 Vertebral	1000 psi	0	RH*BH1511CM
5 Fr 1.7 mm	125 cm	0.047 in 1.2 mm	 Sidewinder 2	1000 psi	0	RH*BA2511CM

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order



Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
6 Fr 1.4 mm	100 cm	0.041 in 1.03 mm	 Sarah Radial	750 psi	2	RH*4BL4020M
6 Fr 2 mm	80 cm	0.051 in 1.3 mm	 Judkins Left 2.5	1000 psi	0	RH-6CL2508M
6 Fr 2 mm	80 cm	0.051 in 1.3 mm	 Judkins Right 2.5	1000 psi	0	RH-6CR2508M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Radial TIG 4.0	1000 psi	0	RH*6TR4000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Radial TIG	1000 psi	1	RH-6TIG110M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Sarah Radial	1000 psi	2	RH*6BL4020M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Left 2.5	1000 psi	0	RH-6CL2500M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Left 3.5	1000 psi	0	RH*6CL3500M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order





Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Left 3.5	1000 psi	0	RH*6JL3500M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Left 3.5	1000 psi	0	RH-6CL3500M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Left 4.5	1000 psi	0	RH-6CL4500M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Left 4	1000 psi	0	RH*6CL4000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Left 4	1000 psi	0	RH*6JL4000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Left 4	1000 psi	0	RH-6CL4000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Left 4	1000 psi	0	RH*6CR3500M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Left 4	1000 psi	2	RH-6CL4020M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order


Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Left 5	1000 psi	0	RH-6CL5000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Left 5	1000 psi	0	RH*6CL5000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Left 6	1000 psi	0	RH*6CL6000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Left 6	1000 psi	0	RH-6CL6000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Multipurpose 3.0	1000 psi	2	RH*6MP3020M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Multipurpose 3.5	1000 psi	0	RH-6MP3500M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Multipurpose 3.5	1000 psi	2	RH*6MP3520M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Multipurpose 4.0	1000 psi	2	RH-6MP4020M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order



Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Internal Mammary	1000 psi	0	RH-6BPIN00M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Internal Mammary	1000 psi	0	RH*6BPIN00M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Radial TIG II 4.0	1000 psi	0	RH-6TR4000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Amplatz Left Middle	1000 psi	0	RH-6AL2000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Amplatz Left Large	1000 psi	0	RH*6AL3000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Amplatz Left Large	1000 psi	0	RH-6AL3000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Amplatz Left Small	1000 psi	0	RH-6AL1000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Amplatz Right Large	1000 psi	0	RH-6AR3000M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order

Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Amplatz Right Middle	1000 psi	0	RH-6AR2000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Amplatz Right Small	1000 psi	0	RH-6AR1000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Bypass Judkins Left	1000 psi	0	RH*6BPJL00M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Bypass Judkins Left	1000 psi	0	RH-6BPJL00M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Bypass Judkins Right	1000 psi	0	RH-6BPJR00M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Radial TIG II 5.0	1000 psi	0	RH-6TR5000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Right 2.5	1000 psi	0	RH-6CR2500M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Right 3.5	1000 psi	0	RH-6CR3500M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order


Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Right 3,5	1000 psi	1	RH*6JR3500M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Right 4,5	1000 psi	0	RH-6CR4500M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Right 4	1000 psi	0	RH*6JR4000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Right 4	1000 psi	0	RH-6JR4000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Right 4	1000 psi	0	RH*6CR4000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Right 4	1000 psi	0	RH-6CR4000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Right 4	1000 psi	2	RH-6CR4020M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Right 5	1000 psi	0	RH*6CR5000M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order



Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Right 5	1000 psi	0	RH-6CR5000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Right 5	1000 psi	1	RH*6JR5000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Judkins Right 6	1000 psi	0	RH-6CR6000M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Radial TIG II 3.5	1000 psi	0	RH-6TR3500M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Jacky Radial	1000 psi	2	RH*6BL3520M
6 Fr 2 mm	100 cm	0.051 in 1.3 mm	 Internal Mammary (Short tip)	1000 psi	0	RH-6BPIR00M
6 Fr 2 mm	110 cm	0.051 in 1.3 mm	 Straight Pigtail	1000 psi	6	RH-6SP0061M
6 Fr 2 mm	110 cm	0.051 in 1.3 mm	 Straight Pigtail	1000 psi	6	RH*6SP0061M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order

Item specifications

Outer Diameter	Length	Inner Diameter	Shape	Pressure Limit	Side Holes	Code
6 Fr 2 mm	110 cm	0.051 in 1.3 mm	 Angled Pigtail 145°	1000 psi	6	RH-6AP4561M
6 Fr 2 mm	110 cm	0.051 in 1.3 mm	 Angled Pigtail 145°	1000 psi	6	RH*6AP4561M
6 Fr 2 mm	110 cm	0.051 in 1.3 mm	 Angled Pigtail 155°	1000 psi	6	RH-6AP5561M
6 Fr 2 mm	110 cm	0.051 in 1.3 mm	 Angled Pigtail 155°	1000 psi	6	RH*6AP5561M

Unit per box: 5 pcs.

Please quote above item reference codes when placing an order