

## Specificații tehnice

[Acest tabel va fi completat de către ofertant în coloanele 2, 3, 4, 6, 7, iar de către autoritatea contractantă – în coloanele 1, 5,]

Numărul procedurii de achiziție _____ din _____
Obiectul achiziției: _____

Denumirea bunurilor/serviciilor	Denumirea modelului bunului/serviciului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
1	2	3	4	5	6	7
Servicii de închiriere						
<b><u>Lotul 1: LOT 1. Servicii de închiriere, montare și demontare a echipamentului scenotehnic (Eu4Culture)</u></b>						
<b>Echipament Scenotehnic Scenă 12m x 10m Dimensiuni: 12m×10m, înălțimea 9m, podium inclus Producător: Olanda (Eurotruss)</b>	Eurotruss	Olanda	Eurotruss	Scena cu acoperis 10m x 12m h 8m Podium 10m x 12m h 1,6m Extensii pentru portalurile audio, 3-5m x 2m h 8m - 2 bucati	Acoperiș de scena Olanda cu dimensiunile de 12 m lățime, 10 m adâncime, 9m înălțime. Extensii pe laterale de 5 m pentru sistemul de sunet line array și ecran LED. Deschidere totală a scenei fiind de 26 m. Scena este dotată cu troliuri motorizate pereți scenă din mesh ce formează cabinetul negru pentru un efect mai bun a luminilor artistice și a ecranului LED. Podium cu o dimensiune de 120 mp cu scări. Grinzi de aluminium Littec	
LED Screen	RO6 Outdoor	China	Lightking Group Co	10x5 2 bucăți	10x5 - 2 bucăți Ecran LED de 24 mp pe spatele scenei 2 Ecrane LED de 12 mp pentru extensii 3 procesoare video, si toate sistemele de comunicare LED DISPLAY 640 mm x 640 mm / cabinet - SMD2727 (WHITE)	

					<ul style="list-style-type: none"> <li>- 750 W/m2</li> <li>- 250 W/m2</li> <li>- Lux 16.7 mln.</li> <li>- 1920 Hz</li> </ul> Mediaserver V-Dj (regizor Video) pentru grafica
Servicii de închiriere, montare/demontare garduri	Heras			Gard "HERAS" – cel puțin 90 m; FOH 50m	Gard "HERAS" – cel puțin 90 m; FOH 50m
Servicii Transport			Transport echipament scenotehnic, de sonorizare și de iluminare		Transport echipament scenotehnic, de sonorizare și iluminare

**Lotul 2: Lot 2. Servicii de închiriere, montare și demontare a echipamentului tehnic pentru sonorizarea evenimentelor cultural – artistice**

2.1 Servicii de închiriere, montare/demontare a echipamentului audio	FBT Muse 210 LA	Italia	FBT	<p>Utilajul necesar pentru sonorizarea concertelor.</p> <p>Sunet principal - Sistem acustic line array - cel puțin 18 unit, având caracteristici Max SPL <math>\geq</math> 140dB @1m, Bandwidth <math>\leq</math> 60 Hz <math>\geq</math> 18 kHz.</p> <p>Subwoofer de ultra-înaltă putere <math>\geq</math> 8 unit cu caracteristici Max SPL <math>\geq</math> 139dB @1m, Bandwidth <math>\leq</math> 28 Hz <math>\geq</math> 150 kHz</p> <p>Amplificatoare – minimum 3 bucăți</p>	<p>Echipament sunet FBT Muse 210 LA/ FBT mitus 218 SA  SUB: Subwoofer cu banda aerisita, cu sistem bass-reflex.  Echipat cu doua difuzoare de frecventa joasa cu diametrul de 18" si bobina de 3.9".  Frecventa de raspuns de la 30Hz la 100Hz.  Amplificator clasa D cu putere de 2000W RMS  TOP: Woofer: 2 X 10" bobina de 2.5"  Driver 2 x 1" cu bobina de 1.7"  Putere RMS: 900 W  Raspuns frecventa: 55Hz-20000Hz  SPL Maxim: 139dB  Dispersie driver: 90° x 10°  Procesor de semnal digital Frequency response: 30Hz - 100Hz  Low frequency woofer: 2x 18" B&amp;C with 4" VCs  High frequency driver: 1x 2" (2.5" VC)  Maximum SPL cont/peak: 139/145dB  Dispersion: Omnidirectional  Input impedance: 22 kOhm  Crossover frequency: Preset Dependant  Input connector: XLR with link out  Net Dimension (WxHxD): 1000 x 549 x 730mm  Net Weight: 90kg  Transport Dimension (WxHxD): 1150 x 740 x 900mm  Transport Weight: 102kg  AC Power requirements: 1840VA  Built-in amplifier LF/HF: 2000w</p>
--	-----------------	--------	-----	--	---

					Built-in amplifier peak LF/HF: 4000w	
2.2 Echipament sunet	Markbass	Italia	Markbass	Microfoane conform cerințelor artiștilor	Amplificator Bass Markbass Little Mark III Inputs: Unbalanced Jack and Balanced XLR Effects Send and Return EQ: 4-band EQ Variable Pre-shape Filter (VPF) with 380 Hz Center Frequency Vintage Loudspeaker Emulator (VLE) Frequency Range- 250Hz - 20 kHz Outputs: Balanced XLR Line Out, 1/4" Jack Tuner Out, Speakon Combi Speaker Out Output Power: 300W RMS @ 8Ohms, 500W RMS @ 4Ohms	
	Fender	SUA	Fender		Amplificator Chitara Fender Twin Amp Features: Type Vintage Reissue Series Tube Amp Output 85 watts into 4 ohms Ohms 4 ohms Speakers 1-15" Custom Eminence® 4 ohm Speaker with Ceramic Magnet, (Based on the Now Collectable JBL® D130F Speaker Used by Fender® in the '60s and '70s) Channels Dual Channels (Normal and Vibrato) Features Reverb Vibrato 2-Button Footswitch Tilt Back Legs Controls Normal Channel: Bright Switch, Volume, Treble, Middle, Bass Vibrato Channel: Bright Switch, Volume, Treble, Middle, Bass Reverb Vibrato: Speed, Intensity Covering Black Textured Vinyl with Silver Grille Cloth Weight 64 lbs. (34kg) Dimensions Height: 22" (55.9 cm) Width: 26.15" (66.4 cm) Depth: 10.5" (26.7 cm) Tube Complement 4 X 12AX7 2 X 12AT7 4 X 6L6 Solid State Rectifier Shipping Weight 70 lbs Cover Included Accessories 2-Button Footswitch for Reverb and Vibrato On/Off Footswitch Uses 2-Button Footswitch Accy	
	Tama Starclasic Limited	Japonia /Germania	Tama Pearl Sennheiser		Set de tobe Tama Starclasic Limited Set Microfoane Seenheiser 904 Yamaha Studio Custom SET Set Microfoane Shure SM 57	
	Sennheiser	Romania	Sennheiser		Wireless In Ear System Seenheiser ew IEM G4 Twin Consists of 2 x UHF bodypack receiver (EK IEM G4), 9.5" transmitter (SR IEM G4) and 2 x IE4 earphones Stereo / focus / mono modes 3.5 mm jack for earphones Adjustable limiter Adjustable 6.3mm headphone jack on the transmitter 1 x BNC antenna socket Inputs 2 x Jack / XLR female balanced combo	

Echipament sunet (set)	Allen&Heath SQ-5	Anglia	Allen&Heath	<p>Mixer sunet  Allen &amp; Heath SQ-5  Mixer digital cu 48 canale  Cu procesare FPGA de 96 kHz  17 faders / 6 layers  12x stereo mixes + LR3x stereo matrix  8x stereo FX engines + dedicated stereo returns  DEEP procesarea permite integrarea plug-in-urilor direct în intrările mixerului și amestecarea canalelor  Ecran tactil de 7 inch  Slink port pentru audio / expansiune la distanță  64 port I / O pentru rețele audio  32 x 32 interfață audio USB  Înregistrare directă SQ-Drive pe USB  StageBox  Ieșire AES  Compatibil cu cardurile de rețea audio ME 1 și ME-500 și Dante sau Waves  Monitoare (carcasa din Lemn)  Mictrofoane radio  Shure QLXD/ Beta 58/ SM 58, Shure SLXD, Sennheiser</p>
	Digico SD 11	Anglia	Digico Grup	<p>Mixer sunet Digico SD11  48 Input Channels with full processing  24 Aux/Sub-Group busses with full processing  8 x 8 Matrix with full processing  Assignable channel layout  User programmable macros  Capable of redundantly mirroring with another SD11 console  Snapshots for seamlessly changing many parameters at once  Offline software  iPad control  Broadcast software option  i software option  12 x 100mm touch-sensitive, motorised faders  1 x 15" LCD high-resolution touchscreen  12 x 8-Segment LED bargraph meters  1 x 1/4" Headphone socket  1 x USB 2.0 slot  1 x PSU  1 x XLR3 1.2 – 12V Light connection  1 x Waves port (Optional)  16 x XLR Mic/Line Inputs  8 x XLR Line Outputs  1 x XLR AES/EBU Input (2 x channels)  1 x XLR AES/EBU Output (2 x channels)  2 x GPI 1/4" Jack</p>

					<p>2 x GPO 1/4" Jack  1 x MIDI In/Thru/Out (5 pin DIN)  1 x Word Clock I/O BNC  Rack is a 32 input, 8 output  32 Mic/Line Inputs at 48kHz or 28 Mic/Line inputs at 96kHz  8 Line Outputs</p> <p>1 Output expansion card slot for adding 8 outputs  MADI RJ45 Connectivity  Optional Optics  7U Rack Mountable with supplied rackmount kit  Gain Tracking™  Optional Redundant PSUs  Can be used as a standalone rack</p>	
2.3 Servicii de deservire tehnică				Regie sunet Montare și demontare	Regie sunet Montare și demontare	
<b><u>Lot 3. Servicii de închiriere, montare și demontare a echipamentului tehnic pentru iluminarea evenimentelor cultural – artistice</u></b>						
Lumini speciale	DTS Raptor	Italia	DTS lights	Moving heads – 40 buc. Strobe - 6 buc, Blinder 6 buc, Masini fum - 1 buc. Mixer de lumini	<p>12 Moving Head DTS Raptor  beam opening 3.4°  unique 8-facet prism  17 fixed gobos  smooth filter and frost filter  silent operation  color wheel (17 filters)  150,000 lux @ 15 m  +/- 24 Moving head/ beam/ spot/ wash Chauvet 140 SR/  DTS Raptor/ Chauvet 375Z/ Showtec Q4  Light output: 382.000 lux @ 5m  Light source: Osaram Sirius hri 140w  Zoom angle (degrees): beam – 3 to 11 degrees  Spot – 7 to 21  Wash – 14 to 28  Colors 12+white  Prism: 8-facet round, bidirectional rotation at variable speeds.  Effects: pixel control, flower effect, virtual colour wheel, tungsten lamp effect,</p>	
Lumini speciale	Showtec Par LED 64	Germania	Showtec		<p>40 Par LED Showtec Par 64 Short Q4-18)  18 x 8 W RGBW LED Par  40° fixed beam angle  Double bracket for easy floor positioning  DMX and manual control in Auto run and Sound-controlled mode  RGBW colour mixing, dimmer and strobe function</p>	

				<p>+/- 12 Futurelight par led 12x10 Slim Equipped with 12 high-power LEDs in the colors red, green, blue, amber, white and UV Flat housing form requires minimal space when rigging Extremely compact housing in a beautiful design Second mounting bracket for safe standing installation Locking possibility at the brackets with large metal butterfly screws Functions: static colors, RGBAW+UV color mixture, automatic color changes, dimmer, strobe effect with adjustable speed, Master/Slave operation Addressing and setting via Control Board with four operating buttons and LED display Switch-mode power supply for operation between 100 and 240 volts</p> <p>P-Con terminals for power linking up to 8 units 12 powerful LEDs 10 W high-power 6in1 HCL RGBWA/UV (homogenous color mix) Can be operated in 6; 10 CH mode The device is cooled by passive convection cooling Controlling by stand-alone; DMX; Sound to light via Microphone Preprogrammed in Light'J; LED PC-Control 512; EASY SHOW 1; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE Flicker-free Effect: Strobe effect; UV effect With a beam angle of 18°</p>	
Lumini speciale	Beam Chauvet q60	China	Chauvet	<p>6 buc - Moving Head Beam Q60 DMX Channels: 12 or 16 DMX Connectors: 3-pin XLR Pan and Tilt: 540°/260° Pan and Tilt Ranges: 540°, 360°, 180° pan/260°, 180°, 90° tilt Light Source: 1 LED (quad-color RGBW) 60 W, (4.5 A), 50,000 hours life expectancy Strobe Rate: 0 to 20 Hz Beam Angle: 3° Illuminance: 45,344 lux @ 2 m Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging) Color Temperature Range: 2000 to 8000 K</p>	
Mașină de fum	Antari Hz 400	Germania	Antari	<p>Mașină de fum Hazer Lichid de fum Hazer</p>	

Instalare, operare				Inginer lumini Montare și demontare	Lucrările de montare, precum și operațiuni de instalare, ajustare și operare. Materiale și elemente pasive/active necesare pentru interconectarea echipamentelor și punerea în funcțiune a acestora;	
<b>TOTAL</b>						

Numele, Prenumele: Țăruș Radu, În calitate de: director

Ofertantul: Țăruș – Stil SRL Adresa: mun. Chișinău, str. L. Dimitriu 39



### Specificații de preț

[Acest tabel va fi completat de către ofertant în coloanele 5,6,7,8 și 11 la necesitate, iar de către autoritatea contractantă – în coloanele 1,2,3,4,9,10]

	Numărul procedurii de achiziție _____ din _____
	Obiectul de achiziției: _____

Cod CPV	Denumirea bunurilor/serviciilor	Unitatea de măsură	Cantitatea	Preț unitar (fără TVA)	Preț unitar (cu TVA)	Suma fără TVA	Suma cu TVA	Termenul de livrare/prestare	Clasificație bugetară (IBAN)	Discount %
1	2	3	4	5	6	7	8	9	10	11
	<b>Servicii de închiriere</b>									
	<b><u>Lotul 1:</u></b>					205000	246000			
	Scena	buc	5	20000	24000	100000	120000	prestarea până la data de 02.06.23		
	LED Screen	buc	5	1600	19200	80000	96000	prestarea până la data de 02.06.23		
	Garduri	buc	5	4000	4800	20000	24000	prestarea până la data de 02.06.23		
	Transport	buc	1	5000	6000	5000	6000	prestarea până la data de 02.06.23		
	<b><u>Lotul 2:</u></b>					114000	1368000			
	Servicii de închiriere, montare/ demontare a echipamentului audio	buc	5	15000	18000	75000	90000	prestarea până la data de 02.06.23		



	<i>Echipament Servicii de închiriere, montare/ demontare a backline-ului</i>	buc	5	5000	6000	25000	30000	prestarea până la data de 02.06.23		
	<i>Servicii de deservire tehnică</i>	buc	5	2800	3360	14000	16800	prestarea până la data de 02.06.23		
	<b><u>Lot 3:</u></b>					106000				
	<i>Echipament de iluminare artistică</i>	buc	5	20000	24000	100000	120000	prestarea până la data de 02.06.23		
	<i>Servicii de deservire tehnică</i>	buc	5	1200	1440	6000	7200	prestarea până la data de 02.06.23		
	<b>TOTAL</b>					425000	510000			

Numele, Prenumele: Țăruș Radu, În calitate de: director

Ofertantul: Țăruș – Stil SRL Adresa: mun. Chișinău, str. L. Dimitriu 39

Termenul de valabilitate a ofertei: 60 zile



