



Test Report

Report No: ASH18-006523-02

Issue Date: Mar 23 2018

Client name: Jinan Hengsheng New Building Materials Co.,Ltd
 Client address: Room601,Tower D,Binhe business Center,Tianqiao District,Jinan City
 Sample name: PVC Profile
 Sample Batch No.: /
 Product Date: /
 Manufacturer: Shandong Hengsheng Protection Products Co.,Ltd
 Specification:Handrail、 Wall Protector、 Corner Guard、 Tactile Tile、
 Sample other information: Stair Nosing、 Shower Seat Buyer:Jinan Hengsheng New Building Materials Co.,Ltd

Above information and sample(s) was/were submitted and certified by the client, SGS quoted the information with no responsibility as to the accuracy, adequacy and/or completeness.

SGS Sample No.: ASH18-006523.001
 SGS reference No.: QDIN1802000885SC
 Date of sample received: Feb 09 2018
 Testing period: Feb 09 2018 ~ Mar 23 2018

TEST(S) REQUESTED:

Selected test(s) as requested by applicant:
Antimicrobial activity test

TEST METHOD(S):

Please refer to the next page(s)

TEST RESULT(S):

Please refer to the next page(s)

English shall prevail in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, and for clients internal use only, not to the society has the proof function. This document cannot be used for publicity, without prior written approval of the SGS.



SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd.
Page 1 of 3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 3rd Building, No. 889, Yishan Road, Shanghai, China 200233 t 400 - 691 - 0488 f (86-21) 6140 2547 www.sgs.com.cn
 中国·上海·宜山路889号3号楼 邮编:200233 t 400 - 691 - 0488 f (86-21) 6140 2547 e sgs.china@sgs.com

Test Report

Report No: ASH18-006523-02

Issue Date: Mar 23 2018

TEST METHOD(S):

ASTM G 21-15 Standard Practice for Determining Resistance of Synthetic Polymeric Materials to Fungi

TEST ORGANISM(S):

Aspergillus brasiliensis^A ATCC 9642, *Penicillium funiculosum*^B ATCC 11797, *Aureobasidium pullulans* ATCC 15233, *Chaetomium globosum* ATCC 6205, *Trichoderma virens*^C ATCC 9645

TEST RESULT(S):

Test Fungi	Concentration of spores (spores /mL)	Rating observed growth on specimens (after 28 days)
<i>Aspergillus brasiliensis</i> ^A ATCC 9642	1.0x10 ⁶	0 Grade*
<i>Penicillium funiculosum</i> ^B ATCC 11797		
<i>Aureobasidium pullulans</i> ATCC 15233		
<i>Chaetomium globosum</i> ATCC 6205		
<i>Trichoderma virens</i> ^C ATCC 9645		

Note: According to ASTM G 21-15 Standard Practice for Determining Resistance of Synthetic Polymeric Materials to Fungi, observed fungi growth rating on the specimens include:

- 0 –None
- 1 –Traces of growth (less than 10%)
- 2 –Light growth (10 to 30%)
- 3 –Medium growth (30 to 60%)
- 4 –Heavy growth (60% to complete coverage)

Remark: History name of test organism

- ^AHistorically known as *A.niger*.
- ^BHistorically known as *P.pinophilum*.
- ^CHistorically known as *Gliocladium virens*.

* The microscope(50 X) was used to confirm the observation.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 3rd Building, No. 889, Yishan Road, Shanghai, China 200233 t 400-691-0488 f (86-21) 6140 2547 www.sgs.com.cn
 中国·上海·宜山路889号3号楼 邮编:200233 t 400-691-0488 f (86-21) 6140 2547 e sgs.china@sgs.com

Test Report

Report No: ASH18-006523-02

Issue Date: Mar 23 2018

SAMPLE DESCRIPTION: sample in bag



*** End ***

SGS-CSTC Standards Technical Services (Shanghai) Co.,Ltd.
Page 3 of 3



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center Agency Technical Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889, Yishan Road, Shanghai, China 200233 t 400-691-0488 f (86-21) 6140 2547 www.sgs.com.cn
中国·上海·宜山路889号3号楼 邮编: 200233 t 400-691-0488 f (86-21) 6140 2547 e sgs.china@sgs.com