

MIDAS REX™ MR8™ PRODUCT CATALOG



Medtronic

TO SOME, A DRILL IS A DRILL

a tool that can be replaced with another brand without consequences.

Not to you. You're a perfectionist, driven to pursue surgical advancements with uncompromising expectations. So are we.



That's why we engineered the Midas Rex™ MR8™ system to be not just a drill, but an extension of yourself and a conduit that delivers your skills and knowledge to your patients in need.

QUALITY, DEPENDABILITY AND EXCELLENCE.

You trust Midas Rex™ for the same reasons your patients trust you.

Table of Contents

Motors	2
Midas Rex™ MR8™ Electric Motors	2
Midas Rex™ MR8™ Pneumatic Motors	3
Stealth-Midas™ MR8™ Motors	3
Attachments	4
Small Bore	4
Small Bore Variable Exposure	4
Large Bore	4
Large Bore Variable Exposure	4
Telescoping	5
Footed	5
Perforator and Jacobs™ Chuck	5
J-Latch	5
Metal Cutting	5
Tools	6
Tool Offerings Listed by Attachment	6
Ball – Fluted	10
Ball – Diamond	11
Ball – Diamond Coarse	12
Ball – Diamond Extra Coarse	13
Ball – Carbide	14
Ball – Symmetri	15
Acorn – Fluted	15
Match Head – Fluted	16
Match Head – Diamond	16
Match Head – Diamond Coarse	17
Match Head – Symmetri	17
Tapered	18
Tapered – Footed	19
Tapered – Reverse Taper	19
Oval	19

Cylinder – Fluted	20
Cylinder – Diamond Coarse	21
Cylinder – Diamond Extra Coarse	21
Cylinder – Barrel	21
Twist Drill	22
Hole Maker	22
Hole Saw	22
Metal Cutter	23
Telescoping – Ball	23
Telescoping – Ball Diamond	23
Telescoping – Tapered	23
Telescoping – Reverse Taper	23
Telescoping – Match Head	24
Telescoping – Match Head Diamond	24
ClearView™ TN Ball	25
ClearView™ TN Match Head	25
ClearView™ Spine Ball	26
ClearView™ Spine Match Head	26
ClearView™ Spine Match Head Diamond	26
ClearView™ LP Ball	27
ClearView™ LP Ball Diamond	27
ClearView™ LP Ball Diamond Coarse	27

Accessories	28
Sterilization Trays And Cases	28
Electric Motor Accessories	28
On-Drill Irrigation Tubing	28
MR8™ Clearview™ Irrigation Tubing	28
Pneumatic Motor Accessories	29
General Accessories	29

Midas Rex™ MR8™ High-Speed Motors



Midas Rex™ MR8™ Electric Motors

- THE MR8™ ELECTRIC DRILL SYSTEM FEATURES 4 HANDPIECES:**
- MR8™ Electric (foot-controlled)
 - MR8™ Electric Touch (finger or foot-controlled)
 - MR8™ Electric Plus (foot-controlled)
 - Stealth-Midas™ MR8™ (foot-controlled)

All MR8 electric drills are powered by the Integrated Power Console (IPC).



MR8™ Electric (EM800)



MR8™ Electric Touch (EM810)

*EA815, finger lever, sold separately



MR8™ Electric Plus (EM850)



Stealth-Midas™ MR8™ Electric (EM800N)

Midas Rex™ MR8™ Pneumatic Motors

- THE MR8™ PNEUMATIC DRILL SYSTEM FEATURES 3 HANDPIECES:**
- MR8™ Pneumatic (foot-controlled)
 - MR8™ Pneumatic Touch (finger-controlled)
 - Stealth-Midas™ MR8™ Pneumatic (foot-controlled)

The MR8™ Pneumatic Drill System uses all of the same accessories as the previous generation MR7™ Pneumatic Drill System.



MR8™ Pneumatic PM800





MR8™ Pneumatic Touch PM810



Stealth-Midas™ MR8™ Pneumatic PM800N


Stealth-Midas™ MR8™ Motors

The Stealth-Midas™ MR8™ Drill System features electric or pneumatic navigated drills that offer real-time feedback in relation to the patient anatomy when used with the StealthStation™ S8. The drills are available in the StealthStation™ S8 Spine and Cranial software applications.



Small Bore Attachments

ACCOMMODATE MR8™
2.4 mm DIAMETER TOOLS



MR8-AS07 MR8-AS10 MR8-AS12 MR8-AS15 MR8-AS18 MR8-AA07 MR8-AA10 MR8-AA12 MR8-AA15 MR8-AA18 MR8-AA07DK MR8-AA10DK MR8-AA12DK MR8-AA15DK MR8-AA18DK

Large Bore Attachments

ACCOMMODATE MR8™
3.2 mm DIAMETER TOOLS



MR8-AS09 MR8-AS14 MR8-AS21 MR8-AS26 MR8-AA09 MR8-AA14 MR8-AA21 MR8-AA09DK MR8-AA14DK MR8-AA21DK

Telescoping Attachments

The MR8™ system telescoping attachments offer a range of straight, angled, curved and hooded tubes.



MR8-AT10 MR8-AT10DK MR8-AT10ADK MR8-TT12MIS MR8-TT12AMIS MR8-TT12CMIS MR8-TT12FMIS MR8-TT14MIS MR8-TT14AMIS MR8-TT14CMIS MR8-TT15H MR8-TT18MIS MR8-TT18H

Footed Attachments



MR8-AF01R MR8-AF02R MR8-AF01 MR8-AF02 MR8-AF03
Rotating

Small Bore Variable Exposure Attachments

Variable exposure attachments allow you to vary dissecting tool exposure. Small bore variable attachments can increase exposure up to 10mm in 10 increments (7cm can only increase exposure up to 8mm).



MR8-AVS07 MR8-AVS10 MR8-AVS12 MR8-AVS15 MR8-AVA07 MR8-AVA10 MR8-AVA12 MR8-AVA14 MR8-AVA15 MR8-AVA10DK MR8-AVA12DK MR8-AVA15DK

Large Bore Variable Exposure Attachments

Large bore variable exposure attachments can increase exposure up to 12mm in 12 increments.



MR8-AVS09 MR8-AVS14 MR8-AVA09 MR8-AVA14 MR8-AVA09DK MR8-AVA14DK

Perforator Driver and Jacobs™ Chuck

The Perforator Driver has a Hudson chuck and is used to drive any device with a Hudson shank. The Jacobs Chuck attachment has a non-cannulated 5/32" chuck.



MR8-AD02 MR8-AD03 (1000 RPM)

J-Latch

The J-Latch attachment is designed for holding J-Latch style drill bits.



MR8-ASJL

Metal Cutting Attachments

The MR8™ system metal cutting attachments offer two lengths that work with a range of tools to cut metal.



MR8-ASMC09 MR8-ASMC14

Match Head Diamond - 2.2 mm	MR8-10MH22D
Match Head - 3 mm	MR8-10MH30
Match Head Diamond - 3 mm	MR8-10MH30D
Match Head Diamond Coarse - 3 mm	MR8-10MH30DC
Match Head - 4 mm	MR8-10MH40
Oval - 4 mm	MR8-10OV40
Oval Diamond - 4 mm	MR8-10OV40D
Taper - 2.3 mm	MR8-10TA23

SMALL BORE	
MR8-AS12	Straight Attachment 12 cm
MR8-AA12	Angled Attachment 12 cm
MR8-AA12DK	Angled Double Lock Attachment 12 cm
MR8-AVS12	Straight Variable Attachment 12 cm
MR8-AVA12	Angled Variable Attachment 12 cm
MR8-AVA12DK	Angled Variable Double Lock Attachment 12 cm
Ball - 2 mm	MR8-12BA20
Ball - 3 mm	MR8-12BA30
Ball Diamond - 3 mm	MR8-12BA30D
Ball Symmetri - 3 mm	MR8-12BA30T
Ball - 4 mm	MR8-12BA40
Ball Diamond - 4 mm	MR8-12BA40D
Ball Diamond Extra Coarse - 4 mm	MR8-12BA40DX
Ball Symmetri - 4 mm	MR8-12BA40T
Ball - 5 mm	MR8-12BA50
Ball Diamond - 5 mm	MR8-12BA50D
Ball - 6 mm	MR8-12BA60
Ball Diamond - 6 mm	MR8-12BA60D
Ball Diamond Extra Coarse - 6 mm	MR8-12BA60DX
Match Head - 2.2 mm	MR8-12MH22
Match Head - 3 mm	MR8-12MH30
Match Head Diamond - 3 mm	MR8-12MH30D

LARGE BORE	
MR8-AS14	Straight Attachment 14 cm
MR8-AA14	Angled Attachment 14 cm
MR8-AA14DK	Angled Double Lock Attachment 14 cm
MR8-AVS14	Straight Variable Attachment 14 cm
MR8-AVA14	Angled Variable Attachment 14 cm
MR8-AVA14DK	Angled Variable Double Lock Attachment 14 cm
Acorn - 5 mm	MR8-14AC50
Acorn - 6 mm	MR8-14AC60
Acorn - 7.5 mm	MR8-14AC75
Acorn - 9 mm	MR8-14AC90
Ball - 2 mm	MR8-14BA20
Ball Diamond - 2 mm	MR8-14BA20D
Ball - 2.5 mm	MR8-14BA25
Ball Diamond - 2.5 mm	MR8-14BA25D

Ball - 3 mm	MR8-14BA30
Ball Diamond - 3 mm	MR8-14BA30D
Ball Diamond Coarse - 3 mm	MR8-14BA30DC
Ball Symmetri - 3 mm	MR8-14BA30T
Ball - 4 mm	MR8-14BA40
Ball Diamond - 4 mm	MR8-14BA40D
Ball Diamond Coarse - 4 mm	MR8-14BA40DC
Ball Diamond Extra Coarse - 4 mm	MR8-14BA40DX
Ball Fine - 4 mm	MR8-14BA40F
Ball Symmetri - 4 mm	MR8-14BA40T
Ball - 5 mm	MR8-14BA50
Ball Carbide - 5 mm	MR8-14BA50C
Ball Diamond - 5 mm	MR8-14BA50D
Ball Diamond Coarse - 5 mm	MR8-14BA50DC
Ball Diamond Extra Coarse - 5 mm	MR8-14BA50DX
Ball Symmetri - 5 mm	MR8-14BA50T
Ball - 6 mm	MR8-14BA60
Ball Diamond - 6 mm	MR8-14BA60D
Ball Diamond Coarse - 6 mm	MR8-14BA60DC
Ball Diamond Extra Coarse - 6 mm	MR8-14BA60DX
Ball Symmetri - 6 mm	MR8-14BA60T
Ball Diamond Extra Coarse - 7 mm	MR8-14BA70DX
Ball - 7.5 mm	MR8-14BA75
Ball Diamond - 7.5 mm	MR8-14BA75D
Ball Symmetri - 7.5 mm	MR8-14BA75T
Ball Diamond Extra Coarse - 8 mm	MR8-14BA80DX
Ball - 9 mm	MR8-14BA90
Ball Diamond - 9 mm	MR8-14BA90D
Cylinder Ball End - 3 mm	MR8-14CY30B
Cylinder - 5 mm	MR8-14CY50
Cylinder Ball End - 5 mm	MR8-14CY50B
Cylinder Diamond Coarse Ball End - 5 mm	MR8-14CY50BDC
Cylinder Cornerstone - 5 mm	MR8-14CY50CS
Cylinder Diamond Coarse - 5 mm	MR8-14CY50DC
Cylinder Long - 5 mm	MR8-14CY50L
Cylinder - 6 mm	MR8-14CY60
Cylinder Diamond Coarse Ball End - 6 mm	MR8-14CY60BDC
Cylinder Cornerstone - 6 mm	MR8-14CY60CS
Cylinder Diamond Coarse - 6 mm	MR8-14CY60DC
Cylinder Fine Long - 6 mm	MR8-14CY60FL
Cylinder Diamond Extra Coarse - 6.5 mm	MR8-14CY65DX
Cylinder Diamond Coarse Ball End - 7 mm	MR8-14CY70BDC
Cylinder Cornerstone - 7 mm	MR8-14CY70CS
Cylinder Diamond Coarse - 7 mm	MR8-14CY70DC
Cylinder - 7.5 mm	MR8-14CY75
Cylinder Long - 7.6 mm	MR8-14CY76L
Cylinder Cornerstone - 8 mm	MR8-14CY80CS
Cylinder - 9 mm	MR8-14CY90

Cylinder Cornerstone - 9 mm	MR8-14CY90CS
Hole Maker - 12.6 mm	MR8-14HM126
Hole Maker - 9.5 mm	MR8-14HM95
Match Head - 3 mm	MR8-14MH30
Match Head Diamond - 3 mm	MR8-14MH30D
Match Head Diamond Coarse - 3 mm	MR8-14MH30DC
Match Head Symmetri - 3 mm	MR8-14MH30T
Match Head - 4 mm	MR8-14MH40
Match Head Diamond - 4 mm	MR8-14MH40D
Oval - 4 mm	MR8-14OV40
Oval - 5.5 mm	MR8-14OV55
Reverse Taper - 3.2 mm	MR8-14RT32
Reverse Taper - 6.4 mm	MR8-14RT64
Taper Long - 2.3 mm	MR8-14TA23L
Taper - 3 mm	MR8-14TA30
Taper - 3.1 mm	MR8-14TA31

SMALL BORE	
MR8-AS15	Straight Attachment 15 cm
MR8-AA15	Angled Attachment 15 cm
MR8-AA15DK	Angled Double Lock Attachment 15 cm
MR8-AVS15	Straight Variable Attachment 15 cm
MR8-AVA15	Angled Variable Attachment 15 cm
MR8-AVA15DK	Angled Variable Double Lock Attachment 15 cm
Acorn - 5 mm	MR8-15AC50
Acorn - 6 mm	MR8-15AC60
Ball - 2 mm	MR8-15BA20
Ball Diamond - 2 mm	MR8-15BA20D
Ball - 3 mm	MR8-15BA30
Ball Diamond - 3 mm	MR8-15BA30D
Ball Symmetri - 3 mm	MR8-15BA30T
Ball - 4 mm	MR8-15BA40
Ball Diamond - 4 mm	MR8-15BA40D
Ball Diamond Extra Coarse - 4 mm	MR8-15BA40DX
Ball Symmetri - 4 mm	MR8-15BA40T
Ball - 5 mm	MR8-15BA50
Ball Diamond - 5 mm	MR8-15BA50D
Ball Diamond Coarse - 5 mm	MR8-15BA50DC
Ball Diamond Extra Coarse - 5 mm	MR8-15BA50DX
Ball Symmetri - 5 mm	MR8-15BA50T
Ball - 6 mm	MR8-15BA60
Ball Diamond - 6 mm	MR8-15BA60D
Cylinder Diamond Coarse - 3 mm	MR8-15CY30DC
Cylinder Diamond Coarse Diamond - 3 mm	MR8-15CY30DCD
Cylinder - 5 mm	MR8-15CY50
Cylinder Diamond Coarse Diamond - 5 mm	MR8-15CY50DCD
Cylinder Long - 5 mm	MR8-15CY50L
Cylinder - 6 mm	MR8-15CY60

Cylinder Diamond Extra Coarse - 6.5 mm	MR8-15CY65DX
Match Head - 1.7 mm	MR8-15MH17
Match Head Diamond - 1.7 mm	MR8-15MH17D
Match Head - 2.2 mm	MR8-15MH22
Match Head - 3 mm	MR8-15MH30
Match Head Diamond - 3 mm	MR8-15MH30D
Match Head Diamond Coarse - 3 mm	MR8-15MH30DC
Match Head Diamond - 4 mm	MR8-15MH40D
Taper - 2.3 mm	MR8-15TA23
Taper Long - 2.3 mm	MR8-15TA23L

SMALL BORE	
MR8-AS18	Straight Attachment 18 cm
MR8-AA18	Angled Attachment 18 cm
MR8-AA18DK	Angled Double Lock Attachment 18 cm
Ball - 3 mm	MR8-18BA30
Ball Diamond - 3 mm	MR8-18BA30D
Ball Symmetri - 4 mm	MR8-18BA40T
Ball Symmetri - 5 mm	MR8-18BA50T
Match Head - 2.2 mm	MR8-18MH22
Match Head - 3 mm	MR8-18MH30
Match Head Diamond - 3 mm	MR8-18MH30D

LARGE BORE	
MR8-AS21	Straight Attachment 21 cm
MR8-AA21	Angled Attachment 21 cm
MR8-AA21DK	Angled Double Lock Attachment 21 cm
Acorn - 6 mm	MR8-21AC60
Acorn - 7.5 mm	MR8-21AC75
Acorn - 9 mm	MR8-21AC90
Ball Diamond Extra Coarse - 4 mm	MR8-21BA40DX
Ball - 5 mm	MR8-21BA50
Ball Diamond Extra Coarse - 5 mm	MR8-21BA50DX
Ball - 6 mm	MR8-21BA60
Ball Diamond - 6 mm	MR8-21BA60D
Ball Diamond Extra Coarse - 6 mm	MR8-21BA60DX
Ball Diamond Extra Coarse - 7 mm	MR8-21BA70DX
Ball - 7.5 mm	MR8-21BA75
Ball Diamond Extra Coarse - 8 mm	MR8-21BA80DX
Ball - 9 mm	MR8-21BA90
Ball Diamond - 15 mm	MR8-21BA150D
Cylinder - 5 mm	MR8-21CY50
Cylinder Diamond Extra Coarse - 6.5 mm	MR8-21CY65DX
Cylinder - 9 mm	MR8-21CY90
Match Head - 3 mm	MR8-21MH30
Match Head Diamond - 3 mm	MR8-21MH30D
Taper - 3 mm	MR8-21TA30

LARGE BORE	
MR8-AS26	Straight Attachment 26 cm
Acorn - 6 mm	MR8-26AC60
Acorn - 7.5 mm	MR8-26AC75
Acorn - 9 mm	MR8-26AC90
Ball - 3 mm	MR8-26BA30
Ball - 4 mm	MR8-26BA40
Ball Diamond - 4 mm	MR8-26BA40D
Ball - 5 mm	MR8-26BA50
Ball Diamond - 5 mm	MR8-26BA50D
Ball Diamond Extra Coarse - 5 mm	MR8-26BA50DX
Ball - 6 mm	MR8-26BA60
Ball Diamond - 6 mm	MR8-26BA60D
Ball Diamond Extra Coarse - 7 mm	MR8-26BA70DX
Ball - 7.5 mm	MR8-26BA75
Ball - 9 mm	MR8-26BA90
Cylinder - 6 mm	MR8-26CY60
Cylinder - 7.5 mm	MR8-26CY75
Cylinder - 9 mm	MR8-26CY90
Match Head - 3 mm	MR8-26MH30
Match Head Diamond - 3 mm	MR8-26MH30D
Taper - 3 mm	MR8-26TA30

MR8-TT12MIS	Telescoping Tube 12 cm Straight
MR8-TT12AMIS	Telescoping Tube 12 cm Angled
MR8-TT12CMIS	Telescoping Tube 12 cm Curved
MR8-TT12FMIS	Telescoping Tube 12 cm Fine
Ball - 2 mm	MR8-T12BA20
Ball Diamond - 2 mm	MR8-T12BA20D
Ball Diamond - 3 mm	MR8-T12BA30D
Match Head - 1.5 mm	MR8-T12MH15
Match Head Diamond - 1.5 mm	MR8-T12MH15D
Match Head - 2 mm	MR8-T12MH20
Match Head Diamond - 2 mm	MR8-T12MH20D
Match Head - 2.5 mm	MR8-T12MH25
Match Head Diamond - 2.5 mm	MR8-T12MH25D
Match Head Long - 2.5 mm	MR8-T12MH25L
Match Head Two Flute - 2.5 mm	MR8-T12MH25M
Match Head Symmetri - 2.5 mm	MR8-T12MH25T
Match Head Diamond - 3 mm	MR8-T12MH30D
Match Head Diamond Coarse - 3 mm	MR8-T12MH30DC
Match Head Diamond Extra Coarse - 3 mm	MR8-T12MH30DX
Match Head Two Flute - 3 mm	MR8-T12MH30M
Match Head Symmetri - 3 mm	MR8-T12MH30T
Match Head Diamond - 3.5 mm	MR8-T12MH35D
Match Head Diamond Coarse - 3.5 mm	MR8-T12MH35DC
Match Head Diamond Extra Coarse - 4 mm	MR8-T12MH40DX
Match Head Diamond - 4.5 mm	MR8-T12MH45D

Reverse Taper Diamond - 4 mm	MR8-T12RT40D
Taper - 1.1 mm	MR8-T12TA11

MR8-TT14MIS	Telescoping Tube 14 cm Straight
MR8-TT14AMIS	Telescoping Tube 14 cm Angled
MR8-TT14CMIS	Telescoping Tube 14 cm Curved

Ball - 2 mm	MR8-T14BA20
Ball - 3 mm	MR8-T14BA30
Ball Diamond - 3 mm	MR8-T14BA30D
Ball - 4 mm	MR8-T14BA40
Ball Diamond - 4 mm	MR8-T14BA40D
Match Head - 2.5 mm	MR8-T14MH25
Match Head Two Flute - 2.5 mm	MR8-T14MH25M
Match Head Symmetri - 2.5 mm	MR8-T14MH25T
Match Head Diamond - 3 mm	MR8-T14MH30D
Match Head Diamond Coarse - 3 mm	MR8-T14MH30DC
Match Head Two Flute - 3 mm	MR8-T14MH30M
Match Head Symmetri - 3 mm	MR8-T14MH30T
Match Head Diamond - 4.5 mm	MR8-T14MH45D

MR8-TT15H	Telescoping Tube 15 cm Hooded
MR8-T15BA20	Ball - 2 mm
MR8-T15MH25	Match Head - 2.5 mm
MR8-T15MH30D	Match Head Diamond - 3 mm

MR8-TT18MIS	Telescoping Tube 18 cm Straight
MR8-TT18H	Telescoping Tube 18 cm Hooded
Match Head - 2.5 mm	MR8-T18MH25
Match Head Diamond - 3 mm	MR8-T18MH30D

MR8-ASMC9	Metal Cutting 9 cm Attachment
Metal Cutter - 1.6 mm	MR8-9MC16
Metal Cutter Diamond Wheel - 25.4 mm	MR8-9MC254
Metal Cutter - 3 mm	MR8-9MC30
Metal Cutter - 3.2 mm	MR8-9MC32

MR8-ASMC14	Metal Cutting 14 cm Attachment
Metal Cutter - 1.6 mm	MR8-14MC16
Metal Cutter Diamond Wheel - 25.4 mm	MR8-14MC254
Metal Cutter - 3 mm	MR8-14MC30
Metal Cutter - 3.2 mm	MR8-14MC32

MR8™ Ball - Fluted



✓ = Navigation Compatible

TOOL TYPE	Head Diameter (mm)	7 cm Small Bore	9 cm Large Bore	10 cm Small Bore	12 cm Small Bore	14 cm Large Bore	15 cm Small Bore	18 cm Small Bore	21 cm Large Bore	26 cm Large Bore
	0.5	MR8-7BA05L								
	1.0	MR8-7BA10 MR8-7BA10F MR8-7BA10FL MR8-7BA10L ✓		MR8-10BA10 MR8-10BA10F						
	1.5	MR8-7BA15 MR8-7BA15L MR8-7BA15FL MR8-7BA15F								
	2.0	MR8-7BA20 ✓ MR8-7BA20F MR8-7BA20L MR8-7BA20FL		MR8-10BA20 MR8-10BA20F	MR8-12BA20	MR8-14BA20	MR8-15BA20			
	2.5	MR8-7BA25 MR8-7BA25F MR8-7BA25L MR8-7BA25FL				MR8-14BA25				
	3.0	MR8-7BA30 ✓ MR8-7BA30F MR8-7BA30L MR8-7BA30FL	MR8-9BA30	MR8-10BA30 MR8-10BA30F MR8-10BA30FL	MR8-12BA30	MR8-14BA30	MR8-15BA30	MR8-18BA30		MR8-26BA30
	3.5	MR8-7BA35 MR8-7BA35FL MR8-7BA35L								
	4.0	MR8-7BA40 ✓ MR8-7BA40F MR8-7BA40L	MR8-9BA40	MR8-10BA40 MR8-10BA40F	MR8-12BA40	MR8-14BA40 ✓ MR8-14BA40F	MR8-15BA40			MR8-26BA40
	5.0	MR8-7BA50 MR8-7BA50F	MR8-9BA50 ✓	MR8-10BA50 MR8-10BA50F MR8-10BA50FL	MR8-12BA50	MR8-14BA50 ✓	MR8-15BA50		MR8-21BA50	MR8-26BA50
	6.0	MR8-7BA60 MR8-7BA60F	MR8-9BA60	MR8-10BA60 MR8-10BA60F	MR8-12BA60	MR8-14BA60	MR8-15BA60		MR8-21BA60	MR8-26BA60
	7.0	MR8-7BA70								
	7.5		MR8-9BA75			MR8-14BA75			MR8-21BA75	MR8-26BA75
	8.0	MR8-7BA80								
	9.0		MR8-9BA90			MR8-14BA90			MR8-21BA90	MR8-26BA90
ATTACHMENT		MR8-AS07 MR8-AA07 MR8-AA07DK MR8-AVS07 MR8-AVA07 MR8-AVA07DK	MR8-AS09 MR8-AA09 MR8-AA09DK MR8-AVS09 MR8-AVA09 MR8-AVA09DK	MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK	MR8-AS12 MR8-AA12 MR8-AA12DK MR8-AVS12 MR8-AVA12 MR8-AVA12DK	MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK	MR8-AS15 MR8-AA15 MR8-AA15DK MR8-AVS15 MR8-AVA15 MR8-AVA15DK	MR8-AS18 MR8-AA18 MR8-AA18DK	MR8-AS21 MR8-AA21 MR8-AA21DK	MR8-AS26

MR8™ Ball - Diamond



✓ = Navigation Compatible

TOOL TYPE	Head Diameter (mm)	7 cm Small Bore	9 cm Large Bore	10 cm Small Bore	12 cm Small Bore	14 cm Large Bore	15 cm Small Bore	18 cm Small Bore	21 cm Large Bore	26 cm Large Bore
	0.6	MR8-7BA06DL								
	0.8	MR8-7BA08DL								
	1.0	MR8-7BA10D MR8-7BA10DF MR8-7BA10DL MR8-7BA10DFL	MR8-9BA10D	MR8-10BA10D MR8-10BA10DF MR8-10BA10DFL						
	1.2	MR8-7BA12DL								
	1.5	MR8-7BA15D MR8-7BA15DF MR8-7BA15DL MR8-7BA15DFL		MR8-10BA15DF						
	2.0	MR8-7BA20D MR8-7BA20DF MR8-7BA20DL MR8-7BA20DFL	MR8-9BA20D	MR8-10BA20D ✓ MR8-10BA20DF MR8-10BA20DFL		MR8-14BA20D ✓	MR8-15BA20D			
	2.5	MR8-7BA25D MR8-7BA25DF MR8-7BA25DL MR8-7BA25DFL				MR8-14BA25D				
	3.0	MR8-7BA30D MR8-7BA30DF MR8-7BA30DL MR8-7BA30DFL	MR8-9BA30D	MR8-10BA30D MR8-10BA30DF MR8-10BA30DFL	MR8-12BA30D	MR8-14BA30D	MR8-15BA30D	MR8-18BA30D		
	3.5	MR8-7BA35D MR8-7BA35DL								
	4.0	MR8-7BA40D MR8-7BA40DF MR8-7BA40DFL MR8-7BA40DL	MR8-9BA40D	MR8-10BA40D ✓ MR8-10BA40DF	MR8-12BA40D	MR8-14BA40D ✓	MR8-15BA40D			MR8-26BA40D
	5.0	MR8-7BA50D MR8-7BA50DF MR8-7BA50DFL	MR8-9BA50D	MR8-10BA50D MR8-10BA50DF	MR8-12BA50D	MR8-14BA50D	MR8-15BA50D			MR8-26BA50D
	6.0	MR8-7BA60D MR8-7BA60DF	MR8-9BA60D	MR8-10BA60D MR8-10BA60DF	MR8-12BA60D	MR8-14BA60D	MR8-15BA60D		MR8-21BA60D	MR8-26BA60D
	7.0	MR8-7BA70D								
	7.5		MR8-9BA75D			MR8-14BA75D				
	8.0	MR8-7BA80D								
	9.0		MR8-9BA90D			MR8-14BA90D				
ATTACHMENT		MR8-AS07 MR8-AA07 MR8-AA07DK MR8-AVS07 MR8-AVA07 MR8-AVA07DK	MR8-AS09 MR8-AA09 MR8-AA09DK MR8-AVS09 MR8-AVA09 MR8-AVA09DK	MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK	MR8-AS12 MR8-AA12 MR8-AA12DK MR8-AVS12 MR8-AVA12 MR8-AVA12DK	MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK	MR8-AS15 MR8-AA15 MR8-AA15DK MR8-AVS15 MR8-AVA15 MR8-AVA15DK	MR8-AS18 MR8-AA18 MR8-AA18DK	MR8-AS21 MR8-AA21 MR8-AA21DK	MR8-AS26

15 mm Ball Diamond

15.0

ATTACHMENT

MR8-AS21
MR8-AA21
MR8-AA21DK

MR8™ Ball - Diamond Coarse



TOOL TYPE	Head Diameter (mm)	7 cm Small Bore	9 cm Large Bore	10 cm Small Bore	14 cm Large Bore	15 cm Small Bore
	1.0	MR8-7BA10DC MR8-7BA10DCL				
	1.5	MR8-7BA15DC MR8-7BA15DCL				
	2.0	MR8-7BA20DC MR8-7BA20DCL	MR8-9BA20DC			
	2.5	MR8-7BA25DC				
	3.0	MR8-7BA30DC MR8-7BA30DCL	MR8-9BA30DC	MR8-10BA30DC	MR8-14BA30DC	
	3.5	MR8-7BA35DCL				
	4.0	MR8-7BA40DC MR8-7BA40DCL	MR8-9BA40DC	MR8-10BA40DC	MR8-14BA40DC	
	5.0	MR8-7BA50DC	MR8-9BA50DC	MR8-10BA50DC	MR8-14BA50DC	MR8-15BA50DC
	6.0	MR8-7BA60DC	MR8-9BA60DC		MR8-14BA60DC	
	7.0	MR8-7BA70DC				
ATTACHMENT		MR8-AS07 MR8-AA07 MR8-AA07DK MR8-AVS07 MR8-AVA07 MR8-AVA07DK	MR8-AS09 MR8-AA09 MR8-AA09DK MR8-AVS09 MR8-AVA09 MR8-AVA09DK	MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK	MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK	MR8-AS15 MR8-AA15 MR8-AA15DK MR8-AVS15 MR8-AVA15 MR8-AVA15DK

MR8™ Ball - Diamond Extra Coarse



TOOL TYPE	Head Diameter (mm)	7 cm Small Bore	9 cm Large Bore	10 cm Small Bore	12 cm Small Bore	14 cm Large Bore	15 cm Small Bore	21 cm Large Bore	26 cm Large Bore
	1.0	MR8-7BA10DXFL							
	1.5	MR8-7BA15DXFL							
	2.0	MR8-7BA20DXFL							
	3.0	MR8-7BA30DXFL							
	4.0	MR8-7BA40DX	MR8-9BA40DX	MR8-10BA40DX	MR8-12BA40DX	MR8-14BA40DX	MR8-15BA40DX	MR8-21BA40DX	
	5.0	MR8-7BA50DX	MR8-9BA50DX	MR8-10BA50DX		MR8-14BA50DX	MR8-15BA50DX	MR8-21BA50DX	MR8-26BA50DX
	6.0	MR8-7BA60DX	MR8-9BA60DX	MR8-10BA60DX	MR8-12BA60DX	MR8-14BA60DX		MR8-21BA60DX	
	7.0			MR8-10BA70DX		MR8-14BA70DX		MR8-21BA70DX	MR8-26BA70DX
	8.0					MR8-14BA80DX		MR8-21BA80DX	
ATTACHMENT		MR8-AS07 MR8-AA07 MR8-AA07DK MR8-AVS07 MR8-AVA07 MR8-AVA07DK	MR8-AS09 MR8-AA09 MR8-AA09DK MR8-AVS09 MR8-AVA09 MR8-AVA09DK	MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK	MR8-AS12 MR8-AA12 MR8-AA12DK MR8-AVS12 MR8-AVA12 MR8-AVA12DK	MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK	MR8-AS15 MR8-AA15 MR8-AA15DK MR8-AVS15 MR8-AVA15 MR8-AVA15DK	MR8-AS21 MR8-AA21 MR8-AA21DK	MR8-AS26

MR8™ Ball - Carbide



TOOL TYPE	Head Diameter (mm)	7 cm Small Bore	10 cm Small Bore	14 cm Large Bore
	1.0	MR8-7BA10C		
	2.0	MR8-7BA20C		
	3.0	MR8-7BA30C		
	4.0	MR8-7BA40C	MR8-10BA40C	
	5.0	MR8-7BA50C		MR8-14BA50C
	6.0	MR8-7BA60C		
	7.0	MR8-7BA70C		
	8.0	MR8-7BA80C		
ATTACHMENT		MR8-AS07 MR8-AA07 MR8-AA07DK MR8-AVS07 MR8-AVA07 MR8-AVA07DK	MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK	MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK

MR8™ Ball - Symmetri



TOOL TYPE	Head Diameter (mm)	7 cm Small Bore	9 cm Large Bore	10 cm Small Bore	12 cm Small Bore	14 cm Large Bore	15 cm Small Bore	18 cm Small Bore
	3.0	MR8-7BA30T	MR8-9BA30T	MR8-10BA30T	MR8-12BA30T	MR8-14BA30T	MR8-15BA30T	
	4.0	MR8-7BA40T	MR8-9BA40T	MR8-10BA40T	MR8-12BA40T	MR8-14BA40T	MR8-15BA40T	MR8-18BA40T
	5.0	MR8-7BA50T	MR8-9BA50T			MR8-14BA50T	MR8-15BA50T	MR8-18BA50T
	6.0	MR8-7BA60T	MR8-9BA60T			MR8-14BA60T		
	7.5	MR8-7BA75T				MR8-14BA75T		
ATTACHMENT		MR8-AS07 MR8-AA07 MR8-AA07DK MR8-AVS07 MR8-AVA07 MR8-AVA07DK	MR8-AS09 MR8-AA09 MR8-AA09DK MR8-AVS09 MR8-AVA09 MR8-AVA09DK	MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK	MR8-AS12 MR8-AA12 MR8-AA12DK MR8-AVS12 MR8-AVA12 MR8-AVA12DK	MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK	MR8-AS15 MR8-AA15 MR8-AA15DK MR8-AVS15 MR8-AVA15 MR8-AVA15DK	MR8-AS18 MR8-AA18 MR8-AA18DK

MR8™ Acorn - Fluted



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	7 cm Small Bore	9 cm Large Bore	10 cm Small Bore	14 cm Large Bore	15 cm Small Bore	21 cm Large Bore	26 cm Large Bore
	5.0	7.0	MR8-7AC50	MR8-9AC50	MR8-10AC50	MR8-14AC50	MR8-15AC50		
	6.0	7.7	MR8-7AC60	MR8-9AC60	MR8-10AC60	MR8-14AC60	MR8-15AC60	MR8-21AC60	MR8-26AC60
	7.5	9.4		MR8-9AC75		MR8-14AC75		MR8-21AC75	MR8-26AC75
	9.0	11.4		MR8-9AC90		MR8-14AC90		MR8-21AC90	MR8-26AC90
ATTACHMENT			MR8-AS07 MR8-AA07 MR8-AA07DK MR8-AVS07 MR8-AVA07 MR8-AVA07DK	MR8-AS09 MR8-AA09 MR8-AA09DK MR8-AVS09 MR8-AVA09 MR8-AVA09DK	MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK	MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK	MR8-AS15 MR8-AA15 MR8-AA15DK MR8-AVS15 MR8-AVA15 MR8-AVA15DK	MR8-AS21 MR8-AA21 MR8-AA21DK	MR8-AS26

MR8™ Match Head - Fluted



✓ = Navigation Compatible

TOOL TYPE	Head Dia. (mm)	Head Length (mm)	7 cm Small Bore	9 cm Large Bore	10 cm Small Bore	12 cm Small Bore	14 cm Large Bore	15 cm Small Bore	18 cm Small Bore	21 cm Large Bore	26 cm Large Bore
	1.7	2.3	MR8-7MH17		MR8-10MH17			MR8-15MH17			
	2.2	3.8	MR8-7MH22		MR8-10MH22	MR8-12MH22		MR8-15MH22 ✓	MR8-18MH22		
	3.0	3.8	MR8-7MH30	MR8-9MH30 ✓	MR8-10MH30 ✓	MR8-12MH30	MR8-14MH30 ✓	MR8-15MH30	MR8-18MH30	MR8-21MH30	MR8-26MH30
	4.0	5.0		MR8-9MH40	MR8-10MH40		MR8-14MH40				
ATTACHMENT			MR8-AS07 MR8-AA07 MR8-AA07DK MR8-AVS07 MR8-AVA07 MR8-AVA07DK	MR8-AS09 MR8-AA09 MR8-AA09DK MR8-AVS09 MR8-AVA09 MR8-AVA09DK	MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK	MR8-AS12 MR8-AA12 MR8-AA12DK MR8-AVS12 MR8-AVA12 MR8-AVA12DK	MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK	MR8-AS15 MR8-AA15 MR8-AA15DK MR8-AVS15 MR8-AVA15 MR8-AVA15DK	MR8-AS18 MR8-AA18 MR8-AA18DK	MR8-AS21 MR8-AA21 MR8-AA21DK	MR8-AS26

MR8™ Match Head - Diamond Coarse



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	9 cm Large Bore	10 cm Small Bore	14 cm Large Bore	15 cm Small Bore
	3.0	3.8	MR8-9MH30DC	MR8-10MH30DC	MR8-14MH30DC	MR8-15MH30DC
ATTACHMENT			MR8-AS09 MR8-AA09 MR8-AA09DK MR8-AVS09 MR8-AVA09 MR8-AVA09DK	MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK	MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK	MR8-AS15 MR8-AA15 MR8-AA15DK MR8-AVS15 MR8-AVA15 MR8-AVA15DK

MR8™ Match Head - Diamond



TOOL TYPE	Head Dia. (mm)	Head Length (mm)	7 cm Small Bore	9 cm Large Bore	10 cm Small Bore	12 cm Small Bore	14 cm Large Bore	15 cm Small Bore	18 cm Small Bore	21 cm Large Bore	26 cm Large Bore
	1.7	2.3	MR8-7MH17D		MR8-10MH17D			MR8-15MH17D			
	2.2	3.8	MR8-7MH22D		MR8-10MH22D						
	3.0	3.8		MR8-9MH30D	MR8-10MH30D	MR8-12MH30D	MR8-14MH30D	MR8-15MH30D	MR8-18MH30D	MR8-21MH30D	MR8-26MH30D
	4.0	5.0					MR8-14MH40D	MR8-15MH40D			
ATTACHMENT			MR8-AS07 MR8-AA07 MR8-AA07DK MR8-AVS07 MR8-AVA07 MR8-AVA07DK	MR8-AS09 MR8-AA09 MR8-AA09DK MR8-AVS09 MR8-AVA09 MR8-AVA09DK	MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK	MR8-AS12 MR8-AA12 MR8-AA12DK MR8-AVS12 MR8-AVA12 MR8-AVA12DK	MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK	MR8-AS15 MR8-AA15 MR8-AA15DK MR8-AVS15 MR8-AVA15 MR8-AVA15DK	MR8-AS18 MR8-AA18 MR8-AA18DK	MR8-AS21 MR8-AA21 MR8-AA21DK	MR8-AS26

MR8™ Match Head - Symmetri



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	14 cm Large Bore
	3.0	3.8	MR8-14MH30T
ATTACHMENT			MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK

MR8™ Tapered



✓ = Navigation Compatible

TOOL TYPE	Head Diameter (mm)	Head Length (mm)	7 cm Small Bore	9 cm Large Bore	10 cm Small Bore	14 cm Large Bore	15 cm Small Bore	21 cm Large Bore	26 cm Large Bore
	1.1	6.4	MR8-7TA11						
	1.2	4.4	MR8-7TA12C						
	1.5	25.9	MR8-7TA15S						
	1.6	4.4	MR8-7TA16C						
	1.7	15.8	MR8-7TA17						
	2.1	5.0	MR8-7TA21C						
	2.3	15.9			MR8-10TA23		MR8-15TA23		
	2.3	22.0				MR8-14TA23L	MR8-15TA23L ✓		
	3.0	31.5		MR8-9TA30		MR8-14TA30		MR8-21TA30	MR8-26TA30
	3.0	31.5		MR8-9TA30L					
	3.1	19.1				MR8-14TA31			
ATTACHMENT			MR8-AS07 MR8-AA07 MR8-AA07DK MR8-AVS07 MR8-AVA07 MR8-AVA07DK	MR8-AS09 MR8-AA09 MR8-AA09DK MR8-AVS09 MR8-AVA09 MR8-AVA09DK	MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK	MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK	MR8-AS15 MR8-AA15 MR8-AA15DK MR8-AVS15 MR8-AVA15 MR8-AVA15DK	MR8-AS21 MR8-AA21 MR8-AA21DK	MR8-AS26

MR8™ Tapered - Footed



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	7 cm Small Bore	9 cm Large Bore
	1.5	11.1	MR8-F1/7TA15	
	1.5	13.1	MR8-F1/7TA15S	
	2.3	15.9	MR8-F2/7TA23	
	2.3	16.4	MR8-F2/7TA23S	
	3.0	25.4		MR8-F3/9TA30

ATTACHMENT

MR8-AS07
MR8-AA07
MR8-AA07DK
MR8-AVS07
MR8-AVA07
MR8-AVA07DK

MR8-AS09
MR8-AA09
MR8-AA09DK
MR8-AVS09
MR8-AVA09
MR8-AVA09DK

Circle indicates other compatible attachments:

- AF01 & AF01R
- AF02 & AF02R
- AF03

MR8™ Oval



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	7 cm Small Bore	9 cm Large Bore	10 cm Small Bore	14 cm Large Bore
	4.0	6.4	MR8-7OV40		MR8-10OV40	MR8-14OV40
	4.0	9.5	MR8-7OV40L			
	4	6.4			MR8-10OV40D	
	5.5	8.7		MR8-9OV55		MR8-14OV55
ATTACHMENT			MR8-AS07 MR8-AA07 MR8-AA07DK MR8-AVS07 MR8-AVA07 MR8-AVA07DK	MR8-AS09 MR8-AA09 MR8-AA09DK MR8-AVS09 MR8-AVA09 MR8-AVA09DK	MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK	MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK

MR8™ Tapered - Reverse Taper



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	14 cm Large Bore
	3.2	3.4	MR8-14RT32
	6.4	6.1	MR8-14RT64
ATTACHMENT			MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK

MR8™ Cylinder - Fluted



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	9 cm Large Bore	10 cm Small Bore	14 cm Large Bore	15 cm Small Bore	21 cm Large Bore	26 cm Large Bore
	3.0	21.6			MR8-14CY30B			
	4.0	6.2		MR8-10CY40				
	4.0	10.0		MR8-10CY40L				
	5.0	7.9	MR8-9CY50	MR8-10CY50	MR8-14CY50	MR8-15CY50	MR8-21CY50	
	5.0	16.1			MR8-14CY50B			
	5.0	13.5	MR8-9CY50CS		MR8-14CY50CS			
	5.0	16.1	MR8-9CY50L	MR8-10CY50L	MR8-14CY50L	MR8-15CY50L		
	6.0	7.9	MR8-9CY60	MR8-10CY60	MR8-14CY60	MR8-15CY60		MR8-26CY60
	6.0	13.5	MR8-9CY60CS		MR8-14CY60CS			
	6.0	13.5			MR8-14CY60FL			
	7.0	13.5	MR8-9CY70CS		MR8-14CY70CS			
	7.5	7.9	MR8-9CY75		MR8-14CY75			MR8-26CY75
	7.6	27.9			MR8-14CY76L			
	8.0	13.5			MR8-14CY80CS			
	9.0	7.9			MR8-14CY90		MR8-21CY90	MR8-26CY90
	9.0	13.5			MR8-14CY90CS			
ATTACHMENT			MR8-AS09 MR8-AA09 MR8-AA09DK MR8-AVS09 MR8-AVA09 MR8-AVA09DK	MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK	MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK	MR8-AS15 MR8-AA15 MR8-AA15DK MR8-AVS15 MR8-AVA15 MR8-AVA15DK	MR8-AS21 MR8-AA21 MR8-AA21DK	MR8-AS26

MR8™ Cylinder - Diamond Coarse

TOOL TYPE	Head Diameter (mm)	Head Length (mm)	14 cm Large Bore	15 cm Small Bore
	3.0	8.8		MR8-15CY30DC
	3.0	8.3		MR8-15CY30DCD
	5.0	14.0	MR8-14CY50BDC	
	5.0	13.5	MR8-14CY50DC	
	5.0	8.1		MR8-15CY50DCD
	6.0	14.0	MR8-14CY60BDC	
	6.0	13.5	MR8-14CY60DC	
	7.0	14.0	MR8-14CY70BDC	
	7.0	13.5	MR8-14CY70DC	
ATTACHMENT			MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK	MR8-AS15 MR8-AA15 MR8-AA15DK MR8-AVS15 MR8-AVA15 MR8-AVA15DK

MR8™ Cylinder - Barrel

TOOL TYPE	Head Diameter (mm)	Head Length (mm)	10 cm Small Bore
	3.0	11.3	MR8-10CY30BR
	4.0	11.3	MR8-10CY40BR
	5.0	11.3	MR8-10CY50BR
	6.0	11.3	MR8-10CY60BR
ATTACHMENT			MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK

MR8™ Cylinder - Diamond Extra Coarse



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	10 cm Small Bore	14 cm Large Bore	15 cm Small Bore	21 cm Large Bore
	6.5	9.8	MR8-10CY65DX	MR8-14CY65DX	MR8-15CY65DX	MR8-21CY65DX
ATTACHMENT			MR8-AS10 MR8-AA10 MR8-AA10DK MR8-AVS10 MR8-AVA10 MR8-AVA10DK	MR8-AS14 MR8-AA14 MR8-AA14DK MR8-AVS14 MR8-AVA14 MR8-AVA14DK	MR8-AS15 MR8-AA15 MR8-AA15DK MR8-AVS15 MR8-AVA15 MR8-AVA15DK	MR8-AS21 MR8-AA21 MR8-AA21DK

MR8™ Twist Drill



TOOL TYPE	Head Diameter (mm)	Stop Depth (mm)	7 cm Small Bore
	0.8	4.0	MR8-7TD084
	1.0	4.0	MR8-7TD104
	1.0	6.0	MR8-7TD106
	1.1	4.0	MR8-7TD114
	1.1	6.0	MR8-7TD116
	1.2	4.0	MR8-7TD124
	1.2	6.0	MR8-7TD126
	1.2	19.0	MR8-7TD1219
	1.3	4.0	MR8-7TD134
	1.3	6.0	MR8-7TD136
	1.5	4.0	MR8-7TD154

ATTACHMENT

MR8-AS07
MR8-AA07
MR8-AA07DK
MR8-AVS07
MR8-AVA07
MR8-AVA07DK

TOOL TYPE	Head Diameter (mm)	Stop Depth (mm)	7 cm Small Bore
	1.5	6.0	MR8-7TD156
	1.5	7.0*	MR8-7TD157
	1.5	8.0	MR8-7TD158
	1.5	12.0	MR8-7TD1512
	1.5	20.0	MR8-7TD1520
	1.7	4.0	MR8-7TD174
	1.7	6.0	MR8-7TD176
	1.7	8.0	MR8-7TD178
	2.0	4.0	MR8-7TD204
	2.0	6.0	MR8-7TD206
	2.0	8.0	MR8-7TD208

ATTACHMENT

MR8-AS07
MR8-AA07
MR8-AA07DK
MR8-AVS07
MR8-AVA07
MR8-AVA07DK

MR8™ Hole Saw



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	9 cm Large Bore
	5.4	48.3	MR8-9HS54
	10.8	33.0	MR8-9HS108
	13.5	33.0	MR8-9HS135

ATTACHMENT

MR8-AS09
MR8-AA09
MR8-AA09DK
MR8-AVS09
MR8-AVA09
MR8-AVA09DK

MR8™ Hole Maker




TOOL TYPE	Head Diameter (mm)	Head Length (mm)	9 cm Large Bore	14 cm Large Bore
	8.5	10.4	MR8-9HM85	
	9.5	10.4	MR8-9HM95	MR8-14HM95
	10.0	10.4	MR8-9HM100	
	12.6	10.4	MR8-9HM126	MR8-14HM126

ATTACHMENT

MR8-AS09
MR8-AA09
MR8-AA09DK
MR8-AVS09
MR8-AVA09
MR8-AVA09DK

MR8-AS14
MR8-AA14
MR8-AA14DK
MR8-AVS14
MR8-AVA14
MR8-AVA14DK

MR8™ Metal Cutter



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	9 cm	14 cm
	1.6	6.4	MR8-9MC16	MR8-14MC16
	3.0	17.9	MR8-9MC30	MR8-14MC30
	3.2	13.2	MR8-9MC32	MR8-14MC32
	25.4	0.8	MR8-9MC254	MR8-14MC254

ATTACHMENT

MR8-ASMC09
MR8-ASMC14

MR8™ Telescoping - Ball



TOOL TYPE	Head Diameter (mm)	12 cm	14 cm	15 cm
	2.0	MR8-T12BA20	MR8-T14BA20	MR8-T15BA20
	3.0		MR8-T14BA30	
	4.0		MR8-T14BA40	

ATTACHMENT

MR8-TT12MIS
MR8-TT12CMIS
MR8-TT12AMIS
MR8-TT12FMIS

MR8-TT14MIS
MR8-TT14AMIS
MR8-TT14CMIS

MR8-TT15H

MR8™ Telescoping - Ball Diamond



TOOL TYPE	Head Diameter (mm)	12 cm	14 cm
	2.0	MR8-T12BA20D	
	3.0	MR8-T12BA30D	MR8-T14BA30D
	4.0		MR8-T14BA40D

ATTACHMENT

MR8-TT12MIS
MR8-TT12CMIS
MR8-TT12AMIS
MR8-TT12FMIS

MR8-TT14MIS
MR8-TT14AMIS
MR8-TT14CMIS

MR8™ Telescoping - Reverse Taper

TOOL TYPE	Head Diameter (mm)	Head Length (mm)	12 cm
	4.0	5.2	MR8-T12RT40D

ATTACHMENT

MR8-TT12MIS
MR8-TT12CMIS
MR8-TT12AMIS
MR8-TT12FMIS

MR8™ Telescoping - Tapered

TOOL TYPE	Head Diameter (mm)	Head Length (mm)	12 cm
	1.1	6.4	MR8-T12TA11

ATTACHMENT

MR8-TT12MIS
MR8-TT12CMIS
MR8-TT12AMIS
MR8-TT12FMIS

MR8™ Telescoping - Match Head



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	12 cm	14 cm	15 cm	18 cm
	1.5	2.3	MR8-T12MH15			
	2	3.2	MR8-T12MH20			
	2.5	3.7	MR8-T12MH25	MR8-T14MH25	MR8-T15MH25	MR8-T18MH25
	2.5	3.7	MR8-T12MH25L			
	2.5	3.7	MR8-T12MH25M	MR8-T14MH25M		
	2.5	3.7	MR8-T12MH25T	MR8-T14MH25T		
	3	4.1	MR8-T12MH30M	MR8-T14MH30M		
	3	4.1	MR8-T12MH30T	MR8-T14MH30T		
ATTACHMENT			MR8-TT12MIS MR8-TT12CMIS MR8-TT14AMIS MR8-TT12FMIS	MR8-TT14MIS MR8-TT14AMIS MR8-TT14CMIS	MR8-TT15H	MR8-TT18MIS MR8-TT18H

MR8™ Telescoping - Match Head Diamond



TOOL TYPE	Head Diameter (mm)	Head Length (mm)	12 cm	14 cm	15 cm	18 cm
	1.5	2.3	MR8-T12MH15D			
	2	2.4	MR8-T12MH20D			
	2.5	3.1	MR8-T12MH25D			
	3.0	3.2	MR8-T12MH30D	MR8-T14MH30D	MR8-T15MH30D	MR8-T18MH30D
	3.0	3.2	MR8-T12MH30DC	MR8-T14MH30DC		
	3.0	3.2	MR8-T12MH30DX			
	3.5	3.8	MR8-T12MH35D			
	3.5	3.8	MR8-T12MH35DC			
	4	3.8	MR8-T12MH40DX			
	4.5	4.6	MR8-T12MH45D	MR8-T14MH45D		
ATTACHMENT			MR8-TT12MIS MR8-TT12CMIS MR8-TT14AMIS MR8-TT12FMIS	MR8-TT14MIS MR8-TT14AMIS MR8-TT14CMIS	MR8-TT15H	MR8-TT18MIS MR8-TT18H



MR8™ Clearview™ TN Ball

TOOL TYPE	Head Diameter (mm)	13 cm
	3.0	MR8-ND13BA30
	3.0	MR8-ND13BA30DC ✓
	4.0	MR8-ND13BA40
	4.0	MR8-ND13BA40DC ✓
	4.5	MR8-ND13BA45DC

✓ = Navigation Compatible

MR8™ Clearview™ TN Matchhead

TOOL TYPE	Head Diameter (mm)	13 cm
	3.0	MR8-ND13MH30
	3.0	MR8-ND13MH30D



MR8™ Clearview™ SD/SP Ball

TOOL TYPE	Head Diameter (mm)	Bend	12 cm	14 cm
	3.0	Distal	MR8-SD12BA30	
	4.0	Distal	MR8-SD12BA40	
	3.0	Proximal	MR8-SP12BA30	MR8-SP14BA30
	4.0	Proximal	MR8-SP12BA40	MR8-SP14BA40

MR8™ Clearview™ SD/SP Matchhead

TOOL TYPE	Head Diameter (mm)	Bend	12 cm	14 cm
	2.5	Distal	MR8-SD12MH25	
	2.5	Distal	MR8-SD12MH25T	
	3.0	Distal	MR8-SD12MH30	
	3.0	Distal	MR8-SD12MH30T	
	2.5	Proximal	MR8-SP12MH25	MR8-SP14MH25
	2.5	Proximal	MR8-SP12MH25T	MR8-SP14MH25T
	3.0	Proximal	MR8-SP12MH30	MR8-SP14MH30
	3.0	Proximal	MR8-SP12MH30T ✓	MR8-SP14MH30T ✓

✓ = Navigation Compatible

MR8™ Clearview™ SD/SP Matchhead Diamond

TOOL TYPE	Head Diameter (mm)	Bend	12 cm	14 cm
	2.5	Distal	MR8-SD12MH25D	
	3.0	Distal	MR8-SD12MH30D	
	2.5	Proximal	MR8-SP12MH25D	MR8-SP14MH25D
	3.0	Proximal	MR8-SP12MH30D	MR8-SP14MH30D



MR8™ Clearview™ LP Ball

TOOL TYPE	Head Diameter (mm)	5 cm	7 cm
	1.0	MR8-LP05BA10	MR8-LP07BA10
	1.5	MR8-LP05BA15	MR8-LP07BA15
	2.0	MR8-LP05BA20	MR8-LP07BA20
	3.0	MR8-LP05BA30	MR8-LP07BA30
	4.0	MR8-LP05BA40	MR8-LP07BA40

MR8™ Clearview™ LP Ball Diamond Coarse

TOOL TYPE	Head Diameter (mm)	5 cm	7 cm
	2.0	MR8-LP05BA20DC	MR8-LP07BA20DC
	3.0	MR8-LP05BA30DC	MR8-LP07BA30DC
	4.0	MR8-LP05BA40DC	MR8-LP07BA40DC

MR8™ Clearview™ LP Ball Diamond

TOOL TYPE	Head Diameter (mm)	5 cm	7 cm
	0.5	MR8-LP05BA05D	
	0.8	MR8-LP05BA08D	
	1.0	MR8-LP05BA10D ✓	MR8-LP07BA10D ✓
	1.2	MR8-LP05BA12D	
	1.5	MR8-LP05BA15D	
	2.0	MR8-LP05BA20D	MR8-LP07BA20D
	3.0	MR8-LP05BA30D	MR8-LP07BA30D
	4.0	MR8-LP05BA40D	MR8-LP07BA40D

✓ = Navigation Compatible

ACCESSORIES

Sterilization Trays and Cases

- CA800 MR8 Instrument Tray 1/2 DIN
- CA800S* MR8 Sterilization Case 1/2 DIN
- CA850 MR8 Instrument Tray 3/4 DIN
- CA850S* MR8 Sterilization Case 3/4 DIN
- CA875 MR8 Instrument Tray Navigated 3/4 DIN

Electric Motor Accessories

- EA815 MR8 Electric Control Switch

On-Drill Irrigation Tubing

- IRD850 MR8 On-Drill Irrigation Tubing, Single
- IRD800 MR8 On-Drill Irrigation Tubing, 5-Pack

ClearView Irrigation Tubing

- IRD870 MR8 ClearView Irrigation Tubing, Single
- IRD875 MR8 ClearView Irrigation Tubing, 5-Pack



CA800S



CA850



IRD850



EA815

Pneumatic Motor Accessories

- PA700 Pneumatic Lubricant Diffuser Cartridge
- PC700 Pneumatic Foot Control Unit
- PC710 Pneumatic Regulator Hose
- PC720 Pneumatic Triton Adapter
- PA200 Pneumatic Regulator
- PC110 N2 DISS to Male Schrader Adapter
- PC111 N2 DISS to Male Schrader Adapter (UK)
- PC120 N2 DISS to Air DISS Adapter
- PC130 N2 DISS to WF4 Adapter
- PC140 N2 DISS to Female Schrader Adapter
- PC150 N2 DISS to Male SIS Adapter (AUS)

General Accessories

- PA115 Tool Storage Rack
- PA130 Motor Wrench
- PA305 Small (1.2mm) Cleaning Brush 5-Pack
- PA315 Medium (2.4mm) Cleaning Brush 5-Pack
- PA325 Large (3.2mm) Cleaning Brush 5-Pack



PC700



PA700



PC110



PC111




PC120



PC140



PC150



PA200

See the device manual for detailed information regarding the instructions for use, indications, contraindications, warnings, precautions, and potential adverse events. For further information, contact your local Medtronic representative and/or consult the Medtronic website at medtronic.eu.

Rx only. Refer to product instruction manual/package insert for instructions, warnings, precautions, and contraindications.

For further information, please call Medtronic Neurosurgery at (800) 433-7080 or consult Medtronic's website at www.medtronic.com.

Medtronic, Medtronic logo and Further, Together are trademarks of Medtronic.
All other brands are trademarks of a Medtronic company.

Medtronic

Europe

Medtronic International Trading Sàrl.
Route du Molliau 31
Case postale
CH-1131 Tolochenaz
www.medtronic.eu
Tel: +41 (0)21 802 70 00
Fax: +41 (0)21 802 79 00

United Kingdom/Ireland

Medtronic Limited
Building 9
Croxley Park
Hatters Lane
Watford
Herts WD18 8WW
www.medtronic.co.uk
Tel: +44 (0)1923 212213
Fax: +44 (0)1923 241004

UC202000057EE © Medtronic 2020.
All rights reserved.