

Specificații tehnice (F4.1)

Numărul procedurii de achiziție: nr.21029114 din 07.10.2020						
Denumirea procedurii de achiziție: Echipament și accesorii pentru computer						
Denumirea bunurilor	Modelul articolului	Țara de origine	Producătorul	Specificarea tehnică deplină solicitată de către autoritatea contractantă	Specificarea tehnică deplină propusă de către ofertant	Standarde de referință
2	3	4	5	6	7	8
Lotul 2. Wireless Router	Wireless Router MikroTik RB4011iGS+5HacQ2HnD-IN	Latvia	MikroTik	Wireless Router CPU core count: 4; CPU nominal frequency: 1.4 GHz; Size of RAM: 1 GB; Storage size: 512 MB; Wireless 5 GHz Max data rate:1733 Mbit/s; Wireless 5 GHz number of chains: 4; Wireless 5 GHz standards: 802.11a/n/ac; Antenna gain dBi for 5 GHz: 3; Wireless 2.4 GHz Max data rate: 300 Mbit/s; Wireless 2.4 GHz number of chains: 2; Wireless 2.4 GHz standards: 802.11b/g/n; Antenna gain dBi for 2.4 GHz: 3; 10/100/1000 Ethernet ports: 10; Fiber, SFP+ ports: 1; MiniPCI-e slots: 1; Serial port: RJ45; Certification: CE, FCC, IC, EAC, ROHS. Warranty: 12 months	Wireless Router MikroTik RB4011iGS+5HacQ2HnD-IN CPU core count: 4; CPU nominal frequency: 1.4 GHz; Size of RAM: 1 GB; Storage size: 512 MB; Wireless 5 GHz Max data rate:1733 Mbit/s; Wireless 5 GHz number of chains: 4; Wireless 5 GHz standards: 802.11a/n/ac; Antenna gain dBi for 5 GHz: 3; Wireless 2.4 GHz Max data rate: 300 Mbit/s; Wireless 2.4 GHz number of chains: 2; Wireless 2.4 GHz standards: 802.11b/g/n; Antenna gain dBi for 2.4 GHz: 3; 10/100/1000 Ethernet ports: 10; Fiber, SFP+ ports: 1; MiniPCI-e slots: 1; Serial port: RJ45;	

				Performanța analog: Wireless Router MikroTik RB4011iGS+5HacQ2HnD-IN.	Certification: CE, FCC, IC, EAC, ROHS. Warranty: 12 months
Lotul 3. Graphic Tablet	Graphic Tablet Wacom Intuos S CTL-6100WLK-N Bluetooth Black	China	Wacom	Graphic Tablet Dimensions (tablet) 264 × 200 × 8.8 mm; Weight (without packaging) 410 g; Workspace format A5; Number of pressure levels 4096; Work surface resolution (lines per inch) 2540; Pen read speed 133 pps; Interface Bluetooth, USB; System Requirements USB 2.0 Port Windows® 7, 8.1 & 10 (32 & 64 bit). Warranty: 12 months Performanța analog: Graphic Tablet Wacom Intuos S CTL-6100WLK-N Bluetooth Black	Graphic Tablet Wacom Intuos S CTL-6100WLK-N Bluetooth Black Dimensions (tablet) 264 × 200 × 8.8 mm; Weight (without packaging) 410 g; Workspace format A5; Number of pressure levels 4096; Work surface resolution (lines per inch) 2540; Pen read speed 133 pps; Interface Bluetooth, USB; System Requirements USB 2.0 Port Windows® 7, 8.1 & 10 (32 & 64 bit). Warranty: 12 months
Lotul 4. Graphic Tablet Pro	Graphic Tablet Wacom Intuos Pro L PTH-860-N Black	China	Wacom	Graphic Tablet Pro Dimensions 430 × 287 × 8 mm; Workspace format A4; Number of pressure levels 8192; Work surface resolution (lines per inch) 5080; Number of ExpressKeys 8; Interface Bluetooth, USB; System Requirements USB 2.0 Port Windows® 7, 8.1 & 10 (32 & 64 bit). Warranty: 12 months Performanța analog: Graphic Tablet Wacom Intuos Pro L PTH-860-N Black	Graphic Tablet Wacom Intuos Pro L PTH-860-N Black Dimensions 430 × 287 × 8 mm; Workspace format A4; Number of pressure levels 8192; Work surface resolution (lines per inch) 5080; Number of ExpressKeys 8; Interface Bluetooth, USB; System Requirements USB 2.0 Port Windows® 7, 8.1 & 10 (32 & 64 bit). Warranty: 12 months

<p>Lotul 5. Server</p>	<p>SuperServer 5049A-T</p>	<p>China</p>	<p>Supermicro</p>	<p>Server Server 2.1GHz, 8C/16T, 11M, 85W, 16GB RDIMM 2666MT/s, 4TB 7.2K NLSAS 12Gbps 3.5in Hot-plug HDD (up to 8x3,5" Hot Plug HDD), [analog: PERC H7303 RAID, iDRAC9 Enterprise], Dual 1GBE LAN, Dual Hot-plug PSU (1+1) 750W. CPU. Terms of Use: Server / Enterprise; Lithography: 14 nm; Number of Cores: 8; Number of threads: 16; CPU base clock speed: 2.10 GHz; Cache memory: 11 MB L3 Cache; Number of UPI channels: 2; Design power: 85 W; RAM: 16GB RDIMM 2666MT/s. HDD: 4TB 7.2K NLSAS 12Gbps 3.5in Hot-plug HDD (up to 8x3,5" Hot Plug HDD). LAN: Dual 1GBE LAN. Power source: Dual Hot-plug PSU (1+1) 750W; Warranty: 36 months Performanța analog: Dell PowerEdge T440 Tower, Intel Xeon Silver 4110 (2.1GHz, 8C/16T, 11M, 85W), 16GB RDIMM 2666MT/s, 4TB 7.2K NLSAS 12Gbps 3.5in Hot-plug HDD (up to 8x3,5" Hot Plug HDD), PERC H7303 RAID, iDRAC9 Enterprise, Dual 1GBE LAN, Dual Hot-plug PSU (1+1) 750W.</p>	<p>SuperServer 5049A-T CPU: Intel® Xeon™CLX-SP 4208 8C/16T 2.1G 11M 9.6GT. RAM: 16GB DDR4-2933 ECC RDIMM. SAS: 4TB SAS 12Gb/s 7.2K RPM Cache 256MB. RAID: Broadcom 3108 8-port PCI-E SAS-3 controller Supports RAID 0, 1, 5, 6, 10, 50, 60.</p> <p>Key Features:</p> <ol style="list-style-type: none"> 1. Single Socket P (LGA 3647) support 2nd Gen Intel® Xeon® Scalable processors (Cascade Lake/Skylake)‡ 2. 12 DIMMs; up to 3TB 3DS ECC DDR4-2933MHz† RDIMM/LRDIMM 3. 4 PCI-E 3.0 x16, 3 PCI-E 3.0 x8 (in x16) slots, M.2 Interface: 4 PCI-E 3.0 x4 M.2 Form Factor: 2242/2260/2280/22110 M.2 Key: M- Key * M.2 support RAID 0,1 (up to RAID 5, 10), VROC key is required for RAID 1 4. 1x 10GBase-T and 1x 1GbE LAN ports 5. 7.1 HD Audio 6. 8 Hot-swap 3.5" SAS3/SATA3 drive bays with SGPIO 7. 1000/1200W Multi-output Power Supply Platinum Level Certified <p>Warranty: 36 months</p>
-------------------------------	--------------------------------	--------------	-------------------	---	--

Semnăt: _____ Numele, Prenumele: Constantin Alexandru În calitate de: director
Ofertantul: Triomac SRL Adresa: Orhei, str Stefan cel Mare 3, ap 16

