

EC Design-Examination Certificate

Directive 93/42/EEC on Medical Devices, Annex II Section 4

No.**CE 543756****Issued To:**

**Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA**

In respect of:**Trilogy Acetabular System**

BSI has performed a design examination on the above devices in accordance with the Council Directive 93/42/EEC, Annex II Section 4 and Commission Directive 2005/50/EC. The design conforms to the requirements of 93/42/EEC. For marketing of these products an additional Annex II excluding Section 4 certificate is required.

For and on behalf of BSI, a Notified Body for the above Directive (Notified Body Number 0086):



Stewart Brain, Head of Compliance & Risk -
Medical Devices

First Issued: 2009-01-12**Date: 2019-01-11****Expiry Date: 2024-01-11**

...making excellence a habit.™

Page 1 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6200-036-20	Trilogy Acetabular System, Shell with holes, Porous, 36mm O.D.
00-6200-038-20	Trilogy Acetabular System, Shell with holes, Porous, 38mm O.D.
00-6200-040-20	Trilogy Acetabular System, Shell with holes, Porous, 40 mm O.D.
00-6200-040-21	Trilogy Acetabular System, Shell without holes, Porous, 40 mm O.D.
00-6200-042-20	Trilogy Acetabular System, Shell with holes, Porous, 42 mm O.D.
00-6200-042-21	Trilogy Acetabular System, Shell without holes, Porous, 42mm O.D.
00-6200-044-20	Trilogy Acetabular System, Shell with holes, Porous, 44 mm O.D.
00-6200-044-21	Trilogy Acetabular System, Shell without holes, Porous, 44 mm O.D.
00-6200-046-20	Trilogy Acetabular System, Shell with holes, Porous, 46 mm O.D.
00-6200-046-21	Trilogy Acetabular System, Shell without holes, Porous, 46 mm O.D.
00-6200-048-20	Trilogy Acetabular System, Shell with holes, Porous, 48 mm O.D.
00-6200-048-21	Trilogy Acetabular System, Shell without holes, Porous, 48 mm O.D.
00-6200-048-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 48 mm O.D.
00-6200-050-20	Trilogy Acetabular System, Shell with holes, Porous, 50 mm O.D.
00-6200-050-21	Trilogy Acetabular System, Shell without holes, Porous, 50 mm O.D.
00-6200-050-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 50 mm O.D.

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 2 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6200-052-20	Trilogy Acetabular System, Shell with holes, Porous, 52 mm O.D.
00-6200-052-21	Trilogy Acetabular System, Shell without holes, Porous, 52 mm O.D.
00-6200-052-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 52 mm O.D.
00-6200-054-20	Trilogy Acetabular System, Shell with holes, Porous, 54 mm O.D.
00-6200-054-21	Trilogy Acetabular System, Shell without holes, Porous, 54 mm O.D.
00-6200-054-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 54 mm O.D.
00-6200-056-20	Trilogy Acetabular System, Shell with holes, Porous, 56 mm O.D.
00-6200-056-21	Trilogy Acetabular System, Shell without holes, Porous, 56 mm O.D.
00-6200-056-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 56 mm O.D.
00-6200-058-20	Trilogy Acetabular System, Shell with holes, Porous, 58 mm O.D.
00-6200-058-21	Trilogy Acetabular System, Shell without holes, Porous, 58 mm O.D.
00-6200-058-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 58 mm O.D.
00-6200-060-20	Trilogy Acetabular System, Shell with holes, Porous, 60 mm O.D.
00-6200-060-21	Trilogy Acetabular System, Shell without holes, Porous, 60 mm O.D.
00-6200-060-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 60 mm O.D.
00-6200-062-20	Trilogy Acetabular System, Shell with holes, Porous, 62 mm O.D.

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 3 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6200-062-21	Trilogy Acetabular System, Shell without holes, Porous, 62 mm O.D.
00-6200-062-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 62 mm O.D.
00-6200-064-20	Trilogy Acetabular System, Shell with holes, Porous, 64 mm O.D.
00-6200-064-21	Trilogy Acetabular System, Shell without holes, Porous, 64 mm O.D.
00-6200-064-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 64 mm O.D.
00-6200-066-20	Trilogy Acetabular System, Shell with holes, Porous, 66 mm O.D.
00-6200-066-21	Trilogy Acetabular System, Shell without holes, Porous, 66 mm O.D.
00-6200-066-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 66 mm O.D.
00-6200-068-20	Trilogy Acetabular System, Shell with holes, Porous, 68 mm O.D.
00-6200-068-21	Trilogy Acetabular System, Shell without holes, Porous, 68 mm O.D.
00-6200-068-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 68 mm O.D.
00-6200-070-20	Trilogy Acetabular System, Shell with holes, Porous, 70 mm O.D.
00-6200-070-21	Trilogy Acetabular System, Shell without holes, Porous, 70 mm O.D.
00-6200-070-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 70 mm O.D.
00-6200-072-20	Trilogy Acetabular System, Shell with holes, Porous, 72 mm O.D.
00-6200-074-20	Trilogy Acetabular System, Shell with holes, Porous, 74 mm O.D.

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 4 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6200-076-20	Trilogy Acetabular System, Shell with holes, Porous, 76 mm O.D.
00-6200-078-20	Trilogy Acetabular System, Shell with holes, Porous, 78 mm O.D.
00-6200-080-20	Trilogy Acetabular System, Shell with holes, Porous, 80 mm O.D.
65-6200-036-20	Trilogy Acetabular System, Shell with holes, Porous, 36 mm O.D., w/Calcicoat Ceramic Coating
65-6200-038-20	Trilogy Acetabular System, Shell with holes, Porous, 38 mm O.D., w/Calcicoat Ceramic Coating
65-6200-040-20	Trilogy Acetabular System, Shell with holes, Porous, 40 mm O.D., w/Calcicoat Ceramic Coating
65-6200-040-21	Trilogy Acetabular System, Shell without holes, Porous, 40 mm O.D., w/Calcicoat Ceramic Coating
65-6200-042-20	Trilogy Acetabular System, Shell with holes, Porous, 42 mm O.D., w/Calcicoat Ceramic Coating
65-6200-042-21	Trilogy Acetabular System, Shell without holes, Porous, 42 mm O.D., w/Calcicoat Ceramic Coating
65-6200-044-20	Trilogy Acetabular System, Shell with holes, Porous, 44 mm O.D., w/Calcicoat Ceramic Coating
65-6200-044-21	Trilogy Acetabular System, Shell without holes, Porous, 44 mm O.D., w/Calcicoat Ceramic Coating

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 5 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
65-6200-046-20	Trilogy Acetabular System, Shell with holes, Porous, 46 mm O.D., w/Calcicoat Ceramic Coating
65-6200-046-21	Trilogy Acetabular System, Shell without holes, Porous, 46 mm O.D., w/Calcicoat Ceramic Coating
65-6200-048-20	Trilogy Acetabular System, Shell with holes, Porous, 48 mm O.D., w/Calcicoat Ceramic Coating
65-6200-048-21	Trilogy Acetabular System, Shell without holes, Porous, 48 mm O.D., w/Calcicoat Ceramic Coating
65-6200-048-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 48 mm O.D., w/Calcicoat Ceramic Coating
65-6200-050-20	Trilogy Acetabular System, Shell with holes, Porous, 50 mm O.D., w/Calcicoat Ceramic Coating
65-6200-050-21	Trilogy Acetabular System, Shell without holes, Porous, 50 mm O.D., w/Calcicoat Ceramic Coating
65-6200-050-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 50 mm O.D., w/Calcicoat Ceramic Coating
65-6200-052-20	Trilogy Acetabular System, Shell with holes, Porous, 52 mm O.D., w/Calcicoat Ceramic Coating
65-6200-052-21	Trilogy Acetabular System, Shell without holes, Porous, 52 mm O.D., w/Calcicoat Ceramic Coating

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 6 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
65-6200-052-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 52 mm O.D., w/Calcicoat Ceramic Coating
65-6200-054-20	Trilogy Acetabular System, Shell with holes, Porous, 54 mm O.D., w/Calcicoat Ceramic Coating
65-6200-054-21	Trilogy Acetabular System, Shell without holes, Porous, 54 mm O.D., w/Calcicoat Ceramic Coating
65-6200-054-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 54 mm O.D., w/Calcicoat Ceramic Coating
65-6200-056-20	Trilogy Acetabular System, Shell with holes, Porous, 56 mm O.D., w/Calcicoat Ceramic Coating
65-6200-056-21	Trilogy Acetabular System, Shell without holes, Porous, 56 mm O.D., w/Calcicoat Ceramic Coating
65-6200-056-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 56 mm O.D., w/Calcicoat Ceramic Coating
65-6200-058-20	Trilogy Acetabular System, Shell with holes, Porous, 58 mm O.D., w/Calcicoat Ceramic Coating
65-6200-058-21	Trilogy Acetabular System, Shell without holes, Porous, 58 mm O.D., w/Calcicoat Ceramic Coating
65-6200-058-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 58 mm O.D., w/Calcicoat Ceramic Coating

First Issued: **2009-01-12**Date: **2019-01-11**Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 7 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
65-6200-060-20	Trilogy Acetabular System, Shell with holes, Porous, 60 mm O.D., w/Calcicoat Ceramic Coating
65-6200-060-21	Trilogy Acetabular System, Shell without holes, Porous, 60 mm O.D., w/Calcicoat Ceramic Coating
65-6200-060-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 60 mm O.D., w/Calcicoat Ceramic Coating
65-6200-062-20	Trilogy Acetabular System, Shell with holes, Porous, 62 mm O.D., w/Calcicoat Ceramic Coating
65-6200-062-21	Trilogy Acetabular System, Shell without holes, Porous, 62 mm O.D., w/Calcicoat Ceramic Coating
65-6200-062-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 62 mm O.D., w/Calcicoat Ceramic Coating
65-6200-064-20	Trilogy Acetabular System, Shell with holes, Porous, 64 mm O.D., w/Calcicoat Ceramic Coating
65-6200-064-21	Trilogy Acetabular System, Shell without holes, Porous, 64 mm O.D., w/Calcicoat Ceramic Coating
65-6200-064-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 64 mm O.D., w/Calcicoat Ceramic Coating
65-6200-066-20	Trilogy Acetabular System, Shell with holes, Porous, 66 mm O.D., w/Calcicoat Ceramic Coating

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 8 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
65-6200-066-21	Trilogy Acetabular System, Shell without holes, Porous, 66 mm O.D., w/Calcicoat Ceramic Coating
65-6200-066-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 66 mm O.D., w/Calcicoat Ceramic Coating
65-6200-068-20	Trilogy Acetabular System, Shell with holes, Porous, 68 mm O.D., w/Calcicoat Ceramic Coating
65-6200-068-21	Trilogy Acetabular System, Shell without holes, Porous, 68 mm O.D., w/Calcicoat Ceramic Coating
65-6200-068-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 68 mm O.D., w/Calcicoat Ceramic Coating
65-6200-070-20	Trilogy Acetabular System, Shell with holes, Porous, 70 mm O.D., w/Calcicoat Ceramic Coating
65-6200-070-21	Trilogy Acetabular System, Shell without holes, Porous, 70 mm O.D., w/Calcicoat Ceramic Coating
65-6200-070-22	Trilogy Acetabular System, Shell with cluster holes, Porous, 70 mm O.D., w/Calcicoat Ceramic Coating
65-6200-072-20	Trilogy Acetabular System, Shell with holes, Porous, 72 mm O.D., w/Calcicoat Ceramic Coating
65-6200-074-20	Trilogy Acetabular System, Shell with holes, Porous, 74 mm O.D., w/Calcicoat Ceramic Coating

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 9 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
 BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
 A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
65-6200-076-20	Trilogy Acetabular System, Shell with holes, Porous, 76 mm O.D., w/Calcicoat Ceramic Coating
65-6200-078-20	Trilogy Acetabular System, Shell with holes, Porous, 78 mm O.D., w/Calcicoat Ceramic Coating
65-6200-080-20	Trilogy Acetabular System, Shell with holes, Porous, 80 mm O.D., w/Calcicoat Ceramic Coating
00-6105-036-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 36 O.D. shell
00-6105-038-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 38 O.D. shell
00-6105-040-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 40 O.D. shell
00-6105-042-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 42 O.D. shell
00-6105-042-26	TrilogyAcetabular System, Liner, Standard, 26mm I.D. for use with 42 O.D. shell
00-6105-044-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 44 O.D. shell
00-6105-044-26	TrilogyAcetabular System, Liner, Standard, 26 mm I.D. for use with 44 O.D. shell
00-6105-044-28	TrilogyAcetabular System, Liner, Standard, 28 mm I.D. for use with 44 O.D. shell
00-6105-046-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 46 O.D. shell
00-6105-046-26	TrilogyAcetabular System, Liner, Standard, 26 mm I.D. for use with 46 O.D. shell
00-6105-046-28	TrilogyAcetabular System, Liner, Standard, 28 mm I.D. for use with 46 O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 10 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6105-048-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 48 O.D. shell
00-6105-048-26	TrilogyAcetabular System, Liner, Standard, 26 mm I.D. for use with 48 O.D. shell
00-6105-048-28	TrilogyAcetabular System, Liner, Standard, 28mm I.D. for use with 48 O.D. shell
00-6105-048-32	TrilogyAcetabular System, Liner, Standard, 32mm I.D. for use with 48 O.D. shell
00-6105-050-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 50/52/54 O.D. shell
00-6105-050-26	TrilogyAcetabular System, Liner, Standard, 26 mm I.D. for use with 50/52/54 O.D. shell
00-6105-050-28	TrilogyAcetabular System, Liner, Standard, 28mm I.D. for use with 50/52/54 O.D. shell
00-6105-050-32	TrilogyAcetabular System, Liner, Standard, 32 mm I.D. for use with 50/52/54 O.D. shell
00-6105-056-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 56 O.D. shell
00-6105-056-26	TrilogyAcetabular System, Liner, Standard, 26mm I.D. for use with 56 O.D. shell
00-6105-056-28	TrilogyAcetabular System, Liner, Standard, 28mm I.D. for use with 56 O.D. shell
00-6105-056-32	TrilogyAcetabular System, Liner, Standard, 32mm I.D. for use with 56 O.D. shell
00-6105-058-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 58 O.D. shell
00-6105-058-26	TrilogyAcetabular System, Liner, Standard, 26mm I.D. for use with 58 O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 11 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
 BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
 A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6105-058-28	TrilogyAcetabular System, Liner, Standard, 28mm I.D. for use with 58 O.D. shell
00-6105-058-32	TrilogyAcetabular System, Liner, Standard, 32mm I.D. for use with 58 O.D. shell
00-6105-060-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 60 O.D. shell
00-6105-060-26	TrilogyAcetabular System, Liner, Standard, 26mm I.D. for use with 60 O.D. shell
00-6105-060-28	TrilogyAcetabular System, Liner, Standard, 28mm I.D. for use with 60 O.D. shell
00-6105-060-32	TrilogyAcetabular System, Liner, Standard, 32mm I.D. for use with 60 O.D. shell
00-6105-062-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 62 O.D. shell
00-6105-062-26	TrilogyAcetabular System, Liner, Standard, 26 mm I.D. for use with 62 O.D. shell
00-6105-062-28	TrilogyAcetabular System, Liner, Standard, 28 mm I.D. for use with 62 O.D. shell
00-6105-062-32	TrilogyAcetabular System, Liner, Standard, 32mm I.D. for use with 62 O.D. shell
00-6105-064-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 64 O.D. shell
00-6105-064-26	TrilogyAcetabular System, Liner, Standard, 26 mm I.D. for use with 64 O.D. shell
00-6105-064-28	TrilogyAcetabular System, Liner, Standard, 28mm I.D. for use with 64 O.D. shell
00-6105-064-32	TrilogyAcetabular System, Liner, Standard, 32mm I.D. for use with 64 O.D. shell
00-6105-066-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 66 O.D. shell
00-6105-066-26	TrilogyAcetabular System, Liner, Standard, 26mm I.D. for use with 66 O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 12 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6105-066-28	TrilogyAcetabular System, Liner, Standard, 28mm I.D. for use with 66 O.D. shell
00-6105-066-32	TrilogyAcetabular System, Liner, Standard, 32mm I.D. for use with 66 O.D. shell
00-6105-068-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 68 O.D. shell
00-6105-068-26	TrilogyAcetabular System, Liner, Standard, 26mm I.D. for use with 68 O.D. shell
00-6105-068-28	TrilogyAcetabular System, Liner, Standard, 28 mm I.D. for use with 68 O.D. shell
00-6105-068-32	TrilogyAcetabular System, Liner, Standard, 32mm I.D. for use with 68 O.D. shell
00-6105-070-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 70 O.D. shell
00-6105-070-26	TrilogyAcetabular System, Liner, Standard, 26mm I.D. for use with 70 O.D. shell
00-6105-070-28	TrilogyAcetabular System, Liner, Standard, 28mm I.D. for use with 70 O.D. shell
00-6105-070-32	TrilogyAcetabular System, Liner, Standard, 32mm I.D. for use with 70 O.D. shell
00-6105-072-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 72 O.D. shell
00-6105-072-26	TrilogyAcetabular System, Liner, Standard, 26mm I.D. for use with 72 O.D. shell
00-6105-072-28	TrilogyAcetabular System, Liner, Standard, 28mm I.D. for use with 72 O.D. shell
00-6105-072-32	TrilogyAcetabular System, Liner, Standard, 32mm I.D. for use with 72 O.D. shell
00-6105-074-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 74 O.D. shell
00-6105-074-26	TrilogyAcetabular System, Liner, Standard, 26 mm I.D. for use with 74 O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 13 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6105-074-28	TrilogyAcetabular System, Liner, Standard, 28mm I.D. for use with 74 O.D. shell
00-6105-074-32	TrilogyAcetabular System, Liner, Standard, 32mm I.D. for use with 74 O.D. shell
00-6105-076-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 76 O.D. shell
00-6105-076-26	TrilogyAcetabular System, Liner, Standard, 26mm I.D. for use with 76 O.D. shell
00-6105-076-28	TrilogyAcetabular System, Liner, Standard, 28mm I.D. for use with 76 O.D. shell
00-6105-076-32	TrilogyAcetabular System, Liner, Standard, 32mm I.D. for use with 76 O.D. shell
00-6105-078-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 78 O.D. shell
00-6105-078-26	TrilogyAcetabular System, Liner, Standard, 26 mm I.D. for use with 78 O.D. shell
00-6105-078-28	TrilogyAcetabular System, Liner, Standard, 28 mm I.D. for use with 78 O.D. shell
00-6105-078-32	TrilogyAcetabular System, Liner, Standard, 32mm I.D. for use with 78 O.D. shell
00-6105-080-22	TrilogyAcetabular System, Liner, Standard, 22mm I.D. for use with 80 O.D. shell
00-6105-080-26	TrilogyAcetabular System, Liner, Standard, 26mm I.D. for use with 80 O.D. shell
00-6105-080-28	TrilogyAcetabular System, Liner, Standard, 28 mm I.D. for use with 80 O.D. shell
00-6105-080-32	TrilogyAcetabular System, Liner, Standard, 32mm I.D. for use with 80 O.D. shell
00-6110-036-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 36 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 14 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
 BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
 A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6110-038-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 38 mm O.D. shell
00-6110-040-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 40 mm O.D. shell
00-6110-042-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 42 mm O.D. shell
00-6110-042-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 42 mm O.D. shell
00-6110-044-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 44 mm O.D. shell
00-6110-044-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 44 mm O.D. shell
00-6110-044-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 44 mm O.D. shell
00-6110-046-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 46 mm O.D. shell
00-6110-046-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 46 mm O.D. shell
00-6110-046-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 46 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 15 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6110-048-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 48 mm O.D. shell
00-6110-048-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 48 mm O.D. shell
00-6110-048-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 48 mm O.D. shell
00-6110-048-32	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 48 mm O.D. shell
00-6110-050-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 50/52/54 mm O.D. shell
00-6110-050-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 50/52/54 mm O.D. shell
00-6110-050-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 50/52/54 mm O.D. shell
00-6110-050-32	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 50/52/54 mm O.D. shell
00-6110-056-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 56 mm O.D. shell
00-6110-056-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 56 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 16 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6110-056-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 56 mm O.D. shell
00-6110-056-32	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 56 mm O.D. shell
00-6110-058-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 58 mm O.D. shell
00-6110-058-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 58 mm O.D. shell
00-6110-058-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 58 mm O.D. shell
00-6110-058-32	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 58 mm O.D. shell
00-6110-060-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 60 mm O.D. shell
00-6110-060-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 60 mm O.D. shell
00-6110-060-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 60 mm O.D. shell
00-6110-060-32	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 60 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 17 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6110-062-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 62 mm O.D. shell
00-6110-062-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 62 mm O.D. shell
00-6110-062-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 62 mm O.D. shell
00-6110-062-32	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 62 mm O.D. shell
00-6110-064-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 64 mm O.D. shell
00-6110-064-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 64 mm O.D. shell
00-6110-064-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 64 mm O.D. shell
00-6110-064-32	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 64 mm O.D. shell
00-6110-066-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 66 mm O.D. shell
00-6110-066-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 66 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 18 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6110-066-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 66 mm O.D. shell
00-6110-066-32	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 66 mm O.D. shell
00-6110-068-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 68 mm O.D. shell
00-6110-068-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 68 mm O.D. shell
00-6110-068-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 68 mm O.D. shell
00-6110-068-32	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 68 mm O.D. shell
00-6110-070-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 70 mm O.D. shell
00-6110-070-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 70 mm O.D. shell
00-6110-070-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 70 mm O.D. shell
00-6110-070-32	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 70 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 19 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6110-072-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 72 mm O.D. shell
00-6110-072-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 72 mm O.D. shell
00-6110-072-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 72 mm O.D. shell
00-6110-072-32	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 72 mm O.D. shell
00-6110-074-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 74 mm O.D. shell
00-6110-074-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 74 mm O.D. shell
00-6110-074-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 74 mm O.D. shell
00-6110-074-32	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 74 mm O.D. shell
00-6110-076-22	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 76 mm O.D. shell
00-6110-076-26	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 76 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 20 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
 BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
 A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6110-076-28	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 76 mm O.D. shell
00-6110-076-32	Trilogy Acetabular System, Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 76 mm O.D. shell
00-6120-036-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 36 mm O.D. shell
00-6120-038-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 38 mm O.D. shell
00-6120-040-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 40 mm O.D. shell
00-6120-042-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 42 mm O.D. shell
00-6120-042-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 42 mm O.D. shell
00-6120-044-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 44 mm O.D. shell
00-6120-044-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 44 mm O.D. shell
00-6120-044-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 44 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 21 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6120-046-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 46 mm O.D. shell
00-6120-046-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 46 mm O.D. shell
00-6120-046-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 46 mm O.D. shell
00-6120-048-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 48 mm O.D. shell
00-6120-048-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 48 mm O.D. shell
00-6120-048-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 48 mm O.D. shell
00-6120-048-32	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 48 mm O.D. shell
00-6120-050-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 50/52/54 mm O.D. shell
00-6120-050-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 50/52/54 mm O.D. shell
00-6120-050-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 50/52/54 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 22 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6120-050-32	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 50/52/54 mm O.D. shell
00-6120-056-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 56 mm O.D. shell
00-6120-056-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 56 mm O.D. shell
00-6120-056-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 56 mm O.D. shell
00-6120-056-32	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 56 mm O.D. shell
00-6120-058-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 58 mm O.D. shell
00-6120-058-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 58 mm O.D. shell
00-6120-058-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 58 mm O.D. shell
00-6120-058-32	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 58 mm O.D. shell
00-6120-060-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 60 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 23 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6120-060-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 60 mm O.D. shell
00-6120-060-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 60 mm O.D. shell
00-6120-060-32	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 60 mm O.D. shell
00-6120-062-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 62 mm O.D. shell
00-6120-062-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 62 mm O.D. shell
00-6120-062-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 62 mm O.D. shell
00-6120-062-32	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 62 mm O.D. shell
00-6120-064-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 64 mm O.D. shell
00-6120-064-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 64 mm O.D. shell
00-6120-064-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 64 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 24 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6120-064-32	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 64 mm O.D. shell
00-6120-066-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 66 mm O.D. shell
00-6120-066-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 66 mm O.D. shell
00-6120-066-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 66 mm O.D. shell
00-6120-066-32	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 66 mm O.D. shell
00-6120-068-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 68 mm O.D. shell
00-6120-068-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 68 mm O.D. shell
00-6120-068-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 68 mm O.D. shell
00-6120-068-32	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 68 mm O.D. shell
00-6120-070-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 70 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 25 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6120-070-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 70 mm O.D. shell
00-6120-070-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 70 mm O.D. shell
00-6120-070-32	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 70 mm O.D. shell
00-6120-072-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 72 mm O.D. shell
00-6120-072-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 72 mm O.D. shell
00-6120-072-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 72 mm O.D. shell
00-6120-072-32	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 72 mm O.D. shell
00-6120-074-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 74 mm O.D. shell
00-6120-074-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 74 mm O.D. shell
00-6120-074-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 74 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 26 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6120-074-32	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 74 mm O.D. shell
00-6120-076-22	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 76 mm O.D. shell
00-6120-076-26	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 76 mm O.D. shell
00-6120-076-28	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 76 mm O.D. shell
00-6120-076-32	Trilogy Acetabular System, Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 76 mm O.D. shell
00-6305-036-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 36 mm O.D. shell
00-6305-038-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 38 mm O.D. shell
00-6305-040-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 40 mm O.D. shell
00-6305-042-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 42 mm O.D. shell
00-6305-042-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 42 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 27 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6305-044-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 44 mm O.D. shell
00-6305-044-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 44 mm O.D. shell
00-6305-044-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 44 mm O.D. shell
00-6305-046-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 46 mm O.D. shell
00-6305-046-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 46 mm O.D. shell
00-6305-046-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 46 mm O.D. shell
00-6305-048-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 48 mm O.D. shell
00-6305-048-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 48 mm O.D. shell
00-6305-048-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 48 mm O.D. shell
00-6305-048-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 48 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 28 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6305-050-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 50/52/54 mm O.D. shell
00-6305-050-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 50/52/54 mm O.D. shell
00-6305-050-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 50/52/54 mm O.D. shell
00-6305-050-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 50/52/54 mm O.D. shell
00-6305-050-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 36 mm I.D., 3.5 mm offset, for use with 50/52/54 mm O.D. shell
00-6305-056-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 56 mm O.D. shell
00-6305-056-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 56 mm O.D. shell
00-6305-056-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 56 mm O.D. shell
00-6305-056-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 56 mm O.D. shell
00-6305-056-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 36 mm I.D., 3.5 mm offset, for use with 56 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 29 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6305-058-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 58 mm O.D. shell
00-6305-058-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 58 mm O.D. shell
00-6305-058-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 58 mm O.D. shell
00-6305-058-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 58 mm O.D. shell
00-6305-058-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 36 mm I.D., 3.5 mm offset, for use with 58 mm O.D. shell
00-6305-058-40	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 40 mm I.D., 3.5 mm offset, for use with 58 mm O.D. shell
00-6305-060-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 60 mm O.D. shell
00-6305-060-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 60 mm O.D. shell
00-6305-060-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 60 mm O.D. shell
00-6305-060-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 60 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 30 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6305-060-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 36 mm I.D., 3.5 mm offset, for use with 60 mm O.D. shell
00-6305-060-40	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 40 mm I.D., 3.5 mm offset, for use with 60 mm O.D. shell
00-6305-062-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 62 mm O.D. shell
00-6305-062-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 62 mm O.D. shell
00-6305-062-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 62 mm O.D. shell
00-6305-062-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 62 mm O.D. shell
00-6305-062-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 36 mm I.D., 3.5 mm offset, for use with 62 mm O.D. shell
00-6305-062-40	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 40 mm I.D., 3.5 mm offset, for use with 62 mm O.D. shell
00-6305-064-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 64 mm O.D. shell
00-6305-064-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 64 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 31 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6305-064-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 64 mm O.D. shell
00-6305-064-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 64 mm O.D. shell
00-6305-064-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 36 mm I.D., 3.5 mm offset, for use with 64 mm O.D. shell
00-6305-064-40	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 40 mm I.D., 3.5 mm offset, for use with 64 mm O.D. shell
00-6305-066-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 66 mm O.D. shell
00-6305-066-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 66 mm O.D. shell
00-6305-066-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 66 mm O.D. shell
00-6305-066-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 66 mm O.D. shell
00-6305-066-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 36 mm I.D., 3.5 mm offset, for use with 66 mm O.D. shell
00-6305-066-40	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 40 mm I.D., 3.5 mm offset, for use with 66 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 32 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6305-068-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 68 mm O.D. shell
00-6305-068-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 68 mm O.D. shell
00-6305-068-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 68 mm O.D. shell
00-6305-068-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 68 mm O.D. shell
00-6305-068-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 36 mm I.D., 3.5 mm offset, for use with 68 mm O.D. shell
00-6305-068-40	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 40 mm I.D., 3.5 mm offset, for use with 68 mm O.D. shell
00-6305-070-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 70 mm O.D. shell
00-6305-070-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 70 mm O.D. shell
00-6305-070-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 70 mm O.D. shell
00-6305-070-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 70 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 33 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6305-070-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 36 mm I.D., 3.5 mm offset, for use with 70 mm O.D. shell
00-6305-070-40	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 40 mm I.D., 3.5 mm offset, for use with 70 mm O.D. shell
00-6305-072-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 72 mm O.D. shell
00-6305-072-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 72 mm O.D. shell
00-6305-072-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 72 mm O.D. shell
00-6305-072-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 72 mm O.D. shell
00-6305-072-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 36 mm I.D., 3.5 mm offset, for use with 72 mm O.D. shell
00-6305-072-40	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 40 mm I.D., 3.5 mm offset, for use with 72 mm O.D. shell
00-6305-074-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 74 mm O.D. shell
00-6305-074-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 74 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 34 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6305-074-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 74 mm O.D. shell
00-6305-074-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 74 mm O.D. shell
00-6305-074-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 36 mm I.D., 3.5 mm offset, for use with 74 mm O.D. shell
00-6305-074-40	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 40 mm I.D., 3.5 mm offset, for use with 74 mm O.D. shell
00-6305-076-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 76 mm O.D. shell
00-6305-076-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 76 mm O.D. shell
00-6305-076-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 76 mm O.D. shell
00-6305-076-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 76 mm O.D. shell
00-6305-076-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 36 mm I.D., 3.5 mm offset, for use with 76 mm O.D. shell
00-6305-076-40	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 40 mm I.D., 3.5 mm offset, for use with 76 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 35 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6305-078-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 78 mm O.D. shell
00-6305-078-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 78 mm O.D. shell
00-6305-078-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 78 mm O.D. shell
00-6305-078-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 78 mm O.D. shell
00-6305-078-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 36 mm I.D., 3.5 mm offset, for use with 78 mm O.D. shell
00-6305-078-40	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 40 mm I.D., 3.5 mm offset, for use with 78 mm O.D. shell
00-6305-080-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 22 mm I.D., for use with 80 mm O.D. shell
00-6305-080-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 26 mm I.D., for use with 80 mm O.D. shell
00-6305-080-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 28 mm I.D., for use with 80 mm O.D. shell
00-6305-080-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 32 mm I.D., for use with 80 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 36 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
 BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
 A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6305-080-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 36 mm I.D., 3.5 mm offset, for use with 80 mm O.D. shell
00-6305-080-40	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, Standard, 40 mm I.D., 3.5 mm offset, for use with 80 mm O.D. shell
00-6310-036-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 36 mm O.D. shell
00-6310-038-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 38 mm O.D. shell
00-6310-040-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 40 mm O.D. shell
00-6310-042-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 42 mm O.D. shell
00-6310-042-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 42 mm O.D. shell
00-6310-044-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 44 mm O.D. shell
00-6310-044-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 44 mm O.D. shell
00-6310-044-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 44 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 37 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6310-046-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 46 mm O.D. shell
00-6310-046-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 46 mm O.D. shell
00-6310-046-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 46 mm O.D. shell
00-6310-048-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 48 mm O.D. shell
00-6310-048-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 48 mm O.D. shell
00-6310-048-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 48 mm O.D. shell
00-6310-048-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 48 mm O.D. shell
00-6310-050-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 50/52/54 mm O.D. shell
00-6310-050-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 50/52/54 mm O.D. shell
00-6310-050-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 50/52/54 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 38 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6310-050-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 50/52/54 mm O.D. shell
00-6310-056-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 56 mm O.D. shell
00-6310-056-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 56 mm O.D. shell
00-6310-056-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 56 mm O.D. shell
00-6310-056-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 56 mm O.D. shell
00-6310-058-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 58 mm O.D. shell
00-6310-058-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 58 mm O.D. shell
00-6310-058-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 58 mm O.D. shell
00-6310-058-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 58 mm O.D. shell
00-6310-058-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 3.5 mm offset, 10 Degree Elevated Rim, 36 mm I.D., for use with 58 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 39 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6310-060-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 60 mm O.D. shell
00-6310-060-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 60 mm O.D. shell
00-6310-060-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 60 mm O.D. shell
00-6310-060-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 60 mm O.D. shell
00-6310-060-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 3.5 mm offset, 10 Degree Elevated Rim, 36 mm I.D., for use with 60 mm O.D. shell
00-6310-062-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 62 mm O.D. shell
00-6310-062-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 62 mm O.D. shell
00-6310-062-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 62 mm O.D. shell
00-6310-062-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 62 mm O.D. shell
00-6310-062-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 3.5 mm offset, 10 Degree Elevated Rim, 36 mm I.D., for use with 62 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 40 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6310-064-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 64 mm O.D. shell
00-6310-064-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 64 mm O.D. shell
00-6310-064-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 64 mm O.D. shell
00-6310-064-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 64 mm O.D. shell
00-6310-064-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 3.5 mm offset, 10 Degree Elevated Rim, 36 mm I.D., for use with 64 mm O.D. shell
00-6310-066-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 66 mm O.D. shell
00-6310-066-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 66 mm O.D. shell
00-6310-066-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 66 mm O.D. shell
00-6310-066-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 66 mm O.D. shell
00-6310-066-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 3.5 mm offset, 10 Degree Elevated Rim, 36 mm I.D., for use with 66 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 41 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6310-068-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 68 mm O.D. shell
00-6310-068-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 68 mm O.D. shell
00-6310-068-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 68 mm O.D. shell
00-6310-068-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 68 mm O.D. shell
00-6310-068-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 3.5 mm offset, 10 Degree Elevated Rim, 36 mm I.D., for use with 68 mm O.D. shell
00-6310-070-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 70 mm O.D. shell
00-6310-070-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 70 mm O.D. shell
00-6310-070-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 70 mm O.D. shell
00-6310-070-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 70 mm O.D. shell
00-6310-070-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 3.5 mm offset, 10 Degree Elevated Rim, 36 mm I.D., for use with 70 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 42 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6310-072-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 72 mm O.D. shell
00-6310-072-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 72 mm O.D. shell
00-6310-072-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 72 mm O.D. shell
00-6310-072-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 72 mm O.D. shell
00-6310-072-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 3.5 mm offset, 10 Degree Elevated Rim, 36 mm I.D., for use with 72 mm O.D. shell
00-6310-074-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 74 mm O.D. shell
00-6310-074-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 74 mm O.D. shell
00-6310-074-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 74 mm O.D. shell
00-6310-074-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 74 mm O.D. shell
00-6310-074-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 3.5 mm offset, 10 Degree Elevated Rim, 36 mm I.D., for use with 74 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 43 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6310-076-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 76 mm O.D. shell
00-6310-076-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 76 mm O.D. shell
00-6310-076-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 76 mm O.D. shell
00-6310-076-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 76 mm O.D. shell
00-6310-076-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 3.5 mm offset, 10 Degree Elevated Rim, 36 mm I.D., for use with 76 mm O.D. shell
00-6310-078-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 78 mm O.D. shell
00-6310-078-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 78 mm O.D. shell
00-6310-078-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 78 mm O.D. shell
00-6310-078-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 78 mm O.D. shell
00-6310-078-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 3.5 mm offset, 10 Degree Elevated Rim, 36 mm I.D., for use with 78 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 44 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
 BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
 A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6310-080-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 22 mm I.D., for use with 80 mm O.D. shell
00-6310-080-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 26 mm I.D., for use with 80 mm O.D. shell
00-6310-080-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 28 mm I.D., for use with 80 mm O.D. shell
00-6310-080-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 10 Degree Elevated Rim, 32 mm I.D., for use with 80 mm O.D. shell
00-6310-080-36	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 3.5 mm offset, 10 Degree Elevated Rim, 36 mm I.D., for use with 80 mm O.D. shell
00-6320-036-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 36 mm O.D. shell
00-6320-038-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 38 mm O.D. shell
00-6320-040-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 40 mm O.D. shell
00-6320-042-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 42 mm O.D. shell
00-6320-042-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 42 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 45 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6320-044-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 44 mm O.D. shell
00-6320-044-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 44 mm O.D. shell
00-6320-044-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 44 mm O.D. shell
00-6320-046-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 46 mm O.D. shell
00-6320-046-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 46 mm O.D. shell
00-6320-046-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 46 mm O.D. shell
00-6320-048-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 48 mm O.D. shell
00-6320-048-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 48 mm O.D. shell
00-6320-048-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 48 mm O.D. shell
00-6320-048-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 48 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 46 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6320-050-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 50/52/54 mm O.D. shell
00-6320-050-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 50/52/54 mm O.D. shell
00-6320-050-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 50/52/54 mm O.D. shell
00-6320-050-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 50/52/54 mm O.D. shell
00-6320-056-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 56 mm O.D. shell
00-6320-056-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 56 mm O.D. shell
00-6320-056-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 56 mm O.D. shell
00-6320-056-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 56 mm O.D. shell
00-6320-058-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 58 mm O.D. shell
00-6320-058-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 58 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 47 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6320-058-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 58 mm O.D. shell
00-6320-058-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 58 mm O.D. shell
00-6320-060-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 60 mm O.D. shell
00-6320-060-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 60 mm O.D. shell
00-6320-060-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 60 mm O.D. shell
00-6320-060-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 60 mm O.D. shell
00-6320-062-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 62 mm O.D. shell
00-6320-062-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 62 mm O.D. shell
00-6320-062-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 62 mm O.D. shell
00-6320-062-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 62 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 48 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
 BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
 A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6320-064-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 64 mm O.D. shell
00-6320-064-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 64 mm O.D. shell
00-6320-064-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 64 mm O.D. shell
00-6320-064-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 64 mm O.D. shell
00-6320-066-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 66 mm O.D. shell
00-6320-066-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 66 mm O.D. shell
00-6320-066-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 66 mm O.D. shell
00-6320-066-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 66 mm O.D. shell
00-6320-068-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 68 mm O.D. shell
00-6320-068-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 68 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 49 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6320-068-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 68 mm O.D. shell
00-6320-068-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 68 mm O.D. shell
00-6320-070-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 70 mm O.D. shell
00-6320-070-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 70 mm O.D. shell
00-6320-070-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 70 mm O.D. shell
00-6320-070-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 70 mm O.D. shell
00-6320-072-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 72 mm O.D. shell
00-6320-072-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 72 mm O.D. shell
00-6320-072-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 72 mm O.D. shell
00-6320-072-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 72 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 50 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6320-074-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 74 mm O.D. shell
00-6320-074-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 74 mm O.D. shell
00-6320-074-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 74 mm O.D. shell
00-6320-074-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 74 mm O.D. shell
00-6320-076-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 76 mm O.D. shell
00-6320-076-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 76 mm O.D. shell
00-6320-076-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 76 mm O.D. shell
00-6320-076-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 76 mm O.D. shell
00-6320-078-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 78 mm O.D. shell
00-6320-078-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 78 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 51 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
 BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
 A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6320-078-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 78 mm O.D. shell
00-6320-078-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 78 mm O.D. shell
00-6320-080-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 22 mm I.D., for use with 80 mm O.D. shell
00-6320-080-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 26 mm I.D., for use with 80 mm O.D. shell
00-6320-080-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 28 mm I.D., for use with 80 mm O.D. shell
00-6320-080-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 20 Degree Elevated Rim, 32 mm I.D., for use with 80 mm O.D. shell
00-6341-040-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 22 mm I.D., for use with 40 mm O.D. shell
00-6341-042-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 22 mm I.D., for use with 42 mm O.D. shell
00-6341-042-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 26 mm I.D., for use with 42 mm O.D. shell
00-6341-044-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 22 mm I.D., for use with 44 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 52 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6341-044-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 26 mm I.D., for use with 44 mm O.D. shell
00-6341-044-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 28 mm I.D., for use with 44 mm O.D. shell
00-6341-046-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 22 mm I.D., for use with 46 mm O.D. shell
00-6341-046-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 26 mm I.D., for use with 46 mm O.D. shell
00-6341-046-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 28 mm I.D., for use with 46 mm O.D. shell
00-6341-048-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 22 mm I.D., for use with 48 mm O.D. shell
00-6341-048-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 26 mm I.D., for use with 48 mm O.D. shell
00-6341-048-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 28 mm I.D., for use with 48 mm O.D. shell
00-6341-048-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 32 mm I.D., for use with 48 mm O.D. shell
00-6341-050-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 22 mm I.D., for use with 50/52/54 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 53 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6341-050-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 26 mm I.D., for use with 50/52/54 mm O.D. shell
00-6341-050-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 28 mm I.D., for use with 50/52/54 mm O.D. shell
00-6341-050-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 32 mm I.D., for use with 50/52/54 mm O.D. shell
00-6341-056-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 22 mm I.D., for use with 56 mm O.D. shell
00-6341-056-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 26 mm I.D., for use with 56 mm O.D. shell
00-6341-056-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 28 mm I.D., for use with 56 mm O.D. shell
00-6341-056-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 32 mm I.D., for use with 56 mm O.D. shell
00-6341-058-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 22 mm I.D., for use with 58 mm O.D. shell
00-6341-058-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 26 mm I.D., for use with 58 mm O.D. shell
00-6341-058-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 28 mm I.D., for use with 58 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 54 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

Information and Contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: + 44 345 080 9000
 BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
 A member of BSI Group of Companies.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6341-058-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 32 mm I.D., for use with 58 mm O.D. shell
00-6341-060-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 22 mm I.D., for use with 60 mm O.D. shell
00-6341-060-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 26 mm I.D., for use with 60 mm O.D. shell
00-6341-060-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 28 mm I.D., for use with 60 mm O.D. shell
00-6341-060-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 32 mm I.D., for use with 60 mm O.D. shell
00-6341-062-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 22 mm I.D., for use with 62 mm O.D. shell
00-6341-062-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 26 mm I.D., for use with 62 mm O.D. shell
00-6341-062-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 28 mm I.D., for use with 62 mm O.D. shell
00-6341-062-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 32 mm I.D., for use with 62 mm O.D. shell
00-6341-064-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 22 mm I.D., for use with 64 mm O.D. shell

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 55 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6341-064-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 26 mm I.D., for use with 64 mm O.D. shell
00-6341-064-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 28 mm I.D., for use with 64 mm O.D. shell
00-6341-064-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 32 mm I.D., for use with 64 mm O.D. shell
00-6341-066-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 22 mm I.D., for use with 66 mm O.D. shell
00-6341-066-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 26 mm I.D., for use with 66 mm O.D. shell
00-6341-066-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 28 mm I.D., for use with 66 mm O.D. shell
00-6341-066-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 32 mm I.D., for use with 66 mm O.D. shell
00-6341-068-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 22 mm I.D., for use with 68 mm O.D. shell
00-6341-068-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 26 mm I.D., for use with 68 mm O.D. shell
00-6341-068-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 28 mm I.D., for use with 68 mm O.D. shell

First Issued: **2009-01-12**Date: **2019-01-11**Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 56 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6341-068-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 32 mm I.D., for use with 68 mm O.D. shell
00-6341-070-22	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 22 mm I.D., for use with 70 mm O.D. shell
00-6341-070-26	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 26 mm I.D., for use with 70 mm O.D. shell
00-6341-070-28	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 28 mm I.D., for use with 70 mm O.D. shell
00-6341-070-32	Trilogy Acetabular System Longevity Crosslinked Polyethylene Liner, 7 mm offset, 32 mm I.D., for use with 70 mm O.D. shell
00-6334-050-28	Trilogy Longevity Highly Crosslinked Polyethylene Constrained Liner, For use with Trilogy and Trabecular Metal Modular Acetabular Systems, 28 mm I.D., For use with 50/52/54 mm O.D. shells, packaged with constraining ring
00-6334-056-32	Trilogy Longevity Highly Crosslinked Polyethylene Constrained Liner, For use with Trilogy and Trabecular Metal Modular Acetabular Systems, 32 mm I.D., For use with 56 mm O.D. shells, packaged with constraining ring
00-6334-058-32	Trilogy Longevity Highly Crosslinked Polyethylene Constrained Liner, For use with Trilogy and Trabecular Metal Modular Acetabular Systems, 32 mm I.D., For use with 58 mm O.D. shells, packaged with constraining ring

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 57 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6334-060-36	Trilogy Longevity Highly Crosslinked Polyethylene Constrained Liner, For use with Trilogy and Trabecular Metal Modular Acetabular Systems, 36 mm I.D., For use with 60 mm O.D. shells, packaged with constraining ring
00-6334-062-36	Trilogy Longevity Highly Crosslinked Polyethylene Constrained Liner, For use with Trilogy and Trabecular Metal Modular Acetabular Systems, 36 mm I.D., For use with 62 mm O.D. shells, packaged with constraining ring
00-6334-064-36	Trilogy Longevity Highly Crosslinked Polyethylene Constrained Liner, For use with Trilogy and Trabecular Metal Modular Acetabular Systems, 36 mm I.D., For use with 64 mm O.D. shells, packaged with constraining ring
00-6334-066-36	Trilogy Longevity Highly Crosslinked Polyethylene Constrained Liner, For use with Trilogy and Trabecular Metal Modular Acetabular Systems, 36 mm I.D., For use with 66 mm O.D. shells, packaged with constraining ring
00-6334-068-36	Trilogy Longevity Highly Crosslinked Polyethylene Constrained Liner, For use with Trilogy and Trabecular Metal Modular Acetabular Systems, 36 mm I.D., For use with 68 mm O.D. shells, packaged with constraining ring
00-6334-070-36	Trilogy Longevity Highly Crosslinked Polyethylene Constrained Liner, For use with Trilogy and Trabecular Metal Modular Acetabular Systems, 36 mm I.D., For use with 70 mm O.D. shells, packaged with constraining ring
00-6334-072-36	Trilogy Longevity Highly Crosslinked Polyethylene Constrained Liner, For use with Trilogy and Trabecular Metal Modular Acetabular Systems, 36 mm I.D., For use with 72 mm O.D. shells, packaged with constraining ring

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 58 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Part Number	Description
00-6334-074-36	Trilogy Longevity Highly Crosslinked Polyethylene Constrained Liner, For use with Trilogy and Trabecular Metal Modular Acetabular Systems, 36 mm I.D., For use with 74 mm O.D. shells, packaged with constraining ring
00-6334-076-36	Trilogy Longevity Highly Crosslinked Polyethylene Constrained Liner, For use with Trilogy and Trabecular Metal Modular Acetabular Systems, 36 mm I.D., For use with 76 mm O.D. shells, packaged with constraining ring
00-6334-078-36	Trilogy Longevity Highly Crosslinked Polyethylene Constrained Liner, For use with Trilogy and Trabecular Metal Modular Acetabular Systems, 36 mm I.D., For use with 78 mm O.D. shells, packaged with constraining ring
00-6334-080-36	Trilogy Longevity Highly Crosslinked Polyethylene Constrained Liner, For use with Trilogy and Trabecular Metal Modular Acetabular Systems, 36 mm I.D., For use with 80 mm O.D. shells, packaged with constraining ring

First Issued: **2009-01-12**Date: **2019-01-11**Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 59 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Certificate History

Date	Reference Number	Action
12 January 2009	10100268	First issue and transfer of HA/TCP coated Trilogy® Acetabular system shell products from CE 515589
17 January 2013	10138160	Approval of Ethylene Oxide Sterilisation of Trilogy Acetabular System Longevity Liners and Longevity Constrained Liners
09 January 2014	10142941	Certificate renewal
13 January 2015	10149952	New LDPE formulation for packaging bags implemented
11 February 2016	10160056	Compatibility review of Zimmer Trilogy acetabular liners with Biomet CoCr and BioloX Delta ceramic femoral heads affecting UHMWPE and HXPE neutral, 10 degree elevated, 20 degree elevated, 7mm offset liners.

First Issued: **2009-01-12**Date: **2019-01-11**Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 60 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Date	Reference Number	Action
06 April 2016	10161702	Addition of the Zimmer Inc. as manufacture location for machining and diffusion bonding process of the Trilogy non-HA/ TCP Coated Shells, with holes (40mm to 74mm); Trilogy non-HA/ TCP Coated Shells, without holes (40mm to 74mm); Trilogy non-HA/ TCP Coated Shells, with cluster holes (48mm to 74mm); Trilogy HA/ TCP Coated Shells, with holes (40mm to 74mm); Trilogy HA/ TCP Coated Shells, without holes (40mm to 68mm) and Trilogy HA/ TCP Coated Shells, with cluster holes (48mm to 70mm). Change of the cleaning process performed at Zimmer Inc., from a 3-stage ELMA to a 5-stage ELMA cleaning process.
13 July 2016	10160290	Approval of new Tyvek® 1073B packaging material for all product codes.
25 August 2016	10157477	Compatibility review of Zimmer Trilogy (multi and cluster) and Trilogy HA (multi and cluster) with Biomet 6.5mm diameter Low-Profile, Self-Tapping Bone Screws
21 December 2016	10163122	Addition of the Zimmer Inc. as manufacture location for machining and diffusion bonding process and change of the cleaning process performed at Zimmer Inc., from a 3-stage ELMA to a 5-stage ELMA cleaning process for the Trilogy non-HA/ TCP Coated Shells, with multiple holes (36mm to 38mm); Trilogy HA/ TCP Coated Shells, with multiple holes (76mm to 80mm).

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 61 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.

EC Design-Examination Certificate

Supplementary Information to CE 543756

Issued To:

Zimmer Inc.
1800 W. Center Street
Warsaw
Indiana
46580
USA

Date	Reference Number	Action
27 April 2017	10170403	Packaging change for product codes 00-6154-050, 056, 058, 060, 062, 064, 066, 068, 072, 074, 076, 078, 080-32
Current	9631880	<p>Design Examination Certificate Renewal</p> <p>Removal of product codes 00-6200-040-23 to 00-6200-070-23, 00-6200-040-24 to 00-6200-070-24, 65-6200-040-23 to 65-6200-070-23, 65-6200-040-24 to 65-6200-070-24, 00-6109-050-28 to 00-6109-064-28, 00-6141-040-22 to 00-6141-070-32, 00-6151-064-32 to 00-6151-080-32, 00-6152-038-22 to 00-6152-062-32, 00-6154-050-32 to 00-6154-080-32 and 00-6310-050-36 to 00-6310-056-36</p> <p>Removal of ETO Sterilization method for the product Trilogy Acetabular Liners, product codes 00-6105-0XX-YY, 00-6110-0XX-YY, 00-6120-0XX-YY, 00-6505-0XX-YY, 00-6310-0XX-YY, 00-6320-0XX-YY, 00-6334-0XX-YY and 00-6341-0XX-YY</p> <p>New revisions of package inserts and surgical techniques to incorporate MR Conditional safety claims and remove indication for cemented use</p>

First Issued: **2009-01-12**

Date: **2019-01-11**

Expiry Date: **2024-01-11**

...making excellence a habit.™

Page 62 of 62

Validity of this certificate is conditional on the quality system being maintained to the requirements of the Directive as demonstrated through the required surveillance activities of the Notified Body.

This certificate was issued electronically and is bound by the conditions of the contract.