

TOYA S.A.
ul. Sołtysowicka 13 - 15
51 - 168 Wrocław
tel.: 071 32 46 200
fax: 071 32 46 373
e-mail: biuro@yato.pl

ODDZIAŁ WARSZAWSKI
Teren ProLogis Park Nadarzyn
al. Kasztanowa 160
05 - 831 Młochów k. Nadarzyna
tel.: 022 73 82 800
fax: 022 73 82 828

DECLARATION OF CONFORMITY

1224/YT-085602/EC/2024

We declare and guarantee with full responsibility that the following products:

LED flashlight; item no. YT-085602
LED flashlight; item no. YT-085606
LED flashlight; item no. YT-085607


meet requirements of the following European Standards / Technical Specifications:

EN 55015:2019 + A11:2020
EN IEC 61547:2023
EN IEC 61000-3-2:2019 + A1:2021
EN 61000-3-3:2013 + A2:2021

and fulfill requirements of the following European Directives:

2014/35/UE Electromagnetic compatibility (EMC) Directive
2011/65/UE Restriction of the Use of Certain Hazardous Substances

Wrocław, 2024.12.02
(Place and date of issue)

V-CE PREZES ZARZADU
JAN SZMIDT

(Name and signature of authorized person)

EU-TYPE EXAMINATION CERTIFICATE



[1]

[2]

**Equipment or Protective System intended for use
in Potentially Explosive Atmospheres
Directive 2014/34/EU**

[3]

EU-Type Examination Certificate Number: **DEMKO 16 ATEX 1796 Rev. 1**

[4]

Product: **Multifunction Flashlight, Model Nightstick XPR-5580***

[5]

Manufacturer: **Bayco Products Inc.**

[6]

Address: **640 S. Sanden Blvd., Wylie, Texas 75098 USA**

[7]

This product and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.

[8]

UL International Demko A/S, notified body number 0539 in accordance with Article 17 of the Council Directive 2014/34/EU of 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.
The examination and test results are recorded in confidential report no. **4789076613.3.1**

[9]

Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 60079-0:2012+A11:2013

EN 60079-11:2012

[10]

If the sign "X" is placed after the certificate number, it indicates that the product is subject to special conditions for safe use specified in the schedule to this certificate.

[11]

This EU-Type Examination Certificate relates only to the design and construction of the specified product. Further requirements of the Directive apply to the manufacturing process and supply of this product. These are not covered by the certificate.

[12]

The marking of the product shall include the following:

 **II 1 G Ex ia IIC T4 Ga**

Certification Manager

Jan-Erik Storgaard

This is to certify that the sample(s) of the Product described herein ("Certified Product") has been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the ATEX Product Certification Program Requirements. This certificate and test results obtained apply only to the product sample(s) submitted by the Manufacturer. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured product. UL has not established Follow-Up Service or other surveillance of the product. The Manufacturer is solely and fully responsible for conformity of all product to all applicable Standards, specifications, requirements or Directives. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

Date of issue: 2016-11-28

Re-issued: 2020-01-31



Notified Body

UL International Demko A/S, Borupvang 5A, 2750 Ballerup, Denmark
Tel. +45 44 85 65 65, info.dk@ul.com, www.ul.com

Schedule

EU-TYPE EXAMINATION CERTIFICATE No.

DEMKO 16 ATEX 1796 Rev. 1

[13]

[14]

- [15] Description of Product
The Models Nightstick XPR-5580* is a multifunction flashlight that is portable, hand-held, containing several LEDs and is powered by a rechargeable Li-ion battery pack Part No. Nightstick 5500-BATT. The device is provided in either red or green, both with black color bezel, clear lens, black pushbuttons and black battery compartment screw covers.

Model Nomenclature is as follows:

Nightstick XPR-5580*

* – R for red enclosure material or G for green enclosure material

The optical radiation output of the product with respect to explosion protection, according to Annex II clause 1.3.1 of the Directive 2014/34/EU is not covered in this certificate.

Temperature range

The ambient temperature range is -20 °C to +40 °C.

Electrical data

Intrinsically safe specifications:

U_m : 4.75 V

Routine tests

N/A

[16]

Descriptive Documents

The scheduled drawings are listed in the report no. provided under item no. [8] on page 1 of this EU-Type Examination Certificate.

[17]

Specific conditions of use:

N/A

[18]

Essential Health and Safety Requirements

The Essential Health and Safety Requirements (EHSRs) covered by the standards listed at item 9.

Additional information

The manufacturer shall inform the notified body concerning all modifications to the technical documentation as described in Annex III to Directive 2014/34/EU of the European Parliament and the Council of 26 February 2014.